

INDEX NUMBER.....DATE.....

METHODIST UNIVERSITY COLLEGE GHANA



FACULTY OF SCIENCE

DEPARTMENT OF NURSING & APPLIED SCIENCE

(DANSOMAN & TEMA COMPUS)

END OF FIRST SEMESTER EXAMINATION, 2024/2025

B.S.c REGISTERED GENERAL NURSING

COURSE CODE: MNUR 403

COURSE TITLE: PEDIATRIC NURSING

TIME: 2 Hours

Lectures: Madam Joyce Kumah / Nadia A.A. Abbey

INSTRUCTIONS:

1. DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO
2. READ THE QUESTIONS CAREFULLY AND PROVIDE ONLY RELEVANT ANSWERS
3. WRITE CLEARLY IN THE SPACES PROVIDED OR CIRCLE APPROPRIATELY USING A BLUE PEN
4. STOP WRITING AS SOON AS YOU ARE INSTRUCTED TO DO SO
5. REMAIN IN YOUR SEAT UNTIL THE PAPERS ARE COLLECTED

21

1. The nurse would assess the following in an infant with hydrocephalus
 - A. Abdominal girth
 - B. Fontanel
 - C. Urinary output
 - D. Vital signs
2. An essential nursing action when caring for a small child with severe diarrhoea and vomiting is to
 - A. Check weight daily
 - B. Encourage oral fluids intake
 - C. Keep body temperature below 38°C
 - D. Replace lost calories
3. What is the immediate priority in the nursing care of a 6-year-old child admitted with pneumonia?
 - A. Elimination
 - B. Exercise
 - C. Nutrition
 - D. Rest
4. Therapeutic management of most children with Hirschsprung disease is primarily which of the following
 - A. Daily enemas
 - B. Low fibre diet
 - C. Permanent colostomy
 - D. Surgical removal of affected section of bowel
5. What is an appropriate nursing intervention when caring for an infant with an upper respiratory infection and elevated temperature?
 - A. Give tepid water baths to reduce fever
 - B. Encourage food intake to maintain caloric needs
 - C. Have child wear heavy clothing to prevent chilling
 - D. Give small amounts of favorite fluids frequently to prevent dehydration
6. Which of the following is a clinical manifestation of increased intracranial pressure in infants?
 - A. Irritability
 - B. Photophobia
 - C. Pulsating anterior fontanel
 - D. Vomiting and diarrhea
7. The nurse is caring for an infant whose cleft lip was repaired. Important aspects of this infant's postoperative care include which of the following?
 - A. Arm restraints, postural drainage, mouth irrigations
 - B. Cleansing suture line, supine and side-lying position, arm restraints
 - C. Mouth irrigations, prone position, cleansing suture line
 - D. Supine and side-lying position, postural drainage, arm restraints
8. A one-year-old girl is admitted to the ward diagnosed with dysentery. On discharge, what is the most important information the nurse must impart to the mother?
 - A. As soon as the child has diarrhoea place her on NPO for 8 hours
 - B. Do not wait for so long the next time before you bring the child to the hospital
 - C. Observe good hygiene to reduce faeco-oral spread
 - D. Start with anti-diarrhoea medication before bringing the child to hospital

9. Which of the following observations of the cerebrospinal fluid will confirm the diagnosis of meningitis?
- A. Amber coloured
 - B. Blood stained
 - C. Cloud
 - D. Crystalline clear
10. The parent of a neonate asks the nurse what caused the baby's facial nerve paralysis. The nurse's response is based on knowledge that this is caused by which of the following?
- A. Genetic defect
 - B. Birth injury
 - C. Spinal cord injury
 - D. Inborn error of metabolism
11. In tetralogy of Fallot the MOST common sign is:
- A. Bradycardia
 - B. Cough
 - C. Cyanosis
 - D. Orthopnoea
12. What term is used to describe breath sounds that are produced as air passes through narrowed passage ways?
- A. Rubs
 - B. Rattles
 - C. Wheezes
 - D. Crackles
13. Invagination of one segment of bowel within another is called which of the following?
- A. Atresia
 - B. Stenosis
 - C. Herniation
 - D. Intussusceptions
14. Which of the following is an important nursing intervention when caring for a child with myelomeningocele in the preoperative stage?
- A. Place child on side to decrease pressure on the spinal cord
 - B. Apply a heat lamp to facilitate drying and toughening of the sac.
 - C. Keep skin clean and dry to prevent irritation from diarrheal stools
 - D. Measure head circumference and examine fontanels for signs that might indicate developing hydrocephalus
15. A child test positive for tuberculosis during screening. This indicates
- A. A depressed immune system
 - B. An active tuberculosis infection
 - C. Previous exposure of the acid-fast bacilli
 - D. That tuberculosis infection is imminent
16. The most critical factor in the immediate care of an infant after repair of cleft lip is
- A. Administration of drugs to reduce oral secretions
 - B. Administration of intravenous infusion
 - C. Maintenance of patent airway
 - D. Prevention of vomiting

17. Shortly after the delivery of an infant with an omphalocele, the nurse would initially:
- Call the blood bank for 2-units of blood.
 - Cover the sac with moistened sterile gauze.
 - Insert an orogastric tube
 - Weigh the infant
18. Cerebral palsy may result from a variety of causes. It is now known that the most common cause of cerebral palsy is which of the following?
- Birth asphyxia
 - Neonatal diseases
 - Cerebral trauma
 - Prenatal brain abnormalities
19. During an otoscopic examination on an infant, in which directions is the pinna pulled?
- Down and Back
 - Down and forward
 - Up and forward
 - Up and back
20. Oral candidiasis (thrush) in the neonate is which of the following?
- Bacterial infection that is life-threatening in the neonatal period
 - Bacterial infection of mucous membranes that responds readily to treatment
 - Yeast-like fungal infection of mucous membranes that is relatively common
 - Benign disorder that is only transmitted from mother to infant during the birth process.
21. Nurse Gloria is assessing a new admission. The 6-month old infant displays irritability, bulging fontanels, and setting sun eyes. Nurse Gloria will suspect:
- Hypertension
 - Increased intracranial pressure
 - Myelomeningocele
 - Skull fracture
22. When caring for a child following a tonsillectomy, the nurse should do which of the following?
- Watch for continuous swallowing
 - Encourage gargling to reduce discomfort
 - Position the child on the back for sleeping
 - Apply warm compresses to the throat.
23. The most important complication of mumps in male children is
- Bronchopneumonia
 - Diphtheria
 - Renal disorders
 - Sterility
24. When is a child with chickenpox considered to be no longer contagious?
- When fever is absent
 - When lesions are crusted
 - 24 hours after lesions erupt
 - 8 days after onset of illness
25. An infant returns from initial surgery for Hirschsprung's disease. Because of the type of surgery the child had, the nurse EXCLUDE from the routine postoperative care plan instructions to:
- Assess the surgical site every 2 hours.
 - Maintain the child NPO until bowel sounds return.
 - Monitor rectal temperature every 4 hours.

D. Reunite the parents with the child as soon as possible.

26. The nurse is caring for a neonate with a suspected tracheoesophageal fistula. Nursing care should include which of the following?

- A. Elevate head but give nothing by mouth
- B. Elevate head for feedings
- C. Feed glucose water only
- D. Avoid suctioning unless infant is cyanotic

27. An 18-month-old child with a history of cleft lip and palate has been admitted for palate surgery. The nurse teaches the parents not to use a tooth brush immediately after surgery because:

- A. The child no longer has deciduous teeth.
- B. The child will be NPO
- C. The suture line could be interrupted
- D. The toothbrush would be frightening to the child

28. The nurse is caring for an infant who had surgical repair of a tracheoesophageal fistula 2 days ago. Gastrostomy feedings have not been started. Nursing actions related to the gastrostomy tube include which of the following?

- A. Keep tube clamped
- B. Suction tube as needed
- C. Leave tube open to gravity drainage
- D. Lower tube to point below the level of the stomach

29. Which of the following cervical nerves are involved when there is injury to the brachial plexus

- A. 2nd and 3rd
- B. 3rd and 4th
- C. 4th and 5th
- D. 5th and 6th

30. Which of the following types of seizures refers to seizures that involve both hemispheres of the brain?

- A. Focal
- B. Partial
- C. Generalized
- D. Unclassified epileptic

31. The nurses' immediate action when a child is rushed in with severe diarrhoea and vomiting will be

- I. Keep child warm in bed
 - II. Prepare trolley for intravenous infusion
 - III. Reassure mother of safety of the child in the hospital
 - IV. Start oral rehydrated therapy
- A. I and II
 - B. II and IV
 - C. II, III and IV
 - D. I, II, III and IV

32. The outcome of Kernicterus in neonates is:

- A. Cephal haematoma
- B. Intracranial haemorrhage
- C. Permanent brain damage
- D. Sub-arachnoid haemorrhage

33. Asthma in infant is usually triggered by:

- A. Medications

D. Reunite the parents with the child as soon as possible.

26. The nurse is caring for a neonate with a suspected tracheoesophageal fistula. Nursing care should include which of the following?

- A. Elevate head but give nothing by mouth
- B. Elevate head for feedings
- C. Feed glucose water only
- D. Avoid suctioning unless infant is cyanotic

27. An 18-month-old child with a history of cleft lip and palate has been admitted for palate surgery. The nurse teaches the parents not to use a tooth brush immediately after surgery because:

- A. The child no longer has deciduous teeth.
- B. The child will be NPO
- C. The suture line could be interrupted
- D. The toothbrush would be frightening to the child

28. The nurse is caring for an infant who had surgical repair of a tracheoesophageal fistula 2 days ago. Gastrostomy feedings have not been started. Nursing actions related to the gastrostomy tube include which of the following?

- A. Keep tube clamped
- B. Suction tube as needed
- C. Leave tube open to gravity drainage
- D. Lower tube to point below the level of the stomach

29. Which of the following cervical nerves are involved when there is injury to the brachial plexus

- A. 2nd and 3rd
- B. 3rd and 4th
- C. 4th and 5th
- D. 5th and 6th

30. Which of the following types of seizures refers to seizures that involve both hemispheres of the brain?

- A. Focal
- B. Partial
- C. Generalized
- D. Unclassified epileptic

31. The nurses' immediate action when a child is rushed in with severe diarrhoea and vomiting will be

- I. Keep child warm in bed
 - II. Prepare trolley for intravenous infusion
 - III. Reassure mother of safety of the child in the hospital
 - IV. Start oral rehydrated therapy
- A. I and II
 - B. II and IV
 - C. II, III and IV
 - D. I, II, III and IV

32. The outcome of Kernicterus in neonates is:

- A. Cephal haematoma
- B. Intracranial haemorrhage
- C. Permanent brain damage
- D. Sub-arachnoid haemorrhage

33. Asthma in infant is usually triggered by:

- A. Medications

42. The head-to-tail direction of growth is referred to as which of the following?
- A. Cephalocaudal
 - B. Proximodistal
 - C. Mass to specific
 - D. Sequential
43. When responding to a call of a visually impaired child on admission, it is important for the nurse to
- A. Address the child when she enters the room
 - B. Respond to the call promptly
 - C. Send an orderly to attend to the child
 - D. Touch the child before speaking to him or her
44. A primary task to be accomplished between 12 and 15 months of age is to start?
- A. Climbing stairs
 - B. Say simple words
 - C. Use a cup
 - D. Walking erect
45. The non-surgical treatment of constipation includes the following EXCEPT
- A. Dietary fibre intake
 - B. Exercises
 - C. Large fluid intake
 - D. Regular use of laxatives
46. In preparing to give "enemas until clear" to a young child, the nurse should select which of the following?
- A. Tap water
 - B. Normal saline
 - C. Oil retention
 - D. Fleet solution
47. Pyloric stenosis can best be described as which of the following?
- A. Dilation of the pylorus
 - B. Hypertrophy of the pyloric muscle
 - C. Hypotonicity of the pyloric muscle
 - D. Reduction of tone in the pyloric muscle
48. A 1 year old diagnosed of imperforate anus is due for surgery; abdominoperineal resection in 2 years. A temporary colostomy is done. Which diet will you recommend?
- A. Bland diet
 - B. High fibre diet
 - C. Low residue diet
 - D. Well balanced diet
49. Some babies develop slight jaundice from the third day after birth or later. This is called
- A. hepatitis
 - B. jaundice in the infant
 - C. neonatal hepatitis
 - D. Physiological jaundice
50. Rhesus incompatibility usually occurs when the mother
- A. And foetus are both rhesus
 - B. And foetus are both rhesus positive
 - C. Is rhesus negative and foetus is rhesus positive

D. Is blood group O and foetus is group AB

51. A child with tetralogy of fallot has been admitted. What equipment is most important to have at the bed side?

- A. A blood pressure cuff
- B. A thermometer
- C. An oxygen setup
- D. Morphine

52. Vitamin A supplementation may be recommended for the young child who has which of the following?

- A. Mumps
- B. Rubella
- C. Measles (rubeola)
- D. Diphtheria

53. Which of the following is CONTRAINDICATED after the repair of cleft lip?

- A. Placing the child on her side
- B. Feeding the child with a medicine dropper
- C. Placing the child on her abdomen
- D. Suctioning through the mouth

54. When caring for a neonate with an imperforate anus, the nurse should observe the urine for

- A. Acetone
- B. Bile
- C. Blood
- D. Meconium

55. The nurse is caring for a boy with probable intussusceptions. He had diarrhea before admission but, while waiting for administration of air pressure to reduce the intussusceptions, he passes a normal brown stool. Which of the following is the most appropriate nursing action?

- A. Notify physician
- B. Measure abdominal girth
- C. Auscultate for bowel sounds
- D. Take vital signs, including blood pressure

56. Which of the following drugs is usually given first in the emergency treatment of an acute, severe asthma episode in a young child?

- A. Ephedrine
- B. Theophylline
- C. Aminophylline
- D. Short-acting beta 2 agonists

57. Nursing care of an infant with repaired cleft lip should include

- i. Keeping the suture area clean and dry
- ii. Placing the infant in a semi-sitting position
- iii. Preventing the infant from crying
- iv. Spoon feeding after surgery

- A. I and II
- B. I and III
- C. I, III and IV
- D. I, II, III and IV