

INDEX NUMBER.....SIGN.....

METHODIST UNIVERSITY COLLEGE GHANA



FACULTY OF SCIENCE

DEPARTMENT OF NURSING & APPLIED SCIENCE

(DANSOMAN & TEMA CAMPUS)

END OF FIRST SEMESTER EXAMINATION, 2024/2025

B.S.c REGISTERED GENERAL NURSING

COURSE CODE: MNUR 407

COURSE TITLE: ADOLESCENT HEALTH

TIME: 1 Hour, 30 mins

Lectures: Madam Stella Sagoe

INSTRUCTIONS:

1. DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO
2. READ THE QUESTIONS CAREFULLY AND PROVIDE ONLY RELEVANT ANSWERS
3. WRITE CLEARLY IN THE SPACES PROVIDED OR CIRCLE APPROPRIATELY USING A BLUE PEN
4. STOP WRITING AS SOON AS YOU ARE INSTRUCTED TO DO SO
5. REMAIN IN YOUR SEAT UNTIL THE PAPERS ARE COLLECTED

SECTION A

1. Which of the assertions below is true of adolescence?
 - I. The boundaries of adolescence are subject to individual variation.
 - II. The age at which intellectual maturity is attained is the same across individuals.
 - III. It is generally agreed amongst psychologists that adolescence ends at the end of the teens.
 - IV. All of the above
 - A. I AND II
 - B. II AND III
 - C. I AND III
 - D. AI, II AND III
2. A particularly important physical change during puberty is the emergence of secondary sexual characteristics. But which of the following are typical secondary sexual characteristics in boys?
 - I. An increase in subcutaneous fat.
 - II. Nocturnal emissions
 - III. The menarche.
 - IV. Increased production of androgen
 - A. I AND II
 - B. II AND III
 - C. I, II AND IV
 - D. II AND IV
3. Cognitive development of the adolescent is characterised by.....
 - A. ability to develop self-awareness
 - B. exhibit decreased communication skills
 - C. Become secretive and demonstrate an intense need to be known
 - D. development of decision making skills and wants a voice in their choices
4. Which of the following are typical secondary sexual characteristics in girls?
 - I. A decrease in subcutaneous fat
 - II. Increased production of androgen
 - III. The menarche
 - IV. Emergence of pubic hair
 - A. I AND II
 - B. III AND IV
 - C. II AND IV
 - D. I, II AND III
5. Variations in the pace of development during puberty can lead to complex outcomes – for example:
 - I. Those who mature early are seen and treated as more adult-like.
 - II. Early maturers may experience some insecurities as they compare themselves with their peers
 - III. Some early maturing boys are drawn into activities that get them into trouble with parents, teachers and other authorities.
 - IV. Some early maturing girls report higher levels of psychosomatic distress during their teens.
 - A. I AND II
 - B. I, II AND II
 - C. I, III AND IV

D. I AND IV

6. One of the following statements about cognitive development in adolescence is INCORRECT?
- A. There is an intellectual growth spurt during puberty
 - B. Piaget referred to adolescence as the period of parapsychological reasoning.
 - C. During adolescence, many individuals are able to deal with more abstract cognitive tasks
 - D. In tests such as the pendulum task, adolescents who have reached the formal operations phase are able to test the effects of varying a factor while holding the other factors constant.
7. Which of the following brain lobes is the last to develop in the adolescent?
- A. Temporal
 - B. Frontal
 - C. Occipital
 - D. Parietal
8. Which of the statements given below are features of adolescents' social and emotional development?
- I. The adolescent's social world changes fast due to the impact of other people's expectations.
 - II. During adolescence, gender becomes less important for most individuals.
 - III. Throughout adolescence, parental influence is virtually irrelevant.
 - IV. In adolescence, there is a narrowing of the gender 'pathways'.
- A. I AND III
 - B. I, II AND III
 - C. I AND IV
 - D. I AND II
9. Which of these is true about intimacy in early adulthood?
- A. According to Erikson and Levinson's developmental models, young adults are not developing a sense of personal identity.
 - B. Finding and developing relationships with an intimate partner is not a priority for most young adults.
 - C. There are strong similarities in the ways people develop early relationships with caregivers during infancy and intimate adult relationships later on.
 - D. Intimacy in early adolescent is not exclusively focused on sexuality and only in middle age does it mature into emotional intimacy
10. What are the main reasons that unmarried, sexually active youth report they do not use contraception?
- I. Did not have permission from their parents.
 - II. Did not expect to have sex
 - III. Lacked information about contraception
 - IV. Lacked access to resources
- A. I AND II
 - B. I, II AND IV
 - C. II, III AND IV
 - D. I AND III

11. The following are types of risk taking behaviors of adolescent except.....
- A. Experimentation with substances such as marijuana, alcohol and cocaine
 - B. Involving higher authority in decision making and actions
 - C. Provoking attitudes which are necessary with peers leading to fighting and its consequences such as injuries and sometimes death.
 - D. Reckless behaviour resulting in accidents and injuries and sometimes death
12. Which of the following is characteristic of the Early stage of adolescence?
- I. It is the first stage and occurs from ages 10 to 13 years.
 - II. Puberty usually ends during this stage.
 - III. It is characterized by a spurt of growth
 - IV. The development of secondary sexual characteristics.
- A. I AND III
 - B. II, III AND IV
 - C. III AND II
 - D. I, III IV
13. All of the following are important elements to be considered in designing programs for adolescents except?
- A. Involve the youth
 - B. Make services accessible as identified by the youth
 - C. Identify target groups, their assets and their needs
 - D. Work with community excluding parents
14. Early adolescents may feel invincible and start to engage in risky behaviors such as...
- A. Singing and dancing
 - B. Sexual and gang activity
 - C. Stress management
 - D. Peer group association
15. Psychosocial development of the adolescent includes all of the following except.....
- A. making friends and interacting socially becomes valuable
 - B. using friendship to develop a sense of identity
 - C. questioning and exploring their sexual identity
 - D. spending less time with family and more time with friends
16. Which of the following is an important role of the nurse in managing expectations of the adolescent's sexual and reproductive features?
- A. Assume a judgmental attitude
 - B. if the need arises, let them see a clinical psychologist
 - C. Question their behaviours
 - D. reassure the adolescent about their development
17. The Tanner scale (also known as the Tanner stages) defines physical measurements of development based on
- I. external primary sexual characteristics
 - II. secondary sexual characteristics
 - III. social characteristics
 - IV. Psychosocial characteristics
- A. I and IV
 - B. I and III
 - C. I and II
 - D. I, II and III

18. Cognitive development in the adolescent refers to
- bodily changes that cause emotional stress and rapid mood swings.
 - development of critical thinking skills and self-awareness
 - searching for identity
 - the ability to interact with society and peers
19. Which of the following is NOT a concept of wellness in Adolescent health?
- Physical
 - Mental
 - Social
 - Spiritual
20. Adolescent and sexual and reproductive health is usually services which seeks to
- Promote all barriers to emotional and sexual health
 - promote health and general well-being of the adolescent
 - empower the adolescent to live and thrive
 - engender trust between the adolescent, their peers, parent and society
21. Which of the following are the main challenges to effectively programming adolescent reproductive health services?
- Significant numbers of adolescents are not adequately reached
 - Interventions that have been shown to be ineffective continues to be implemented
 - Lack of access to the health facilities
 - Contraceptives options lacks varieties
- I, AND IV
 - I AND II
 - I, II AND IV
 - I, II, AND III
22. Which of the following terms refers to first ejaculation in the adolescent?
- Spermach
 - spermache
 - spermachy
 - specmacy
23. Adolescence has been described as
- the evolution period in life when an individual is no longer a adult, but not also a child.
 - Adolescence is also called the new-age period where the child explores the environment
 - the transition period in life when an individual is no longer a child, but not yet an adult
 - the transition period in life when an individual moves from the unknown to the known
24. Adolescence generally begins with
- attitude
 - puberty.
 - reproduction
 - the mindset

25. Which of the following is characteristic of the Early stage of adolescence?
- It is the first stage and occurs from ages 10 to 13.
 - Puberty usually ends during this stage.
 - It is characterized by a spurt of growth
 - The development of secondary sexual characteristics.
- I AND III
 - II, III AND IV
 - III AND II
 - I, III IV
26. Which of the following are important elements to be considered in designing programs for adolescents?
- Involve the youth
 - Make services inaccessible as identified by the youth
 - Identify target groups their assets and their needs
 - Work with community excluding parents
- I, II AND IV
 - I AND II
 - I AND III
 - I, II AND III
27. Psychosocial development of the adolescent includes all of the following except.....
- adolescent may question and explore their sexual identity
 - Making friends and interacting socially becomes valuable
 - They may spend less time with family and more time with friends
 - They use friendship to develop a sense of identity
28. The nurse gives health education to a couple seeking to achieve conception and explain that monitoring of ovulation is critical to achieve conception. Ovulation is therefore likely to occur.....
- 10 days prior to the next menstruation
 - 12 days prior to the next menstruation
 - 14 days prior to the next menstruation
 - 15 days prior to the next menstruation
29. Physical growth and development of the adolescent are accompanied by sexual maturation which often
- lead to antisocial behaviours
 - lead to intimate relationships
 - lead to spiritual growth and solemn relationships
 - lead to withdrawal symptoms
30. The following are physical vulnerabilities of the adolescence EXCEPT
- rapid growth and development that creates the need for nutritious and adequate diet
 - Poor eating habits which puts them at risk of undernutrition
 - Repeated and untreated infections and parasitic diseases, physical defects and disabilities
 - Poor personal hygiene care leading to body odour and, lice infestation

31. Which of the following interventions have been shown to improve adolescents' knowledge, attitude and practices toward sexual and reproductive health (SRH) behaviors?
- Providing them with overall health education and physical education
 - Providing them with comprehensive video movies on sexuality education
 - Provision of comprehensive sexuality education and appropriate SRH
 - providing the youth and adolescent with SRH services inconsistently
32. External and common differences between men and women that do not include genitalia, such as differences in height, men's ability to grow beards, and women's breasts, are examples of ____.
- Primary sexual characteristics
 - Quaternary sexual characteristics
 - Tertiary sexual characteristics
 - Secondary sexual characteristics
33. Which of the following is a health risk associated with Sexually active youth?
- Unintended and too-early pregnancy
 - Sexual violence and unwanted sexual activity
 - Too much influence on peers.
 - Sexually transmitted infections, including HIV
- I, II AND III
 - I, II AND IV
 - I, III AND IV
 - All of the above
34. The youth are at high risk for STIs/HIV due to which of the following factors:
- Non-use or incorrect use of condoms
 - Failure to seek treatment
 - Lack of communication
 - Having multiple partners
- I, II AND III
 - I, II AND IV
 - I AND II
 - I, AND III
35. Communication skills needed by healthcare providers working with youth include which all of the following except
- Reflective listening
 - Honesty
 - Closed-ended questions
 - Non-judgmental attitude
36. The following are outcomes of effective sex education programs EXCEPT
- Strengthens individual and group values against unprotected intercourse
 - Provides clear lecture guidelines for teachers
 - Maintains discipline in classroom
 - Focuses on reducing sexual risk-taking.
37. The following are elements of good youth-adult partnerships
- Organisational commitment and capacity
 - youth working equal hours as adults
 - Attitude shift among adults and youth

- IV. An equal number of youth and adults in all projects
 A. I and ii
 B. I and III
 C. I, II and III
 D. I and IV
38. Complete sexual abstinence can include a range of which of the following sexual practices.....
 I. Hugging
 II. Massaging
 III. Masturbation
 IV. Withdrawal
 A. I, III and IV
 B. II and III
 C. II and I
 D. I, II and III
39. Why are barrier methods of family planning considered particularly appropriate for young people?
 i. Many young adults are at high risk for STIs
 ii. Many young people have easier access to barrier methods than to other contraceptives
 iii. Many are good methods for couples in long-term relationship
 iv. All of the above
 A. I and III
 B. I and II
 C. I, and II
 D. IV
40. The following are some common breast disorders among adolescents EXCEPT.....
 A. Benign tumours of the breast
 B. Breast cancers
 C. Breast pain
 D. Palpable mass
41. Galactorrhea refers to
 A. Unilateral, spontaneous bloody discharge usually seen in adolescents
 B. Bilateral, nonspontaneous multiple duct milky grey or green discharge usually in adolescents
 C. Purulent nonspontaneous which discharge usually seen in adolescents
 D. Sanquinous nonspontaneous which discharge usually seen in early adolescence
42. Amenorrhea may be caused by all of the following except.....
 A. Psychological disorders
 B. Galactorrhea
 C. Chromosomal disorders
 D. Nutritional disorders
43. The following are types of anxiety disorders except.....
 A. Panic disorder
 B. Social anxiety disorder
 C. Specific phobias

D. Selective anxiety

44. Which of the following statement best defines depression?
- A short-term feeling of extreme sadness and hopelessness
 - Short to medium term feeling of sadness and hopelessness
 - Ongoing feeling of extreme sadness and hopelessness
 - Intermittent feeling of extreme sadness and hopelessness
45. The following are gender self-esteem issues among females except....
- Always find fault with certain parts of their bodies
 - Dislike some part of their bodies
 - Feels satisfied with their bodies
 - Physiological changes occurring make them disappointed in their bodies
46. Which of the following statement about premenstrual syndrome is true?
- It is linked to hormonal imbalances
 - It is linked to spiritual psyche
 - May diminish after a week after menstruation
 - It is caused by prostaglandins
- I and II
 - II AND IV
 - II AND III
 - I AND IV
47. Which of the following is NOT TRUE about 'Ductal carcinoma in situ' ?
- It is non invasive
 - Confined to the areola tissue
 - Can be malignant if left untreated
 - It is usually a benign tumor
48. Theof the brain play a big role in coordinating complex decision making, impulse control, and being able to consider multiple options and consequences.
- Parietal lobe
 - Occipital lobe
 - Temporal lobe
 - Frontal lobe
49. All of the following are likely to influence the variation in the needs of the adolescent except....
- sex
 - stage of development
 - spiritual circumstances
 - the socio-economic conditions
50. Adolescents are usually referred to as the human population that has ...
- "new blood."
 - "Hot blood"
 - "Fresh blood"
 - "Warm blood"
51. Which of the following is a priority in the treatment approach for anorexia nervosa?
- Stabilizing the patient's condition
 - Addressing the psychological aspect of the disorder
 - Preventing relapse and maintaining recovery

D. Providing ongoing follow up care

52. All of the following are contributing factors to vulnerabilities among adolescents except.....
- A. Risk taking behaviors
 - B. Personality traits
 - C. Family background
 - D. Educational level
53. Which of the following best defines vulnerability of the adolescent?
- A. The ability to take on risk taking behaviours
 - B. The susceptibility to challenges that comes with taking risk behaviors
 - C. The susceptibility to harm or risk due to various factors
 - D. The ability to pre-empt risks associated with adolescent development
54. Which of the following is a specific characteristic of bulimia nervosa?
- A. Going to the washroom after eating
 - B. Constant fear of weight gain
 - C. Use of dietary supplement
 - D. Feeling shame for body weight
55. The signs and symptoms of "Binge" eating include all of the following except.....
- A. Guilt after eating
 - B. Eating alone
 - C. Feeling embraced when people see them eat
 - D. Purging after eating
56. Which of the following are characteristics of the middle adolescence?
- I. It occurs from ages 14 to 16 years
 - II. Puberty usually ends during this stage.
 - III. It is characterized by a spurt of growth
 - IV. There is the development of secondary sexual characteristics.
- A. I AND IV
 - B. I, II AND IV
 - C. I, III AND IV
 - D. I, II AND III
57. Which of the following gland is responsible for producing large amount of androgens in boys?
- A. Scrotum
 - B. Vas deferens
 - C. Adrenal
 - D. Glands penis
58. The first characteristic of puberty in girls is the
- A. enlargement of the hip
 - B. growth of the breasts
 - C. increase in the size of the reproductive organs
 - D. menarche

59. In the male adolescents, the voice deepens in response to.....
- A. Growth of the oropharynx
 - B. Growth of the pharynx
 - C. Maturation of the nasopharynx
 - D. the growth of the larynx
60. The following are warning signs of anorexia nervosa except.....
- A. fear of weight gain
 - B. denial of hunger
 - C. necessary exercise
 - D. obsession with food labels
61. Which one of the these is a contributory factor to eating disorders among the adolescent?
- A. Brain chemical balance
 - B. Genetics
 - C. Physical changes
 - D. Desire for weight gain
62. Which of the following group of people are more likely to suffer from iron deficiency anaemia?
- A. Adolescent boys
 - B. Adolescent girls
 - C. Menopausal Women
 - D. Toddlers
63. All of the following can be classified as benign disorders of the breast except ...
64. Which of the following is NOT a physical impact of stress on the adolescent?
- A. Headache
 - B. Muscle tension and pain
 - C. Mood swings and irritability
 - D. Changes in appetite and weight
65. Another typical way of exploring sex and sexuality for teens of all genders is.....
- A. self-stimulation
 - B. masturbation
 - C. Sexual massage
 - D. Self-abuse
66. One of the following is NOT a characteristic of adolescent and youth friendly health services
- A. Equitable
 - B. Accessible
 - C. Acceptable
 - D. Inapplicable
67. Many girls may start their menstrual period at around age 12 years and average 2-3 years after the onset of breast development.
- A. True
 - B. False

68. Secondary sexual characteristics in female adolescents girls usually delays a year or two compared to that of their male counterparts.
A. True
B. False
69. Adolescents have passed the age of suffering the myriads of diseases like cancer, diabetes and hypertension
A. True
B. False
70. As adolescents work to form their identities, they pull away from their peers, and their parents become very important
A. TRUE
B. FALSE
71. Oral contraceptives can protect against ectopic pregnancy, benign breast disease, ovarian and endometrial cancer, and some forms of pelvic inflammatory disease.
A. TRUE
B. FALSE
72. Variations in the age of starting puberty has been observed to be reducing with generations.
A. True
B. False
73. Secondary sexual characteristics are physiological signs of sexual maturation in the adolescent that do not directly involve the sex organs
A. TRUE
B. FALSE
74. Females may develop anorexia nervosa to keep their shape.
A. True
B. False
75. Iron deficiency anaemia is a kind of micronutrient deficiency among adolescents.
A. True
B. False

SECTION B

76. The physical changes that take place during adolescence begins with
77. The first sign of puberty in boys is the.....
78. Testosterone stimulates the growth
79. Increased activity of the result in the secretion of more fatty substances resulting in pimples
80. Erikson referred to the task of the adolescent as one of identity versus