

INDEX NUMBER.....SIGN.....

METHODIST UNIVERSITY COLLEGE GHANA



FACULTY OF SCIENCE

DEPARTMENT OF NURSING & APPLIED SCIENCE

(DANSOMAN & TEMA CAMPUS)

END OF FIRST SEMESTER EXAMINATION, 2024/2025

B.S.c REGISTERED GENERAL NURSING

COURSE CODE: MNUR 409

COURSE TITLE: PALLIATIVE CARE

TIME: 1 Hour, 30 mins

Lectures: Madam Stella Sagoe

INSTRUCTIONS:

1. DO NOT OPEN THE BOOKLET UNTIL YOU ARE TOLD TO DO SO
2. READ THE QUESTIONS CAREFULLY AND PROVIDE ONLY RELEVANT ANSWERS
3. WRITE CLEARLY IN THE SPACES PROVIDED **OR** CIRCLE APPROPRIATELY USING A BLUE PEN
4. STOP WRITING AS SOON AS YOU ARE INSTRUCTED TO DO SO
5. REMAIN IN YOUR SEAT UNTIL THE PAPERS ARE COLLECTED

SECTION A

1. The appropriate technique in assessing the skin turgor is to.....
 - A. allow range of motion exercises
 - B. allow warmth to be applied on the skin for some minutes
 - C. pull the skin and observe for a wrinkle
 - D. pull the toes and observe the skin colour
2. What is autonomy?
 - A. Allowing all patients to make their own decisions
 - B. Not allowing individuals to make a decision if they have not consulted others about their decision
 - C. Respecting the uniqueness of an individual and giving them the right and freedom to make their own decisions
 - D. Automatically agreeing with health professionals
3. The grieving process by Kubler Ross includes all of the following stages **except**.....
 - A. Acceptance
 - B. Anger
 - C. Bargaining
 - D. Desperation
4. Which of the following points contradict the principle of hospice care?
 - A. Focus on the quality of life
 - B. Treat the disease not the patient
 - C. Treat the patient not the disease
 - D. Involve the patient and family in care
5. What is a hospice?
 - A. An organisation that provides palliative care in a variety of settings
 - B. A small hospital found in a rural area
 - C. A group of people who provide bereavement counselling
 - D. A hospital for patients with cancer
6. The most important aim of pain management in palliative care is:
 - A. Reduce emotional reactions to impending death
 - B. Prevent suffering
 - C. Enhance recovery
 - D. Reduce side effects of some interventions
7. Palliative care nurses' self-awareness may be most critical when dealing with:
 - A. Prognostic issues
 - B. Ethical issues
 - C. End-of-life issues
 - D. Loss of self-care ability issues
8. The concept of hospice is derived during medieval times and was used to identify a particular place where:
 - A. Friends and family could meet and find comfort
 - B. Patients could find rest and comfort
 - C. Travelers could find rest and comfort
 - D. Patients with terminal illness could find rest

9. The goals of nutrition in palliative care include all the following except;
- Correct nutrition
 - Help recovery and healing
 - Improve quality of life
 - Improve the living state
10. The ethical framework of palliative care addresses the following.....
- Autonomy, privacy, self-awareness
 - Confidentiality, justice, access
 - Consent, confidentiality, privacy
 - Self-awareness, beneficence, privacy
11. Essential components of palliative care include;....
- Rehabilitation, continuity of care, treatment
 - Effective communication, terminal care, bereavement planning
 - Terminal care, symptom control, rehabilitation
 - Education, research, grief planning
12. A 73-year-old patient with cancer is in the hospital for pain control and rates pain as a "12" on the Numeric Rating Scale of 0 to 10. Thirty minutes after receiving IV pain medication, the patient reports no pain relief. The pain management nurse calls the physician for additional orders for pain medication. The nurse's actions demonstrate:
- Analgesic titration
 - Empathy
 - Independence
 - Patient advocacy
13. The grieving process by Kubler Ross includes all of the following stages except.....
- Acceptance
 - Anger
 - Bargaining
 - Desperation
14. Services provided to palliative care patients and their family through the power of the attorney is a form of:
- Social care
 - Psychological care
 - Emotional care
 - Spiritual care
15. Which of the following best describes the characteristics of a hospice?
- A form of palliative care that is given to a person with incurable disease.
 - Focuses on curing not caring
 - It exists to provide support and care for persons in the last phases of incurable disease
 - Hospice is not a concept but a place of care that provides compassion, concern, and support for the dying
- I AND II
 - I, III AND IV
 - I, II AND IV
 - I AND III
16. Do Not Resuscitate Order often accompanies situations when the prognosis of the patient is approximately:
- Between 6 and 12 months
 - Between 3 and 6 months

- C. Less than 6 months
- D. Less than 12 months

17. Neuropathic pain in life-limiting illness can be managed by use of:

- A. Amitriptyline
- B. Brufen
- C. Acupuncture
- D. Gabapentin

18. Which of the following is NOT considered a form of support system for the bereaved family?

- A. Reach out to the bereaved by visiting them and express your sympathy
- B. Reassure them that they did not do what was necessary, hence their loved one's death
- C. Educate the bereaved about normal responses to grief
- D. Assure them that it is normal to experience upsurges in grief related to significant days or events

19. Hospice care compares with palliative care because they both address:

- A. Terminal illnesses, seek curative treatment
- B. Focus on symptom management, aggressive treatment
- C. Have terminal illness diagnoses, focuses on symptom management
- D. Have no terminal illness focus, symptom management diagnoses

20. A person facing imminent death may cry often, become socially withdrawn, or become mute. This may be indicative of:

- A. Isolation
- B. Bargaining
- C. Anger
- D. Depression

21. Which of the following is classified as a weak opioid?

- A. Ibuprofen
- B. Pethidine
- C. Codeine
- D. Cromodol

22. The following best describes the components of supportive care, except:

- A. Physical, emotional, social, financial
- B. Mental, spiritual, physical, legal
- C. Emotional, mental, psychological, legal
- D. Spiritual, physical, legal, social

23. The aim of palliative care is to:

- A. Care for patients with cancer only
- B. Care for the dying patient only
- C. Prevent the patient from dying in the hospital
- D. Provide comfort, support, and relief of suffering

24. The goals of palliative care include the following, except:

- A. Prolonging life as much as possible
- B. Providing relief from painful symptoms
- C. Supporting patient towards optimal living
- D. Helping patient and family members experiencing anticipatory grieving

25. Palliative sedation aims to achieve:
- A. Symptoms management
 - B. Treatment of agitation
 - C. Reduce patient's awareness of distressing symptoms
 - D. Encourage safety and comfort
26. Which of the following is a form of loss that may precipitate:
- A. Bereavement
 - B. Grief
 - C. Mourning
 - D. Actual loss
27. Nursing diagnoses mostly differ from medical diagnoses, in that they are:
- A. Dependent upon medical diagnoses for the direction of appropriate interventions
 - B. Primarily concerned with caring, while medical diagnoses are concerned with curing
 - C. Primarily concerned with human response, while medical diagnoses are concerned with pathology
 - D. Primarily concerned with psychosocial parameters, while medical diagnoses are primarily concerned with physiologic parameters
28. Larger doses of opioids are needed to control pain, as compared to several weeks earlier. This indicates the development of:
- A. Opioid dependence
 - B. Opioid tolerance
 - C. Sedative tolerance
 - D. Anxiety
29. The subjective response experienced by surviving loved ones after the death of a person with whom they have shared a significant relationship is:
- A. Mourning
 - B. Death
 - C. Bereavement
 - D. Loss
30. The most important aim of pain management in palliative care is:
- A. Reduce emotional reactions to impending death
 - B. Prevent suffering
 - C. Enhance recovery
 - D. Reduce side effects of some interventions
31. When caring for a client who is at risk of developing pressure ulcers, the nurse should avoid which one of the following?
- A. Cleansing the skin with a pH-balanced soap
 - B. Lubricating the skin with a moisturizing cream
 - C. Massaging reddened areas of the skin
 - D. Using absorbent materials for incontinence
32. A patient's family does not know the patient's end-of-life care preferences, but assumes that they know what is best for the patient under the circumstances. This assumption reflects.....
- A. Justice
 - B. Paternalism
 - C. Pragmatism
 - D. Veracity

33. The following are aims of Palliative care EXCEPT:
- A. To prevent and relieve suffering by early identification
 - B. Assessment, and treatment of comfort only
 - C. Assessment and management of emotional distress
 - D. Assessment and management of spiritual distress
34. The gradual decrease of the body's temperature after death is referred to as
- A. Mortification
 - B. Algor mortis
 - C. Fowleritis
 - D. Livor mortis
35. Mr. Martin has locally advanced transitional cell cancer of the bladder with chronic pelvic and abdominal pain. Which of the following is MOST IMPORTANT in determining the maximum dose of oral morphine during dose titration?
- A. Pain relief
 - B. Risk of overstepping regulatory limits
 - C. Respiratory depression
 - D. Strength of pill
36. Which skills, in which order, can be used most effectively to elicit a patient's agenda?
- A. Open questions, clarifying which concerns have greatest priority at the moment, screening and summarizing
 - B. Open questions, summarizing and screening, clarifying which concerns have greatest priority at the moment
 - C. Open questions, screening, clarifying which concerns have greatest priority at the moment, summarizing
 - D. Screening, clarifying which concerns have greatest priority at the moment, summarizing and open questions
37. Which of the following is a primary risk factor for pressure ulcer formation?
- A. Insomnia
 - B. Sleeping on a water bed
 - C. Impaired mobility
 - D. Adequate nutrition
38. Which of the following statement best explains the role of the nurse in palliative care?
- A. A nurse has a single role in palliative care.
 - B. The nurse has a series of roles geared towards providing support.
 - C. The nurse decides for patients and families receiving palliative care.
 - D. The nurse prescribes DNR orders during the terminal stage of the patient's condition.
39. A patient with end stage liver failure tells the nurse, "If I can just live to see my first grandchild who is expected in the next 5 months, then I can die happy." The nurse recognizes that the patient is in which of the following stages of grieving?
- A. Prolonged grieving
 - B. Kubler-Ross stage of acceptance
 - C. Kubler-Ross stage of bargaining
 - D. Kubler-Ross stage of denial
40. Which of the following is NOT a psychological event that occurs during death and dying of a patient?
- A. Withdrawal
 - B. Decreased socialization
 - C. Floating above their bodies

- D. Feeling passive

41. Which of the following statements about brain death is true?
- i. The brain can recover function in time
 - ii. There is no longer independent respiration
 - iii. The brain will not recover function
 - iv. The person's body can be supported for days and, sometimes, even weeks
- A. I and IV
B. I, II and V
C. II, III, and IV
D. II and III
42. The following are listening skills except....
- A. Sit at the patient's level
B. Pay attention, keep eye contact
C. Passive listening
D. Allow silence, do not interrupt
43. Treatment in palliative care includes the following except
- A. Non-pharmacological
B. Nutritional guidance
C. Physical therapy
D. Occupational therapy
44. Which of the following is the most common encountered skin problem among patients with chronic illness and bed-ridden?
- A. Diminished circulation
B. Frequent position change
C. Decubitus ulcer
D. Nutritional status
45. It is important that the nurse recognizes and acknowledges imminent death in a patient on palliative care nursing in order to.....
- A. Continue all interventions until patient dies
B. Plan for resuscitation if confirmed
C. Maximize the patient's comfort
D. Patient's spiritual needs are met
46. Palliative care recognizes death as a.....
- A. Notion everyone has, that one point in time, he or she will die
B. Stage of deteriorating health condition
C. End stage of treatment failure
D. Natural part of the cycle of life
47. Which of the following is a factor to consider when administering medication to an elderly client?
- A. Decreased skin turgor
B. Decreased renal function
C. Decreased motility
D. Divided dosages
48. Mr. Wright is seen in the office for a follow-up of his coronary artery disease and diabetes mellitus. During the interview, which comment MOST SUGGESTS psychological distress?
- A. My leg hurt right here
B. I am so worried about my wife
C. I don't know how I will get my appointment

- D. Why did I get this disease
49. When implementing intensive care protocols (ICP), clinicians.....
- A. Are free to exercise their own professional judgment
 - B. Must not deviate from the ICP's protocols
 - C. Must continue using the ICP until instructed to discontinue by patients' relatives
 - D. Must continue using the ICP until instructed to discontinue by physician
50. The purpose of appropriate dressing of wounds includes the following except:
- A. To protect the wound from mechanical injury
 - B. Protect the wound from microbial invasion
 - C. To provide or maintain nutrition
 - D. To provide thermal insulation
51. Which of the following statements are true in relation to empathy?
- A. In order to empathize fully with another person, we need to have experienced the same situation ourselves
 - B. Empathy means putting oneself into that person's shoes
 - C. Empathy means saying we understand what someone is going through
 - D. Empathy means showing we understand by commenting upon the emotions that may be implied in a person's conversation
52. Which of the following statement clearly defines the World Health Organization's position on palliative care?
- A. Emphasizes control of pain, and other comfortable physical, psychosocial, and spiritual needs of patients with life-limiting illness.
 - B. Stresses control of pain, and other distressing physical, psychosocial, and spiritual concerns of those with life-limiting illness.
 - C. Terminally ill patient becomes more comfortable to die in a hospice movement
 - D. Terminally ill patient becomes more comfortable to die in a hospital or nursing home.
53. Which of the following is MOST IMPORTANT in determining the maximum dose of oral morphine during dose titration?
- A. Pain relief
 - B. Risk of overstepping regulatory limits
 - C. Respiratory depression
 - D. Strength of pill
54. It is hospital policy to assess and record a patient's pulse before administering digoxin (Lanoxin). By auditing the nursing records to determine the frequency of compliance with this policy, the quality assessment and improvement committee is conducting
- A. A process assessment
 - B. Quality analysis
 - C. System analysis
 - D. Outcome analysis
55. All of the following are key elements of palliative care EXCEPT:
- A. Pain and symptom management
 - B. Psychological and spiritual support
 - C. Getting the patient to be Do Not Resuscitate (DNR)
 - D. Coordination of care

56. Palliative care is an active holistic care of patients whose disease is not responsive to
- Curative treatment
 - Spiritual care
 - Physical needs
 - Emotional needs
57. According to Kubler-Ross, in which way should healthcare providers recognize death?
- The failure of healthcare treatment modalities
 - The final stage of growth and development
 - The final stage of nursing care
 - The final stage of palliative care and treatment
58. Which of the following is the most common encountered skin problem among patients with chronic illness and bed-ridden?
- Diminished circulation
 - Frequent position change
 - Decubitus ulcer
 - Nutritional status
59. The single most important feature that defines opioid drug addiction (psychological) dependence is
- An increasing need for the drug over time
 - Complaints of pain exceeding that expected for a given problem
 - Development of withdrawal when the drug is stopped
 - Evidence of adverse life consequences from the drug
60. Application of a warm compress is indicated.....
- to relieve edema
 - for a client who is shivering
 - to improve blood flow to an injured part
 - to protect bony prominences from pressure ulcers
61. The following are factors influencing the grieving process except.....
- Significance of the loss
 - Educational level
 - Spiritual belief
 - Support system
62. This is the way people express grief and is referred to as.....
- bereavement
 - grief
 - loss
 - mourning
63. The following are manifestation of dysfunctional grief
- Extended time of denial
 - Denial
 - Suicidal thoughts
 - Chronic anger
- I AND II
 - I, II AND III
 - I, II AND IV
 - I, III AND IV

64. According to the WHO analgesic ladder.....is used for the management of severe pain. • • • • •
- A. Opioid +/-opioid+ -adjuvant
 - B. Opioid +/-non-opioid +/-adjuvant
 - C. Opioid -/+adjuvant
 - D. Opioid +adjuvant
65. All of the following are indicators of death except.....
- A. absolute unresponsiveness to externally applied stimuli
 - B. spontaneous breathing for 3 minutes after artificial respiration has stopped
 - C. complete absence of reflexes
 - D. cessation of movement and breathing
66. Palliative care ends when the patient dies.
- A. True
 - B. False
67. Both hospice and palliative care protocols do not call for patients to receive a combined approach where medications and treatment are administered
- A. True
 - B. False
68. The following are principles of pain management in palliative care except,.....
- A. Commence at an appropriate step dependent on severity of pain
 - B. All patients with moderate-to-severe cancer pain should receive a trial of opioid analgesia
 - C. Prescription should not be adjusted if pain severity alters
 - D. Step up to strong opioids when step 1 and 2 analgesics have failed for less severe pain
69. Adjuvant analgesics may be usefully added at any stage of pain management in palliative care
- A. True
 - B. False
70. The way people express grief and is usually related to cultural and religious values of the people
- A. True
 - B. False
71. Talking with patients and families is a very important part of palliative care
- A. True
 - B. False
72. Most terminally ill patients experience constipation as a result of all the following except.....
- A. eating and drinking more
 - B. effects of the disease
 - C. from the medicines that are taken
 - D. lower activity level
73. A "DNR" order does not mean that all treatments are discontinued or that the standard of care is compromised.
- A. True
 - B. False

SECTION B

74. State **2 (TWO)** individual-related factors that may influence experience of burn out among palliative care nurses

.....
.....
.....

75. State the **THREE (3)** types of non-opioid analgesics

.....
.....
.....
.....

76. Grief refers to

.....
.....
.....
.....
.....
.....
.....
.....
.....
.....

77. State **ONE** legal-ethical dilemmas that may arise during palliative care of patients

.....
.....
.....