

KAAF UNIVERSITY
BASIC NURSING LEVEL 100
KNUR 103 BASIC NURSING 1 (CREDIT: 3)
JUNE (WEEKED) END OF SEMESTER EXAMS 2024

1. What is the time duration for medical & surgical hand washing?
 - A. 10-15seconds and 1-3 minutes
 - B. 15 seconds and 5-6 minutes
 - C. 40-60seconds and 2-5 minutes
 - D. 30 seconds and 1 minute

Answer: C

2. Which of the following is a correct sequence to wear a PPE?
 - A. Mask, Gown, Gloves, Face shield
 - B. Gown, Mask, Face shield, Gloves
 - C. Gloves, Gown, Mask, Face shield
 - D. Face shield, Mask, Gloves, Gown

Answer: B

3. Which of the following is the correct sequence to remove PPE?
 - A. Gown, Gloves, Face Shield, Mask
 - B. Gloves, Face shield, Gown, Mask
 - C. Mask, Face Shield, Gown, Gloves
 - D. Gloves, Gown, Face shield, Mask

Answer: B

4. Where should Anatomical wastes be discarded?
 - A. Blue garbage bag
 - B. Yellow garbage bag
 - C. Red garbage bag
 - D. Black garbage bag

Answer: B

5. Staff nurse in MICU asked you to change the DNS bottle, where will you discard the finished one?

- A. Red garbage bag
- B. Yellow garbage bag
- C. Black garbage bag
- D. Blue garbage bag

Answer :A

6. Where should sharp instruments be discarded?

- A. Blue garbage bag
- B. Red garbage bag
- C. Puncture proof container
- D. Green garbage bag

Answer : C

7. Which of the following process destroys microorganisms including its spores?

- A. Disinfection
- B. Sterilization
- C. Antiseptic
- D. Sanitization

Answer :B

8. Among the following, which is used for sterilization?

- A. Linen
- B. Surgical instruments
- C. Stethoscope
- D. Bed pan

Answer :B

9. Which of the following is a process used for sterilizing plastic and rubber items?

- A. Autoclaving
- B. Chemicals
- C. Ethylene oxide gas
- D. Boiling

Answer :D

10. Which of the following is not a process of waste management?

- A. Segregation
- B. Collection
- C. Generation
- D. Treatment

Answer : A

11. Which of the following are elements needed to transmit an infection?

- A. Infectious agent
- B. Reservoir
- C. Means of transmission
- D. All of the above

Correct Answer :D

12. To avoid cross-contamination, when should the high-speed hand piece or air-water syringe be flushed with water?

- A. After each patient
- B. At the time of the lubrication
- C. Once a day
- D. Once a week

Answer :A

13. The substance produced by the body in response to the hepatitis B vaccine is a/an

- A. Antibody
- B. Antigen
- C. Virus
- D. Bacterium

Answer :A

14. Instruments can be pre-soaked in holding solution immediately after use to

- A. Kill bacterial spores
- B. Prevent drying of blood and organic matter
- C. Safely use the instruments without further processing
- D. Eliminate the need for ultrasonic cleaning

Answer :B

15. Which of the following shows that the sterilization process was successful?

- A. Readings on autoclave gauges
- B. Timer indicates full cycle
- C. Spore tests
- D. Visual examination of heat indicating tape

Answer :C

16. To prevent cross-contamination in the dental office, which of the following is true regarding the use of latex gloves?

- A. Wash gloves between patients
- B. Use a new pair of gloves with each patient

- C. Disinfect gloves between patients
- D. Autoclave gloves between patients

Answer :B

17. The use of personal protective equipment is necessary because herpetic conjunctivitis can manifest in/on the

- A. Skin
- B. Lungs
- C. Tongue
- D. Eyes

Answer :D

18. If rag wheels are to be reused, what would be the BEST means of decontamination?

- A. Spray with phenolic alcohol between uses.
- B. Soak in glutaraldehyde
- C. Wipe off with iodophor.
- D. Autoclave.

Answer :D

19. How often should high-speed handpieces or air-water syringes be flushed with water?

- A. After each patient
- B. At the time of the lubrication
- C. Once a day

Answer :A

20. Which of the following is an example of transmission via droplet infection?

- A. Contacting through breaks in the skin
- B. Inhaling through mucous membranes
- C. Touching contaminated instruments
- D. Using an unclean work area

Answer :B

21. Controlling microbial contamination and infection is called:

- A. Sterilization
- B. Infection control
- C. Disinfection of objects
- D. Sanitization of a contaminated surface

Answer :B

22. One should not use _____ as a surface cover.

- A. Paper
- B. Plastic-backed patient napkin
- C. Plastic sheet (bag)

Answer : A

23. Which type of bacterium is shaped like a rod?

- A. Bacilli
- B. Cocci
- C. Spirilla

Answer :A

24. When should an alcohol-based hand rub be used?

- A. Under any condition
- B. Only after hand-washing with another antimicrobial
- C. Only if no soil is visible on the hands
- D. Only is sterile gloves will be donned afterward

Answer :C

25. Bacteria can live in both oxygen and the lack of oxygen.

- A. Facultative
- B. Aerobic
- C. Anaerobic
- D. Acidogenic

Answer :A

26. Which of the following are the components of the chain of infections?

- A. Mode of transmission, Host, Infectious agent, Portal of entry, Portal of exit
- B. Portal of entry, Infectious agent, Host, Reservoir, Portal of exit, Mode of transmission
- C. Host, Infectious agent, Reservoir, portal of exit
- D. Portal of exit, Host, Infectious agent, Reservoir

Answer :A

27. Which of the following is an infection, that is acquired in the hospital that was not present or incubating at the time of hospitalization?

- A. Primary infection
- B. Nosocomial infection
- C. Community acquired infection
- D. Secondary infection

Answer :B

28. Which of the following is the infection that only affects the immune-suppressed?

- A. Nosocomial infection
- B. Primary infection
- C. Opportunistic infection
- D. Secondary infection

Answer :C

29. Which of the following Health Care Associated Infection (HAI's) are commonly seen in your Hospital?

- A. Urinary Tract Infection (UTI)

- B. Surgical wound infection
- C. Respiratory tract infection (RTI)
- D. Skin infection

Answer :A

30. Which population is most susceptible to Hospital acquired infections?

- A. Inpatients
- B. Outpatients
- C. Nurses
- D. Doctors

Answer :A

31. Which of the following behavior(s) can spread infectious organism?

- A. Laughing
- B. Sneezing
- C. Talking
- D. Handshaking
- E. B and D
- F. None of the above

Answer :E

32. Which of the following immunity develops in response to an infection?

- A. Innate immunity
- B. Natural active immunity
- C. Artificial active immunity
- D. Passive immunity

Answer :B

33. What is the term used to define the state of being free from disease causing contaminants?

- A. Antisepsis
- B. Infection control
- C. Asepsis
- D. Aseptic

Answer :C

34. Which of the preferred hand washing method to prevent transmission of infection?

- A. Alcohol hand- rub
- B. Water and soap
- C. Running water
- D. Iodine

Answer :A

35. Which of the following is not a part of moments of hand washing?

- A. Before touching a patient.
- B. Before touching a patient's chart
- C. After touching a patient.
- D. After body fluid exposure.

Answer :B

36. Which physical assessment finding is most indicative of a systemic infection?

- A. Nasal drainage
- B. Bilateral 3+ pitting pedal edema
- C. Oral temperature of 101.1°F
- D. Pale skin and nail bed color

Answer : C

37. A client is being admitted to a medical unit with a diagnosis of tuberculosis. Which type of room should this client is assigned by the nurse?

- A. Private room
- B. Semiprivate room
- C. Room with windows that can be opened
- D. Negative airflow room.

answer : D

38. A surgical client develops a wound infection during hospitalization. How is this type of infection classified?

- A. Primary
- B. Secondary
- C. Superimposed
- D. Nosocomial

answer : D

39. To ensure the best reception of sound, the earpieces of the stethoscope should follow the contour of the ear canal, pointing to where?

- A. Away from your face when the stethoscope is in place
- B. Towards your face when the stethoscope is in place
- C. Parallel to the temporal lobe of the head
- D. Perpendicular to the occiput

answer : B

40. Major parts of the stethoscope. (Check all that apply)

- A. Earpieces
- B. Tubing
- C. Chest piece
- D. Binaural
- E. All of the above

Answer: E

41. Pick the most appropriate definition of Vital Signs.

- A. Signs and symptoms of a disease
- B. An indication of basic body functioning
- C. A part of human composition
- D. Physiology and anatomy

Answer : B.

42. When body temperature falls below 93.2 degrees Fahrenheit, the person is suffering from the extreme:

- A. Hyperthermia
- B. Hypothermia
- C. Orthopnea
- D. Dyspnea

Answer : A

43. Which time of day would we have the lowest temperature reading?

- A. 4 pm to 6 pm
- B. 4 am to 6 am
- C. 8 pm to 12 midnight
- D. 1 am to 4 am

Answer : B

44. Acute pain and anxiety increase pulse rates because of what reason?

- A. Sympathetic nerves are suppressed
- B. Parasympathetic nerves are suppressed
- C. Parasympathetic nerves are stimulated
- D. Sympathetic nerves are stimulated

Answer :D

45. Pulse is a rhythmic beating in the body that signifies regular, recurrent expansion and contraction of heart muscles produced by the waves of pressure that are caused by the ejection of blood from which part of the heart as it contracts?

- A. Right ventricle
- B. Right auricle
- C. Left ventricle
- D. Left auricle

Answer :C

46. Pulse rate faster than 100 beats per minute:

- A. Bradycardia
- B. CVA
- C. Tachycardia
- D. Orthopnea

Answer :C

47. An adult blood pressure reading of 120/80 mm Hg is:

- A. Prehypertension
- B. Hypotensive
- C. Normal
- D. Hypertensive

Answer :C

48. Pulse Rate slower than 60 beats per minute:

- A. Bradycardia
- B. CVA
- C. Tachycardia
- D. Orthopnea

Answer : A

49. In assessing a tympanic temperature in a 20-year-old male patient, which of the following could result in the least accurate reading?

- A. A plastic probe covers the tip of the thermometer.
- B. The patient has been outdoors for more than 30 minutes.
- C. The pinna is pulled backward and up.
- D. The lens and the probe of the device are clean and intact

Answer :B

50. When obtaining an oral temperature, after requesting the patient to open the mouth, the probe is gently inserted into the

- A. Anterior sublingual cavity
- B. Lateral sublingual density
- C. Superior lingual mucosity
- D. Posterior sublingual pocket

Answer :D

51. When measuring the rectal temperature of an adult, how deep would the thermometer probe be inserted into the rectum?

- A. 1.5 inches

- B. 2.5 inches
- C. 0.5 inches
- D. 1.5 centimeters

Answer :A

52. The most appropriate position in obtaining a rectal temperature for an adult would be:

- A. Supine
- B. Fowler's
- C. Sim's
- D. Lateral

Answer :C

53. When an infant is in a side-lying position, using an electronic axillary temperature, what kind of temperature would the lower axilla record?

- A. Higher temperature
- B. Lower temperature
- C. Consistent temperature
- D. Variable temperature

Answer :B

54. Regulator of body temperature:

- A. Medulla
- B. Sebaceous glands
- C. Hypothalamus
- D. Wernicke's area

Answer :C

55. A rise of 1 degree Fahrenheit in temperature will increase the pulse rate by how many beats per minute?

- A. 3
- B. 10
- C. 5
- D. 6

Answer : B

56. Possible causes of Tachycardia:

- A. Shock
- B. Hemorrhage leading to hypovolemia
- C. Epinephrine
- D. Unrelieved severe pain
- E. All of the above

Answer : F

57. When temperatures are compared with normal temperature ranges, what is normally revealed?

- A. Medical history of the patient
- B. Presence of abnormalities
- C. The need to repeat the reading

D. Accurate vital signs

Answer : B

58. The colored probes of an electronic thermometer are indicative of

- A. Blue and red are both for rectal.
- B. Blue and red are both for oral.
- C. Blue is for rectal, and red is for oral.
- D. Blue is for oral, and red is for rectal.

Answer : D

59. Decreased efficiency of respiratory muscles can result in breathlessness at low exercise levels:

- A. True
- B. False

Answer : A

60. Factors affecting body temperatures except

- A. Stress
- B. Age
- C. Hormones
- D. Smoking
- E. Height

Answer : E

61. The volume of the pulse refers to the _____.

- A. Amount of blood pushing against the wall of the artery with each beat
- B. Amount of beats that the heart exerts every time we breath
- C. Amount of dubs that we hear every time we expire and inspire
- D. Amount of blood that circulates through the cardio-pulmonary system

Answer : A

62. Considered the least accurate method of measuring temperature:

- A. Axillary
- B. Tympanic
- C. Rectal
- D. Oral

Answer :A

63. Never measure both carotid pulses at the same time because excessive pressure may cause an occlusion of the blood supply to the brain.

- A. True
- B. False

Answer : A

64. A proper assessment of vital signs will allow a nurse to: (select all that apply)

- A. Learn about human behavior.
- B. Help evaluate the improvement of the patient's condition.
- C. Implement planned interventions.
- D. Identify nursing diagnosis.

- E. B, C and D
- F. All of the above

Answer :E

65. Which of the following is true about temperature readings?

- A. Axillary readings are 1 degree Fahrenheit higher than oral readings.
- B. Rectal readings are 1 degree Fahrenheit lower than oral readings.
- C. Axillary readings are 1 degree Fahrenheit lower than oral readings.
- D. Rectal readings are 1 degree Fahrenheit higher than oral readings.
- E. A and B
- F. C and D

Answer : F

66. Constant, remittent, and intermittent are classifications of:

- A. Pain
- B. Fever
- C. Headache
- D. Anxiety

Answer :B

67. The 5th vital sign:

- A. Height and weight
- B. Respiration
- C. Body mass index
- D. Pain

Answer : D

68. Older adults have an increase in systolic pressure related to what?

- A. Increased vessel flexibility
- B. Decreased vessel elasticity
- C. Enlarged vessel dexterity
- D. Diminished vessel porosity

Answer : B

69. Which of the following statements about fever is not true?

- A. Fever is a sign of illness.
- B. It is the same as pyrexia or hyperthermia.
- C. It is reflected through an increase in body temperature.
- D. It does not do anything to defend the body.

Answer : D

70. An instrument that is placed against a patient's chest to hear both lung and heart sounds.

- A. Stethoscope
- B. Sphygmomanometer
- C. Otoscope
- D. Telescope

Answer : A

71. 96.0 to 99.5 degrees Fahrenheit is the normal temperature range of which age group?

- A. Toddler
- B. Adolescent
- C. Neonate
- D. Adult

Answer :D

72. If a microorganism is known to produce a disease, it is referred to as a

- A. Pathogen
- B. Pathogenic microorganism
- C. Normal flora
- D. A and B only
- E. All of the above

Answer :D

73. It is not necessary to wash your hands after removing gloves because your hands are protected by the gloves.

- A. True
- B. False

Answer :B

74. An insect or animal carrier of a disease is known as:

- A. Fomite
- B. Vehicle
- C. Vector
- D. Carrier

Answer :C

75. The most common means of spreading infection are:

- A. Soiled instruments
- B. Infected patients
- C. Human hands
- D. Domestic animals

Answer : C

76. Hepatitis A is transmitted by the fecal-oral route.

True

False

Answer :A

77. Which of the following are the factors that increase a patient's potential for acquiring a nosocomial infection?

- A. Age
- B. Nutritional status
- C. Close proximity to other patients
- D. Inadequate stress management
- E. All of the above

Answer :E

78. Hand hygiene is to be used in the following situations by imaging professionals in the workplace.

- A. Before caring for a patient
- B. After caring for a patient
- C. When preparing for an invasive procedure
- D. 1 and 3 only
- E. 1, 2, and 3

Answer :E

79. Healthcare workers often contract Hepatitis B from needle-stick injuries.

- A. True
- B. False

Answer :A

80. A student nurse is learning to assess blood pressure. What does the blood pressure measure?

- a. Flow of blood through the circulation
- b. Force of blood against arterial walls
- c. Force of blood against venous walls
- d. Flow of blood through the heart

Answer : B

81. A patient has a blood pressure reading of 130/90 mm Hg when visiting a clinic. What would the nurse recommend to the patient?

- a. Follow-up measurements of blood pressure
- b. Immediate treatment by a physician
- c. No action, because the nurse considers this reading is due to anxiety
- d. None of the above

Answer : A

82. A nurse is documenting a blood pressure of 120/80 mm Hg. The nurse interprets the 120 to represent:

- a. The rhythmic distention of the arterial walls as a result of increased pressure due to surges of blood with ventricular contraction
- b. The lowest pressure present on arterial walls while the ventricles relax
- c. The highest pressure present on arterial walls while the ventricles contract
- d. The difference between the pressure on arterial walls with ventricular contraction and relaxation

Answer : C

83. It is important to have the appropriate cuff size when taking the blood pressure. What error may result from a cuff that is too large or too small?
- a. An incorrect reading
 - b. Injury to the patient
 - c. Prolonged pressure on the arm
 - d. Loss of Korotkoff sounds

Answer: A

84. Patient has intravenous fluids infusing in the right arm. When taking a blood pressure on this patient, what would the nurse do in this situation?
- a. Take the blood pressure in the right arm
 - b. Take the blood pressure in the left arm
 - c. Use the smallest possible cuff
 - d. Report inability to take the blood pressure

Correct answer: B

85. The minimal time to determine nosocomial infection is.....
- A. 48 hours
 - B. 24 hours
 - C. 72 hours
 - D. 6 hours

answer :A

86. The commonest blood borne viruses is
- A. HBV
 - B. HCV
 - C. HIV
 - D. All of the above

answer :D

87. Which one of the following is not a predisposing factor of nosocomial infection?
- A. Limited use of antibiotics
 - B. Extremes of age

C. Immunosuppression

D. Chronic diseases

Answer :A

88. Categories of isolation precautions are

A) Standard precautions

B) Transmission based precautions

C) Protective precautions

D) All of the above

Answer :D

89. If a microorganism is known to produce a disease, it is referred to as a.

A. Pathogen

B. Pathogenic microorganism

C. Normal flora

D. A and B only

E. All of the above

Answer :A

90. It is not necessary to wash your hands after removing gloves because your hands are protected by the gloves.

A. True

B. False

Answer: B

91. An insect or animal carrier of a disease is known as

A. Fomite

B. Vehicle

C. Vector

D. Carrier

Answer: C

92. A nurse assesses an oral temperature for an adult patient. The patient's temperature is 37.5°C (99.5°F). What term would the nurse use to report this temperature?

- A. Febrile
- B. Hypothermia
- C. Hypertension
- D. Afebrile

Answer :D

93. A patient who has an inhalation injury comes to the ER. On the initial assessment, the nurse notes that the patient is very confused and physically defensive. What do you think the client may be experiencing?

- A. Fear
- B. Anxiety
- C. Hypoxia
- D. Pain

Answer : C

94. A nurse is assessing the vital signs of patients who presented at the emergency department. Based on the knowledge of age-related variations in normal vital signs, which patients would the nurse document as having abnormal vital signs.

- A. A 4-month old infant whose temperature is 38.1°C (100.5°F)
- B. A 9-year-old whose temperature is 39°C (102.2°F)
- C. An adolescent whose pulse rate is 70 bpm
- D. An adult whose respiratory rate is 20 bpm
- E. A and B
- F. C and d

Answer :E

95. A patient who is febrile may lose body heat through perspiration. The nurse recognizes that this is an example of what mechanism of heat loss?

- A. Evaporation
- B. Convection
- C. Radiation
- D. Conduction

answer :A

96. The rectal temperature, a core temperature, is considered to be one of the most accurate routes. In which cases would taking a rectal temperature be contraindicated? Select all that apply.

- A. A newborn who has hypothermia
- B. A child who has pneumonia
- C. An older patient who is post myocardial infarction (heart attack)
- D. A teenager who has leukemia
- E. A patient receiving erythropoietin to replace red blood cells
- F. Diarrhea

Answer: F

97. While taking an adult patient's pulse, a nurse finds the rate to be 140 beats/min. What should the nurse do next?

- A. Check the pulse again in 2 hours.
- B. Check the blood pressure.
- C. Record the information.
- D. Report the in-charge or prescriber.

Answer :D

98. A patient complains of severe abdominal pain. When assessing the vital signs, the nurse would not be surprised to find what assessments?

- A. An increase in the pulse rate
- B. A decrease in body temperature
- C. A decrease in blood pressure
- D. An increase in respiratory rate

Answer :A

99. Two nurses are taking an apical-radial pulse and note a difference in pulse rate of 8 beats per minute. The nurse would document this difference as which of the following?

- A. Pulse deficit
- B. Pulse amplitude
- C. Ventricular rhythm
- D. Heart arrhythmia

answer :A

100. The nurse instructor is teaching student nurses about the factors that may affect a patient's blood pressure. Which statements accurately describe these factors? Select all that apply.

- A. Blood pressure decreases with age.
- B. Blood pressure is usually lowest on arising in the morning.

- C. Women usually have lower blood pressure than men until menopause.
- D. Blood pressure decreases after eating food.
- E. B and C.

answer :E