

1. Which of the following is the most effective way to prevent the spread of infections?
 - A. Covering your mouth with your hand when coughing or sneezing
 - B. Using hand sanitizer regularly
 - C. Avoiding close contact Cwith sick individuals
 - D. All of the above

2. What is the recommended duration for handwashing to effectively remove pathogens?
 - A. 5 seconds
 - B. 10 seconds
 - C. 20 seconds
 - D. 30 seconds

3. Which of the following is an example of a healthcare-associated infection (HAI)?
 - A. Common cold
 - B. Influenza
 - C. Surgical site infection
 - D. Food poisoning from contaminated food

4. What is the primary mode of transmission for respiratory infections like COVID-19?
 - A. Airborne droplets from an infected person's cough or sneeze
 - B. Direct contact with infected surfaces
 - C. Ingesting contaminated food or water
 - D. Vector-borne transmission through insects

Which of the following is an example of personal protective equipment (PPE) used in healthcare settings?

- A. Stethoscope
- B. Surgical mask
- C. Blood pressure cuff
- D. Thermometer

5. Which of the following is an example of a standard precaution for infection control?

- A. Using gloves when handling bodily fluids
- B. Wearing a gown when in contact with a patient's blood
- C. Using a face shield when performing a surgical procedure
- D. Disinfecting surfaces with a bleach solution

6. What is the purpose of isolation precautions in healthcare settings?

- A. To prevent the spread of infectious diseases between patients
- B. To protect healthcare workers from getting infected
- C. To ensure proper disposal of medical waste
- D. To maintain a clean and sterile environment

7. What is the recommended method for disposing of used needles and sharps in healthcare settings?

- A. Throwing them in regular trash bins
- B. Flushing them down the toilet
- C. Placing them in puncture-resistant containers
- D. Recycling them with other medical waste

Which of the following is not considered a vital sign?

- A. Blood pressure
- B. Body temperature
- C. Respiratory rate
- D. Blood glucose level

8. What is the normal range for adult resting heart rate?

- A. 60-80 beats per minute
- B. 80-100 beats per minute
- C. 100-120 beats per minute
- D. 120-140 beats per minute

9. Which of the following is the most accurate method to measure body temperature?

- A. Oral thermometer
- B. Axillary thermometer
- C. Tympanic thermometer
- D. Rectal thermometer

10. What is the normal average blood pressure in adults?

- A. 80/60 mmHg
- B. 120/80 mmHg
- C. 140/90 mmHg
- D. 160/100 mmHg

11. What is the normal range for respiratory rate in adults?

- A. 8-12 breaths per minute
- B. 12-20 breaths per minute
- C. 20-30 breaths per minute
- D. 30-40 breaths per minute

12. Which of the following is the primary purpose of the admission process in a hospital?

- A. To collect patient information and medical history
- B. To determine the cost of treatment
- C. To assign a room and bed to the patient
- D. To provide the patient with a hospital ID card

13. What is the primary responsibility of the admitting nurse during the admission process?

- A. Administering medication to the patient
- B. Conducting medical tests and examinations
- C. Collecting patient information and medical history
- D. Assisting the patient with personal hygiene

14. Which of the following is typically required for a patient to be discharged from the hospital?

- A. A signed consent form from the patient's family
- B. Completion of all medical tests and procedures
- C. Payment of the hospital bill in full
- D. Approval from the attending physician

15. What is the purpose of the discharge planning process in a hospital?

- A. To ensure the patient's smooth transition from hospital to home or another care facility
- B. To determine the patient's eligibility for insurance coverage
- C. To schedule follow-up appointments for the patient
- D. To provide the patient with a detailed medical report

Who is responsible for coordinating the discharge planning process?

- A. The attending physician
- B. The hospital administrator
- C. The discharge planner or case manager
- D. The patient's family or caregiver

16. "Health is a state of complete physical, mental, and social well-being and not merely the absence of disease and infirmity". This was stated by

- A. United States Health Agency
- B. American Nurses Association
- C. National League for Nursing (NLN)
- D. World Health Organization

17. Temperature is the

- A. measurement of core body heat
- B. measurement of balanced body heat
- C. measurement of heat loss by the body
- D. measurement of heat produced by the body

18. Which of the following is considered as the most important aspect of hand washing?

- A. Soap
- B. Water
- C. Friction
- D. Time

19. The difference between the apical and radial rate is?

- A. Pulse pressure
- B. Pulse deficit
- C. Diastolic
- D. Systolic

20. Which of the following would be a sign of an infection?

- A. fever
- B. headache
- C. muscle aches
- D. nausea

21. The use of chemical means to inactivate blood-borne pathogens from a surface is known as:

- A. Cleaning
- B. Decontamination
- C. Disinfection
- D. Sterilizing

22. What is the first step in the decontamination process?

- A. Cleaning with detergent
- B. Soaking in a disinfection solution
- C. Application of a disinfectant
- D. Placing into the sterilizer

23. All these are important reasons why hand hygiene should be performed prior to leaving an isolation area except?

- A. To reduce the risk of contaminating fellow health care professionals.
- B. To reduce the risk of contaminating the isolation area.
- C. To reduce the risk of contaminating visitors and other clients.
- D. To reduce the risk of contaminating yourself.

24. Most health-care-associated infections are transmitted to patients:

- A. From dirty washrooms
- B. From hospital food
- C. from the hospital bed
- D. On the hands of health-care workers

25. When using alcohol-based hand rub, you should:

- A. Apply the hand rub and wave hands until dry
- B. Apply the hand rub and rub palms together for 10 seconds
- C. Apply a sufficient quantity of hand rub and rub hands for a least 15 seconds, being sure to cover all areas: front, back, between fingers, nail beds and thumbs
- D. Apply hand rub when you see infection control staff on the unit

26. The prevention and control of healthcare associated infection is whose responsibility?

- A. The responsibility of the Chief Executive and the executive Team
- B. The responsibility of the Infection Prevention and Control Team
- C. The ward manager's responsibility - he or she has 24 hour responsibility for the ward

D. Every individual working in any healthcare setting

27. Gloves:

- A. Are single use items and must be worn for one task/episode of care only
- B. Can be worn outside of the patient's isolation/side room
- C. Must be worn together as you can't do any task without wearing both.
- D. Should not be changed regularly as this isn't cost effective or a good use of resources

28. Which of the following are general factors that can increase the risk of infection in older people in community and hospital settings?

- A. Patient movement between wards and care facilities
- B. High bed occupancy rates
- C. Lack of adequate resources for decontamination
- D. ALL of these are general risk factors

29. Which of the following are basic standard precautions for infection control?

- A. Hand hygiene
- B. Personal protective equipment and clothing
- C. Safe handling of sharps
- D. All of these are basic standard precautions

30. Which one of the following is considered the MOST important intervention in infection control?

- A. Hand hygiene of healthcare staff
- B. Personal protective clothing
- C. Safe use and disposal of sharps
- D. Prevention of infections associated with catheters

31. The advantages of alcohol hand rubs for hand hygiene and infection control include all the following except?

- A. Easier on the skin than soap and water
- B. Rapid hand decontamination between patients
- C. Portable – can be taken to point of care
- D. Works well with intact skin

32. What is the purpose of wearing gloves and gowns?

- A. Protect the healthcare worker

- B. Aids in transmission of pathogens
- C. Reduces hand washing requirements
- D. Looks professional and identifies healthcare staff

33. All these necessitate nurses to wear gloves except?

- A. Handling sharp or contaminated instruments
- B. Risk of exposure to blood or body fluids
- C. performing invasive procedures
- D. Recording vital signs

34. What infection control precautions must be in place when patients are isolated?

- A. Hand washing facilities must be available with the room
- B. Alcohol hand rub must be available at the point of care
- C. Gloves and gowns must be available at the entrance
- D. All of these must be in place for effective infection control

35. Of the following, which person is MOST likely to develop hypertension based on risk factors?

- A. 30-year-old Asian male distance runner who works as a traffic controller
- B. Underweight 12-year-old Indian female student
- C. 45-year-old Caucasian mother of triplets who is on a low carbohydrate diet
- D. Obese 40-year-old African American male smoker

36. A patient with tachycardia MOST likely has a/an:

- A. Elevated blood pressure
- B. Fast pulse.
- C. Increased respiratory rate
- D. Elevated temperature

37. Pulse rates are most commonly measured at which site?

- A. Apical
- B. Radial
- C. Carotid
- D. Brachial

38. In a blood pressure measurement of 132/86, the number 86 is the:

- A. Systolic.

- B. Bradycardia.
- C. Tachycardia
- D. Diastolic

39. What is the respiratory rate of a patient who is observed to have 16 inspirations and 16 expirations?

- A. 16
- B. 8
- C. 32
- D. 64

40. How long should you wait after drinking before taking an oral temperature?

- A. 1 minute
- B. 15 minutes
- C. 3 minutes
- D. 5 minutes

41. Oral temperature is not appropriate for which of the following

- A. patients on oxygen
- B. children under the age of 4 yrs
- C. comatose patients
- D. all of the above

42. When mercury thermometer is used to take body temperature, there are five areas in the body to use. Which of these areas gives **MOST RELIABLE** reading?

- A. Axillary
- B. Groin
- C. Rectal
- D. Tympanic

43. Tympanic thermometer

- A. measures temp under the tongue
- B. measures temp in the ear
- C. measures temp in the armpit
- D. measures temp across the forehead and temple

44. 212 degrees F =? degrees C

- A. 48
- B. 100
- C. 98.6
- D. 36.7

45. 37 degrees C = ? degrees F

- A. 71.6
- B. 101.2
- C. 98.6
- D. 99.5

46. Temporal, radial, carotid, femoral, brachial are all known as what

- A. pulse sites
- B. fancy words
- C. pressure points
- D. pulse pressure

47. Admission is

- A. An entry of a client into a health care facility ward
- B. When a client receives health care
- C. When a client walks into a health care facility
- D. When health care is performed on a client

48. Which patient is the **BEST** candidate for an oral temperature?

- A. 16-year-old receiving his annual physical exam
- B. 1-year-old healthy infant
- C. 21-year-old patient on seizure precautions
- D. 62-year-old comatose patient

49. A patient's temperature reads 37. 7o C. the nurse puts in measure to reduce the temperature by removing excess clothing on the patient, opening nearby windows and putting on the fan. Which of these measures is the nurse employing to reduce the temperature?

- A. Conduction

- B. Convection
- C. Evaporation
- D. Radiation

50. Nurse Grace checked a patient's temperature at 4am and found it to be slightly lower than normal. But around 4pm, the patient's temperature was slightly higher than normal. What factor can account for the changes in temperature?

- A. Age
- B. Circadian rhythm
- C. Exercise
- D. Stress

51. Which of the following is an appropriate way to address a patient?

- A. Address the patient with "Mr., Ms., or Miss"
- B. If patient is elderly, it is okay to use "Gramps" or "Grandma"
- C. Use patient's first name with or without patient's consent
- D. Use terms of endearment like "dear, sweetie, honey"

52. A 30-year-old sustained severe injuries through road traffic accident and was bleeding severely. Upon checking her pulse, it recorded 110bpm. What is the reason for her increased pulse rate?

- A. Exercise
- B. Haemorrhage
- C. Medication
- D. Sex

53. Nurse Adwoa is ready to assess vital signs (oral temperature) on a 6-year-old child. The child has just enjoyed ice cream. An appropriate action would be to:

- A. assess the oral temperature as planned
- B. assess the rectal temperature
- C. have the child rinse out the mouth with warm water
- D. wait 20 minutes and take the oral temperature

54. Where is temperature regulated?

- A. By what a person wear
- B. Heat & Cold
- C. Hypothalamus
- D. Skin

55. All the following factors affect blood pressure EXCEPT.....
- A. age
 - B. anxiety
 - C. circadian Rhythms
 - D. exercise
56. Mr. Smith does not want to be in the hospital. He is sleepless, continuously asks questions, and constantly says he wants to go home. While administering his morning medication, he started talking about his concerns. How would you best respond to him?
- A. Answer his questions directly, explain about hospital policies and provide medical information
 - B. Let him know that he will not stay long in the hospital
 - C. Refer him to the nurse supervisor
 - D. Tell him to talk to his physician who could explain everything
57. A nurse appropriately recognizes that a patient will develop his or her initial impression of the nurse during the
- A. Teaching process.
 - B. Discharge process.
 - C. Admission process.
 - D. Implementation process.
58. The term bradycardia in an adult means abnormally:
- A. low blood pressure less than 90/60mmHg
 - B. rapid and shallow respiratory rate
 - C. slow pulse rate, less than 60 beats per minute
 - D. slow respiratory rate, usually less than 10 cycles per minute
59. During routine patient's assessment, which of the following will the nurse report for proper attention?
- A. A diastolic reading of 100 mmHg
 - B. A systolic reading of 150 mmHg
 - C. When patient insisted that the blood pressure must be taken from the left arm
 - D. When patient's breathing patterns changes suddenly while taking the blood pressure
60. A febrile patient will exhibit a/an:
- A. Elevated pulse.
 - B. Elevated temperature.

- C. Normal pulse.
- D. Normal temperature.

61. Shivering is a form of:

- A. Environmental temperature
- B. Fever
- C. Heat loss
- D. Heat production

62. As a nurse helping a 120 kg patient walk from bed to bathroom. The patient started to lose balance and complained that he was extremely dizzy. What would be the most appropriate thing to do next?

- A. Encourage the patient to walk faster towards a chair
- B. Instruct patient to close his eyes and look down
- C. Lower patient to floor by letting patient slide down your leg
- D. Tell patient to put arms around your shoulder and lean on you

63. The terms, deep and shallow are MOST usually associated with which vital sign measurement?

- A. Pulse
- B. Blood pressure
- C. Respirations
- D. Temperature

64. The nurse is admitting a patient to the nursing unit. The nurse's first action is to:

- A. Ask the patient his or her name
- B. Greet the patient by name
- C. Introduce the room mate
- D. Tell the patient everything will be all right

65. What should be done in order to prevent contaminating of the environment in bed making?

- A. Avoid shaking soiled linen
- B. Embrace soiled linen
- C. Finish both sides of the bed at the same time
- D. Strip all linen at the same time

66. The patient is being discharged. The nurse should:

- A. Encourage patient not to worry

- B. Introduce patient to office staff
- C. Tell the patient everything will turn out just fine
- D. Wish the patient well

67. Which of the following does **not** contribute to tachycardia.

- A. Anemia
- B. Elevated temperature
- C. Medications
- D. Prolonged application of heat

68. During an assessment, a client appears to be breathing faster than before. The nurse should:

- A. Ask the client if there has been any visitors
- B. Count the rate of respirations
- C. Have the client lie down
- D. Take radial pulse

69. Core body temperature is highest at:

- A. Early morning
- B. Late afternoon
- C. Night
- D. Noon

70. When temperature reaches 41°C the condition is referred to as.....

- A. a constant fever
- B. hyperpyrexia
- C. hypothermia
- D. pyrexia

71. A client has just gotten out of bed to go to the bathroom. As the nurse entered the room, the client said, "I feel dizzy." The nurse should:

- A. assist the client to sit down
- B. go for help
- C. take the client's blood pressure
- D. tell the client to take deep breaths

72. The patient lies on back, with knees straight and arms at sides, then with the head lower than the trunk and the knees straight.

- A. Knee-chest Position
- B. Modified Trendelenburg Position

- C. Sims' Position
- D. Trendelenburg Position

73. A patient is in the supine position and the head of the bed is elevated to 45 to 60 degrees. What position is this called?

- A. Fowler's Position
- B. High Fowler's Position
- C. Semi-Fowler's Position
- D. Sim's Position

74. Patient lying on back, with knees bent, thighs apart, and feet resting in stirrups. What position is this called?

- A. Dorsal Recumbant
- B. Lithotomy
- C. Prone
- D. Supine

75. Proper body alignment for a person who is lying on her side in bed is called?

- A. Fowler
- B. Lateral
- C. Prone
- D. Supine

76. What is the best position for the patient to be in when receiving enemas, and to relieve pressure on areas that may be prone to developing pressure ulcers, such as the coccyx?

- A. Prone
- B. Lateral
- C. Sims
- D. Supine

77. Patient lies on left side, with left arm behind the back; left knee is slightly bent, and right knee is flexed sharply.

- A. Knee-chest Position
- B. Modified Trendelenburg Position
- C. Sims' Position
- D. Trendelenburg Position

78. The apical pulse is assessed using the
- A. electronic thermometer
 - B. doppler apparatus
 - C. sphygmomanometer
 - D. stethoscope
79. Indications for assessment of the pulse include all the following **EXCEPT** to.....
- A. ascertain palpitations of the heart
 - B. determine the individual's pulse on admission as a baseline data
 - C. gather information on the heart rate, pattern of beats and amplitude
 - D. monitor changes in pulse.
80. Bradycardia is a pulse rate below ____ bpm
- A. 100
 - B. 40
 - C. 60
 - D. 80
81. All the following are personal protective equipment used during wound dressing except
- A. Boots
 - B. Disposable gloves
 - C. Face masks
 - D. Sterile gloves
82. Before cleaning disinfected items for sterilization, a ----- glove should be worn.
- A. Disposable
 - B. Gynecological
 - C. Sterile
 - D. Utility
83. This theory of disease causation focuses only on microorganisms as the cause of diseases
- A. Epidemiological trial
 - B. Germ theory
 - C. Multi factorial theory
 - D. Wed of causation
84. Normal respiration range
- A. 6-8 breaths per minute

- B. 10-26 breaths per minute
- C. 12-20 breaths per minute
- D. 20- 26 breaths per minute

85. Normal pulse rate for an adult is

- A. 40-80 bpm
- B. 60-100 bpm
- C. 70-110 bpm
- D. 100-120 bpm

86. All these will influence the outcome of hand washing **EXCEPT**.....

- A. Long finger nails
- B. Rings
- C. Short fingernails
- D. Wristbands or watches

87. Which of the following is the **MOST APPROPRIATE** to use in drying the hands after washing the hands?

- A. Dryer
- B. Hand towel
- C. Handkerchief
- D. Paper towel

88. A bed is used to nurse a patient with respiratory difficulties.

- A. Cardiac
- B. Simple
- C. Operation
- D. Admission

89. Apnea is,

- A. Absence of breathing
- B. Fast respirations
- C. Abnormally slow respirations
- D. Deep respirations

90. Bradypnea is

- A. Absence of breathing
- B. Abnormally slow breathing

- C. Abnormally fast breathing
- D. Normal breathing

91. Pulse rhythm is?

- A. A heart rate of less than 60 bpm
- B. The pattern of the beats and the intervals between the beats
- C. A pulse located away from the heart
- D. The strength of a heart beat

92. The normal pulse rate is

- A. Between 57 beats per minute and 80 beats per minute
- B. Between 60 beats per minute and 100 beats per minute
- C. Between 102 beats per minute and 110 beats per minute
- D. Between 120 beats per minute and 140 beats per minute

93. When doing an apical pulse examination all these are observed except?

- A. Rate
- B. Quality
- C. Rhythm
- D. Depth

94. In a tachycardic patient, the heart rate is said to be?

- A. 80 bpm and over
- B. 60 bpm and under
- C. 100 bpm and under
- D. 100 bpm and over

95. The stages of fever include in order?

- A. Onset, abatement, course
- B. Onset, Chill, Cold
- C. Onset, course, and abatement
- D. Onset, manifestation, abatement

96. During an intermittent fever,

- A. The fever has a wide range of temp fluctuations occurring over a 24-hour period
- B. There are short febrile periods of a few days interspersed with periods of normal temps lasting 1 to 2 days
- C. Body temp fluctuates minimally but always remains above normal
- D. The body temp alternates at regular intervals between periods of fever and periods of normal or subnormal temps

97. Pyrexia is?
- A. A body temp that is normal
 - B. A body temp that is above normal
 - C. A body temp that is below normal
 - D. Afebrile
98. All these factors affect body heat production except?
- A. Basal metabolism
 - B. Shivering
 - C. Thyroxine
 - D. Convection
99. What are the four main vital signs?
- A. BP, O2 Sat, Temp, Pulse
 - B. BP, Respiration, Pulse, Pain
 - C. BP, Respiration, Temp, O2 Sat
 - D. BP, Respiration, Temp, Pulse
100. When an infant is in a side-lying position, using an electronic axillary temperature, what kind of temperature would the lower axilla record?
- A. Consistent temperature
 - B. Higher temperature
 - C. Lower temperature
 - D. Variable temperature