

A patient recovering from malaria is prescribed a convalescent diet. Which of the following should the nurse exclude from the patient's meals?

- A. Boiled yam
- B. Fried chicken ★
- C. Light soup
- D. Mashed potatoes

A post-operative patient is unable to tolerate solid foods. What is the most appropriate diet for this patient?

- A. High protein diet
- B. Full diet
- C. Fluid diet ★
- D. High residue diet

A nurse is preparing a low-salt diet for a patient with severe hypertension. Which of the following should be avoided?

- A. Boiled rice
- B. Salted crackers ★
- C. Steamed vegetables
- D. Plain bread

Which patient would benefit most from a high protein diet?

- A. A patient with liver disease
- B. A patient with nephritic syndrome
- C. A malnourished child ★
- D. A patient with diarrhea

A nurse is feeding a dysphagic patient. Which of the following is the best dietary modification?

- A. Raw salad
- B. Spicy soup
- C. Semi-solid food ★
- D. Fried fish

A patient with gall bladder disease is prescribed a diet. What should be restricted in this patient's diet?

- A. Salt
- B. Protein
- C. Carbohydrates
- D. Fat ★

A nurse is teaching a patient with diabetes mellitus about dietary modifications. What is the main goal of the diabetic diet?

- A. To reduce sodium intake
- B. To eliminate all fats
- C. To balance carbohydrate and fat intake ★
- D. To increase protein and salt intake

Which type of diet should be given to a patient with chronic constipation?

- A. Low residue diet
- B. High residue diet ★
- C. Light diet
- D. Fluid diet

A patient recovering from surgery cannot chew well. What type of diet should be given?

- A. High residue diet
- B. Low fat diet
- C. Light diet ★
- D. Full diet

Which food is most appropriate for a light diet?

- A. Spicy rice and beef
- B. Ice cream and custard ★
- C. Fried chicken and salad
- D. Beans and cabbage stew

A patient who is blind following an eye surgery should be assisted how during meals?

- A. Feeding must be avoided
- B. Serve meals in the dark
- C. Describe the food positions using a clock method ★
- D. Serve hot food without warning

Which fluid is part of a nourishing fluid diet?

- A. Tea
- B. Water
- C. Milk ★
- D. Fruit juice

Which of the following is considered a stimulating fluid?

- A. Custard
- B. Tea ★
- C. Porridge
- D. Milkshake

A refreshing fluid diet includes:

- A. Mashed yam
- B. Milk
- C. Fruit juice ★
- D. Groundnut soup

Why should roughages be restricted in a low residue diet?

- A. They contain excess salt
- B. They produce flatus
- C. They stimulate peristalsis ★
- D. They are difficult to prepare

A patient without teeth should be served with:

- A. Toasted bread
- B. Soft mashed foods ★
- C. Chewing gum
- D. Fried yam

A convalescent diet includes all the following except:

- A. Highly seasoned foods ★
- B. Boiled plantains
- C. Grilled fish
- D. Mashed potatoes

Which patient needs a low protein diet the most?

- A. A patient with diabetes mellitus
- B. A patient with nephritic syndrome
- C. A patient with urea retention ★
- D. A patient with malaria

What type of food should be avoided by a dyspnoeic patient?

- A. Soft pudding
- B. Spicy pepper soup ★
- C. Mashed yam
- D. Ice cream

A patient on a low-calorie diet should avoid:

- A. Vegetables
- B. Boiled yam
- C. Fried rice ★
- D. Steamed fish

A bedridden patient with pressure ulcers is placed on a high protein diet. What is the purpose of this diet?

- A. To increase fat stores
- B. To improve mental alertness

- C. To promote wound healing ★
- D. To prevent infection

Which of these meals is best for a patient on a fluid diet?

- A. Grilled yam with tomato stew
- B. Corn porridge with milk ★
- C. Boiled cassava and kontomire
- D. Fried rice and chicken

What is the goal of a high residue diet?

- A. Reduce bowel activity
- B. Increase fluid retention
- C. Stimulate bowel movements ★
- D. Increase protein levels

A patient on a high protein diet asks for an example of such food. Which should the nurse suggest?

- A. Rice and stew
- B. Grilled fish ★
- C. Toast with butter
- D. Yam porridge

Which condition requires a low-fat diet?

- A. Tuberculosis
- B. Gall bladder disease ★
- C. Measles

D. Constipation

What food should be offered to a patient with peptic ulcer disease?

A. Pepper soup

B. Coffee

C. Boiled rice ★

D. Fried chicken

A diabetic patient is served white bread with jam. What should the nurse do?

A. Remove the meal immediately

B. Inform the physician

C. Explain to the patient and offer a suitable alternative ★

D. Allow the patient to eat half

Which of the following is not suitable for a patient with diarrhea?

A. Boiled eggs

B. Fried fish ★

C. Steamed rice

D. Toasted bread

What type of fluid should be avoided in a fluid diet for a hypertensive patient?

A. Milk

B. Water

C. Broth with seasoning ★

D. Fruit juice

A patient recovering from typhoid is on a light diet. Which food should be avoided?

- A. Boiled yam
- B. Plain rice
- C. Fried plantain ★
- D. Mashed potatoes

What is the best approach when feeding a semi-conscious patient?

- A. Feed through mouth forcefully
- B. Give nourishing fluids via NG tube if prescribed ★
- C. Wait until the patient wakes fully
- D. Allow IV nutrition only

A low residue diet is recommended for which condition?

- A. Severe constipation
- B. Bowel surgery recovery ★
- C. Fractured arm
- D. Pneumonia

A high protein diet is contraindicated in:

- A. Hepatitis
- B. Protein deficiency
- C. Renal failure ★
- D. Tuberculosis

What is the best way to assist a blind patient with food during meals?

- A. Feed the patient directly
- B. Leave the food and walk away
- C. Describe food arrangement using clock terms ★
- D. Mix all foods before serving

What is the main purpose of a fluid diet after surgery?

- A. Prevent dehydration ★
- B. Increase appetite
- C. Strengthen muscles
- D. Prevent constipation

A patient with gout should avoid:

- A. Purine-rich foods ★
- B. Fluid diets
- C. High protein meals
- D. Fruit juices

What is an appropriate fluid for a refreshing fluid diet?

- A. Spicy soup
- B. Cold milk
- C. Orange juice ★
- D. Thick custard

A patient who recently had jaw surgery should be placed on which diet?

- A. Full solid
- B. Light
- C. Fluid ★
- D. High residue

Which meal is appropriate for a high-calorie diet?

- A. Toast and tea
- B. Rice and beans with fried egg ★
- C. Steamed vegetables
- D. Plain porridge

A patient on a low-calorie diet should be encouraged to take:

- A. Fried chicken
- B. Boiled vegetables ★
- C. Sweetened drinks
- D. Meat pies

Which nutrient is essential for tissue building?

- A. Carbohydrates
- B. Fats
- C. Proteins ★
- D. Vitamins

A low sodium diet is best indicated for:

- A. Fracture patient
- B. Anaemic patient

C. Hypertensive patient ★

D. Constipated patient

The best food for a patient with dental extraction is:

A. Raw vegetables

B. Mashed yam and egg ★

C. Fried chicken

D. Toasted bread

A full diet is prescribed when:

A. The patient has difficulty swallowing

B. The patient is in a coma

C. The patient is fully recovered and active ★

D. The patient has nausea

The best food for a postnatal mother is:

A. Food with lots of spices

B. High protein and iron diet ★

C. Fried yam

D. Ice cream

A patient recovering from anemia requires:

A. Low iron diet

B. High carbohydrate diet

C. High iron and protein diet ★

D. High residue diet

A patient with nausea should be given:

A. Greasy foods

B. Spicy soup

C. Plain toast ★

D. Chocolate drink

Why is a fluid diet recommended after abdominal surgery?

A. To reduce hunger

B. To ease digestion and avoid stress on bowel ★

C. To lower body temperature

D. To stimulate appetite

For a patient with mouth sores, which food is most suitable?

A. Salty porridge

B. Cold, bland fluids ★

C. Spicy stew

D. Toast and butter

A fluid diet must include all except:

A. Custard

B. Mashed yam ★

C. Broth

D. Fruit juice

Here are 40 multiple choice questions (MCQs) based on the case study-style content in the provided PPT on Wounds, Wound Healing, and Care of Wounds:

CASE STUDY MCQs:

Section: Types and Classifications of Wounds

1. A patient presents with a wound caused by a kitchen knife while cutting vegetables. Which type of wound is this?

- A. Intentional wound
- B. Clean wound
- C. Unintentional wound
- D. Colonized wound

Answer: C

2. A man arrives at the hospital after a road traffic accident with visible bleeding and irregular skin edges. What type of wound is most likely?

- A. Incised wound
- B. Lacerated wound
- C. Abrasion
- D. Contused wound

Answer: B

3. During surgery, a surgeon makes a clean cut with a scalpel. What is the classification of this wound?

- A. Contaminated wound
- B. Incised wound
- C. Lacerated wound
- D. Colonized wound

Answer: B

4. A patient has a wound where the skin is intact, but the tissue underneath is damaged from a fall. This is best classified as a:

- A. Closed wound
- B. Penetrating wound
- C. Open wound
- D. Puncture wound

Answer: A

5. A boy scrapes his knee after falling on concrete. What kind of wound is this?

- A. Contusion
- B. Abrasion
- C. Laceration
- D. Puncture wound

Answer: B

6. A nurse identifies a wound caused by a nail puncture. It is deep and narrow. What type is this?

- A. Laceration
- B. Incision
- C. Puncture wound
- D. Contusion

Answer: C

7. An elderly diabetic patient presents with multiple microorganisms in a wound on the heel. What type of wound is this?

- A. Clean
- B. Infected
- C. Colonized
- D. Contaminated

Answer: C

8. A wound that enters a body cavity is best classified as a:

- A. Perforating wound
- B. Contused wound
- C. Incised wound
- D. Penetrating wound

Answer: A

9. Which of the following wounds is most likely to be aseptic?

- A. Gunshot wound
- B. Surgical wound under sterile conditions
- C. Pressure sore
- D. Animal bite

Answer: B

10. Which wound is described as having rough, torn edges from trauma like machinery cuts or animal bites?

- A. Lacerated wound
- B. Incised wound
- C. Puncture wound
- D. Contused wound

Answer: A

Section: Wound Healing Phases

11. Which phase of wound healing involves clot formation and platelet aggregation?

- A. Proliferative phase
- B. Hemostasis phase

C. Inflammatory phase

D. Maturation phase

Answer: B

12. A nurse notes redness and swelling at the site of a wound 24 hours after injury. This is most likely which phase?

A. Hemostasis

B. Inflammatory

C. Proliferative

D. Maturation

Answer: B

13. During which phase is collagen remodeled and tensile strength improved?

A. Inflammatory

B. Hemostasis

C. Proliferative

D. Maturation

Answer: D

14. Which of the following is a hallmark of the proliferative phase of healing?

A. Platelet aggregation

B. Fibrin clot formation

C. Granulation tissue development

D. Collagen cross-linking

Answer: C

15. The inflammatory phase typically lasts how many days?

A. 1–2 days

B. 3–4 days

C. 7 days

D. 10–14 days

Answer: B

Section: Wound Care & Dressing

16. The main purpose of wound dressing is to:

A. Expose the wound to air

B. Increase odor

C. Prevent infection

D. Promote bleeding

Answer: C

17. Which of the following is NOT a purpose of wound dressing?

- A. Hemostasis
- B. Hiding the wound
- C. Restricting motion
- D. Promoting scarring

Answer: D

18. What kind of wound dressing would be used to keep the wound moist for faster epithelialization?

- A. Dry gauze
- B. Occlusive dressing
- C. Cotton wool
- D. Paper tape

Answer: B

19. Which symptom is NOT a local sign of wound infection?

- A. Swelling
- B. Redness
- C. Headache
- D. Pain

Answer: C

20. Which is a general symptom of wound infection?

- A. Redness
- B. Heat
- C. Malaise
- D. Swelling

Answer: C

Section: Factors Influencing Healing

21. Which of the following slows wound healing?

- A. Young age
- B. Diabetes
- C. Proper antibiotic use
- D. Aseptic dressing

Answer: B

22. Which factor improves wound healing?

- A. Smoking
- B. Malnutrition

C. Strict aseptic technique

D. Corticosteroid use

Answer: C

23. Obesity affects wound healing by:

A. Enhancing oxygenation

B. Increasing nutrition supply

C. Reducing blood flow

D. Preventing infection

Answer: C

24. Use of which drug can impair wound healing?

A. Antibiotics

B. Aspirin

C. Multivitamins

D. Paracetamol

Answer: B

25. Which condition is a common cause of chronic wounds?

A. Cold weather

B. Venous disease

C. Exercise

D. Balanced diet

Answer: B

Section: Complications

26. What complication involves internal organ protrusion through a surgical wound?

A. Keloid

B. Evisceration

C. Contracture

D. Dehiscence

Answer: B

27. A patient has thick scar tissue forming at a wound site. This is known as:

A. Abscess

B. Keloid

C. Fistula

D. Contracture

Answer: B

28. Which term describes partial or total separation of a wound after closure?

- A. Dehiscence
- B. Hemorrhage
- C. Contracture
- D. Abscess

Answer: A

29. Formation of abnormal connections between organs due to wound healing is called:

- A. Keloid
- B. Contracture
- C. Fistula
- D. Hemorrhage

Answer: C

30. Which complication is characterized by localized collection of pus?

- A. Evisceration
- B. Hemorrhage
- C. Abscess
- D. Contracture

Answer: C

Application-Based Clinical Questions

31. A nurse is caring for a patient with a stab wound. What is the best initial step in management?

- A. Apply ice
- B. Leave open to air
- C. Irrigate with antiseptic
- D. Suturing without cleaning

Answer: C

32. A child presents with bruising after a fall. There is no break in skin. What kind of wound is this?

- A. Incised
- B. Lacerated
- C. Contused
- D. Penetrating

Answer: C

33. Following surgery, a patient's wound site shows purulent discharge and redness. What type of wound is this now considered?

- A. Clean

B. Contaminated

C. Colonized

D. Infected

Answer: D

34. A wound that occurs from insertion of a drainage tube during surgery is an example of:

A. Penetrating wound

B. Punctured wound

C. Lacerated wound

D. Closed wound

Answer: B

35. Which type of wound is typically associated with high infection risk due to exposure to body cavities?

A. Clean wound

B. Colonized wound

C. Clean-contaminated wound

D. Contused wound

Answer: C

36. Which wound shows signs of infection but no purulence yet?

A. Clean

B. Contaminated

- C. Infected
- D. Colonized

Answer: B

37. Which wound healing stage involves the presence of myofibroblasts?

- A. Hemostasis
- B. Inflammatory
- C. Proliferative
- D. Maturation

Answer: C

38. What dressing type is best used within 48 hours to maintain tissue humidity?

- A. Occlusive
- B. Dry
- C. Alcohol-based
- D. Non-adherent

Answer: A

39. What phase of healing begins within seconds of injury?

- A. Proliferative
- B. Inflammatory
- C. Hemostasis

D. Remodeling

Answer: C

40. A wound showing dark granulation tissue might indicate:

A. Healthy healing

B. Excess epithelialization

C. Ischemia or infection

D. Collagen remodeling

Answer: C

1.

What is the primary definition of a wound?

2.

1. A) An infection

2. **B) A cut or break in skin or tissues ***

3. C) A bruise

4. D) A type of inflammation

3.

Which of the following is an example of an intentional wound?

4.

1. **A) A surgical incision ***

2. B) A cut from a knife

3. C) A burn from a hot surface
4. D) A scrape from falling
- 5.

What type of wound is characterized by a break in the skin or mucous membrane?

- 6.
1. A) Closed wound
2. **B) Open wound ***
3. C) Clean wound
4. D) Contused wound
- 7.

Which type of wound results from a blunt force?

- 8.
1. A) Incised wound
2. B) Lacerated wound
3. **C) Contused wound ***
4. D) Abrasion
- 9.

A patient has a clean surgical wound that has no signs of infection. This wound is classified as:

- 10.

1. A) Contaminated
 2. **B) Clean ***
 3. C) Infected
 4. D) Colonized
- 11.

What is the main purpose of the inflammatory phase of wound healing?

- 12.
1. A) To promote infection
 2. B) To prevent further injury
 3. **C) To clean the wound of debris and pathogens ***
 4. D) To close the wound
- 13.

Which of the following is a sign of inflammation?

- 14.
1. A) Decreased temperature
 2. **B) Heat ***
 3. C) Decreased pain
 4. D) Reduced swelling
- 15.

In which phase of wound healing does new tissue formation primarily occur?

16.

1. A) Hemostasis
2. B) Inflammatory
3. **C) Proliferative ***
4. D) Maturation

17.

What does the term "dehiscence" refer to?

18.

1. A) Closure of the wound
2. **B) Separation of wound edges ***
3. C) Excessive bleeding
4. D) Infection of the wound

19.

Which type of wound is created by a sharp instrument penetrating the skin?

20.

1. A) Abrasion
2. B) Laceration
3. **C) Punctured wound ***
4. D) Contusion

21.

A patient presents with a wound that has purulent drainage and signs of infection. This wound is classified as:

22.

1. A) Clean
2. B) Contaminated
3. **C) Infected ***
4. D) Clean contaminated

23.

What is the function of fibrin in the hemostasis phase?

24.

1. A) To promote infection
2. **B) To form a clot ***
3. C) To contract the wound
4. D) To remove dead tissue

25.

Which factor can delay wound healing?

26.

1. A) Young age
2. B) Good nutrition
3. **C) Diabetes mellitus ***
4. D) Proper wound care

27.

The presence of dark granulation tissue in a healing wound suggests:

28.

1. A) Normal healing
2. **B) Infection or ischemia ***
3. C) A healthy granulation tissue
4. D) A clean wound

29.

Which of the following is NOT a local symptom of wound infection?

30.

1. A) Redness
2. B) Heat
3. **C) Fever ***
4. D) Swelling

31.

What is a low residue diet primarily used for?

32.

1. A) To increase fiber intake
2. **B) To reduce bowel stimulation ***
3. C) To promote weight gain

4. D) To enhance digestion

33.

A patient recovering from surgery is on a light diet. Which food is most appropriate?

34.

1. A) Spicy foods

2. B) Fresh vegetables

3. **C) Mashed potatoes ***

4. D) Fried chicken

35.

What is the primary goal of wound care?

36.

1. A) To increase pain

2. **B) To prevent infection and promote healing ***

3. C) To restrict movement

4. D) To change diet

37.

What type of dressing is used to keep a wound moist?

38.

1. A) Dry dressing

2. **B) Occlusive dressing ***

3. C) Gauze dressing
4. D) Adhesive plaster

39.

Which of the following is a characteristic of a clean contaminated wound?

40.

1. A) No micro-organisms present
2. **B) Involves a body cavity ***
3. C) High potential for infection
4. D) Always infected

41.

A patient is at risk for pressure sores. Which diet is most beneficial?

42.

1. A) Low protein diet
2. **B) High protein diet ***
3. C) High fat diet
4. D) Low caloric diet

43.

What is the primary purpose of dressing a wound?

44.

1. A) To promote infection

2. **B)** To absorb exudates and protect the wound *
3. C) To increase blood flow
4. D) To hide the wound
- 45.

During which phase of wound healing does collagen remodeling occur?

- 46.
1. A) Hemostasis
2. B) Inflammatory
3. C) Proliferative
4. **D)** Maturation *
- 47.

Which dietary modification is necessary for a patient with diabetes?

- 48.
1. A) High carbohydrate diet
2. B) Low fat diet
3. **C)** Balanced diet with controlled carbohydrates *
4. D) Low protein diet
- 49.

What is an important factor in preventing chronic wounds?

- 50.

1. A) Aging
 2. **B) Regular movement and pressure relief ***
 3. C) Poor nutrition
 4. D) Smoking
- 51.

A patient exhibits signs of evisceration. What should be the immediate nursing action?

- 52.
1. A) Apply a dressing and wait
 2. **B) Notify the physician and cover the area with a sterile dressing ***
 3. C) Clean the wound immediately
 4. D) Remove any foreign objects
- 53.

What is the role of myofibroblasts during wound healing?

- 54.
1. A) To remove debris
 2. **B) To contract the wound edges ***
 3. C) To form new blood vessels
 4. D) To produce collagen
- 55.

A patient is experiencing pain and swelling at a surgical site. What is the most appropriate nursing action?

56.

1. A) Ignore symptoms
2. **B) Assess for signs of infection ***
3. C) Increase the patient's activity level
4. D) Apply ice immediately

57.

Which complication of wound healing is characterized by excessive scar formation?

58.

1. A) Abscess
2. **B) Keloid ***
3. C) Evisceration
4. D) Dehiscence

59.

A patient with a contused wound typically presents with:

60.

1. A) Open skin
2. **B) Bruising and swelling ***
3. C) Excessive bleeding
4. D) Pus formation

61.

Which type of diet is most appropriate for a patient recovering from gastrointestinal surgery?

62.

1. A) High fat diet
2. **B) Low residue diet ***
3. C) High fiber diet
4. D) Normal diet

63.

A patient with a lacerated wound from an animal bite should receive:

64.

1. A) No treatment
2. B) Immediate surgical closure
3. **C) Tetanus prophylaxis and wound care ***
4. D) Antibiotic ointment only

65.

Which factor can enhance wound healing?

66.

1. A) Poor nutrition
2. B) Smoking
3. **C) Proper hydration ***
4. D) Older age

67.

What is the primary characteristic of a perforating wound?

68.

1. **A)** It penetrates through the skin to deeper tissues *
2. B) It is caused by blunt force
3. C) It is always infected
4. D) It has smooth edges

69.

Which of the following is a common systemic symptom of a wound infection?

70.

1. A) Redness
2. B) Heat
3. **C)** Fever *
4. D) Swelling

71.

What is the main goal of using a nourishing fluid diet?

72.

1. A) To provide hydration only
2. **B)** To offer complete nutrition in liquid form *
3. C) To restrict calorie intake

4. D) To provide solid food alternatives

73.

A patient with diabetes is experiencing delayed wound healing. What could be a contributing factor?

74.

1. A) Adequate blood supply
2. B) High protein intake
3. **C) Poor glucose control ***
4. D) Regular exercise

75.

What is a common complication of improper wound care?

76.

1. A) Enhanced healing
2. **B) Infection ***
3. C) Decreased pain
4. D) Increased mobility

77.

Which dietary change is most appropriate for a patient with renal failure?

78.

1. A) High protein diet

2. **B)** Low sodium diet *
 3. C) High carbohydrate diet
 4. D) Low fiber diet
- 79.

What type of dressing is typically used for a clean wound?

- 80.
1. A) Wet dressing
 2. **B)** Dry dressing *
 3. C) Occlusive dressing
 4. D) Antibiotic dressing
- 81.

A patient with a punctured wound requires:

- 82.
1. A) Immediate suturing
 2. B) Observation only
 3. **C)** Antibiotic therapy and wound care *
 4. D) No treatment
- 83.

Which phase of wound healing is characterized by the formation of granulation tissue?

84.

1. A) Hemostasis
 2. B) Inflammatory
 3. **C) Proliferative ***
 4. D) Maturation
- 85.

A patient presents with swelling, warmth, and redness at a wound site. What should the nurse assess for?

- 86.
1. A) Normal healing
 2. **B) Infection ***
 3. C) Dehiscence
 4. D) Hemorrhage
- 87.

What should be the nurse's priority when caring for a patient with a diabetic wound?

- 88.
1. A) Increase the patient's activity
 2. **B) Monitor blood sugar levels ***
 3. C) Provide a high carbohydrate diet
 4. D) Apply heat to the wound
- 89.

Which type of diet is beneficial for a patient with hypertension?

90.

1. A) Low fat diet
2. **B) Low sodium diet ***
3. C) High protein diet
4. D) High carbohydrate diet

91.

A patient undergoing surgery is assessed for potential complications. What should be monitored?

92.

1. A) Fluid intake only
2. **B) Nutritional status and wound healing ***
3. C) Surgical site only
4. D) Blood pressure only

93.

A patient is experiencing evisceration. What is the nursing priority?

94.

1. A) Apply a dry dressing
2. **B) Notify the physician and cover with a sterile dressing ***
3. C) Clean the wound immediately
4. D) Remove any foreign objects

95.

Which food item is most appropriate for a light diet?

96.

1. A) Fried chicken
2. **B) Steamed vegetables ***
3. C) Spicy chili
4. D) Grilled steak

97.

A nurse is caring for a patient with a chronic wound. What should be prioritized in their care?

98.

1. A) Providing solid food
2. **B) Ensuring strict aseptic technique ***
3. C) Decreasing fluid intake
4. D) Ignoring dietary needs

99.

What is a key characteristic of clean wounds?

100.

1. A) Presence of bacteria
2. **B) Free of pathogens ***
3. C) High potential for infection
4. D) Always requires surgical intervention

Case Study Questions

1.

Case Study 1: A 60-year-old male patient with diabetes presents with a non-healing ulcer on his foot. What initial assessment should the nurse perform?

2.

5. **A)** Check blood glucose levels *

6. **B)** Assess for signs of infection

7. **C)** Evaluate the patient's diet

8. **D)** Monitor vital signs

3.

Case Study 2: A post-operative patient has developed redness and swelling at the incision site. What should the nurse do first?

4.

9. **A)** Apply ice to the area

10. **B)** Notify the surgeon *

11. **C)** Administer pain medication

12. **D)** Document findings

5.

Case Study 3: A patient recovering from abdominal surgery has a partially opened wound (dehiscence). What is the most appropriate nursing intervention?

6.

13. A) Apply a dry dressing and monitor

14. **B)** Cover the wound with a sterile dressing and notify the physician *

15. C) Clean the wound with antiseptic

16. D) Provide pain relief

1.

Case Study 4: A child is brought in with a laceration from a playground accident. What is the nurse's priority action?

2.

1. A) Clean the wound

2. **B)** Assess for signs of bleeding *

3. C) Administer a tetanus shot

4. D) Apply a bandage

3.

Case Study 5: An elderly patient has a pressure ulcer on their sacrum. What dietary change would best support healing?

4.

1. A) High carbohydrate diet

2. **B)** High protein diet *

3. C) Low fat diet

4. D) Low residue diet

5.

Case Study 6: A patient with a contaminated wound from a car accident is treated in the emergency department. What is the nurse's priority in managing this wound?

6.

1. A) Apply a dry dressing

2. **B)** Clean the wound and assess for infection *

3. C) Administer antibiotics

4. D) Notify the physician immediately

7.

Case Study 7: A patient post-surgery reports increased pain and swelling at the incision site. What should the nurse assess for?

8.

1. **A) Signs of infection ***
2. B) Normal healing signs
3. C) Dehydration
4. D) Nutritional status

9.

Case Study 8: A patient with a history of venous disease presents with a leg ulcer. What should the nurse focus on in the care plan?

10.

1. A) Promoting immobility
2. **B) Enhancing blood circulation ***
3. C) Increasing protein intake
4. D) Reducing fluid intake

11.

Case Study 9: A nurse is caring for a patient with a diabetic ulcer. What should be included in the education plan?

12.

1. A) Avoiding foot care
2. **B) Regular foot inspections ***
3. C) High sugar intake for energy
4. D) Ignoring any changes in the wound

13.

Case Study 10: A patient with a burn injury is admitted. They exhibit signs of dehydration. What should the nurse prioritize in their care?

14.

1. **A) Administering IV fluids ***
2. B) Cleaning the burn area
3. C) Applying a topical antibiotic
4. D) Monitoring vital signs

1.

Case Study 1: A 75-year-old patient with diabetes presents with a non-healing ulcer on the foot. What is the priority nursing intervention?

2.

1. A) Administer insulin
2. **B) Assess the wound for signs of infection ***
3. C) Educate the patient on foot care
4. D) Refer the patient to a dietitian

3.

Case Study 2: A post-operative patient has redness and swelling at the incision site. What should the nurse do first?

4.

1. A) Document the findings
2. B) Apply ice to the area
3. **C) Notify the physician ***
4. D) Assess for fever

5.

Case Study 3: A patient recovering from gastrointestinal surgery is on a low-residue diet. Which food choice is appropriate?

6.

1. A) Whole grain bread
2. **B) White rice ***
3. C) Raw vegetables

4. D) High-fiber cereal

7.

Case Study 4: A patient with a laceration from a fall is at risk for infection. What dietary modification should the nurse recommend?

8.

1. A) Low protein diet

2. B) High carbohydrate diet

3. **C) High protein diet ***

4. D) Low fat diet

9.

Case Study 5: A patient with a pressure ulcer is being assessed. Which dietary component is essential for wound healing?

10.

1. A) Carbohydrates

2. **B) Protein ***

3. C) Fats

4. D) Fiber

11.

Case Study 6: A nurse is caring for a patient who has just undergone surgery. What is a priority nursing action regarding the wound?

12.

1. A) Change the dressing every hour

2. **B)** Keep the wound dry *
 3. C) Monitor for signs of infection
 4. D) Apply heat to the incision site
- 13.

Case Study 7: A patient with a diabetic ulcer has a blood glucose level of 300 mg/dL. What should the nurse prioritize?

- 14.
1. **A)** Administer oral hypoglycemic medication *
 2. B) Increase fluid intake
 3. C) Educate the patient on foot care
 4. D) Assess the wound daily
- 15.

Case Study 8: A patient with a burn injury is experiencing severe pain. What is the most appropriate nursing intervention?

- 16.
1. A) Apply a cold compress
 2. **B)** Administer prescribed analgesics *
 3. C) Clean the burn area immediately
 4. D) Assess the extent of the burn
- 17.

Case Study 9: A patient on a fluid diet is receiving enteral feeding. What is the key consideration for the nurse?

18.

1. A) Monitor the patient's weight daily
2. **B) Assess the patient's tolerance to the feeding ***
3. C) Increase the rate of infusion frequently
4. D) Provide solid food supplements

19.

Case Study 10: A patient with an infected wound has a fever and increased pulse rate. What is the priority nursing diagnosis?

20.

- A) Risk for infection
 - **B) Acute pain ***
 - C) Impaired skin integrity
 - D) Fluid volume deficit
1. **Case Study 11:** A nurse is providing education on wound care to a patient. Which statement indicates a need for further teaching?
 - **A) "I should keep the wound dry." ***
 - B) "I will change the dressing when it becomes wet."
 - C) "I can use hydrogen peroxide to clean the wound."
 - D) "I need to watch for signs of infection."
 1. **Case Study 12:** A patient with a history of chronic kidney disease is on a low-protein diet. Which food should the nurse encourage?
 - A) Chicken breast
 - B) Eggs

- **C) Rice ***
 - D) Lentils
1. **Case Study 13:** A nurse assesses a patient's wound and finds it has thick, yellow drainage. What does this indicate?
 - A) Normal healing
 - **B) Possible infection ***
 - C) Dehydration
 - D) Allergic reaction
 1. **Case Study 14:** A patient recovering from surgery is on a clear liquid diet. Which food is appropriate?
 - **A) Chicken broth ***
 - B) Cream of wheat
 - C) Apple slices
 - D) Yogurt
 1. **Case Study 15:** A nurse is preparing to discharge a patient

CONTINUE

Sider Fusion

Continuing from Case Study 15:

1. **Case Study 15:** A nurse is preparing to discharge a patient with a recent surgical wound. What is vital to include in discharge instructions?
 - A) Resume all normal activities immediately
 - B) Keep the dressing dry for 24 hours
 - **C) Monitor the wound for signs of infection ***
 - D) Avoid all physical activity

1. **Case Study 16:** A patient on a high-protein diet is being assessed for wound healing. What should the nurse evaluate?

- A) Blood glucose levels
- **B) Serum albumin levels ***
- C) Lipid levels
- D) Electrolyte levels

1. **Case Study 17:** A patient with a stage II pressure ulcer is being treated. What dietary change should the nurse recommend?

- A) Increase carbohydrate intake
- **B) Increase protein intake ***
- C) Decrease fluid intake
- D) Increase fiber intake

1. **Case Study 18:** A patient with an abdominal wound exhibits signs of evisceration. What is the nurse's priority action?

- **A) Notify the physician immediately ***
- B) Cover the wound with a sterile dressing
- C) Apply pressure to the area
- D) Clean the wound

1. **Case Study 19:** A nurse is caring for a patient with a diabetic foot ulcer. What is the most important nursing action?

- A) Administer antibiotics
- **B) Educate the patient on proper foot care ***
- C) Apply a wet dressing
- D) Change the dressing frequently

1. **Case Study 20:** A patient has a nutritional deficiency impacting wound healing. Which supplement should the nurse recommend?

- **A) Vitamin C ***
- B) Calcium
- C) Iron
- D) Potassium

1. **Case Study 21:** A patient undergoing chemotherapy is at risk for delayed wound healing. What should be included in their care plan?

- A) High-fat diet
- B) High-calcium diet
- **C) High-protein diet ***
- D) Low-protein diet

1. **Case Study 22:** After assessing a wound, the nurse notes it is healing but has a red, raised appearance. What does this indicate?

- A) Infection
- **B) Normal healing ***
- C) Dehiscence
- D) Hematoma

1. **Case Study 23:** A patient with hypertension is being educated about dietary changes. Which statement indicates understanding?

- A) "I will increase my salt intake."
- **B) "I should eat more fresh fruits and vegetables." ***
- C) "I can have as much processed food as I want."
- D) "I need to avoid drinking water."

1. **Case Study 24:** A nurse is evaluating a patient with a healing laceration. Which finding would be concerning?

- A) Presence of granulation tissue
- **B) Yellow drainage from the wound ***
- C) Slight redness around the edges
- D) No odor from the wound

1. **Case Study 25:** A patient with a new surgical wound reports increased pain and warmth at the site. What should the nurse assess for?

- A) Normal healing
- **B) Signs of infection ***
- C) Dehydration
- D) Allergic reaction

1. **Case Study 26:** A nurse must provide dietary education to a patient recovering from a stroke. What is the most important consideration?

- A) High fiber diet
- B) Low sodium diet
- **C) Soft diet ***
- D) High protein diet

1. **Case Study 27:** A patient is on a clear liquid diet post-operatively. What should the nurse include in the meal plan?

- A) Orange juice
- **B) Gelatin ***
- C) Mashed potatoes
- D) Cream soup

