

Here are 50 multiple-choice questions (MCQs) and 10 case study questions based on the content related to wounds, wound healing, and care.

Multiple-Choice Questions (MCQs)

1. What is the primary definition of a wound?

- A) An infection
- B) A cut or break in skin or tissues
- C) A bruise
- D) A type of inflammation

2. Which of the following is an example of an intentional wound?

- A) A surgical incision
- B) A cut from a knife
- C) A burn from a hot surface
- D) A scrape from falling

3. What type of wound is characterized by a break in the skin or mucous membrane?

- A) Closed wound
- B) Open wound
- C) Clean wound
- D) Contused wound

4. Which type of wound results from a blunt force?

- A) Incised wound
- B) Lacerated wound

- C) Contused wound
- D) Abrasion

5. A patient has a clean surgical wound that has no signs of infection. This wound is classified as:

- A) Contaminated
- B) Clean
- C) Infected
- D) Colonized

6. What is the main purpose of the inflammatory phase of wound healing?

- A) To promote infection
- B) To prevent further injury
- C) To clean the wound of debris and pathogens
- D) To close the wound

7. Which of the following is a sign of inflammation?

- A) Decreased temperature
- B) Heat
- C) Decreased pain
- D) Reduced swelling

8. In which phase of wound healing does new tissue formation primarily occur?

- A) Hemostasis
- B) Inflammatory
- C) Proliferative

- D) Maturation

9. What does the term "dehiscence" refer to?

- A) Closure of the wound
- B) Separation of wound edges
- C) Excessive bleeding
- D) Infection of the wound

10. Which type of wound is created by a sharp instrument penetrating the skin?

- A) Abrasion
- B) Laceration
- C) Punctured wound
- D) Contusion

11. A patient presents with a wound that has purulent drainage and signs of infection. This wound is classified as:

- A) Clean
- B) Contaminated
- C) Infected
- D) Clean contaminated

12. What is the function of fibrin in the hemostasis phase?

- A) To promote infection
- B) To form a clot
- C) To contract the wound
- D) To remove dead tissue

13. Which factor can delay wound healing?

- A) Young age
- B) Good nutrition
- C) Diabetes mellitus
- D) Proper wound care

14. The presence of dark granulation tissue in a healing wound suggests:

- A) Normal healing
- B) Infection or ischemia
- C) A healthy granulation tissue
- D) A clean wound

15. Which of the following is NOT a local symptom of wound infection?

- A) Redness
- B) Heat
- C) Fever
- D) Swelling

16. What is a low residue diet primarily used for?

- A) To increase fiber intake
- B) To reduce bowel stimulation
- C) To promote weight gain
- D) To enhance digestion

17. A patient recovering from surgery is on a light diet. Which food is most appropriate?

- A) Spicy foods
- B) Fresh vegetables
- C) Mashed potatoes
- D) Fried chicken

18. What is the primary goal of wound care?

- A) To increase pain
- B) To prevent infection and promote healing
- C) To restrict movement
- D) To change diet

19. What type of dressing is used to keep a wound moist?

- A) Dry dressing
- B) Occlusive dressing
- C) Gauze dressing
- D) Adhesive plaster

20. Which of the following is a characteristic of a clean contaminated wound?

- A) No micro-organisms present
- B) Involves a body cavity
- C) High potential for infection
- D) Always infected

21. A patient is at risk for pressure sores. Which diet is most beneficial?

- A) Low protein diet
- B) High protein diet
- C) High fat diet
- D) Low caloric diet

22. What is the primary purpose of dressing a wound?

- A) To promote infection
- B) To absorb exudates and protect the wound
- C) To increase blood flow
- D) To hide the wound

23. During which phase of wound healing does collagen remodeling occur?

- A) Hemostasis
- B) Inflammatory
- C) Proliferative
- D) Maturation

24. Which dietary modification is necessary for a patient with diabetes?

- A) High carbohydrate diet
- B) Low fat diet
- C) Balanced diet with controlled carbohydrates
- D) Low protein diet

25. What is an important factor in preventing chronic wounds?

- A) Aging

- B) Regular movement and pressure relief
- C) Poor nutrition
- D) Smoking

26. A patient exhibits signs of evisceration. What should be the immediate nursing action?

- A) Apply a dressing and wait
- B) Notify the physician and cover the area with a sterile dressing
- C) Clean the wound immediately
- D) Remove any foreign objects

27. What is the role of myofibroblasts during wound healing?

- A) To remove debris
- B) To contract the wound edges
- C) To form new blood vessels
- D) To produce collagen

28. A patient is experiencing pain and swelling at a surgical site. What is the most appropriate nursing action?

- A) Ignore symptoms
- B) Assess for signs of infection
- C) Increase the patient's activity level
- D) Apply ice immediately

29. Which complication of wound healing is characterized by excessive scar formation?

- A) Abscess
- B) Keloid

- C) Evisceration
- D) Dehiscence

30. A patient with a contused wound typically presents with:

- A) Open skin
- B) Bruising and swelling
- C) Excessive bleeding
- D) Pus formation

31. Which type of diet is most appropriate for a patient recovering from gastrointestinal surgery?

- A) High fat diet
- B) Low residue diet
- C) High fiber diet
- D) Normal diet

32. A patient with a lacerated wound from an animal bite should receive:

- A) No treatment
- B) Immediate surgical closure
- C) Tetanus prophylaxis and wound care
- D) Antibiotic ointment only

33. Which factor can enhance wound healing?

- A) Poor nutrition
- B) Smoking
- C) Proper hydration

- D) Older age

34. What is the primary characteristic of a perforating wound?

- A) It penetrates through the skin to deeper tissues
- B) It is caused by blunt force
- C) It is always infected
- D) It has smooth edges

35. Which of the following is a common systemic symptom of a wound infection?

- A) Redness
- B) Heat
- C) Fever
- D) Swelling

36. What is the main goal of using a nourishing fluid diet?

- A) To provide hydration only
- B) To offer complete nutrition in liquid form
- C) To restrict calorie intake
- D) To provide solid food alternatives

37. A patient with diabetes is experiencing delayed wound healing. What could be a contributing factor?

- A) Adequate blood supply
- B) High protein intake
- C) Poor glucose control
- D) Regular exercise

38. What is a common complication of improper wound care?

- A) Enhanced healing
- B) Infection
- C) Decreased pain
- D) Increased mobility

39. Which dietary change is most appropriate for a patient with renal failure?

- A) High protein diet
- B) Low sodium diet
- C) High carbohydrate diet
- D) Low fiber diet

40. What type of dressing is typically used for a clean wound?

- A) Wet dressing
- B) Dry dressing
- C) Occlusive dressing
- D) Antibiotic dressing

41. A patient with a punctured wound requires:

- A) Immediate suturing
- B) Observation only
- C) Antibiotic therapy and wound care
- D) No treatment

42. Which phase of wound healing is characterized by the formation of granulation tissue?

- A) Hemostasis
- B) Inflammatory
- C) Proliferative
- D) Maturation

43. A patient presents with swelling, warmth, and redness at a wound site. What should the nurse assess for?

- A) Normal healing
- B) Infection
- C) Dehiscence
- D) Hemorrhage

44. What should be the nurse's priority when caring for a patient with a diabetic wound?

- A) Increase the patient's activity
- B) Monitor blood sugar levels
- C) Provide a high carbohydrate diet
- D) Apply heat to the wound

45. Which type of diet is beneficial for a patient with hypertension?

- A) Low fat diet
- B) Low sodium diet
- C) High protein diet
- D) High carbohydrate diet

46. A patient undergoing surgery is assessed for potential complications. What should be

monitored?

- A) Fluid intake only
- B) Nutritional status and wound healing
- C) Surgical site only
- D) Blood pressure only

47. A patient is experiencing evisceration. What is the nursing priority?

- A) Apply a dry dressing
- B) Notify the physician and cover with a sterile dressing
- C) Clean the wound immediately
- D) Remove any foreign objects

48. Which food item is most appropriate for a light diet?

- A) Fried chicken
- B) Steamed vegetables
- C) Spicy chili
- D) Grilled steak

49. A nurse is caring for a patient with a chronic wound. What should be prioritized in their care?

- A) Providing solid food
- B) Ensuring strict aseptic technique
- C) Decreasing fluid intake
- D) Ignoring dietary needs

50. What is a key characteristic of clean wounds?

- A) Presence of bacteria
- B) Free of pathogens
- C) High potential for infection
- D) Always requires surgical intervention

Case Study Questions

1. **Case Study 1:** A 60-year-old male patient with diabetes presents with a non-healing ulcer on his foot. What initial assessment should the nurse perform?

- A) Check blood glucose levels
- B) Assess for signs of infection
- C) Evaluate the patient's diet
- D) Monitor vital signs

2. **Case Study 2:** A post-operative patient has developed redness and swelling at the incision site. What should the nurse do first?

- A) Apply ice to the area
- B) Notify the surgeon
- C) Administer pain medication
- D) Document findings

3. **Case Study 3:** A patient recovering from abdominal surgery has a partially opened wound (dehiscence). What is the most appropriate nursing intervention?

- A) Apply a dry dressing and monitor
- B) Cover the wound with a sterile dressing and notify the physician
- C) Clean the wound with antiseptic
- D) Provide pain relief

4. **Case Study 4:** A child is brought in with a laceration from a playground accident. What is the nurse's priority action?

- A) Clean the wound
- B) Assess for signs of bleeding
- C) Administer a tetanus shot
- D) Apply a bandage

5. **Case Study 5:** An elderly patient has a pressure ulcer on their sacrum. What dietary change would best support healing?

- A) High carbohydrate diet
- B) High protein diet
- C) Low fat diet
- D) Low residue diet

6. **Case Study 6:** A patient with a contaminated wound from a car accident is treated in the emergency department. What is the nurse's priority in managing this wound?

- A) Apply a dry dressing
- B) Clean the wound and assess for infection
- C) Administer antibiotics
- D) Notify the physician immediately

7. **Case Study 7:** A patient post-surgery reports increased pain and swelling at the incision site. What should the nurse assess for?

- A) Signs of infection
- B) Normal healing signs
- C) Dehydration

- D) Nutritional status

8. **Case Study 8:** A patient with a history of venous disease presents with a leg ulcer. What should the nurse focus on in the care plan?

- A) Promoting immobility
- B) Enhancing blood circulation
- C) Increasing protein intake
- D) Reducing fluid intake

9. **Case Study 9:** A nurse is caring for a patient with a diabetic ulcer. What should be included in the education plan?

- A) Avoiding foot care
- B) Regular foot inspections
- C) High sugar intake for energy
- D) Ignoring any changes in the wound

10. **Case Study 10:** A patient with a burn injury is admitted. They exhibit signs of dehydration. What should the nurse prioritize in their care?

- A) Administering IV fluids
- B) Cleaning the burn area
- C) Applying a topical antibiotic
- D) Monitoring vital signs

Answers

MCQs:

1. B

2. A

3. B

4. C

5. B

6. C

7. B

8. C

9. B

10. C

11. C

12. B

13. C

14. B

15. C

16. B

17. C

18. B

19. B

20. B

21. B

22. B

23. C

24. C

25. B

26. B

27. B

28. B

29. B

30. B

31. B

32. C

33. C

34. A

35. C

36. B

37. C

38. B

39. B

40. B

41. C

42. C

43. B

44. B

45. B

46. B

47. B

48. B

49. B

50. B

Case Study Questions:

1. A
2. B
3. B
4. B
5. B
6. B
7. A
8. B
9. B
10. A

Good luck with your exam preparation!

Here are 40 NCLEX-style case study questions focused on wounds and diet, along with the answers provided at the end.

Case Study Questions

1. **Case Study 1:** A 75-year-old patient with diabetes presents with a non-healing ulcer on the foot. What is the priority nursing intervention?

- A) Administer insulin
- B) Assess the wound for signs of infection
- C) Educate the patient on foot care
- D) Refer the patient to a dietitian

2. **Case Study 2:** A post-operative patient has redness and swelling at the incision site. What should the nurse do first?

- A) Document the findings
- B) Apply ice to the area
- C) Notify the physician
- D) Assess for fever

3. **Case Study 3:** A patient recovering from gastrointestinal surgery is on a low-residue diet. Which food choice is appropriate?

- A) Whole grain bread
- B) White rice
- C) Raw vegetables
- D) High-fiber cereal

4. **Case Study 4:** A patient with a laceration from a fall is at risk for infection. What dietary modification should the nurse recommend?

- A) Low protein diet
- B) High carbohydrate diet
- C) High protein diet
- D) Low fat diet

5. **Case Study 5:** A patient with a pressure ulcer is being assessed. Which dietary component is essential for wound healing?

- A) Carbohydrates
- B) Protein
- C) Fats

- D) Fiber

6. **Case Study 6:** A nurse is caring for a patient who has just undergone surgery. What is a priority nursing action regarding the wound?

- A) Change the dressing every hour
- B) Keep the wound dry
- C) Monitor for signs of infection
- D) Apply heat to the incision site

7. **Case Study 7:** A patient with a diabetic ulcer has a blood glucose level of 300 mg/dL. What should the nurse prioritize?

- A) Administer oral hypoglycemic medication
- B) Increase fluid intake
- C) Educate the patient on foot care
- D) Assess the wound daily

8. **Case Study 8:** A patient with a burn injury is experiencing severe pain. What is the most appropriate nursing intervention?

- A) Apply a cold compress
- B) Administer prescribed analgesics
- C) Clean the burn area immediately
- D) Assess the extent of the burn

9. **Case Study 9:** A patient on a fluid diet is receiving enteral feeding. What is the key consideration for the nurse?

- A) Monitor the patient's weight daily
- B) Assess the patient's tolerance to the feeding

- C) Increase the rate of infusion frequently
- D) Provide solid food supplements

10. **Case Study 10:** A patient with an infected wound has a fever and increased pulse rate. What is the priority nursing diagnosis?

- A) Risk for infection
- B) Acute pain
- C) Impaired skin integrity
- D) Fluid volume deficit

11. **Case Study 11:** A nurse is providing education on wound care to a patient. Which statement indicates a need for further teaching?

- A) "I should keep the wound dry."
- B) "I will change the dressing when it becomes wet."
- C) "I can use hydrogen peroxide to clean the wound."
- D) "I need to watch for signs of infection."

12. **Case Study 12:** A patient with a history of chronic kidney disease is on a low-protein diet. Which food should the nurse encourage?

- A) Chicken breast
- B) Eggs
- C) Rice
- D) Lentils

13. **Case Study 13:** A nurse assesses a patient's wound and finds it has thick, yellow drainage. What does this indicate?

- A) Normal healing

- B) Possible infection
- C) Dehydration
- D) Allergic reaction

14. **Case Study 14:** A patient recovering from surgery is on a clear liquid diet. Which food is appropriate?

- A) Chicken broth
- B) Cream of wheat
- C) Apple slices
- D) Yogurt

15. **Case Study 15:** A nurse is preparing to discharge a patient with a recent surgical wound. What is vital to include in discharge instructions?

- A) Resume all normal activities immediately
- B) Keep the dressing dry for 24 hours
- C) Monitor the wound for signs of infection
- D) Avoid all physical activity

16. **Case Study 16:** A patient on a high-protein diet is being assessed for wound healing. What should the nurse evaluate?

- A) Blood glucose levels
- B) Serum albumin levels
- C) Lipid levels
- D) Electrolyte levels

17. **Case Study 17:** A patient with a stage II pressure ulcer is being treated. What dietary change should the nurse recommend?

- A) Increase carbohydrate intake
- B) Increase protein intake
- C) Decrease fluid intake
- D) Increase fiber intake

18. **Case Study 18:** A patient with an abdominal wound exhibits signs of evisceration. What is the nurse's priority action?

- A) Notify the physician immediately
- B) Cover the wound with a sterile dressing
- C) Apply pressure to the area
- D) Clean the wound

19. **Case Study 19:** A nurse is caring for a patient with a diabetic foot ulcer. What is the most important nursing action?

- A) Administer antibiotics
- B) Educate the patient on proper foot care
- C) Apply a wet dressing
- D) Change the dressing frequently

20. **Case Study 20:** A patient has a nutritional deficiency impacting wound healing. Which supplement should the nurse recommend?

- A) Vitamin C
- B) Calcium
- C) Iron
- D) Potassium

21. **Case Study 21:** A patient undergoing chemotherapy is at risk for delayed wound healing.

What should be included in their care plan?

- A) High-fat diet
- B) High-calcium diet
- C) High-protein diet
- D) Low-protein diet

22. **Case Study 22:** After assessing a wound, the nurse notes it is healing but has a red, raised appearance. What does this indicate?

- A) Infection
- B) Normal healing
- C) Dehiscence
- D) Hematoma

23. **Case Study 23:** A patient with hypertension is being educated about dietary changes. Which statement indicates understanding?

- A) "I will increase my salt intake."
- B) "I should eat more fresh fruits and vegetables."
- C) "I can have as much processed food as I want."
- D) "I need to avoid drinking water."

24. **Case Study 24:** A nurse is evaluating a patient with a healing laceration. Which finding would be concerning?

- A) Presence of granulation tissue
- B) Yellow drainage from the wound
- C) Slight redness around the edges
- D) No odor from the wound

25. **Case Study 25:** A patient with a new surgical wound reports increased pain and warmth at the site. What should the nurse assess for?

- A) Normal healing
- B) Signs of infection
- C) Dehydration
- D) Allergic reaction

26. **Case Study 26:** A nurse must provide dietary education to a patient recovering from a stroke. What is the most important consideration?

- A) High fiber diet
- B) Low sodium diet
- C) Soft diet
- D) High protein diet

27. **Case Study 27:** A patient is on a clear liquid diet post-operatively. What should the nurse include in the meal plan?

- A) Orange juice
- B) Gelatin
- C) Mashed potatoes
- D) Cream soup

28. **Case Study 28:** A patient with a punctured wound is at risk for tetanus. What is the most appropriate nursing action?

- A) Administer a tetanus booster
- B) Clean the wound with soap and water
- C) Apply an antibiotic ointment
- D) Monitor the wound for infection

29. ****Case Study 29:**** A patient is being discharged with a wound dressing. What is the most important instruction to give?

- A) Change the dressing every day
- B) Keep the dressing dry and clean
- C) Avoid all physical activities
- D) Use hydrogen peroxide on the wound

30. ****Case Study 30:**** A nurse is assessing a patient with a stage III pressure ulcer. What is the priority intervention?

- A) Change the dressing regularly
- B) Ensure adequate protein intake
- C) Educate the patient on repositioning
- D) Monitor for infection

31. ****Case Study 31:**** A patient has developed a hematoma at a surgical site. What should the nurse assess for?

- A) Signs of infection
- B) Pain level
- C) Range of motion
- D) Nutritional status

32. ****Case Study 32:**** A patient with a history of gallbladder disease is on a low-fat diet. Which food should the nurse encourage?

- A) Fried chicken
- B) Grilled fish
- C) Creamy soup

- D) Sausage

33. **Case Study 33:** A patient post-surgery is at risk for DVT. What dietary change may help reduce this risk?

- A) Increase fiber intake
- B) Increase fluid intake
- C) Decrease protein intake
- D) Decrease sodium intake

34. **Case Study 34:** A nurse is explaining the healing process to a patient. What should the nurse emphasize about the maturation phase?

- A) It occurs immediately after injury
- B) It involves the formation of granulation tissue
- C) It is when collagen remodeling occurs
- D) It is when inflammation is at its peak

35. **Case Study 35:** A patient on a high-calorie diet for wound healing is not gaining weight. What should the nurse assess?

- A) Fluid intake
- B) Protein intake
- C) Caloric intake
- D) Activity level

36. **Case Study 36:** A nurse is caring for a patient with a stage IV pressure ulcer. What is the most appropriate nursing diagnosis?

- A) Impaired skin integrity
- B) Risk for infection

- C) Acute pain
- D) Imbalanced nutrition

37. **Case Study 37:** A patient with a fresh surgical wound is being discharged. Which dietary advice should the nurse provide?

- A) Increase intake of processed foods
- B) Focus on a balanced diet with adequate protein
- C) Limit fluid intake
- D) Avoid fruits and vegetables

38. **Case Study 38:** A patient has a wound with necrotic tissue. What is the most appropriate nursing action?

- A) Apply a dry dressing
- B) Debride the wound
- C) Clean the wound with saline
- D) Notify the physician

39. **Case Study 39:** A nurse is monitoring a patient on a fluid diet. What is the primary concern?

- A) Nutritional deficiency
- B) Risk of aspiration
- C) Dehydration
- D) Electrolyte imbalance

40. **Case Study 40:** A patient recovering from a hip fracture is on a high-protein diet. What food should the nurse encourage?

- A) White rice

- B) Lean beef
- C) Potato chips
- D) Sugar cookies

Answers

1. B
2. C
3. B
4. C
5. B
6. C
7. A
8. B
9. B
10. A
11. C
12. C
13. B
14. A
15. C
16. B
17. B
18. A
19. B

20. A

21. C

22. B

23. B

24. B

25. B

26. C

27. B

28. A

29. B

30. B

31. A

32. B

33. B

34. C

35. C

36. A

37. B

38. B

39. B

40. B

Good luck with your exam preparation!