

1. The role of collagen in wound healing is _____.
- Cell adhesion
 - Locomotion
 - Expansion and contraction
 - ☒ Strength and support
2. Which of the following is the correct sequential order of the phases of healing?
- Remodeling, inflammation, hemostasis, and repair
 - Inflammation, hemostasis, proliferation, and maturation
 - ☒ Hemostasis, inflammation, proliferation, and maturation
 - Inflammation, maturation, proliferation, and hemostasis
3. To prevent pressure ulcers, which of the following interventions are appropriate?
- Frequency of skin assessments may need to be increased if the residents status deteriorates.
 - Keep the head of the bed above a 30 degree angle at all times to reduce pressure and shearing force on the sacral area.
 - When positioning or lifting up the resident in bed, health care providers should not drag skin across linens to prevent skin injury cause by friction and shearing
 - ☒ Both a and c
4. This vitamin helps the formation of collagen, maintains the intracellular cement substance and helps with iron absorption.
- Thiamine
 - Vitamin A
 - ☒ Vitamin C
 - Zinc
5. The wound healing process does not include
- inflammatory phase
 - proliferation phase
 - ☒ infection phase
 - maturation phase
6. What is meant by healing by primary intention?
- ☒ Skin edges are brought together and sutured.
 - Wounds are allowed to granulate.
 - Wounds are left open to the air.
 - Wounds are treated in a community setting.
7. Why is good hand hygiene important in wound care?
- Clean hands smell nicer for the patient.
 - Doctors don't like dirty hands.
 - Dressings don't work if there is any dirt on a wound.
 - ☒ To prevent the spread of infection

8. What is meant by healing by secondary intention?
- A. When a nurse has a lot of dressings to do, these are the ones she does second because they are not as urgent.
 - ☒ B. The wound is left unsutured to fill with granulation tissue from the wound bed upwards.
 - C. Wound edges are brought together.
 - D. Wounds remain sloughy.
9. The longest phase of wound healing is?
- A. Hemostasis
 - B. Inflammatory
 - ☒ C. Maturation
 - D. Proliferative
10. What is urinary incontinence?
- ☒ A. Involuntary loss of urine
 - B. Urinary tract infection
 - C. A type of bladder cancer
 - D. A larger volume of urine than normal
11. Why is it important to include the patient in your selection of wound dressing?
- ☒ A. Because patients will respond to treatment in a more positive manner if they understand what you are doing and the likely outcomes, and you make the choice together.
 - B. Because the ward manager has told you to talk to patients.
 - C. Because the league of friends won't supply any more extras for the ward if you don't talk to patients.
 - D. Because talking to your patient helps the time to pass more quickly when you're doing the dressing.
12. What are the types of urinary incontinence?
- A. Stress
 - B. Urge
 - C. Overflow
 - ☒ D. All of the above
13. All these are symptoms of urinary incontinence except?
- A. uncontrollable leakage of urine
 - B. feeling a strong need to urinate immediately
 - C. urinating more than usual
 - ☒ D. getting to the toilet on time
14. A 5-year-old boy while playing fell and hit his head on the floor. He was rushed to the hospital and was pronounced unconscious. What was the cause of his unconsciousness?
- A. Hypoxemia

B. Infections of the Brain

C. Seizures

☒ D. Trauma/Head Injury*deep unconsciousness*15. Acetone odor of the breath in a comatose patient is characteristic of☒ A. Diabetic keto acidosis

B. Hepatic coma

C. Uremic coma

D. Alcohol intoxication

16. What is the daily calorie requirement of an adult with average body weight?

A. 1500 calories.

☒ B. 2000 calories.

C. 3000 calories.

D. 2500 calories.

*W1 - 1500 - 2400
M - 2,200 - 3000*

17. Constipation, haemorrhoids, diverticular disease and cancer of the bowel are associated with one of the following dietary faults:

A. excess fat

B. too much sugar

C. overconsumption of alcohol

☒ D. lack of fibre.

18. When performing a surgical dressing change of a client's abdominal wound dressing, a nurse notes an increase in the amount of drainage and separation of the incision line. The underlying tissue is visible to the nurse. The nurse would do which of the following in the initial care of this wound?

A. Leave the incision open to the air to dry the area

B. Apply a sterile dressing soaked in povidone-iodine

☒ C. Irrigate the wound and apply a sterile dry dressing

D. Apply a sterile dressing soaked with normal saline

19. A group of nurses during a clinical care meeting were discussing the general guideline for sterile technique. In the course of the meeting, each nurse mentioned and explained portions of the guidelines. Which of the following statement is the **least likely** to be mentioned?☒ A. Once you have put on sterile gloves and/or a gown, you cannot touch anything unsterile

INDEX NUMBER _____

SIGNATURE _____

- B. The nurse's back is unsterile unless she is wearing a sterile gown
- C. If a sterile wrapper becomes wet, the wrapper and its content are no longer sterile.
- D. Reaching over a sterile field, when not wearing sterile clothing contaminates the area.
20. You would refer to the early phase of scar tissue formation as which of the following kinds of tissue?
- A. Cicatrix *is a medical term that means scar resulting in wound healing.*
- B. Fibrous
- ☒ C. granulation
- D. Keloid
21. This nutrient repairs the body from wear and tear, builds new tissue and contributes to numerous essential body functions.
- ☒ A. protein
- B. carbohydrate
- C. fat
- D. sugar
22. After an abdominal surgery, abdominal muscles contract and cause intraabdominal pressure. If the incisional area is weak, what is possible to happen?
- A. Decubitus
- ☒ B. Dehiscence
- C. Evisceration
- D. Shearing
23. A cut produced surgically by a sharp instrument creating an opening into an organ or space in the body
- A. Abrasion
- ☒ B. Incision
- C. Puncture
- D. Stoma
24. _____ is a stab wound for a drainage system
- A. Abrasion
- B. Incision
- ☒ C. Puncture
- D. Stoma
- * 25. All these are classification of wound according to degree of contamination except?
- ☒ A. Aseptic or sterile
- B. Clean-contaminated
- C. Clean
- ☒ D. Dirty or infected

26. During hemostasis, termination of bleeding begins and blood clots are formed. What is in the blood clot that helps hold the wound together?

- ☒ A. Fibrin
- B. Granulation
- C. Hemes
- D. Leucocytes

27. Definition of a Keloid

- A. A painful disease involving tissue damage
- ☒ B. Overgrowth of a collagenous scar tissue at the site of the wound
- C. Same as an eschar only with a lighter color
- D. This is another phase of wound healing

28. What is granulation tissue?

- A. The tissue that remains after a scar is healed
- B. A group of cells that form a grain
- C. Composed of small microscopic grains of epithelial cells
- ☒ D. Soft, pink, fleshy projections consisting of capillaries surrounded by fibrous collagen.

29. A patient who had an appendicitis removed early in the morning is having a hard time going to sleep because of coughing. What is the best non-pharmacological intervention that a nurse could provide him?

- A. Administer a PRN pain medication
- ☒ B. Apply a pillow, rolled blanket, or the palms of the hands to the incisional area to lessen intraabdominal pressure
- C. Bind the wound with a Montgomery wrap
- D. Call the surgeon and tell him to intervene

30. The process of applying a pillow, rolling a bath blanket, or the palms of the hands to an incisional area to decrease intraabdominal pressure is called what?

- A. Binding
- ☒ B. Splinting
- C. Wrapping
- D. Dressing

31. Which of the following groups are not factors that could impair wound healing?

- ☒ A. Height, weight and body mass
- B. Obesity, malnutrition and age
- C. Impaired oxygenation, radiation and smoking
- D. Drugs, diabetes mellitus and wound stress

32. Which of the following is not an evidence of infection?

- A. Elevated WBC
- B. Purulent drainage
- ☒ C. Dry surface
- D. Increased leukocytes

33. All the following constitute significant fluid output EXCEPT:

- A. vomitus
- ☒ B. watery stools
- C. semi-formed stools
- D. urine

Use the scenario below to answer questions 34 to 37.

A 40-year-old man is on admission in your unit with a diagnosis of Kidney failure. Because of the change in his fluid and electrolyte dynamics, he has been placed on strict fluid and electrolyte monitoring. On 20th June 2023, he took ^{Intake} 300mls of koko at 7am for breakfast, ^{Intake} 500mls of water at 8:50am and rice with ^{Intake} 300mls of light soup for lunch at 1pm; immediately after which he vomited. The vomitus measured 250mls. He was recorded as passing 350mls of urine and 300mls of watery stool at 6pm. He took ^{Intake} 300mls of milk with 3 slices of bread for supper, around 6:30pm, at 10pm he passed 300mls of urine. On 21st June, 2023, patient refused to take breakfast on account of loss of appetite. At 11am however, patient reported taking a quantity of rice water, which was not reported for measurement and recording.

34. How many mls of fluid did he take on the 20th June 2023?

- A. 1000
- ☒ B. 1300
- C. 1200
- D. 1100

35. How many mls of fluid did he loose on the 20th June 2023?

- A. 1000
- B. 1300
- ☒ C. 1200
- D. 1100

36. Which error was committed on 21st June, 2023?

- A. Patient ate too much food
- B. Patient did not obey nurse's order

Intake
 300mls
 500mls
 300mls
 300mls

 1200mls

Output
 250mls
 350mls
 300mls
 300mls

 1200mls

INDEX NUMBER.....

SIGNATURE.....

- ☐ C. Patient took too much fluids
- ☒ D. Patient's fluid intake was not recorded

37. what conclusion can be drawn from the patient's chart?
- ☒ A. Patient is retaining too much fluids
 - ☐ B. Patient is losing too much fluids
 - ☒ C. Intake and output are normal
 - ☐ D. None of the above

intake - 1300
output - 1200
100 ml

38. In order to stimulate patient's appetite for food,
- ☒ A. discuss the meal with the patient ahead of time
 - ☐ B. serve the best meal available
 - ☐ C. serve the food the nurse feels patient will enjoy
 - ☐ D. serve food in very large quantities

39. A 6-month-old infant has severe diarrhea. The major problem associated with severe diarrhoea is:

- ☐ A. pain in the abdominal area
- ☒ B. electrolyte and fluid loss
- ☐ C. presence of excessive flatus
- ☐ D. irritation of the perineal and rectal area

40. During wound dressing, it is important to:

- ☒ A. Turn off nearby fans
- ☐ B. Turn off nearby lights
- ☐ C. Use instruments
- ☐ D. Use cotton wool

41. Facemask is worn during wound dressing to:

- ☒ A. Prevent wound infection
- ☐ B. Prevent the nurse from inhaling the scent of the wound
- ☐ C. Protect the nurse's nose from injury
- ☐ D. Protect the nurse's mouth from injury

42. When setting trolley for wound dressing,

- ☒ A. Wrapped sterile supplies are placed on the top shelf
- ☐ B. Unwrapped sterile supplies are placed on the bottom shelf
- ☐ C. Unwrapped sterile supplies are placed on the top shelf
- ☐ D. Bottles containing lotion are placed on the top shelf

43. In a foreign country, militants use a unique method of torture against their prisoners. They peel the Skin of their captive. This is a type of wound.

- ☒ A. Abrasion
- ☐ B. Incised

C. Laceration

D. Penetrating

44. Which of the following reasons explains why an obese patient is at risk for poor wound healing? When:

☒ A. fatty tissue has a poor blood supply.

B. resuming normal physical activity is delayed.

C. risk for bleeding is increased.

D. ventilatory capacity is reduced.

45. The nurse has re-dressed a client's wound and now plans to administer a medication to the client. It is important to:

A. Leave the gloves on to administer the medication

B. Leave the medication on the bedside table to avoid having to remove the gloves before leaving the clients' room

☒ C. Remove gloves and perform hand hygiene before administering the medication

D. Remove gloves and perform hand hygiene before leaving the room

46. A client has been diagnosed with terminal cancer of the liver and is receiving chemotherapy on a medical unit. In an in-depth conversation with the nurse, the client states, "I wonder why this happened to me." According to Kübler-Ross, the nurse identifies that this stage is associated with ----

☒ A. anger

B. bargaining

☒ C. denial

D. depression

47. A group of nurses during a clinical care meeting were discussing the general guideline for sterile technique. In the course of the meeting, each nurse mentioned and explained portions of the guidelines. Which of the following statement is the **least likely** to be mentioned?

A. Once you have put on sterile gloves and/or a gown, you cannot touch anything unsterile

B. The nurse's back is unsterile unless she is wearing a sterile gown

C. If a sterile wrapper becomes wet, the wrapper and its content are no longer sterile.

☒ D. Reaching over a sterile field, when not wearing sterile clothing contaminates the area.

INDEX NUMBER _____

SIGNATURE _____

- B. Retention
C. Obesity
D. Deficit
62. In a terminally ill patient, when death is approaching, all the following may occur EXCEPT -
A. circulation slows down, resulting in changes in pulse.
B. incontinence of urine and stool may occur.
☒ C. reflexes are active.
D. vomiting may occur
63. When caring for a terminally ill client, it is important for the nurse to maintain the client's dignity. This can be facilitated by:
A. Decreasing emphasis on attending to the clients' appearance because it only increases their fatigue
B. Making decisions for clients so they do not have to make them
☒ C. Placing the client in a private room to provide privacy at all times
D. Spending time to let clients share their life experiences
64. Which of the following outlines the stages of the grieving process correctly?
A. Anger, denial, depression, acceptance and bargaining
B. Denial, acceptance, bargaining, anger and depression
☒ C. Denial, anger, bargaining, depression and acceptance
D. Denial, anger, depression, acceptance and bargaining
65. The nurse recognizes that anticipatory grieving can be most beneficial to a client or family because it can ----
A. be done in private
B. be discussed with others
☒ C. help a person progress to a healthier emotional state
D. promote separation of the ill client from the family
66. What is anticipatory grief?
A. Grief over your own death
B. Fear of loss

- ☒ C. Grief for an upcoming loss event
D. Grief felt for other people

67. You have been instructed to administer oral medication (Ranitidine 150mg) to a patient. What is the minimum number of times the nurse should check the medication label before administering this drug?
- A. 1
B. 2
☒ C. 3
D. 4
68. Which of the following is NOT a common route for administering medication?
- A. Oral
B. Intramuscular
C. Intravenous
☒ D. Implantation
-
69. The route describes how the medication is actually given to or taken by the patient. Which of the following is true regarding the medication routes
- A. Most medications administered by the nurse are by injection.
☒ B. Drugs administered by the sublingual route have a relatively fast absorption rate.
C. All tablets are administered by the oral route.
D. The route can be determined by the nurse.
70. Name the injection route that is given into the fatty tissues for a sustained release. (insulin)
- A. Drug-drug interaction
B. Vaccines
C. Barrel
☒ D. Subcutaneous
71. To ensure that key steps are followed during administering medication, the nurse should
- A. Verify the date the prescription was written.
B. Verify the amount of medication that has already been used.
☒ C. Check for discoloration and expiration of the drug.
D. Confirming with the patient's physician that he issued the prescription.
72. The six rights for medication administration
- A. Right medication, right route, right patient, right documentation, right dose, right time.
☒ B. Right patient, right medication, right time, right prescription, right date, and documentation.
C. Right dose, right route, right date, right symptoms, right document, right medication.
D. Right dose, right patient, right formulation, right documentation, right time, and right medication.
73. Stress urinary incontinence is most often caused when the pelvic muscles, nerves, and ligaments around the bladder and urethra get weak.
- A. True
B. False

INDEX NUMBER.....

SIGNATURE.....

74. Overflow urinary incontinence occurs when the bladder isn't able to empty completely.

- ☒ A. True
- ☐ B. False

75. Urge incontinence results in slow dribbling of urine

- ☐ A. True
- ☐ B. False

76. Urinary tract infections can cause urinary incontinence

- ☐ A. True
- ☐ B. False

77. Pelvic floor exercises can help reduce stress in continence

- ☒ A. True
- ☐ B. False

78. Pressure ulcers are usually located over bony prominences and caused by unrelieved pressure resulting in damage of underlying tissue.

- ☐ A. True
- ☐ B. False

79. Unconsciousness is a state of awareness of self and surrounding.

- ☐ A. True
- ☐ B. False

80. Anger is an unusual response to grief

- ☐ A. True
- ☒ B. False