

TAP ON THE LINK TO FOLLOW >>>>>> [NURSES PAST QUESTIONS CHANNEL](#)

FIRST AID

1.What is the primary purpose of first aid?

A.To treat serious injuries

B.To preserve life,prevent further injury,and promote recovery.

C.To diagnose medical conditions

2.Who is responsible for providing first aid?

A.Anyone who is trained to do so.

B.Only medical professionals

C.Bystanders only

3.What is the first step in any first aid situation?

A.Assess the scene for safety.

B.Call for help

C.Provide care immediately

4.What should you do if a person is unresponsive?

A.Check their responsiveness and call for emergency help.

B.Shake them

C.Leave them alone

5.How can you assess if a person is breathing?

A.Look for chest rise and listen for breath sounds.

B.Feel for a pulse

C.Ask them if they can breathe

6.What does the acronym ABC stand for in first aid?

A.Airway,Breathing,Circulation

B.Airway,Breathing,Circulation.

C.Alert,Bandage,Care

7.What is the recommended compression rate during CPR?

A.60 compressions per minute

B.100 to 120 compressions per minute.

C.30 compressions per minute

8.In which position should you place an unconscious person who is breathing?

A.Recovery position.

B.Sitting upright

C.On their stomach

9.What is the Heimlich maneuver used for?

A.To perform CPR

B.To relieve choking.

C.To assess injuries

10.What should you do if someone has a bleeding wound?

A.Apply direct pressure to the wound.

B.Clean the wound immediately

C.Ignore it

11.What is the primary objective of bandaging?

A.To control bleeding and protect the wound.

B.To make it look neat

C.To support broken bones

12.When should you remove an object embedded in a wound?

A.Never;stabilize it and seek medical help.

B.As soon as possible

C.Only if it is visible

13.What are the signs of shock?

A.Pale skin,rapid heartbeat,and confusion.

B.Fever and chills

C.Nausea and vomiting

14.What is the first thing you should do if someone is in shock?

A.Give them food

B.Lay them down and keep them warm.

C.Let them sit up

15.What is the purpose of the recovery position?

A.To maintain an open airway and prevent choking.

B.To keep the person comfortable

C.To assess breathing

16.How should you treat a burn?

A.Cool the burn under running water and cover it with a sterile dressing.

B.Apply ice directly

C.Rub ointment on it

17.What should you do if a person has a seizure?

A.Protect them from injury and ensure their safety.

B.Hold them down

C.Put something in their mouth

18.How can you prevent cross-contamination during first aid?

A.Use clean equipment

B.Use gloves and wash hands before and after.

C.Avoid touching the wound

19.What should you do if a person is suspected of having a spinal injury?

A.Move them carefully

B.Stabilize their head and neck until help arrives.

C.Let them get up

20.What type of first aid training is essential for nurses?

A.Only basic first aid

B.Basic and advanced life support training.

C.None:it's not necessary

21.What is an automated external defibrillator(AED)used for?

A.To monitor heart rate

B.To restore normal heart rhythm during cardiac arrest.

C.To perform CPR

22.How often should first aid kits be checked?

A.Regularly,to ensure supplies are stocked and not expired.

B.Only when someone gets hurt

C.Once a year

23.What is the most common cause of choking?

A Food items,

B.Toys

C.Water

24.What is the main role of a nurse in a first aid situation?

A.To provide advanced medical care

B.To assess,stabilize,and transport the patient as needed.

C.To diagnose the condition

25.How can you recognize a heart attack?

A.Chest pain,shortness of breath,and discomfort in other areas.

B.Nausea only

C.Dizziness only

26.What is the correct way to treat a sprained ankle?

A.R.I.C.E:Rest,Ice,Compress,Elevate.

B.Apply heat immediately

C.Let them walk it off

27.What does R.I.C.E stand for in first aid?

A.Rest,Ice,Care,Elevate

B.Rest,Ice,Compression,Elevation.

C.Relax,Instruct,Care,Evaluate

28.What should you do if you suspect someone has a fracture?

A.Immobilize the area and seek medical help.

B.Let them walk

C.Massage the area

29.How should you clean a wound?

A.With soap and water,and then cover it.

B.Only with alcohol

C.Leave it open

38.What is a common sign of an allergic reaction?

A.Itching and swelling.

B.Fever

C.Coughing

39.What should you do if someone is having a severe allergic reaction?

A.Administer epinephrine if available and call for emergency help.

B.Give them water

C.Let them rest

40.What should you do for a person with a chemical burn?

A.Flush the burn with running water for at least 20 minutes.

B.Cover it with ointment

C.Ignore it

41.How do you treat a minor cut?

A.Clean it,apply antiseptic,and cover it with a bandage.

B.Leave it open

C.Apply ice directly

42.What is the main goal of first aid in an emergency?

A.To provide comfort

B.To preserve life and prevent further injury.

C.To assess injuries

43.How should you treat a person who is fainting?

A.Lay them down and elevate their legs.

B.Give them water

C,Let them sit up

44.What is the proper technique for using an AED?

A.Turn it on and follow the voice prompts.

B.Wait for help to arrive

C.Use it only on children

45.What is a common response to a heat-related illness?

A.Move the person to a cooler place and hydrate them.

B.Give them coffee

C.Let them rest in the sun

46.What does it mean to triage in first aid?

A.To prioritize treatment based on the severity of injuries.

B.To treat everyone equally

C.To call for help

47.What is the role of a first aider in a mass casualty incident?

A.To provide advanced care

B.To assess and prioritize patients for treatment.

C.To direct traffic

48.What should you do if someone has a puncture wound?

A.Clean it,apply a sterile dressing,and seek medical help.

B.Ignore it

C.Apply ointment immediately

49.What should you do if you suspect a spinal injury?

A.Do not move the person and call for emergency assistance.

B.Help them sit up

C.Check for responsiveness

50.How should you manage a person with a nosebleed?

A.Have them lean forward and pinch the nostrils together.

B.Have them lie down

C.Tilt their head back

51.What is the first aid protocol for treating a heart attack?

A.Call for emergency medical services and keep the person calm.

B.Offer food

C.Have them walk around

52.When is it necessary to call for emergency medical services?

A.For any life-threatening situation or severe injury.

B.Only for major accidents

C.If you are unsure

53.What does "first aid"refer to?

A.Immediate care provided to a person before professional help arrives.

B.Advanced medical treatment

C.Only care given in hospitals

54.How can you determine if someone is in respiratory distress?

A.Look for signs such as wheezing,rapid breathing,or difficulty speaking.

B.Only by asking them

C.They will be unconscious

55.What should you do for a burn caused by fire?

A.Cool the burn under running water and cover it with a sterile dressing.

B.Apply ice directly

C.Use ointment immediately

56.What is the proper method for administering CPR to an adult?

A.30 compressions followed by 2 rescue breaths.

B.Only compressions

C.15 compressions followed by 1 breath

57.What should you do if you encounter a person who has collapsed?

A.Check for responsiveness and call for help.

B.Leave them alone

C.Start CPR immediately

58.How do you care for a person with a suspected concussion?

A.Monitor them for symptoms and seek medical attention if needed.

B.Let them sleep

C.Give them pain medication

59.What is an important step in caring for a person with a fractured limb?

A.Immobilize the limb and seek medical assistance.

B.Move it gently

C.Let them walk it off

60.When providing first aid,what is the significance of hand hygiene?

A.To look professional

B.To prevent infection and cross-contamination.

C.It is not necessary

61.How should you handle a person with heat exhaustion?

A.Move them to a cool area and give them water.

B.Let them rest in the sun

C.Give them caffeine

62.What is the correct procedure for treating an insect sting?

A.Remove the stinger, clean the area, and apply ice.

B.Ignore it

C.Apply heat to the area

63.What should you do if a person is having an asthma attack?

A.Encourage them to use their inhaler and help them to stay calm.

B.Give them water

C.Leave them alone

64.What is the best way to treat minor scrapes?

A.Clean the area with soap and water and cover with a bandage.

B.Leave them uncovered

C.Apply ointment first

65.How can you recognize a stroke?

A.Facial drooping, difficulty speaking, and arm weakness.

B.High fever

C.Sudden fatigue

66.What should you do if a person has a seizure?

A.Clear the area of hazards and protect their head.

B.Hold them down

C.Put something in their mouth

67.What is the proper way to help a person who is feeling faint?

A.Have them sit or lie down with their legs elevated.

B.Encourage them to walk

C.Give them water

68.How should you treat someone with a sprained wrist?

A.Apply ice,compress the area,and elevate it.

B.Let them use it normally

C.Apply heat immediately

69.What is the primary concern for someone experiencing a drug overdose?

A.Their airway and breathing.

B.Their blood pressure

C.Their pain level

70.How should you treat a person with a severe allergic reaction?

A.Administer epinephrine if available and call for emergency help.

B.Give them food

C.Allow them to rest

71.What are the signs of a concussion?

A.Headache,confusion,dizziness,and nausea.

B.High fever

C.Coughing

72.How should you respond to a choking infant?

A.Perform back blows and chest thrusts.

B.Give them water

C.Shake them

73.What is the first aid treatment for a person experiencing hyperglycemia?

A.Give them insulin if available and seek medical help.

B.Give them food

C.Ignore it

74.How do you check for responsiveness in an unresponsive person?

A.Gently shake their shoulders and ask if they are okay.

B.Call their name loudly

C.Wait for them to wake up

75.What is the importance of knowing first aid for nurses?

A.To provide immediate care and support until professional help arrives.

B.It is not essential

C.To treat all patients

76.How can you recognize anaphylaxis?

A.Swelling,difficulty breathing,and rapid pulse.

B.Coughing

C.High fever

77.What should you do if a person has a severe cut?

A.Apply direct pressure and elevate the wound.

B.Clean it immediately

C.Ignore it

78.What is the purpose of a first aid kit?

A.To have necessary supplies readily available for emergencies.

B.To impress guests

C.Just for minor injuries

79.How should you treat a person with a second-degree burn?

A.Cool the burn with running water and cover it with a sterile dressing.

B.Apply ice directly

C.Leave it uncovered

80.What is the significance of understanding the chain of survival in first aid?

A.It outlines the steps to take in a medical emergency.

B.It is not necessary

C.It only applies to hospitals

81.What should you do if you encounter a person who is bleeding profusely?

A.Apply direct pressure and elevate the wound.

B.Clean the area

C.Ignore it

82.What is the appropriate response to a chemical splash in the eye?

A.Flush the eye with clean water for at least 15 minutes.

B.Rub the eye

C.Apply ointment

83.How should you respond if someone is having difficulty breathing?

A.Encourage them to sit comfortably and provide reassurance.

B.Tell them to relax

C.Ignore their distress

84.What is the role of a first aider during a medical emergency?

A.To provide advanced care

B.To assess the situation,call for help,and provide immediate assistance.

C.To diagnose the injury

85.What should you do if someone is suffering from heat stroke?

A.Move them to a cooler area and hydrate them immediately.

B.Let them rest

C.Apply ice directly

86.How do you recognize a stroke using the FAST method?

A.Face drooping,Arm weakness,Speech difficulties,Time to call emergency services.

B.Fever,Agitation,Swelling,Time to rest

C.None of the above

87.What should you do if someone has a severe allergic reaction and has an epinephrine auto-injector?

A.Administer the injection and call emergency services.

B.Let them rest

C.Ignore the situation

88.What are the symptoms of a heart attack?

A.Chest discomfort,shortness of breath,and nausea.

B.Headache

C.Fatigue

89.How should you treat a person who has fallen and is unable to get up?

A.Stay with them and call for emergency help.

B.Let them try to get up

C.Ignore them

90.What is the proper method for cleaning a wound?

A.Wash it gently with soap and water,then apply a dressing.

B.Only use alcohol

C.Ignore it

91.What should you do for a person experiencing an asthma attack?

A.Encourage them to use their inhaler and help them to stay calm.

B.Give them water

C.Let them rest

92.What is the most common cause of injury in children?

A.Falls.

B.Car accidents

C.Sports injuries

93.What is the proper response to a person with a nosebleed?

A. Have them lean forward and pinch their nostrils.

B. Tilt their head back

C. Let them lie down

94. How should you treat a foreign object in the ear?

A. Do not attempt to remove it; seek medical help.

B. Try to pull it out

C. Use water to flush it

95. What is the recommended first aid treatment for a sprained ankle?

A. R.I.C.E: Rest, Ice, Compression, Elevation.

B. Apply heat immediately

C. Let them walk it off

96. How can you prevent the spread of infection during first aid?

A. By using gloves and cleaning the wound properly.

B. It is not necessary

C. By keeping the wound uncovered

97. What should you do for someone who has ingested poison?

A. Call poison control and seek medical assistance.

B. Give them water

C. Make them vomit

98. How should you respond to a person who is experiencing chest pain?

A. Keep them calm and call for emergency medical services.

B. Ignore it

C. Give them food

99. What is the significance of using a first aid manual?

A. To guide you through various first aid procedures.

B. It is not important

C.Only for advanced training

100.

What is the first action to take when encountering a bleeding wound?

A.Apply direct pressure to the wound.

B.Clean it immediately

C.Ignore it

101.

What does CPR stand for?

A.Cardiopulmonary Resuscitation

B.Cardiovascular Recovery

C.Cardiac Pulmonary Resuscitation

102.

How many chest compressions are recommended per minute in CPR?

A.100-120 compressions per minute

B.60-80 compressions per minute

C.80-100 compressions per minute

103. What is the ratio of chest compressions to rescue breaths in CPR for an adult?

A.30 compressions to 2 breaths

B.15 compressions to 2 breaths

C.20 compressions to 2 breaths

104.

When should CPR be started?

A.When the person is unresponsive and not breathing normally

B.When the person has a pulse

C.When the person is unconscious but breathing

105. At what depth should chest compressions be performed for adults?

A.About 2 inches (5 cm)deep

B.About 1 inch deep

C.About 3 inches deep

106. In which situation can you stop performing CPR?

A.When medical help arrives,the person recovers,or you are physically unable to continue.

B.When you get tired

C.When you hear a heartbeat

107. Scenario:You are in a shopping mall,and an adult suddenly collapses.They are unresponsive and not breathing.What steps do you take?

A.Ensure the scene is safe,check for responsiveness and breathing,call for help, begin CPR,and use an AED if available.

B.Call for help first

C.Start CPR immediately without checking for breathing

108. What should you do if you are alone and performing CPR on an adult?

A.Perform CPR for about 2 minutes before calling emergency services if no help is available.

B.Call for help first

C.Stop CPR after 1 minute

109.

What should you do before using an Automated External Defibrillator (AED)?

A.Make sure the area is clear of water and metal,and confirm the person is unresponsive and not breathing.

B.Ensure the person has a pulse

C.Turn on the AED immediately

110. What is the first thing you do when arriving at an emergency scene involving an unconscious person?

A. Check the scene for safety before approaching the person.

B. Check for a pulse

[NURSES PAST QUESTIONS CHANNEL](#) C. Call for help first