

## FIRST AID QUESTIONS FOR NMTC STUDENTS -

**INSTRUCTION:** For each of the following multiple choice questions, select the most appropriate answers and write in the space provided.

1. First Aid is the following EXCEPT ...

- A. History taking
- B. Initial assistance to injury.
- C. Only given by trained people.
- D. Requires skill and speed

ANS:.....

2. One of these is NOT the four main points or steps in any accident.

- A. Call for necessary help.
- B. Give ordinary first aid.
- C. Stop the accident.
- D. Treat urgent cases first.

ANS:.....

3. In order of severity, which one of the following casualties will you treat first?

- A. Cessation of breathing
- B. Compound fracture of tibia
- C. Severe haemorrhage
- D. Severe shock

ANS:.....

4. Which of the following is a sign of shock?

- A. Falling blood pressure, rapid pulse and respirations and cold moist skin.
- B. Falling blood pressure, slow pulse and respirations restlessness and warm flushed skin.
- C. Rapid pulse, rapid respirations and warm skin.
- D. Rising blood pressure, rapid pulse and gasping respirations.

ANS:.....

5. The ratio of rescue breaths to chest compressions in cardiac arrest is ...

- A. 1 to 30
- B. 2 to 15
- C. 1 to 15
- D. 2 to 30

ANS:.....

6. Franie works as a triage nurse, and four clients arrive at the emergency department at the same time. List the order in which she will assess these clients from first to last.

- I. A 60 year-old female with moderate abdominal pain and occasional vomiting.
  - II. A 40 year-old jogger with a twisted ankle, having a pedal pulse and no deformity.
  - III. An ambulatory dazed 30-year-old male with a bandaged head wound.
  - IV. An irritable infant with a fever and nuchal rigidity.
- A. I, II, III, IV
  - B. II, I, III, IV

- C. IV, III, I, II
- D. III, IV, II, I

7. Which of the following indicates a capillary bleeding?

- A. Blood comes out in spurts.
- B. Blood is dark red and comes out from part distal to wound.
- C. Blood oozes from wound and is scanty.
- D. Blood is bright red.**

ANS:.....

8. A client was brought unconscious to the emergency department after suffering a closed head injury and lacerations around the face due to a hit and run accident. Which of the following assessment findings if observed after few hours, should be reported to the physician immediately?

- A. Bleeding around the lacerations.
- B. Withdrawal of the client in response to painful stimuli.
- C. Bruises and minimal edema of the eyelids.
- D. Drainage of a clear fluid from the client's ears**

ANS:.....

9. Narcotic poisons produce all the following effects EXCEPT.....

- A. Corrosion
- B. Convulsion
- C. Delirium
- D. Hypnosis**

ANS:.....

10. One of the following is TRUE of arterial bleeding.

- A. Blood is dark red and comes from part nearest to the heart.
- B. Bleeding can be arrested easily.
- C. Blood comes out in spurts.
- D. Blood oozes from wound scanty.**

ANS:.....

11. A fracture in which there is bending of the bone instead of breaking is.....

- A. Closed fracture
- B. Greenstick fracture
- C. Spiral fracture
- D. Complicated fracture**

ANS:.....

12. When performing Cardiopulmonary Resuscitation how would you check for normal breathing?

- A. By holding a mirror up to the casualty's mouth
- B. By looking for chest movement, Listening & feeling for normal breathing
- C. by putting our ear to their chest
- D. By looking & listening for any signs of movement**

13. Mouth-to-mouth artificial respiration for an adult involves the following EXCEPT
- A. Blowing air into the casualty's mouth as you exhale
  - B. Covering the nose and mouth with your mouth
  - C. Pinching casualty's nose
  - D. Placing your mouth tightly over the casualty's mouth
- ANS:.....
14. A casualty in shock has hives, itchiness and nausea, which of the following best describes the type of shock?
- A. Anaphylactic
  - B. Hypovolaemic
  - C. Neurogenic
  - D. Traumatic
- ANS:.....
15. A casualty arrives at the emergency unit and reports that a concentrated household detergent was splashed in both eyes. Which of the following nursing actions is a priority?
- A. Instilling prescribed eye drops in the eyes.
  - B. Flushing the eyes repeatedly using sterile normal saline.
  - C. Examining the client's visual acuity
  - D. Patching the eye
- ANS:.....
16. Which of the following is NOT true of asphyxia?
- A. A medical term for suffocation
  - B. It requires opening and maintaining of a patent airway
  - C. The individual cannot inhale and exhale air
  - D. It results from hypoxia
- ANS:.....
17. Why is it important to do a figure of eight at a joint when bandaging?
- A. Allows movement of the joint
  - B. Makes bandaging easy
  - C. Prevents crumpling of the bandaging
  - D. Restrict movement of the joint
- ANS:.....
18. In the management of dislocation, the first aider undertakes all of the following EXCEPT
- A. Apply a sling
  - B. Apply cold compress
  - C. Replace the joint in its socket
  - D. Treat casualty on the spot except in danger
- ANS:.....

19. A casualty who has been stung by a honeybee calls the emergency unit asking for help. She reports of pain and localized swelling but has no respiratory distress or other symptoms of anaphylactic shock. What is the appropriate initial action that the nurse should direct the client to perform?

- A. Call an ambulance
- B. Apply a cold compress.
- C. Remove the stinger by scraping it.
- D. Take an oral antihistamine.

ANS:.....

20. You arrived home to find your elder sister lying on the floor motionless, as first aider your immediate action will be to?

- A. Call an ambulance.
- B. Check to see if she is breathing and has pulse.
- C. Find out when she last ate.
- D. Find out whether she complained of being unwell.

ANS:.....

21. What does cardio pulmonary resuscitation (CPR) do in cardiac arrest?

- A. Prevents shock.
- B. Restarts respiration.
- C. Restarts the heart to beat.
- D. Supplies oxygen to the brain and body cells.

ANS:.....

22. A casualty in a Road Traffic Accident sustained multiple physical injuries. At the scene he appeared pale and disoriented. He was sweating and had a weak pulse of 143 beats/minute, and a respiratory rate of 30 breaths/minute. The client is mostly suffering from which of the following shock?

- A. Cardiogenic.
- B. Neurogenic
- C. Hypovolemic.
- D. Obstructive

ANS:.....

23. In diabetic emergencies, which one of the following features indicates hypoglycaemia?

- A. Extreme thirst.
- B. Fruity sweet breath.
- C. Rapid pulse and breathing.
- D. Sweating with cold clammy skin.

ANS:.....

24. The reason for sealing a penetrating chest wound on three (3) edges after dressing is to:

- A. Allow blood to flow out.
- B. Allow air under pressure to come out during expiration.
- C. Prevent inflation.
- D. Prevent air getting into the chest.

ANS:.....

25. The serious danger of snake bite is:

- A. Absorption of venom (poison) into tissues.
- B. Absorption of venom into circulation.
- C. Infection and breakdown of wound.
- D. Severe pain and swelling at site.

ANS:.....

26. Mrs. Barns was in the kitchen cooking when she sustained an injury on her right hand after it came into contact with steam from a pot of boiling water. Her skin immediately appeared reddish, swollen and painful. How will you describe her injury?

- A. Burn
- B. Irritation
- C. Scald
- D. Steam burn

ANS:.....

27. Bleeding through the nose is known as .....

- A. Epistaxis
- B. Haematemesis
- C. Haemoptysis
- D. Melaena

ANS:.....

28. A patient on the medical ward called for help after noticing that his nose was bleeding. He was admitted the previous day with a blood pressure reading of 190/100mmHg which had not stabilized. The nurse on duty should.....

- A. Apply cold compress to the bridge of the nose.
- B. Not consider high blood pressure as a possible cause of epistaxis.
- C. Let the patient sit with the head tilted back.
- D. Pinch his nose and tilt his head forward

ANS:.....

29. Which method of classifying burns uses the rule of nine?

- A. Degree
- B. Depth
- C. Extent
- D. Thickness

ANS:.....

30. A 20-year-old male client was sent to the emergency unit following a small laceration on the forehead. The client says that he can't move his legs. His respiratory rate was 28, with a strong pulse, and capillary refill time of less than 2 seconds. Which triage category would this client be assigned to?
- A. Black.
  - B. Green.
  - C. Red.
  - D. Yellow
- ANS.....

31. A patient was brought to the emergency department after falling from a height. The patient was alert, reports back pain, and difficulty moving the lower extremities. Which additional observation is an indication the patient may be experiencing neurogenic shock?

- A. Cool and pale skin
- B. Increased systolic blood pressure
- C. Poor skin turgor
- D. Bradycardia

32. An unconscious casualty is lying on their back and has a broken leg. What position is best for the casualty?

- A. Recovery Position
- B. Leave them as they are
- C. Sitting up
- D. Lying down with the legs raised

33. A conscious casualty is choking after advising the casualty to cough and assuming this has not worked, what should you do next?

- A. Try to hook the object out of the mouth
- B. Call an Ambulance
- C. Attempt up to 5 Back slaps
- D. Attempt up to 5 Abdominal Thrusts

34. You have a casualty who is not breathing but has injuries to face that prevent you from performing mouth-to-mouth. What do you do?

- A. Wait for the ambulance
- B. Try 5 abdominal thrusts
- C. Give 15 chest compressions
- D. Continue with Compression only Resuscitation at rate of 100-120 per minute

35. Your check of the scene suggests that a victim has suffered an electrical shock. The first thing to do is....

- A. Cover all burns with a dry loose dressing.
- B. Ask a bystander to help you move the victim.
- C. Place the victim on one side with the head down.
- D. Make sure the power source is turned off.

36. Dog bites can be very serious because of the risk of contracting rabies. When caring for a dog bite victim, which should you not do?

- A. Wash wound
- B. Keep the dog in a cage for a ten day observation where rabies is suspected
- C. Keep bitten part still and above the heart.
- D. Get professional medical care for a large wound

For questions 37-40 indicate in the space provided whether the listed signs and symptoms occur in either diabetic or insulin comas

- |                                 |       |
|---------------------------------|-------|
| 37. Gradual onset               | ..... |
| 38. Vomiting uncommon           | ..... |
| 39. Rapid loss of consciousness | ..... |
| 40. Thirst present              | ..... |

**INSTRUCTION:** ANSWER ALL QUESTIONS IN THE ANSWER BOOKLET PROVIDED

### **QUESTION ONE**

A final year student suffered an asphyxia from choking on a bone whilst eating his lunch.

- a. With the aid of a table, outline the difference between asphyxia and hypoxia? (2 marks)
- b. State three signs and symptoms of an Asphyxia (3 marks)
- c. How would you perform the Heimlich's maneuver on him (5marks)

**TOTAL-10 MARKS**

**QUESTION TWO**

- a. What is the difference between a wound and a fracture? (1 mark)
- b. Identify 5 different types of fracture (5 marks)
- c. Describe how you will manage a sprain or a strain using the RICE method (4 marks)

**TOTAL-10 MARKS**

**QUESTION THREE**

You are on duty at the emergency ward and required to incorporate the principles of triage in his nursing management.

- a. What is triage? (1mark)
- b. What is the difference between simple triage and advanced triage (2 marks)
- c. List the five basic phases of a disaster management cycle (5marks)
- d. State 2 features of a disaster (2 marks)

**TOTAL- 10 MARKS**