

1. This is used to describe the state where a person's immune system is weakened or lacking
 - A. AIDS
 - B. Type 1 Diabetes Mellitus
 - C. Immunodeficiency
 - D. Severe combined immune deficiency
2. These are deficiencies of the immune system, except...
 - A. SCID, AIDS, Type 1 Diabetes Mellitus
 - B. SCID, AIDS, Type 2 Diabetes Mellitus
 - C. SCID, AIDS, systemic lupus erythematosus
 - D. SCID, systemic lupus erythematosus, Type 1 Diabetes Mellitus
3. Where patients develop antibodies to their own DNA and other "self" components, is referred to as ...
 - A. Systemic lupus erythematosus
 - B. Bipolar disease
 - C. Type 1 diabetes mellitus
 - D. Severe combined immune deficiency
4. The following are examples of autoimmune deficiency diseases except
 - A. Systemic lupus erythematosus
 - B. Bipolar disease
 - C. Type 1 diabetes mellitus
 - D. Severe combined immune deficiency
5. This is a type of a condition that is caused when the immune system attacks and destroys the insulin-secreting cells of the pancreas, impairing glucose absorption from the blood.
 - A. Systemic lupus erythematosus
 - B. Bipolar disease
 - C. Type 1 diabetes mellitus
 - D. Severe combined immune deficiency
6. Autoimmune diseases tend to be more frequent in....
 - A. Both men and women
 - B. More in women than men
 - C. More in men as in women
 - D. More in children under five years
7. Under which circumstance will lymphocytes turn against the body's own cells?
 - A. Autoimmune response

- B. Acquired immune deficiency syndrome
 - C. Human immune-deficiency virus
 - D. Systemic lupus erythematosus
8. When a patient has a secondary response to an action, it means the patient is having....
- A. An allergy
 - B. An autoimmune response
 - C. AIDS
 - D. An exposure to IgE antibodies
9. When IgE antibodies bind with mast cells, they stimulate the mast cell to
- A. Release histamine and other substances
 - B. Release allergens
 - C. Release enzymatic materials and other substances
 - D. Release IgE responses to allergens
10. These class of medications are often used to relieve the short-term symptoms of allergies;
- A. Antibiotics
 - B. Diuretics
 - C. Antihistamines
 - D. Antipyretics
11. When a patient is exposed to an allergen, it triggers the production of
- A. IgE antibodies
 - B. Antihistamines
 - C. Prostaglandins
 - D. An allergy
12. Gamma interferon is produced by....
- A. Gamma granules
 - B. T cells
 - C. Beta interferon
 - D. NK cells
13. Passive immunization means
- A. Injecting antibodies into already infected individuals
 - B. When an injection is being to one person and those standing by directly receive the power of the injection
 - C. Transferring directly antibodies from a healthy person to an infected person
 - D. Injecting a placebo into adults to stimulate an immune response
14. In active immunization, a vaccine is given by



- A. injection only
 - B. Oral means only
 - C. Injection or taken orally
 - D. Injection and orally in order to elicit a primary response
15. An exposure to same antigen as previous, provokes
- A. Secondary immune response
 - B. Primary immune response
 - C. Gradual immune response
 - D. The B and T cells to stimulate the mast cells towards a holistic immunity
16. The process of programmed cell death is termed....
- A. Apocalypse
 - B. Apoptosis
 - C. Carcinogenesis
 - D. Phagocytosis
17. Collectively, antibodies are referred to as
- A. immunoglobulins or Igs
 - B. Apoptosis
 - C. Carcinogenesis
 - D. Prostaglandins
18. The first antibody produced in a response is
- A. IgM
 - B. IgA
 - C. IgG
 - D. IgD
19. The human body has three main defence lines, which are
- A. Barriers at body surfaces, innate immune responses and adoptive immune responses
 - B. Barriers at body surgical parts, innate immune responses and adaptive immune responses
 - C. Barriers at body surfaces, innovative immune responses and adoptive immune responses
 - D. Barriers at body surfaces, innate immune responses and adaptive immune responses
20. Both B and T lymphocytes arise in the following except...
- A. Stem cells in the cranial bone marrow specifically
 - B. Stem cells in the cytoplasm of the blood
 - C. Stem cells in the bone marrow
 - D. Stem cells in the bone epithelia tissue
21. Adaptive immunity has three defining features, which are....

- A. Specific, diverse and has a central focus
 - B. Specific, delusive and has a memory
 - C. Specific, diverse and has a memory
 - D. Specific, diverse and has B and T helper cells
22. Once a pathogen enters the body, it is engulfed by
- A. macrophages
 - B. neutrophils
 - C. dendritic cells
 - D. cytokines
23. The lymphatic system has two key roles, which are:
- A. to work with the respiratory system to cycle fluids back into the circulation; and to circulate lymph from the spleen, lymph nodes, and other lymphoid tissues throughout the body
 - B. to work with the cardiovascular system to cycle fluids back into the lungs; and to circulate lymph from the spleen, lymph nodes, and other lymphoid tissues throughout the body
 - C. to work with the cardiovascular system to cycle fluids back into the circulation; and to circulate lymph from the spleen, lymph nodes, and other lymphoid tissues throughout the body
 - D. to work with the cardiovascular system to cycle fluids back into the circulation; and to circulate lymph from the pancreas, lymph nodes, and other lymphoid tissues throughout the body.
24. Which of these cells target pathogens that are too large for the macrophages?
- A. Natural killer cells (NK cells)
 - B. Dendritic cells
 - C. Eosinophils
 - D. B and T lymphocytes (B and T cells)
25. Which of these cells send signal to the body when antigens are present in skin and body linings?
- A. Natural killer cells (NK cells)
 - B. Dendritic cells
 - C. Eosinophils
 - D. B and T lymphocytes (B and T cells)
26. Which of these cells function in adaptive immunity?
- A. Natural killer cells (NK cells)
 - B. Dendritic cells
 - C. Eosinophils
 - D. B and T lymphocytes (B and T cells)
27. Which of these lymphocytes function in innate responses?

- A. Natural killer cells (NK cells)
 - B. Dendritic cells
 - C. Eosinophils
 - D. B and T lymphocytes (B and T cells)
28. Which of these cells make up two-thirds of all white blood cells and work at the site of an inflammation or damage?
- A. Basophils and mast cells
 - B. Neutrophils
 - C. Macrophages
 - D. Dendritic cells
29. Which of these produce histamines in response to antigens?
- A. Basophils and mast cells
 - B. Neutrophils
 - C. Macrophages
 - D. Dendritic cells
30. Which of these are the predominant phagocytes that patrol the bloodstream?
- A. Basophils and mast cells
 - B. Neutrophils
 - C. Macrophages
 - D. Dendritic cells
31. The body's overall ability to resist and combat anything that is non-self is termed...
- A. Innate immunity
 - B. Adaptive immunity
 - C. Immunity
 - D. Physical body barriers
32. When loss of body is greater than the source of the fluid, one suffers from a situation often referred to as
- A. Thirst
 - B. Decreased hypothalamus
 - C. Dehydration
 - D. Increased osmotic pressure
33. In body fluid regulation, the hypothalamus is the centre of
- A. Thirst

- B. Decreased hypothalamus
 - C. Dehydration
 - D. Increased osmotic pressure
34. Increased osmotic pressure in the body stimulates
- A. osmoreceptors in the hypothalamus
 - B. renin release by juxtaglomerular cells
 - C. ADH release
 - D. increased Na^+ , Cl^- and water re-absorption
35. Body water makes up 45-75% of body weight
- A. False
 - B. Rather it is 60%
 - C. True
 - D. It is only true for babies
36. Milliosmoles/liter as a measure of concentration is described as
- A. A number of dissociated particles in a millimole/liter solution
 - B. A number of associated particles in a millimole/litre solution
 - C. A number of dissociated particles in a milligram/litre solution
 - D. All the above
37. Fluids occur in compartments in the body and are...
- A. Interstitial and osmotic receptor compartments
 - B. intracellular and extracellular compartments
 - C. intracellular and interstitial cellular compartments
 - D. Interstitial and extracellular compartments
38. The average adult female is 52% water by weight, while a male is 63% water. What accounts for the difference?
- A. Due to the female's additional hair follicles
 - B. Due to the extra workload on the male, particularly when the weather is warmer
 - C. Due to the segmented adipose tissue of the female



- D. Due to the female's additional adipose tissue
39. Moisture in the mouth is provided by:
- A. Sweat
 - B. Mucus
 - C. Saliva
 - D. None of the answers are correct
40. Where is vasopressin produced?
- A. In the testes
 - B. In the heart
 - C. In the pituitary gland
 - D. In the lungs
41. Pierro was noted to be displaying facial grimaces after nurse Kara assessed his complaints of pain rated as 8 on a scale of 1 (no pain) to 10 (worst pain). Which intervention should the nurse do?
- A. Administering the client's ordered pain medication immediately
 - B. Using guided imagery instead of administering pain medication
 - C. Using therapeutic conversation to try to discourage pain medication
 - D. Attempting to rule out complications before administering pain medication
42. Nurse Martha is teaching her students about bacterial control. Which intervention is the most important factor in preventing the spread of microorganism?
- A. Maintenance of asepsis with indwelling catheter insertion
 - B. Use of masks, gowns, and gloves when caring for clients with infection
 - C. Correct handwashing technique
 - D. Clean up of blood spills with sodium hydrochloride
43. A patient with tented skin turgor, dry mucous membranes, and decreased urinary output is under Nurse Mark's care. Which nursing intervention should be included the care plan of Mark for his patient?
- A. Administering I.V. and oral fluids
 - B. Clustering necessary activities throughout the day

- C. Assessing colour, volume and amount of sputum
- D. Monitoring serum albumin and total protein levels
44. Khaleesi is admitted to the hospital due to having lower than normal potassium level in her Mendocino. Her medical history reveals vomiting and diarrhea prior to hospitalization. Which foods should the nurse instruct the client to increase?
- Whole grains and nuts
 - Milk products and green, leafy vegetables
 - Pork products and canned vegetables
 - Orange juice and bananas
45. Mary Jean, a first year nursing student, was rushed to the clinic department due to hyperventilation. Which nursing intervention is the most appropriate for the client who is subsequently developing respiratory alkalosis?
- Administering sodium chloride I.V
 - Encouraging slow, deep breaths
 - Preparing to administer sodium bicarbonate
 - Administer low-flow oxygen therapy
46. Nurse Jeannine is totaling the intake and output for Eunice Rockstone, a client diagnosed with septicemia who is on a clear liquid diet. The client intakes 8 oz of apple juice, 850 ml of water, 2 cups of beef broth, and 900 ml of half-normal saline solution and outputs 1,500 ml of urine during the shift. How many milliliters should the nurse document as the client's intake?
- 2,230
 - 2,740
 - 2,470
 - 2,320
47. Marie Joy's lab test revealed that her serum calcium is 2.5 mEq/L. Which assessment data does the nurse document when a client diagnosed with hypoglycemia develops a carpal/ pedal spasm after the blood-pressure cuff is inflated?
- Positive Trousseau's sign
 - Positive Chvostek's sign
 - Tetany

- D. Paresthesia
48. Lab tests revealed that patient Z's $[Na^+]$ is 170 mEq/L. Which clinical manifestation would nurse Natty expect to assess?
- A. Tented skin turgor and thirst
 - B. Muscle twitching and tetany
 - C. Fruity breath and Kussmaul's respirations
 - D. Muscle weakness and paraesthesia
49. Mang Teban has a history of chronic obstructive pulmonary disease and has the following arterial blood gas results: partial pressure of oxygen (PO_2), 55 mm Hg, and partial pressure of carbon dioxide (PCO_2), 60 mm Hg. When attempting to improve the client's blood gas values through improved ventilation and oxygen therapy, which is the client's primary stimulus for breathing?
- A. High PCO_2
 - B. Low PO_2
 - C. Normal pH
 - D. Normal bicarbonate (HCO_3)
50. A client with very dry mouth, skin and mucous membranes is diagnosed of having dehydration. Which intervention should the nurse perform when caring for a client diagnosed with fluid volume deficit?
- A. Assessing urinary intake and output
 - B. Obtaining the client's weight weekly at different times of the day
 - C. Monitoring arterial blood gas (ABG) results
 - D. Maintaining I.V. therapy at the keep-vein-open rate
51. Which client situation requires the nurse to discuss the importance of avoiding foods high in potassium?
- A. 14 year-old Elena who is taking diuretics
 - B. 15 year-old John Joseph with ileostomy
 - C. 16 year-old Gabriel with metabolic acidosis
 - D. 8-year-old Albert who has renal disease

52. Genevieve is diagnosed with hypomagnesemia, which nursing intervention would be appropriate?
- A. Instituting seizure precaution to prevent injury
 - B. Instructing the client on the importance of preventing infection
 - C. Avoiding the use of tight tourniquet when drawing blood
 - D. Teaching the client the importance of early ambulation
53. Which electrolyte would the nurse identify as the major electrolyte responsible for determining the concentration of the extracellular fluid?
- A. Potassium
 - B. Phosphate
 - C. Chloride
 - D. Sodium
54. Akoto has a potassium level of 6.5 mEq/L, which medication would nurse Betty anticipate?
- A. Potassium supplements
 - B. Kayexalate
 - C. Calcium gluconate
 - D. Sodium tablets
55. Which clinical manifestation would lead the nurse to suspect that a client is experiencing hypermagnesemia?
- A. Muscle pain and acute rhabdomyolysis
 - B. Hot, flushed skin and diaphoresis
 - C. Soft-tissue calcification and hyperreflexia
 - D. Increased respiratory rate and depth
56. Joshua is receiving furosemide and Digoxin, which laboratory data would be the most important to assess in planning the care for the client?
- A. Sodium level
 - B. Magnesium level
 - C. Potassium level
 - D. Calcium level



57. Mr. Domeabra has the following arterial blood gas (ABG) values: pH of 7.34, partial pressure of arterial oxygen of 80 mm Hg, partial pressure of arterial carbon dioxide of 49 mm Hg, and a bicarbonate level of 24 mEq/L. Based on these results, which intervention should the nurse implement?
- A. Instructing the client to breathe slowly into a paper bag.
 - B. Administering low-flow oxygen
 - C. Encouraging the client to cough and deep breathe
 - D. Nothing, because these ABG values are within normal limits
58. A client is diagnosed with metabolic acidosis, which would the nurse expect the health care provider to order?
- A. Potassium
 - B. Sodium bicarbonate
 - C. Serum sodium level
 - D. Bronchodilator
59. ECF is primarily composed of.
- A. Aqueous fluid and lymphatic fluid
 - B. CSF and interstitial fluid
 - C. Interstitial and intravascular fluids
 - D. Vascular fluid and CSF
60. A chemical set up to resist changes, particularly in the level of pH, is:
- A. Base
 - B. A buffer
 - C. A salt
 - D. An acid
61. Water moves across a semi permeable membrane via which process?
- A. Active transport
 - B. Diffusion
 - C. Filtration
 - D. Osmosis
62. To balance water output, an average adult must have daily fluid intake of approximately:

- A. 500-900 ml
- B. 1,000-2,000 ml.
- C. 2,000-3,000 ml.
- D. 4,000-6,000 ml.

63. The primary organs involved in pH regulation are:

- A. Kidneys and lungs.
- B. Heart and intestines.
- C. Lung and endocrine glands.
- D. Skin and kidneys

64. A clinical manifestation not found in hypokalemia is:

- A. Muscle weakness
- B. Oliguria
- C. Postural hypotension
- D. Bradycardia

65. The nurse should expect that a patient with mild fluid volume excess would be prescribed a diuretic that blocks sodium reabsorption in the distal tubule, such as:

- A. Bumex
- B. Demadex
- C. HydroDIURIL.
- D. Lasix

66. Nursing intervention for a patient with a diagnosis of hyponatremia includes all of the following except:

- A. Assessing for symptoms of nausea and malaise.
- B. Encouraging the intake of low-sodium liquids such as coffee or tea.
- C. Monitoring neurologic status
- D. Restricting tap water intake.

67. To supplement a diet with foods rich in potassium, the nurse should recommend the addition of:

- A. Fruits such as bananas and apricots
- B. Green leafy vegetables
- C. Milk and yogurt
- D. Nuts and legumes

68. The most characteristic manifestation of hypocalcemia and hypomagnesemia is:



- A. Anorexia and nausea.
 - B. Constipation
 - C. Lack of coordination
 - D. Tetany
69. Patient X is diagnosed with constipation. As a knowledgeable nurse, which nursing intervention is appropriate for maintaining normal bowel function?
- A. Assessing dietary intake
 - B. Decreasing fluid intake
 - C. Providing limited physical activity
 - D. Turning, coughing, and deep breathing
70. A 12-year-old boy was admitted to the hospital two days ago due to hyperthermia. His attending nurse, Mr. Antwi, is quite unsure about his plan of care. Which of the following nursing interventions should be included in the care plan for the client?
- A. Room temperature reduction
 - B. Fluid restriction of 2,000 ml/day
 - C. Axillary temperature measurements every 4 hours
 - D. Antiemetic agent administration
71. Tom is ready to be discharged from the medical-surgical unit after 5 days of hospitalization. Which client statement indicates to the nurse that Tom understands the discharge teaching about cellular injury?
- A. "I do not have to see my doctor unless I have problems."
 - B. "I can stop taking my antibiotics once I am feeling better."
 - C. "If I have redness, drainage, or fever, I should call my healthcare provider."
 - D. "I can return to my normal activities as soon as I go home."
72. Nurse Alimatu is caring for Adam, a 22-year-old client, in a long-term facility. Which nursing intervention would be appropriate when identifying nursing interventions aimed at promoting and preventing contractures? **Select all that apply.**
- 1. Clustering activities to allow uninterrupted periods of rest.
 - 2. Maintaining correct body alignment at all times.
 - 3. Monitoring intake and output, using a urometer if necessary.
 - 4. Using a foot board or pillows to keep feet in the correct position.

5. Performing active and passive range-of-motion exercises.
6. Weighing the client daily at the same time and in the same clothes.
- A. 2, 4, 5
- B. 1, 2, 3
- C. 2, 3, 4
- D. 3, 4, 6
73. A 36-year-old male client is about to be discharged from the hospital after 5 days due to surgery. Which intervention should be included in the home health care nurse's instructions about measures to prevent constipation?
- A. Discouraging the client from eating large amounts of roughage-containing foods in the diet.
- B. Encouraging the client to use laxatives routinely to ensure adequate bowel elimination.
- C. Instructing the client to establish a bowel evacuation schedule that changes every day.
- D. Instructing the client to fill a 2-l. bottle with water every night and drink it the next day.
74. Mr. Wakaso suffered abrasions and lacerations after a vehicular accident. He was hospitalized and was treated for a couple of weeks. When planning care for a client with cellular injury, the nurse should consider which scientific rationale?
- A. Nutritional needs remain unchanged for the well-nourished adult.
- B. Age is an insignificant factor in cellular repair.
- C. The presence of infection may slow the healing process.
- D. Tissue with inadequate blood supply may heal faster.
75. A 22-year-old lady is displaying facial grimaces during her treatment in the hospital due to burn trauma. Which nursing intervention should be included for reducing pain due to cellular injury?
- A. Administering anti-inflammatory agents as prescribed.
- B. Elevating the injured area to decrease venous return to the heart.
- C. Keeping the skin clean and dry.
- D. Applying warm packs initially to reduce oedema.
76. Sonia, a client with altered urinary function, is under the care of nurse Tina. Which intervention is appropriate to include when developing a plan of care for Lisa who is experiencing urinary dribbling?
- A. Inserting an indwelling Foley catheter.

- B. Having the client perform Kegel exercises.
 - C. Keeping the skin clean and dry.
 - D. Using pads or diapers on the client.
77. Jerome is admitted to the hospital due to bacterial pneumonia. He is febrile, diaphoretic, and has shortness of breath and asthma. Which goal is the **most** important for the client?
- A. Prevention of fluid volume excess
 - B. Maintenance of adequate oxygenation
 - C. Education about infection prevention
 - D. Pain reduction
78. Calys, a 32-year-old patient, is about to be discharged from the acute care setting. Which nursing intervention is the **most** important to include in the plan of care?
- A. Stress-reduction techniques
 - B. Home environment evaluation
 - C. Skin-care measures
 - D. Participation in activities of daily living
79. Mrs. Ernestina Donkor is in her first trimester of pregnancy. She has been lying all day because her OB-GYN requested her to have a complete bed rest. Which nursing intervention is appropriate when addressing the client's need to maintain skin integrity?
- A. Monitoring intake and output accurately.
 - B. Instructing the client to cough and deep breathe every 2 hours.
 - C. Keeping the linens dry and wrinkle-free.
 - D. Using a foot board to maintain correct anatomic position.
80. Maya, who is admitted to a hospital, is scheduled to have her general checkup and physical assessment. Nurse Timothy observed a reddened area over her left hip. Which should the nurse do **first**?
- A. Massage the reddened area for a few minutes.
 - B. Notify the physician immediately.
 - C. Arrange for a pressure-relieving device.
 - D. Turn the client to the right side for 2 hours.
81. Nurse Martha is teaching her students about bacterial control. Which intervention is the **most** important factor in preventing the spread of microorganisms?

- A. Maintenance of asepsis with indwelling catheter insertion.
 - B. Use of masks, gowns, and gloves when caring for clients with infection.
 - C. Correct handwashing technique.
 - D. Clean-up of blood spills with sodium hydrochloride.
82. A patient with tented skin turgor, dry mucous membranes, and decreased urinary output is under Nurse Mark's care. Which nursing intervention should be included in the care plan of Mark for his patient?
- A. Administering I.V. and oral fluids.
 - B. Clustering necessary activities throughout the day.
 - C. Assessing colour, odour and amount of sputum.
 - D. Monitoring serum albumin and total protein levels.
83. Nursing intervention for the patient with hyperphosphatemia includes encouraging intake of:
- A. Vitamin D
 - B. Flets phospho-soda
 - C. Milk
 - D. Amphojel
84. Etiologies associated with hypocalcemia may include all of the following **except**:
- A. Renal failure
 - B. Inadequate intake calcium
 - C. Metastatic bone lesions
 - D. Vitamin D deficiency
85. Which of the following findings would the nurse expect to assess in hypercalcemia?
- A. Prolonged QRS complex
 - B. Tetany
 - C. Petechiae
 - D. Urinary calculi
86. Which of the following is not an appropriate nursing intervention for a patient with hypercalcemia?
- A. Administering calcitonin

- B. Administering calcium gluconate
 - C. Administering loop diuretics
 - D. Encouraging ambulation
87. Which of the following is the **most** important physical assessment parameter the nurse would consider when assessing fluid and electrolyte imbalance?
- A. Skin turgor
 - B. Intake and output
 - C. Osmotic pressure
 - D. Cardiac rate and rhythm
88. Insensible fluid losses include:
- A. Urine
 - B. Gastric drainage
 - C. Bleeding
 - D. Perspiration
89. Which of the following intravenous solutions would be appropriate for a patient with severe hyponatremia secondary to syndrome of inappropriate antidiuretic hormone (SIADH)?
- A. Hypotonic solution
 - B. Hypertonic solution
 - C. Isotonic solution
 - D. Normotonic solution
90. Aldosterone secretion in response to fluid loss will result in which one of the following electrolyte imbalances?
- A. Hypokalemia
 - B. Hyperkalemia
 - C. Hyponatremia
 - D. Hypernatremia
91. Osmotic pressure is created through the process of:
- A. Osmosis
 - B. Diffusion
 - C. Filtration

- D. Capillary dynamics
92. Which of the following conditions is an equal decrease of extracellular fluid (ECF) solute and water volume?
- A. Hypotonic FVD
 - B. Isotonic FVD
 - C. Hypertonic FVD
 - D. Isotonic FVE
93. To determine if a patient's respiratory system is functioning, the nurse would assess which of the following parameters:
- A. Respiratory rate
 - B. Pulse
 - C. Arterial blood gas
 - D. Pulse oximetry
94. Respiratory regulation of acids and bases involves:
- A. Hydrogen
 - B. Hydroxide
 - C. Oxygen
 - D. Carbon dioxide
95. The type of fluid used to manipulate fluid shifts among compartments states is:
- A. Whole blood
 - B. TPN
 - C. Albumin
 - D. Ensure
96. Mr. Otokonor, who is diagnosed with bipolar disorder has been drinking copious amounts of water and voiding frequently. The patient is experiencing muscle cramps, twitching, and is reporting dizziness. the nurse checks lab work for:
- A. Complete blood count results, particularly the platelets.
 - B. Electrolytes, particularly the serum sodium.
 - C. Urine analysis, particularly for the presence of white blood cells.
 - D. EEG results

97. The balance of anions and cations as it occurs across cell membranes is known as:
- A. Osmotic activity
 - B. Electrical neutrality
 - C. Electrical stability
 - D. Sodium-potassium pump
98. Mariana, an 85-year-old patient with a feeding tube, has been experiencing severe watery stool. The patient is lethargic and has poor skin turgor, a pulse of 120, and hyperactive reflexes. Nursing interventions would include:
- A. Measuring and recording intake and output and daily weights.
 - B. Administering salt tablets and monitoring hypertonic parenteral solutions.
 - C. Administering sedatives.
 - D. Applying wrist restraints to avoid displacement of the feeding tube.
99. Disease of which of the following structures is **most** likely to affect electrolyte reabsorption?
- A. Glomerulus
 - B. Renal tubules
 - C. Bladder
 - D. Renal pelvis
100. The majority of the body's water is contained in which of the following fluid compartments?
- A. Intracellular
 - B. Interstitial
 - C. Intravascular
 - D. Extracellular