

QUESTIONS


1. Which of the following statements best describe nursing?
 - ☒ A. Nursing is an art of applying scientific principles in a humanitarian way to the care of people
 - B. Nursing is an act of applying scientific principles in a humanitarian way to the care of people
 - C. Nursing is an act of applying scientific principles in a medical way to the care of people
 - D. Nursing is an art of applying scientific principles using tender loving care together with the patients
2. It is a systematic method by which nurses plan and provide care for patients
 - A. The nursing care plan
 - ☒ B. The assessment process
 - C. The nursing process
 - D. The pathograph
3. The collection, organisation, validation and documentation of data best describe which of the following terms?
 - A. The nursing care plan
 - B. The assessment process
 - ☒ C. The nursing process
 - D. The pathograph
4. Why is it necessary to conduct an assessment on her patients?
 - ☒ A. To plan a holistic care for the patients
 - B. To define the nursing process
 - C. To determine the health status of the patients
 - D. To make sure that assessments are made initially and continuously throughout the patient care
5. Apart from assessment, the remaining phases of the nursing process depend on
 - ☒ A. The validity and completeness of the initial data collection
 - B. The initial and continuous patient care
 - C. The time lapsed assessment during the care of the patient
 - D. The outcome of the physical examination
6. Which of these best describes the purpose of establishing database during assessment?
 - ☒ A. The validity and completeness of the initial data collection
 - B. The initial and continuous patient care
 - C. The time lapsed assessment during the care of the patient
 - D. The nursing health history and physical examination
7. Which of the following constitutes aspects of physical examination in the assessment process
 - A. The time lapsed assessment during the care of the patient
 - ☒ B. The nursing health history and head to toe examination
 - C. The physician's history and results of laboratory and diagnostic tests
 - D. The nursing health history and results of laboratory and diagnostic tests
8. What is another name for initial assessment?



- A. Focus assessment
B. Emergency assessment
☒ C. Admission assessment
D. Mouth to mouth patient assessment
9. What is the purpose of the initial assessment?
☒ A. To evaluate the client's health status, identify functional health patterns that are problematic, provide an in-depth and comprehensive database
B. To authenticate the physician's history and evaluate results of laboratory and diagnostic tests
C. To authenticate the nursing history and evaluate results of laboratory and diagnostic tests
D. To evaluate the client's health status, identify functional nursing patterns that are problematic, provide an in-depth and comprehensive database
10. Which of the following stands for another name for time lapsed assessment?
A. Focus assessment
B. Emergency assessment
☒ C. Ongoing assessment
D. Admission assessment
11. Which of the following is a systematic process of the steps of assessment?
A. Collection of data, origin of data, verbalising data and documentation of data
B. Collection of data, organising data, verbalising data and documentation of data
C. Collection of data, organising data, validating data and developing data
☒ D. Collection of data, organising data, validating data and documentation of data
12. The collection of data includes the following except
☒ A. physical, psychological, emotion, socio-cultural, spiritual factors that may affect client's health status
B. physical, psychological, emoluments, socio-cultural, spiritual factors that may affect client's health status
C. physical, psychological, emotion, socio-economic, spiritual factors that may affect client's health status
D. physical, psychological, emotion, socio-cultural, environmental factors that may affect client's health status
13. Which of these signify subjective data in the data collection process?
☒ A. Covert
B. Overt
C. Signs
D. All the above
14. Statements about nausea and descriptions of pain and fatigue are examples of
A. Overt data
☒ B. Subjective data
C. Objective data
D. Only B & C
15. Which of these best describes overt data?



- ☒ A. They can be seen, heard, felt, or smelt, and they are obtained by observation or physical examination
- B. They can be verbalized by the patient, not heard, felt, or smelt, and they are not obtained by observation or physical examination
- C. They can be seen, heard, felt, or smelt, and they are obtained by interviewing or physical examination
- D. They can be seen, heard, felt, or smelt, and they are obtained by physical examination and research
16. Which of these best describes covert data?
- ☒ A. They can be seen, heard, felt, or smelt, and they are obtained by observation or physical examination
- B. They can be verbalized by the patient, not heard, felt, or smelt, and they are not obtained by observation or physical examination
- C. They can be seen, heard, felt, or smelt, and they are obtained by interviewing or physical examination
- D. They can be seen, heard, felt, or smelt, and they are obtained by physical examination and research
17. Which of the following is data collection method?
- ☒ A. Observation
- B. Interpretation
- C. Subjectivity
- D. Only A & B
18. Which of the following is the most acceptable assessment sequencing during physical examination?
- ☒ A. Head to toe or systematic assessment
- B. Head to toe or symmetrical assessment
- C. Head to toe or body systems assessment
- D. Head to tooth or body systems assessment
19. Which of the following fall under assessment techniques
- ☒ A. Inspection, palpation, auscultation, percussion, ITM
- B. Inspection, palpation, percussion, pulsation, ITM
- C. Inspection, palpation, percussion, auscultation, ITM
- D. Inspection, palpation, percussion, augmentation, ITM
20. What is the name of this assessment apparatus?



- ☒ A. The innovative Telemetry Monitoring System
B. The innovative Telemographic Monitoring System
C. The innovative Teratogenic Monitoring System
D. The innovative Telemetry Manometer System
21. There are two types of palpation during physical examination. Which of the following is correct?

- A. Direct and indirect
B. Light and dark
C. Light and direct
☒ D. Light and deep

From questions 22 to 26, Match the following percussion sounds to their corresponding characteristic sound heard on assessment

22. Resonance:

- ☒ A. A hollow sound
B. A booming sound
C. A musical sound or drum sound like that produced by the stomach
D. Thud sound produced by dense structures such as the liver, and enlarged spleen, or a full bladder.

23. Hyper resonance

- A. A hollow sound
☒ B. A booming sound
C. A musical sound or drum sound like that produced by the stomach
D. Thud sound produced by dense structures such as the liver, and enlarged spleen, or a full bladder.

24. Tympany

- A. A hollow sound
B. A booming sound
☒ C. A musical sound or drum sound like that produced by the stomach



- D. Thud sound produced by dense structures such as the liver, and enlarged spleen, or a full bladder.
25. Dullness
- A. A hollow sound
 - B. A booming sound
 - C. A musical sound or drum sound like that produced by the stomach
 - ☒ D. Thud sound produced by dense structures such as the liver, and enlarged spleen, or a full bladder.
26. Flatness
- ☒ A. An extremely dull sound like that produced by very dense structures such as muscle or bone
 - B. A hollow sound
 - C. A musical sound or drum sound like that produced by the stomach
 - D. Thud sound produced by dense structures such as the liver, and enlarged spleen, or a full bladder.
27. Which part of the stethoscope is used when listening to low pitched body sounds?
- A. Double prong stethoscope
 - B. Diaphragm
 - C. The ball
 - ☒ D. The bell
28. What is described as setting during assessment
- A. Inspection and palpation
 - ☒ B. The environment and the equipment
 - C. The environment and the nurses and midwives
 - D. The environment and the Rector's office
29. Which of these best describe 'behaviour' during general health examination?
- A. Body stature
 - ☒ B. Affect
 - C. Breathing problems
 - D. LOC
30. The main sources of data in assessment are
- A. Subjective and objective
 - ☒ B. Primary and secondary
 - C. Post facto and objective
 - D. All the above
31. What is the fundamental difference between volume depletion and dehydration?
- A. Volume depletion is the lessening of the total intravascular plasma, whereas dehydration denotes loss of plasma-free water disproportionate to the loss of sodium
 - ☒ B. Volume depletion is the lessening of the total intravascular plasma, whereas dehydration denotes loss of plasma-free water proportionate to the loss of sodium
 - C. Volume depletion denotes increasing of the total intravascular plasma, whereas dehydration denotes loss of plasma-free water disproportionate to the loss of sodium

D. All the above

32. The most common underlying problem in children with dehydration is

- A. Volume depletion
- B. Depletion of solutes
- C. Dehydration
- ☒ D. loss of plasma-free water proportionate to the loss of sodium

33. The average adult female is 52% water by weight, while a male is 63% water. What accounts for the difference?

- A. Due to the female's additional hair follicles
- B. Due to the extra workload on the male, particularly when the weather is warmer
- ☒ C. Due to the segmented adipose tissue of the female
- ☐ D. Due to the female's additional adipose tissue

34. A client with very dry mouth, skin and mucous membranes is diagnosed of having dehydration. Which intervention should the nurse perform when caring for a client diagnosed with fluid volume deficit?

- ☒ A. Assessing urinary intake and output
- B. Obtaining the client's weight weekly at different times of the day
- C. Monitoring arterial blood gas (ABG) results
- D. Maintaining I.V. therapy at the keep-vein-open rate

35. The following are theories of how diseases are caused except

- A. Miasma theory
- B. Germ theory
- ☒ C. Epidemiological rectangle
- D. Web of causation

36. "A poisonous vapour or mist filled with particles from decomposed matter". Which of the following theories is this description referring to?

- ☒ A. Miasma theory
- B. Germ theory
- C. Epidemiological rectangle
- D. Web of causation

37. The sanitary movement era is highly linked to which of the following disease causing theories?

- ☒ A. Miasma theory
- B. Germ theory
- C. Epidemiological rectangle
- D. Web of causation



38. Which theory of disease causation seeks to identify the broad factors that make and keep people healthy?
- A. Miasma theory
 - B. Germ theory
 - ☒ C. Socio-environmental approach
 - D. Theory of general susceptibility
39. Which theory of disease causation helped health actions to shift focus from the individual to the community as a whole?
- A. Miasma theory
 - B. Germ theory
 - ☒ C. Socio-environmental approach
 - D. Theory of general susceptibility
40. Which of the following best explains why dehydration occurs?
- ☒ A. Losing too much fluid, not drinking enough water, diarrhoea and vomiting
 - B. Losing too much fluid, not drinking enough soda, diarrhoea and vomiting
 - C. Losing too much fluid, not drinking enough beer or malt, diarrhoea and vomiting
 - D. Losing too much fluid, drinking enough water, diarrhoea and vomiting
41. On what bases is dehydration classified as mild, moderate and severe?
- A. Based on the principle of volume depletion
 - B. Based on the level of dryness of the mouth and the quantity of fluid intake
 - ☒ C. Based on how much body fluid is lost
 - D. Based on how much fluid volume is maintained in the intravascular space
42. In mild dehydration drinking fluid is encouraged, but copious amount of fluid at once is not advisable. Why is it so?
- A. Because a thirsty man may drink all the water leaving the children, especially those under 5 years.
 - B. Instead of water, beer is allowed
 - ☒ C. Drinking too much water at once can cause sudden volume depletion
 - D. Drinking too much water at once can provoke vomiting
43. The key cause of paediatric dehydration is often due to....
- A. Cardio-encephalopathy
 - B. Volvulus
 - C. Vomiting
 - ☒ D. Gastroenteritis
44. Which of the following statements is true about volume depletion and dehydration?
- A. Volume depletion and dehydration are identical twins
 - B. Volume depletion can exist with dehydration
 - ☒ C. Dehydration can only exist as long as volume depletion is present
 - D. Volume depletion can exist with or without dehydration
45. In children with dehydration, the most common underlying problem is
- ☒ A. Diarrhoea
 - B. Volume depletion
 - C. Dehydration



- D. Vomiting
46. Why is it that those younger than 4 years tend to be more susceptible to volume depletion than their older counterparts?
- A. Because of higher metabolic rate, increased body surface area to mass index and higher body water contents
 - B. Because of lower metabolic rate, increased body surface area to mass index and higher body water contents
 - C. Because of higher metabolic rate, decreased body surface area to mass index and higher body water contents
 - ☒ D. Because of higher metabolic rate, increased body surface area to mass index and lower body water contents
47. Volume depletion in younger children is often as a result of which of the following?
- A. Vomiting, diarrhoea, decreases in insensible water losses
 - B. Vomiting, diarrhoea, increases in plasma water losses
 - C. Vomiting, diarrhoea, increases in insensible water losses
 - ☒ D. Vomiting, diarrhoea, increases in sensible water losses
48. Which of the following is not an appropriate nursing intervention for a patient with hypercalcemia?
- A. Administering calcitonin
 - B. Administering calcium gluconate
 - C. Administering loop diuretics
 - ☒ D. Encouraging ambulation
49. Which of the following is the most important physical assessment parameter the nurse would consider when assessing fluid and electrolyte imbalance?
- A. Skin turgor
 - ☒ B. Intake and output
 - C. Osmotic pressure
 - D. Cardiac rate and rhythm
50. Insensible fluid losses include:
- A. Urine
 - B. Gastric drainage
 - ☒ C. Bleeding
 - D. Perspiration
51. Which of the following intravenous solutions would be appropriate for a patient with severe hyponatremia secondary to syndrome of inappropriate antidiuretic hormone (SIADH)?



- ☒ A. Hypotonic solution
 - B. Hypertonic solution
 - ☒ C. Isotonic solution
 - D. Normotonic solution
52. Aldosterone secretion in response to fluid loss will result in which one of the following electrolyte imbalances?
- A. Hypokalemia
 - B. Hyperkalemia
 - C. Hyponatremia
 - ☒ D. Hypernatremia
53. Osmotic pressure is created through the process of:
- ☒ A. Osmosis
 - B. Diffusion
 - C. Filtration
 - D. Capillary dynamics
54. Which of the following conditions is an equal decrease of extracellular fluid (ECF) solute and water volume?
- A. Hypotonic FVD
 - ☒ B. Isotonic FVD
 - C. Hypertonic FVD
 - D. Isotonic FVE
55. To determine if a patient's respiratory system is functioning, the nurse would assess which of the following parameters:
- A. Respiratory rate
 - B. Pulse
 - ☒ C. Arterial blood gas
 - D. Pulse oximetry
56. Respiratory regulation of acids and bases involves:
- A. Hydrogen
 - B. Hydroxide
 - C. Oxygen