

Q1.

A nurse observes that a patient expresses distress by refusing medications. Using the nursing metaparadigm, this reaction best represents which concept?

- A) Nursing
- B) Person
- C) Health
- D) Environment

☒ Answer: B) Person

Rationale:

In the metaparadigm of nursing, "Person" represents the individual receiving care, including their behaviors, emotions, and needs.

Q2.

In planning patient care, a nurse utilizes a relational statement from a nursing theory. What is the primary purpose of relational statements?

- A) Define philosophical assumptions
- B) Establish research validity
- C) Link concepts meaningfully
- D) Describe historical perspectives

☒ Answer: C) Link concepts meaningfully

Rationale:

Relational statements show how two or more concepts connect and interact in a theory, helping to structure practice.

Q3.

Which of the following best describes an abstract concept in nursing theory?

- A) Medication dosage
- B) Pain experience
- C) Heart rate
- D) Wound size

☒ Answer: B) Pain experience

Rationale:

Abstract concepts, like “pain,” are not directly measurable or tangible but are experienced subjectively.

Q4.

A nurse planning interventions based on assumptions made by a theory must recognize that assumptions are:

- A) Scientifically proven facts
- B) Universally agreed upon
- C) Accepted truths based on beliefs
- D) Temporary guidelines

☒ Answer: C) Accepted truths based on beliefs

Rationale:

Assumptions are statements accepted as truths without direct proof but grounded in values and beliefs.

Q5.

A nurse educating peers about nursing science describes it as:

- A) Random ideas about care delivery
- B) Informal experience-based practices
- C) A structured body of knowledge based on theory and research

D) Management of hospital operations

✓ Answer: C) A structured body of knowledge based on theory and research

Rationale:

Nursing science integrates systematic knowledge, theories, and empirical findings.

Q6.

Which example best illustrates the phenomenon concept in nursing theory?

A) Care protocols

B) Surgical instruments

C) Stress during hospitalization

D) Medication charting

✓ Answer: C) Stress during hospitalization

Rationale:

A phenomenon is an observable event or situation like “stress,” important to nursing practice.

Q7.

In Nightingale’s theory, controlling the patient’s surroundings primarily emphasizes:

A) Promoting self-care

B) Reducing hospital costs

C) Preventing physician errors

D) Assisting recovery through environment management

✓ Answer: D) Assisting recovery through environment management

Rationale:

Nightingale emphasized that a clean, safe environment aids recovery.

Q8.

Which of the following is NOT a component of a nursing theory?

- A) Concepts
- B) Definitions
- C) Hospital policies
- D) Relational statements

☒ Answer: C) Hospital policies

Rationale:

Hospital policies are administrative, not theoretical components.

Q9.

The main aim of nursing theories, according to Meleis, is to:

- A) Develop patient insurance plans
- B) Generate systematic thinking and clinical structure
- C) Design new hospital architecture
- D) Create job titles for nurses

☒ Answer: B) Generate systematic thinking and clinical structure

Rationale:

Theories organize and systematize nursing practice and knowledge.

Q10.

Which situation best demonstrates application of theoretical assumptions in clinical practice?

- A) Guessing treatment based on instincts
- B) Following doctor's orders without question

- C) Using evidence-based care guided by nursing models
- D) Prioritizing patient complaints over protocols

☒ Answer: C) Using evidence-based care guided by nursing models

Rationale:

Theories provide a basis for evidence-based, structured nursing care.

Q11.

In the ANA's nursing definition (1980), the key concern for nurses is:

- A) Performing surgical procedures
- B) Response of individuals and groups to actual or potential health problems
- C) Administering medication
- D) Supervising hospital finances

☒ Answer: B) Response of individuals and groups to actual or potential health problems

Rationale:

The ANA emphasizes focusing on how people respond to health conditions.

Q12.

In which domain is "touching and holding" categorized, according to Forrest's elements of caring?

- A) Teaching
- B) Interacting
- C) Knowing
- D) Respect

☒ Answer: B) Interacting

Rationale:

Physical interaction is part of the caring act categorized under “Interacting”.

Q13.

The “science” of nursing emphasizes which of the following?

- A) Conducting only experiments
- B) Performing medical surgeries
- C) Systematic observation and theoretical explanation of phenomena
- D) Only assisting physicians

☒ Answer: C) Systematic observation and theoretical explanation of phenomena

Rationale:

Science in nursing involves studying natural phenomena systematically.

Q14.

A nurse applying Henderson’s theory would likely prioritize:

- A) Environmental sanitation
- B) Financial counseling
- C) Teaching self-care independence
- D) Aggressive disease management

☒ Answer: C) Teaching self-care independence

Rationale:

Henderson’s focus was promoting patient independence after hospitalization.

Q15.

In terms of knowledge development, nursing theories primarily help to:

- A) Provide abstract entertainment

- B) Generate hospital revenue
- C) Direct education, research, and clinical practice
- D) Replace clinical judgment

☒ Answer: C) Direct education, research, and clinical practice

Rationale:

Nursing theories serve as the base for continuous development in practice.

Q16.

The “private domain” of caring, according to Roach, links care most closely to:

- A) Policies
- B) Financial incentives
- C) Love
- D) Rules

☒ Answer: C) Love

Rationale:

Roach explains that in the private domain, caring connects deeply with love.

Q17.

Which of the following would most likely affect a nurse’s ability to care effectively, as per Forrest?

- A) Following policies rigidly
- B) Physical environment and workload
- C) Patient education only
- D) Memorizing nursing theories

☒ Answer: B) Physical environment and workload

Rationale:

Physical surroundings, stress, and patient challenges influence caring abilities.

Q18.

The structure that defines a discipline's scope, according to nursing theory, is the:

- A) Curriculum
- B) Metaparadigm
- C) Code of ethics
- D) Research report

☒ Answer: B) Metaparadigm

Rationale:

A metaparadigm outlines core concepts (Person, Nursing, Health, Environment).

Q19.

Nursing is seen as separate from medicine because:

- A) Nurses only assist doctors
- B) Nursing has its own body of knowledge and goals
- C) Nurses have fewer responsibilities
- D) Nursing is purely emotional work

☒ Answer: B) Nursing has its own body of knowledge and goals

Rationale:

Nursing is recognized as an independent profession with its science.

Q20.

Which best reflects why theories are vital in nursing?

- A) They guarantee doctor's approval

- B) They offer structure in chaos and support critical thinking
- C) They eliminate patient complaints
- D) They reduce hospital paperwork

✅ Answer: B) They offer structure in chaos and support critical thinking

Rationale:

Theories help nurses think systematically and improve patient care even in complex situations.

Perfect! 🔥

I'll make Set 2 (Q21–Q40) even more advanced and tricky, involving deeper clinical scenarios with answers and detailed rationales — just how you want it!

🧠 Set 2: Psychosocial Aspects of Nurse-Patient Interaction (Q21–Q40)

Q21.

A nurse enters a patient's room and notices that despite normal vital signs, the patient is unusually withdrawn and avoids eye contact. Based on psychosocial principles, what is the most appropriate first action?

- A) Encourage the patient to interact by asking about family
- B) Document withdrawal as a psychiatric symptom
- C) Sit quietly with the patient and allow silence
- D) Immediately refer for psychiatric evaluation

✅ Answer: C) Sit quietly with the patient and allow silence

Rationale:

Presence and allowing silence build trust, promoting openness without pressure.

Q22.

A 65-year-old diabetic patient repeatedly refuses insulin despite education. What psychosocial factor should the nurse prioritize assessing first?

- A) Cognitive understanding of illness
- B) Level of depression
- C) Support system at home
- D) Financial ability to buy insulin

 Answer: A) Cognitive understanding of illness

Rationale:

Understanding how the patient perceives their illness influences their acceptance of treatment.

Q23.

A nurse practicing good communication understands that empathy during interactions is demonstrated best by:

- A) Saying “I know how you feel.”
- B) Reflecting patient emotions accurately without judgment
- C) Reassuring the patient everything will be fine
- D) Offering immediate advice to fix the problem

 Answer: B) Reflecting patient emotions accurately without judgment

Rationale:

Empathy involves active listening and non-judgmental reflection, not assumptions.

Q24.

During assessment, which patient’s statement should alert the nurse to a psychosocial problem requiring further exploration?

- A) “I feel tired after chemo.”
- B) “I don’t think living anymore makes sense.”

- C) "I need my medications after meals."
- D) "I missed my physiotherapy session yesterday."

☒ Answer: B) "I don't think living anymore makes sense."

Rationale:

Suicidal ideation is a critical psychosocial issue that demands immediate intervention.

Q25.

Which aspect of the environment would most enhance psychosocial care during patient interactions?

- A) Brighter overhead lights
- B) Frequent staff interruptions
- C) Visual and auditory privacy
- D) Keeping doors open during discussions

☒ Answer: C) Visual and auditory privacy

Rationale:

Privacy promotes trust and openness in psychosocial communication.

Q26.

Which behavior best illustrates good rapport building during initial nurse-patient interaction?

- A) Avoiding direct eye contact to prevent intimidation
- B) Offering rushed reassurance during assessment
- C) Introducing oneself clearly and expressing interest in patient concerns
- D) Only focusing on medical interventions

☒ Answer: C) Introducing oneself clearly and expressing interest in patient concerns

Rationale:

Establishing identity and genuine interest lays foundation for trust.

Q27.

A nurse is monitoring a patient receiving bad news about terminal illness. What non-verbal behavior would best communicate empathy?

- A) Folding arms while listening
- B) Sitting at eye level, maintaining open posture
- C) Standing by the door ready to leave
- D) Looking away to avoid eye contact

☒ Answer: B) Sitting at eye level, maintaining open posture

Rationale:

Non-verbal cues like posture show empathy and presence.

Q28.

In Rational Emotive Behavior Therapy (REBT), when a patient catastrophizes (“My life is ruined because of this amputation!”), the nurse should focus on:

- A) Validating the belief
- B) Disputing the irrational belief
- C) Avoiding confrontation
- D) Encouraging acceptance of the belief

☒ Answer: B) Disputing the irrational belief

Rationale:

REBT aims to challenge and reframe irrational thoughts.

Q29.

A culturally sensitive nurse assessing a Muslim female patient would best show cultural respect by:

- A) Asking for permission before physical touch
- B) Removing the patient's veil for convenience
- C) Assigning a male nurse automatically
- D) Ignoring cultural issues during care

☒ Answer: A) Asking for permission before physical touch

Rationale:

Respecting modesty and seeking consent is key in culturally sensitive care.

Q30.

During psychosocial care, which factor is most critical for recognizing early signs of patient anxiety?

- A) Blood pressure changes
- B) Rapid speech, fidgeting, and restlessness
- C) Patient requesting discharge papers
- D) Persistent complaint about meals

☒ Answer: B) Rapid speech, fidgeting, and restlessness

Rationale:

Behavioral signs often precede verbalized anxiety.

Q31.

A nurse finds a patient very resistant to psychosocial assessment. What is the most appropriate nursing response?

- A) Postpone the conversation until later
- B) Inform the patient it's mandatory
- C) Use forceful persuasion

D) Respect patient's refusal and revisit after rapport is stronger

✅ Answer: D) Respect patient's refusal and revisit after rapport is stronger

Rationale:

Respect for autonomy while slowly building trust is critical.

Q32.

An elderly patient expresses hopelessness after a hip fracture. According to psychosocial principles, what intervention most directly promotes hope?

- A) Telling the patient not to worry
- B) Sharing statistics of other hip fracture recoveries
- C) Setting small, achievable rehabilitation goals
- D) Emphasizing dependence on caregivers

✅ Answer: C) Setting small, achievable rehabilitation goals

Rationale:

Hope is fostered through realistic and progressive successes.

Q33.

Which theory best supports tailoring care to a patient's cultural needs?

- A) Carl Rogers' Person-Centered Theory
- B) Leininger's Transcultural Nursing Theory
- C) Kinsella's Cognitive Behaviour Therapy
- D) Ellis' Rational Emotive Behavior Therapy

✅ Answer: B) Leininger's Transcultural Nursing Theory

Rationale:

Leininger emphasizes integrating cultural understanding into nursing.

Q34.

A nurse identifies a patient using “safety behaviors” (e.g., carrying a lucky charm for survival) after a cancer diagnosis. This behavior most aligns with which cognitive concept?

- A) Core belief
- B) Schema activation
- C) Negative automatic thought
- D) Maladaptive avoidance

☒ Answer: D) Maladaptive avoidance

Rationale:

Safety behaviors are part of maladaptive strategies maintaining anxiety.

Q35.

Which action is most aligned with providing person-centered care?

- A) Deferring all decisions to the physician
- B) Prioritizing what matters most to the patient
- C) Strictly following nursing routines
- D) Focusing on disease, not the patient’s values

☒ Answer: B) Prioritizing what matters most to the patient

Rationale:

Person-centered care focuses on individual patient goals and values.

Q36.

A patient diagnosed with terminal illness asks if they will die soon. According to best psychosocial practices, how should the nurse respond?

- A) Change the subject to something cheerful

- B) Offer honest, compassionate information and support
- C) Reassure the patient that miracles happen
- D) Suggest speaking only to family about death

☒ Answer: B) Offer honest, compassionate information and support

Rationale:

Honesty with empathy builds trust and aids emotional processing.

Q37.

A patient has developed depression after extensive burns. The nurse knows that depression in illness is classified under which domain of psychosocial care?

- A) Cognitive
- B) Affective
- C) Spiritual
- D) Role functioning

☒ Answer: B) Affective

Rationale:

Depression affects the emotional/affective domain.

Q38.

Which barrier most frequently disrupts nurse-patient psychosocial interactions in hospitals?

- A) Lengthy admission paperwork
- B) Shift system rotation
- C) Use of electronic health records
- D) Having too many social support groups

☒ Answer: B) Shift system rotation

Rationale:

Frequent nurse changes disrupt rapport and trust-building.

Q39.

While working with a culturally diverse population, which strategy should the nurse implement first?

- A) Assume patients understand Western medical concepts
- B) Perform a cultural assessment
- C) Refer all patients to social workers
- D) Teach patients to ignore traditional beliefs

☒ Answer: B) Perform a cultural assessment

Rationale:

Understanding individual cultural backgrounds guides effective care.

Q40.

According to Cognitive Behavioral Therapy principles, the most effective first step in addressing a patient's distorted thinking is:

- A) Punishing wrong beliefs
- B) Encouraging emotional avoidance
- C) Identifying negative automatic thoughts
- D) Forcing new behavior changes immediately

☒ Answer: C) Identifying negative automatic thoughts

Rationale:

Recognizing automatic negative thoughts helps in restructuring cognition.

Great! 🍊

I'm moving on to Set 3 (Q41–Q60): Major Nursing Theorists (Orem, Henderson, Nightingale) — keeping it clinical, advanced, and a bit tricky, with answers and detailed rationales.

🧠 Set 3: Major Nursing Theorists – Clinical Applications (Q41–Q60)

Q41.

A nurse teaches a postoperative patient to self-administer insulin. According to Orem's Self-Care Deficit Theory, this nursing action primarily supports which outcome?

- A) Promotion of dependency
- B) Health care system efficiency
- C) Patient independence in self-care
- D) Nurse-led recovery

✅ Answer: C) Patient independence in self-care

Rationale:

Orem emphasized enabling patients to regain the ability to care for themselves.

Q42.

A patient recovering from a stroke is unable to feed themselves. The nurse assists by feeding the patient directly. According to Virginia Henderson, this is an example of:

- A) Supplementary care
- B) Substitutive care
- C) Complementary care
- D) Observational care

✅ Answer: B) Substitutive care

Rationale:

Substitutive care involves the nurse doing for the patient what they cannot do for themselves.

Q43.

In applying Florence Nightingale's theory, a nurse admits a patient with pneumonia. What environmental intervention should take highest priority?

- A) Administering medications on time
- B) Ensuring adequate ventilation and fresh air
- C) Performing diagnostic tests early
- D) Scheduling patient's family visits frequently

☒ Answer: B) Ensuring adequate ventilation and fresh air

Rationale:

Nightingale believed clean air was critical for healing.

Q44.

Orem believed that nursing care becomes necessary when:

- A) The patient's family requests help
- B) Physicians prescribe specific interventions
- C) Individuals cannot meet their biological, psychological, or social needs
- D) Financial resources are exhausted

☒ Answer: C) Individuals cannot meet their biological, psychological, or social needs

Rationale:

Orem's theory identifies nursing's role when self-care deficits exist.

Q45.

Which patient scenario best demonstrates Orem's concept of total compensatory care?

- A) Assisting a patient who needs minimal support walking
- B) Teaching a diabetic patient to adjust insulin doses
- C) Completely caring for an unconscious ICU patient
- D) Supervising a patient's medication self-administration

☒ Answer: C) Completely caring for an unconscious ICU patient

Rationale:

Total compensatory care applies when patients are unable to meet any self-care needs.

Q46.

According to Henderson's definition, nursing prioritizes:

- A) Healing through family interventions
- B) Assisting patients to achieve independence as soon as possible
- C) Managing hospital resource allocations
- D) Reducing staff workload

☒ Answer: B) Assisting patients to achieve independence as soon as possible

Rationale:

Henderson's goal was rapid restoration of self-sufficiency.

Q47.

A nurse ensures low noise levels, clean surroundings, and access to sunlight for a patient recovering from surgery. This care reflects the philosophy of which theorist?

- A) Virginia Henderson
- B) Dorothea Orem
- C) Florence Nightingale
- D) Madeleine Leininger

✓ Answer: C) Florence Nightingale

Rationale:

Nightingale emphasized environmental factors promoting recovery.

Q48.

A nurse working with a patient recently diagnosed with a chronic illness uses the 14 components of basic nursing care as a checklist. This nursing practice stems from which theorist?

- A) Florence Nightingale
- B) Virginia Henderson
- C) Dorothea Orem
- D) Jean Watson

✓ Answer: B) Virginia Henderson

Rationale:

Henderson's theory outlines 14 fundamental needs.

Q49.

While using Orem's framework, a nurse notes that the patient needs assistance only with bathing. Which type of nursing system is best applicable?

- A) Wholly compensatory system
- B) Partly compensatory system
- C) Supportive-educative system
- D) Maintenance system

✓ Answer: B) Partly compensatory system

Rationale:

Partly compensatory involves the nurse assisting with some activities.

Q50.

Which example illustrates the goal of Florence Nightingale's environmental theory?

- A) A patient recovering with no infections after surgery due to good hygiene
- B) Using antibiotics to kill infection
- C) Focusing only on patient nutrition
- D) Delegating infection control to cleaning staff only

☒ Answer: A) A patient recovering with no infections after surgery due to good hygiene

Rationale:

Nightingale's approach centered on prevention through environmental management.

Q51.

Which nursing action reflects Orem's belief that knowledge of potential health problems promotes self-care?

- A) Avoiding discussion of diagnosis
- B) Teaching the patient how hypertension can lead to stroke
- C) Recommending only physician-led education
- D) Limiting patient questions about disease

☒ Answer: B) Teaching the patient how hypertension can lead to stroke

Rationale:

Knowledge empowers patients to engage in preventive self-care.

Q52.

According to Henderson, if a patient cannot breathe adequately, the nurse's role initially becomes:

- A) Teaching breathing exercises

- B) Assisting ventilation or oxygen therapy
- C) Promoting relaxation techniques only
- D) Prioritizing patient discharge plans

☒ Answer: B) Assisting ventilation or oxygen therapy

Rationale:

Meeting basic physiological needs like breathing is primary.

Q53.

Florence Nightingale introduced formal nursing education programs primarily to:

- A) Train nurses to serve under physicians
- B) Standardize nursing care through professional knowledge
- C) Reduce the number of women in other professions
- D) Establish military discipline among nurses

☒ Answer: B) Standardize nursing care through professional knowledge

Rationale:

Nightingale emphasized scientifically based nursing education.

Q54.

According to Orem's theory, what underlying assumption about human beings drives self-care behaviors?

- A) Humans act out of instinct alone
- B) Humans are inherently dependent on others
- C) Humans are self-reliant and responsible for their own care
- D) Humans only act when forced by illness

☒ Answer: C) Humans are self-reliant and responsible for their own care

Rationale:

Self-reliance and responsibility are core assumptions in Orem's theory.

Q55.

In Henderson's theory, the nurse acts complementarily when:

- A) Educating a patient to self-administer inhalers
- B) Delegating tasks to nursing assistants
- C) Reprimanding noncompliant patients
- D) Documenting physician instructions

☒ Answer: A) Educating a patient to self-administer inhalers

Rationale:

Complementary action involves assisting until the patient can act independently.

Q56.

When implementing Nightingale's environmental approach, which intervention is least appropriate?

- A) Ensuring ventilation
- B) Keeping patient linens clean
- C) Increasing ambient noise for stimulation
- D) Providing nutritious meals

☒ Answer: C) Increasing ambient noise for stimulation

Rationale:

Noise was seen by Nightingale as a negative environmental factor.

Q57.

Orem's nursing process aligns closely with:

- A) Medical diagnosis and treatment
- B) Nursing diagnosis, planning, intervention, and evaluation
- C) Administrative management
- D) Billing and insurance processing

☒ Answer: B) Nursing diagnosis, planning, intervention, and evaluation

Rationale:

Orem's model fits seamlessly with the standard nursing process.

Q58.

Virginia Henderson advocated for nurses to:

- A) Only provide physical care
- B) Focus on dependent roles
- C) Substitute, supplement, or complement the patient's efforts for independence
- D) Primarily supervise lower-level workers

☒ Answer: C) Substitute, supplement, or complement the patient's efforts for independence

Rationale:

Henderson described nursing actions across these three supportive roles.

Q59.

Florence Nightingale stressed the importance of record-keeping in hospitals primarily to:

- A) Document nurse productivity
- B) Monitor the effectiveness of care practices
- C) Satisfy legal requirements
- D) Increase administrative workload

✅ Answer: B) Monitor the effectiveness of care practices

Rationale:

She used statistics to measure outcomes and improve care.

Q60.

A nurse observes a bedridden patient's surroundings and notices poor lighting, high humidity, and unclean linens. Based on Nightingale's principles, the nurse's priority action is to:

- A) Request physician orders for antibiotics
- B) Improve the patient's environmental conditions
- C) Schedule psychiatric consultation
- D) Refer to social welfare services

✅ Answer: B) Improve the patient's environmental conditions

Rationale:

Improving environmental factors is Nightingale's direct intervention for healing.

Awesome! 🙌

I'm moving right into Set 4 (Q61–Q80) — focused on advanced clinical applications of Psychosocial Theories:

CBT (Cognitive Behavioral Therapy by Kinsella)

REBT (Rational Emotive Behavioral Therapy by Ellis)

Transcultural Nursing (Leininger)

As always, answers and detailed rationales will follow each question.

 Set 4: Application of Psychosocial Theories (Q61–Q80)

Q61.

A patient recently diagnosed with a chronic illness begins saying, “I’m useless now.” According to Cognitive Behavioral Therapy (CBT), what should the nurse prioritize addressing first?

- A) Negative automatic thoughts (NATs)
- B) Medication compliance
- C) Physical symptoms
- D) Nutritional counseling

 Answer: A) Negative automatic thoughts (NATs)

Rationale:

In CBT, dysfunctional automatic thoughts are identified first because they drive emotional distress.

Q62.

A patient believes, “If I make one mistake, I am a total failure.” Which concept from CBT does this belief represent?

- A) Core belief
- B) NAT
- C) Schema activation
- D) Safety behavior

 Answer: A) Core belief

Rationale:

Core beliefs are deep-rooted, often absolute, underlying perceptions about self or the world.

Q63.

During therapy, a patient keeps visualizing images of being mocked. In CBT, this phenomenon is best classified as:

- A) Schema distortion
- B) Verbal NAT
- C) Imagery-based NAT
- D) Cognitive restructuring

☒ Answer: C) Imagery-based NAT

Rationale:

Negative automatic thoughts can be verbal or image-based; visualization represents imagery NATs.

Q64.

Which behavior demonstrates a safety-seeking action that perpetuates anxiety, according to CBT?

- A) Seeking immediate family support
- B) Avoiding eye contact during social situations
- C) Practicing mindfulness daily
- D) Joining a support group

☒ Answer: B) Avoiding eye contact during social situations

Rationale:

Avoidance reinforces fear and anxiety patterns.

Q65.

Using REBT, a nurse helps a patient who believes, “Because my business failed, I’m worthless.” What is the correct sequence of intervention?

- A) Discuss A (Activating event), B (Belief), and then C (Consequence)
- B) Focus only on consequences
- C) Dispute the activating event
- D) Encourage emotional suppression

 Answer: A) Discuss A (Activating event), B (Belief), and then C (Consequence)

Rationale:

REBT analyzes the event, belief, and emotional consequence to guide reframing.

Q66.

Which best describes the goal of REBT for patients facing irrational beliefs?

- A) Eliminate all emotions
- B) Replace irrational beliefs with rational alternatives
- C) Ignore emotional disturbances
- D) Enhance avoidance behavior

 Answer: B) Replace irrational beliefs with rational alternatives

Rationale:

REBT seeks to help patients hold healthier, rational beliefs.

Q67.

A nurse assists a patient in identifying evidence that contradicts their irrational fear of “everyone hating them.” This technique is an example of:

- A) Cognitive restructuring
- B) Safety behavior reinforcement
- C) Negative schema activation

D) Catastrophic thinking

☒ Answer: A) Cognitive restructuring

Rationale:

Cognitive restructuring challenges and modifies distorted thinking.

Q68.

In Transcultural Nursing, ethnohistory refers to:

- A) A patient's medical history only
- B) Personal anecdotes irrelevant to care
- C) Historical events that shaped the patient's culture
- D) Myths and fables from cultural traditions

☒ Answer: C) Historical events that shaped the patient's culture

Rationale:

Ethnohistory reflects past influences on cultural behaviors and health practices.

Q69.

A nurse plans care respecting both the patient's need for prayer before meals and the hospital's meal schedule. Which cultural care pattern is applied?

- A) Cultural preservation
- B) Cultural negotiation
- C) Cultural restructuring
- D) Cultural extinction

☒ Answer: B) Cultural negotiation

Rationale:

Negotiation involves adapting care plans while respecting patient practices.

Q70.

Which action exemplifies culture care preservation according to Leininger?

- A) Encouraging a Native American patient to use traditional healing rituals alongside Western treatments
- B) Convincing a Muslim patient to skip prayer for medical tests
- C) Telling a Hindu patient to avoid fasting during hospital stay
- D) Mandating all patients follow the same health routines

☒ Answer: A) Encouraging a Native American patient to use traditional healing rituals alongside Western treatments

Rationale:

Preservation maintains culturally meaningful practices when possible.

Q71.

Which challenge is most common when providing culturally sensitive care?

- A) Language barriers
- B) High patient compliance
- C) Redundant documentation
- D) Excessive staffing

☒ Answer: A) Language barriers

Rationale:

Communication difficulties often obstruct culturally sensitive care.

Q72.

Which initial step should a nurse take when implementing the Giger & Davidhizar Transcultural Assessment Model?

- A) Plan discharge education

- B) Perform cultural assessment on communication, space, social organization, time, environmental control, and biological variations
- C) Schedule dietary consultations immediately
- D) Focus only on language needs

☒ Answer: B) Perform cultural assessment on communication, space, social organization, time, environmental control, and biological variations

Rationale:

Comprehensive assessment covers six cultural dimensions.

Q73.

A Muslim woman refuses male staff during physical examinations. According to Leininger's theory, the best nursing action is:

- A) Insist that male nurses perform the examination
- B) Document refusal without intervention
- C) Arrange for a female nurse to care for her
- D) Ignore cultural preference due to staff shortage

☒ Answer: C) Arrange for a female nurse to care for her

Rationale:

Respecting modesty is critical in culturally competent care.

Q74.

In CBT, when a patient adopts an overly rigid rule such as "I must never make mistakes," it most likely results from:

- A) Core beliefs
- B) NATs
- C) Behavioral reinforcement
- D) Schema avoidance

✅ Answer: A) Core beliefs

Rationale:

Unrealistic rules stem from deeply held core beliefs.

Q75.

In REBT, disputing irrational beliefs typically involves encouraging patients to:

- A) Suppress emotions permanently
- B) Avoid discussing problems
- C) Actively challenge and reframe thoughts
- D) Accept hopelessness

✅ Answer: C) Actively challenge and reframe thoughts

Rationale:

Disputation changes unhealthy thought patterns.

Q76.

A nurse encouraging a patient to develop hope during rehabilitation is focusing primarily on which psychosocial domain?

- A) Cognitive
- B) Social
- C) Affective
- D) Spiritual

✅ Answer: D) Spiritual

Rationale:

Hope, meaning, and purpose are linked to the spiritual dimension.

Q77.

Which example demonstrates cultural restructuring as per Leininger's theory?

- A) Advising a diabetic patient to modify their cultural diet to manage blood glucose
- B) Telling the patient to ignore their traditions entirely
- C) Forcing a new culture upon the patient
- D) Halting all herbal remedy use immediately

☒ Answer: A) Advising a diabetic patient to modify their cultural diet to manage blood glucose

Rationale:

Cultural restructuring adapts cultural behaviors for health without rejecting them completely.

Q78.

According to CBT, schemas become maladaptive primarily through:

- A) Logical reasoning
- B) Childhood development of distorted beliefs
- C) Medication side effects
- D) Repeated physician counseling

☒ Answer: B) Childhood development of distorted beliefs

Rationale:

Schemas often arise early in life through negative experiences.

Q79.

In REBT, an example of disputing an irrational belief would be:

- A) "Since I made a mistake, I am a failure."
- B) "Making mistakes is part of being human and does not define my worth."

C) “If I avoid situations, I’ll never fail.”

D) “No one should ever criticize me.”

✅ Answer: B) “Making mistakes is part of being human and does not define my worth.”

Rationale:

Healthy rational beliefs replace irrational thinking.

Q80.

The ultimate goal of Transcultural Nursing is to:

A) Ensure all patients assimilate into hospital routines

B) Provide culturally congruent and respectful care

C) Promote uniform global healthcare models

D) Eliminate cultural expressions in clinical settings

✅ Answer: B) Provide culturally congruent and respectful care

Rationale:

Leininger aimed for care fitting the patient’s cultural needs.

Awesome! 🚀

Now into the grand finale —

Set 5 (Q81–Q100): Integration Case Studies — Complex Clinical Scenarios

This set combines Nursing Theories + Psychosocial Concepts together — with tricky, critical thinking NCLEX-style clinical cases.

(As usual: Answer + Rationale after every question.)

🧠 Set 5: Complex Case Scenarios (Q81–Q100)

Q81.

A 65-year-old man recovering from pneumonia refuses physiotherapy, saying, “I’m too old; it won’t help.”

Applying Orem’s Self-Care Deficit Theory and CBT, the nurse’s best first action is:

- A) Ignore the statement and proceed with therapy
- B) Challenge the negative automatic thought about aging
- C) Ask the physician to discharge the patient
- D) Enforce physiotherapy through family pressure

☒ Answer: B) Challenge the negative automatic thought about aging

Rationale:

CBT addresses negative beliefs that impair self-care and recovery.

Q82.

A terminal cancer patient from a strict cultural background insists on using traditional herbs alongside chemotherapy. Based on Leininger’s Transcultural Nursing Theory, the nurse should:

- A) Strictly forbid the use of herbs
- B) Integrate cultural practices safely into the care plan
- C) Insist that only Western medicine be used
- D) Report the patient for noncompliance

☒ Answer: B) Integrate cultural practices safely into the care plan

Rationale:

Leininger encourages culture-preserving care wherever possible.

Q83.

An elderly stroke patient expresses frustration and hopelessness about being unable to perform activities of daily living (ADLs). According to Henderson's Need Theory, what is the nurse's main goal?

- A) Meet ADL needs temporarily
- B) Promote independence in self-care
- C) Prolong hospital stay for rehabilitation
- D) Assume permanent responsibility for all ADLs

☒ Answer: B) Promote independence in self-care

Rationale:

Henderson focuses on restoring independence.

Q84.

While caring for a grieving widow from a different culture, a nurse notices the woman prefers prayer and silence over discussion. Based on Transcultural principles, the nurse should:

- A) Push her to verbalize her emotions
- B) Respect her preferred grieving methods
- C) Document noncompliance in emotional care
- D) Enforce Western grieving models

☒ Answer: B) Respect her preferred grieving methods

Rationale:

Culturally congruent care respects patient traditions.

Q85.

A nurse encourages a patient with generalized anxiety disorder to gradually confront avoided situations. This intervention best demonstrates which psychological concept?

- A) Exposure therapy under CBT

- B) Cultural restructuring
- C) Self-care support in Orem's theory
- D) Unconditional positive regard under Rogers

☒ Answer: A) Exposure therapy under CBT

Rationale:

Facing avoided fears gradually reduces anxiety.

Q86.

A newly amputated patient expresses, "I can never be happy again." According to REBT principles, the nurse's therapeutic goal is to:

- A) Validate the hopeless belief
- B) Dispute the irrational belief and offer alternative views
- C) Ignore the statement
- D) Allow the patient to accept their sadness forever

☒ Answer: B) Dispute the irrational belief and offer alternative views

Rationale:

REBT targets changing irrational, distressing beliefs.

Q87.

In Nightingale's Environmental Model, a key environmental intervention when caring for a neutropenic patient would be:

- A) Isolating the patient and maintaining strict hygiene
- B) Increasing visitor access for emotional support
- C) Keeping windows closed at all times
- D) Promoting maximum patient exposure to staff

☒ Answer: A) Isolating the patient and maintaining strict hygiene

Rationale:

Controlling environment prevents infections.

Q88.

A patient with depression constantly thinks, "I'm worthless." Based on CBT, this belief results from:

- A) Safety behavior
- B) Core belief distortion
- C) Proper cognitive appraisal
- D) Schema consolidation

☒ Answer: B) Core belief distortion

Rationale:

Deep-rooted core beliefs shape negative thinking.

Q89.

A nurse working under Orem's theory teaches a diabetic patient to self-monitor blood glucose daily. Which part of Orem's framework is this?

- A) Supportive-educative system
- B) Wholly compensatory system
- C) Substitutive care system
- D) External regulation system

☒ Answer: A) Supportive-educative system

Rationale:

Teaching patients to perform their own care is supportive-educative.

Q90.

In REBT, which approach best helps a patient catastrophizing about chemotherapy side effects?

- A) "You will definitely get worse."
- B) "Even if side effects occur, you can manage them and still live meaningfully."
- C) "Ignore the side effects completely."
- D) "There's nothing to worry about at all."

☒ Answer: B) "Even if side effects occur, you can manage them and still live meaningfully."

Rationale:

Promotes rational acceptance and coping.

Q91.

A nurse providing psychosocial care notes the patient expresses fear through hostility. The nurse's best response is to:

- A) Ignore the behavior
- B) Reflect and validate the underlying fear
- C) Challenge the patient harshly
- D) Set immediate disciplinary action

☒ Answer: B) Reflect and validate the underlying fear

Rationale:

Understanding emotions behind behaviors improves therapeutic communication.

Q92.

In Transcultural care, adjusting hospital meal plans to include culturally acceptable foods exemplifies:

- A) Cultural extinction

- B) Cultural preservation
- C) Cultural rejection
- D) Forced assimilation

☒ Answer: B) Cultural preservation

Rationale:

Preserving dietary customs supports holistic healing.

Q93.

When a nurse uses open-ended questions and allows patients to share their own story without interruption, it promotes:

- A) Rapport and trust
- B) Nurse authority
- C) Quick discharge
- D) Clinical detachment

☒ Answer: A) Rapport and trust

Rationale:

Patient-centered communication fosters openness.

Q94.

A patient who experiences mild anxiety before injections imagines fainting and dying every time. CBT intervention would focus on:

- A) Identifying and restructuring the catastrophic thoughts
- B) Giving extra sedation immediately
- C) Ignoring the patient's anxiety
- D) Providing no explanation about injections

☒ Answer: A) Identifying and restructuring the catastrophic thoughts

Rationale:

Cognitive restructuring tackles exaggerated fears.

Q95.

A nurse applying Henderson's theory to a recovering stroke patient sets the goal of:

- A) Providing complete care indefinitely
- B) Maximizing patient's independence
- C) Minimizing patient's family involvement
- D) Delegating all care to technicians

☒ Answer: B) Maximizing patient's independence

Rationale:

Henderson emphasized restoring patient autonomy.

Q96.

A patient with heart disease comes from a culture that attributes illness to spiritual causes. The best nursing response is to:

- A) Dismiss their belief immediately
- B) Explore ways to incorporate spiritual beliefs into the care plan
- C) Mandate biomedical explanations
- D) Ignore spiritual discussions

☒ Answer: B) Explore ways to incorporate spiritual beliefs into the care plan

Rationale:

Respect for beliefs promotes trust and compliance.

Q97.

In CBT, gradual exposure combined with coping skills training is used to treat:

- A) Depression
- B) Phobias
- C) Somatization
- D) Bipolar disorder

☒ Answer: B) Phobias

Rationale:

Graded exposure is essential for overcoming phobias.

Q98.

When developing culturally competent care plans, the nurse should first:

- A) Apply personal values to guide decisions
- B) Assess the patient's cultural background, beliefs, and preferences
- C) Enforce standard hospital procedures
- D) Focus solely on physiological needs

☒ Answer: B) Assess the patient's cultural background, beliefs, and preferences

Rationale:

Cultural assessment precedes effective individualized care.

Q99.

When applying Nightingale's philosophy during a pandemic outbreak, which intervention takes highest priority?

- A) Encouraging outdoor recreation
- B) Maximizing ventilation and hygiene
- C) Reducing lighting to save power
- D) Focusing only on pharmacological treatment

✅ Answer: B) Maximizing ventilation and hygiene

Rationale:

Environmental control prevents disease spread.

Q100.

A patient with social anxiety uses the excuse “I’m too tired” to avoid therapy sessions. This behavior best fits which CBT concept?

- A) Schema development
- B) Safety behavior
- C) Cognitive distortion
- D) Rational thought pattern

✅ Answer: B) Safety behavior

Rationale:

Avoidance maintains anxiety by preventing disconfirmation of fear.