

COURSE TITLE: PATHOLOGY Level: 2nd Course: Pathology

COURSE CODE:CREDIT HR: 3 TIME: 2 HOURS DATE: MAY. 2019

INSTRUCTIONS: Write your index number in the space provided above and answer ALL questions in SECTION A on the question paper by writing the correct alphabet that corresponds with the correct answer in the answer spaces provided on the question paper. Answer ALL questions in SECTION B in the answer booklet provided you.

5. The type of programmed cell death that is a part of normal development is called _____.

- A. mitosis
- ☒ B. apoptosis
- C. cytokinesis
- D. angiogenesis

Ans:

6. What is the function of apoptosis?

- A. to weed out cells that grow uncontrollably
- B. to allow the immune system to distinguish self from non-self.
- C. to shape organs during development
- ☒ D. All of these are correct

Ans:

7. The term for a mass of cells growing out of control is a _____.

- A. benign tumor
- B. malignant tumor
- C. cancer
- ☒ D. All of the above are correct.

Ans:

8. The characteristics of cancer cells include

- A. ability to produce signals to stimulate angiogenesis.
- B. uncontrollable growth.
- C. dedifferentiation.
- ☒ D. All of the above are correct.

Ans:

9. During change of wound dressing, the nurse observed a wound discharge of unpleasant odour, with a thick-milky consistency. Which of the following deductions by the nurse is not appropriate?

- A. It is a purulent drainage
- ☒ B. This type of drainage is bloody
- C. The drainage is composed of white blood cells
- D. It is a Sanguineous drainage

Ans:

10. The nurse is assessing wound drainage. The nurse knows that all the following are true of wound drainage **EXCEPT**

- A. Serous drainage contains mostly the clear serous portion of blood, appears clear, slightly yellow and is thin in consistency
- ☒ B. Sanguineous drainage contains mostly the clear serous portion of the blood, appears clear, slightly yellow and is thin in consistency
- C. Sanguineous drainage contains a combination of serum and red blood cells.
- D. Sanguineous drainage has a thick, reddish appearance and is the most common type of drainage from non-complicated surgical wound

Ans:

11. A client asks the nurse what PSA is. The nurse should reply that it stands for:
- A. Protein serum antigen, which is used to determine protein levels
 - ☒ B. Prostate-specific antigen which is used to screen for prostate cancer
 - C. Pneumococcal strep antigen, which is a bacteria that causes pneumonia
 - D. Papanicolaou-specific antigen, which is used to screen for cervical cancer

Ans:

12. As a nurse teaching a group of women to perform breast-self examination, you will explain that the purpose of performing the examination is to discover:
- A. Cancerous lump
 - B. Areas of thickness or fullness
 - ☒ C. Changes from previous self-examinations
 - D. Fibrocystic masses

Ans:

13. Which of the following represent normal serum concentration of sodium?
- A. 125 – 135 mEq/L
 - ☒ B. 136 – 146 mEq/L
 - C. 3.5 – 5.3 mEq/L
 - D. 100 – 106 mEq/L

Ans:

14. The nurse is administering IV albumin to a client. The nurse knows that this type of infusion will do none of the following except?
- A. Increase intravascular oncotic pressure which leads to increase interstitial fluid volume
 - B. Increase intravascular fluid volume by increasing hydrostatic pressure of interstitial space
 - C. Increase intravascular fluid volume by increasing intravascular oncotic pressure
 - ☒ D. Increase intravascular hydrostatic pressure which leads to intravascular fluid volume increase

Ans:

15. Why doesn't the stomach digest itself? Because.....

- A. the stomach wall is not composed of protein, so it's not affected by proteolytic enzymes.
- B. the digestive enzymes of the stomach are not strong enough to digest the stomach wall.
- ☒ C. the lining of the stomach wall has a protective layer of epithelial cells.
- ☒ D. the stomach wall is protected by large amounts of mucus.

Ans:

16. Insufficiency of oxygen in the tissues is known as

- ☒ A. Hypoxia
- B. Cyanosis
- C. Dyspnea
- D. Constipation

Ans:

17. The process by which the body reacts to foreign bodies is known as ?

- A. Apoptosis
- B. Benign
- C. Chemotaxis
- ☒ D. Inflammation

Ans:

18. What are the 5 cardinal signs of Inflammation?

- A. Caliente, rubarbo, tamar, dola, functioner
- B. Caliente, rubor, tumor, dola, functioner
- ☒ C. Calor, rubor, tumor, dolor, functio laesa
- D. Calor, rubarbo, tamar, dolor, functio laesa

Ans:

19. The study of normal body processes and functions is known as

- A. Pathology
- ☒ B. Physiology
- C. Pathophysiology
- D. None of the above

Ans:

20. A 55-year-old man has a 30-year history of poorly controlled diabetes mellitus. He has had extensive black discoloration of skin and soft tissue of his right foot, with areas of yellowish exudate, for the past 2 months. Staphylococcus aureus is cultured from this exudate. A below-the-knee amputation is performed. The amputation specimen received in the surgical pathology laboratory is most likely to demonstrate which of the following pathologic abnormalities?

- ☒ A. Neoplasia
- B. Gangrenous necrosis
- C. Coagulopathy
- D. Hemosiderosis

Ans:

Rubor

Calor

21. Given that most AIDS victims die from overwhelming infections, which body system does the AIDS virus impair?
- A. reproductive
 - B. digestive
 - ☒ C. immune
 - D. cardiovascular

Ans:

22. The ability of the body to maintain a constant internal environment is known as....
- ☒ A. homeostasis
 - B. hemostasis
 - C. phagocytosis
 - D. hemolysis

Ans:

23. The rationale for blood flow into the lungs in human is mainly for
- A. oxygenation and nourishment
 - ☒ B. oxygenation and locomotion
 - C. deoxygenation and volume activity
 - D. none of the above

Ans:

24. After surgical removal of the gall bladder, a person must restrict the intake of
- A. starch
 - B. protein
 - C. sugar
 - ☒ D. fat

Ans:

25. Which of these stimulate the production of red blood cells?
- A. low density lipoproteins
 - B. immunoglobins
 - ☒ C. erythropoietin
 - D. epinephrine

Ans:

26. A transfusion of **type A blood** given to a person who has **type O blood** will result in which of the following?
- A. the recipient's B antigen reacting with the donated B anti B antibodies
 - ☒ B. the recipient's anti A antibodies clumping with the donated red blood cells
 - C. no reactions because type O is a universal donor
 - D. no reaction because O type individuals do not have antibodies

Ans:

27. The series of reactions that stop blood flowing from a cut is called?

- A. homeostasis
- B. hemostasis
- ☒ C. agglutination
- D. none of the above

Ans:

28. A patient with appendicitis usually has pain in the..... quadrant of the body.

- A. lower-left
- ☒ B. lower-right
- C. upper-left
- D. upper-right

Ans:

29. Air rushes into the lungs of humans during inhalation because

- ☒ A. the rib muscles and diaphragm contract, increasing the lung volume
- B. pressure in the alveoli increases
- C. gas flows from a region of lower pressure to a region of higher pressure
- D. pulmonary muscles contract and pull on the outer surface of the lungs

Ans:

30. The trachea and esophagus both connect from the

- A. large intestine
- B. stomach
- ☒ C. pharynx
- D. rectum

Ans:

31. Which of the following is **NOT** true concerning fraternal twins?

- A. They result from simultaneous release of two eggs
- ☒ B. They are usually siblings of the same sex
- C. They have approximately 25% of their genetic materials in common
- D. They have separate fetal membranes during their development

Ans:

32. Which of the following symptoms are **most likely** to occur as a result of a severe blow to the back of the head?

- A. paralysis
- B. hearing impairment
- ☒ C. visual disturbances
- D. personality disorders

Ans:

33. A lack of or decrease of insulin hormone receptors on cells can result in?

- A. diabetes insipidus
- B. type 1 diabetes mellitus
- ☒ C. type 2 diabetes mellitus
- D. juvenile diabetes

Ans:

34. Which combination of hormones helps a mother to produce breast milk and let the milk out of the breast to help her nurse her baby?

- A. prolactin and calcitonin
- ☒ B. oxytocin and prolactin
- C. FSH and LH
- D. LH and oxytocin

Ans:

35. Labor contractions would be increased by the use of the synthetic drug that mimics the action of

- A. inhibin
- B. lutenising hormone
- ☒ C. oxytocin
- D. prolactin

Ans:

36. Bruce has an impaired gag reflex resulting from a road traffic accident he suffered.

An impaired gag reflex puts the patient at risk for?

- A. impaired speech
- ☒ B. impaired swallowing leading to malnutrition
- C. vomiting
- D. aspirating food and water into the breathing passages or airways.

Ans:

37. A client with an excessive alcohol intake has a reduced amount of antidiuretic hormone (ADH). The nurse anticipates the client will exhibit?

- A. Hematuria
- B. An increased blood pressure
- ☒ C. Polyuria
- D. A low serum sodium level

Ans:

38. You place your hand in warm water and within 30 seconds the water feels cooler. Which of the following words best describes this event?

- A. Reflex
- B. Projection
- C. Referred pain
- ☒ D. Adaptation

Ans:

39. An over production of growth hormone (GH) in children causes a condition called

- A. hyperthyroidism
- B. acromegaly
- C. pituitary gigantisms
- ☒ D. gigantism

Ans:

40. A child who is on long-term steroid therapy for asthma is likely to present with:

- A. polyuria
- ☒ B. truncal obesity
- C. hypertension
- D. Cushing's syndrome

Ans:

41. A 15-year-old girl who develops a tumor of the zona reticularis is likely to present with:

- A. regular menstrual period
- B. prominent breasts
- C. weight loss
- ☒ D. hirsutism

Ans:

42. A 50-year-old woman who develops vascular damage to the neurohypophysis is likely to present with:

- ☒ A. inability to lactate
- B. hypernatremia
- C. hypothyroidism
- D. increased susceptibility to infection

Ans:

43. A 65-year-old woman presents with bone pain due to fracture of the neck of the (R) femur. Investigation shows the presence of a tumor of the parathyroid glands. Other possible findings in this patient include the following **EXCEPT**:

- A. polyuria
- *B. constipation
- ☒ C. tetany
- D. renal stone

Ans:

44. A female athlete took testosterone-like medications for over a year. Which of the following findings is **NOT** likely in this athlete?

- A. muscular body
- ☒ B. regular menstrual cycles
- C. regression of her breasts
- D. masculine voice

Ans:

45. A woman experienced burns over 80% of her body. You suspect she has..... shock

- ☒ A. hypovolemic
- B. cardiogenic
- C. obstructive
- D. distributive

Ans:

46. Inadequate tissue perfusion deprives cells of essential oxygen, forcing cell to rely on....

- A. anabolic metabolism
- B. catabolic metabolism
- C. aerobic metabolic
- D. anaerobic metabolism

Ans:

47. A person has a severe allergic reaction that results in bronchoconstriction and increased capillary permeability. This type of shock is

- ☒ A. anaphylactic
- B. cardiogenic
- C. hypovolemic
- D. septic

Ans:

48. A priority in the management of shock is to.....

- A. correct acid-base balance
- B. manage cardiac dysrhythmias
- C. administer antishock drug
- ☒ D. improve blood flow and oxygen supply to vital organs

Ans:

49. Which of the following is likely to occur in a patient who is administered cortisol in the management of a chronic disease?

- A. increased muscle mass
- B. increased ACTH secretion
- ☒ C. fasting hyperglycaemia
- D. increased insulin secretion

Ans:

50. If a person drinks alcohol, he will be expected to excrete.....

- A. large volume of dilute urine
- B. small volume of dilute urine
- ☒ C. large volume of concentrated urine
- D. Small volume of concentrated urine

Ans:

51. Hypotonic solutions are so named because

- A. Their solute content is higher than the solution they are being compared to.
- ☒ B. Their solute concentration is lower with a higher concentration of water
- C. The concentration of solutes in the solution is equal to the concentration of solutes inside the cell
- D. None of the above

Ans:

52. Which of the following about simple diffusion is true

- ☒ A. There is the net movement of particles from an area of high concentration to an area of low concentration.
- B. There is the movement of particles from an area of high concentration to an area of low concentration
- C. It is a transport system that requires energy
- D. All the above

Ans:

53. Active transport

- A. Moves substances against their concentration gradient
- ☒ B. Requires energy
- C. Is a passive process
- D. Both A and B

Ans:

54. Which of the following is **NOT** an example of a homeostatic mechanism?

- A. Shivering when the body temperature falls below normal levels
- ☒ B. Using blankets to cover up when the body feels cold
- C. Secreting insulin to decrease blood sugar concentration after a meal or whenever the blood sugar level is high
- D. Increasing heart rate and contraction force when blood pressure is low

Ans:

55. Failure of negative-feedback mechanisms to maintain homeostasis

- ☒ A. may produce disease.
- B. occurs when blood pressure increases during exercise.
- C. can be corrected by stimulating positive-feedback mechanisms.
- D. cannot be corrected by medical therapy.

Ans:

56. Why will a person feel cold when he enters a cold room? because;

- A. The room is very cold
- B. The person is not active
- C. The temperature of the room is lower than the body temperature of the person
- ☒ D. The person is losing heat to the environment

Ans:

57. The cause of pulmonary edema formation in a patient with congestive heart failure is:

- A. decreased blood pressure
- B. increased capillary pressure
- ☒ C. decreased plasma oncotic pressure
- D. decreased cardiac output

Ans:

58. When a patient reports at the hospital, the very first thing that is checked is the vital sign. In checking the vital signs of a patient, **WHAT EXACTLY** is the clinician assessing?

- A. Temperature
- B. Blood pressure
- ☒ C. Sickness
- D. Homeostasis

Ans:

59. A patient electrocardiogram (ECG) tracing reveals an elevation of the ST-segment. This is suggestive of a
- A. Hypertension
 - ☒ B. Myocardial infarction
 - C. Pacemaker failure
 - D. None of the above

Ans:

60. Anaphylactic reaction following intake of a certain drug by a patient is indicative of
- ☒ A. Hypersensitivity
 - B. Immunosuppression
 - C. Aging
 - D. Atopy

Ans:

Good Luck