

The following drugs are all Proton Pump Inhibitors with the exception of?

- ☐ a. Clarithromycin
- ☐ b. Omeprazole
- ☐ c. Rabeprazole
- ☐ d. Pantoprazole

Question 2

Not yet answered

🚩 [Flag question](#)

Akosua has been prescribed Metoprolol at a hospital to manage her high blood pressure, what condition will prevent Akosua from using the Metoprolol?

- ☐ a. If Akosua is over-weight
- ☐ b. If Akosua suffers from respiratory ailments like asthma
- ☐ c. If Akosua is a university student



GERD is caused by:

Time left 0:24:36

Hide

- ☐ a. Gallbladder stones
- ☐ b. Incomplete closure of the lower oesophageal sphincter
- ☐ c. Overproduction of bile
- ☐ d. Pancreatic insufficiency

Question 4

Not yet answered

 [Flag question](#)

Proton Pump Inhibitors (PPIs) act by:

- ☐ a. Blocking histamine receptors
- ☐ b. Reducing bile flow
- ☐ c. Irreversibly inhibiting the proton pump
- ☐ d. Neutralizing acid

Hypertensive emergency is characterized by:

- ☐ a. **BP greater than 140/90 mmHg with chest pain**
- ☐ b. **BP greater than 120/180 mmHg with end organ damage**
- ☐ c. **BP greater than 180/120 mmHg without end organ damage**
- ☐ d. **BP greater than 180/120 mmHg with end organ damage**

Lipodystrophy results from:

- ☐ a. Hypoglycaemia from usage of Insulin
- ☐ b. Not rotating insulin injection sites
- ☐ c. Dehydration
- ☐ d. Daily usage of oral anti-diabetic medications

Question 7

Not yet answered

 [Flag question](#)

All the following factors will lead to increase in blood pressure with the exception of:

- ☐ a. Heart rate increase
- ☐ b. Increase in peripheral resistance (resistance in blood vessels)
- ☐ c. Stroke volume increase
- ☐ d. Decrease in peripheral resistance

- ☐ a. Postpartum period
- ☐ b. Second trimester (around 24 weeks)
- ☐ c. First trimester
- ☐ d. Third trimester

Question 9

Not yet answered

 [Flag question](#)

In the management of hypertensive emergency, the initial IV dose of labetalol is:

- ☐ a. 50 mg
- ☐ b. 10 mg
- ☐ c. 100 mg
- ☐ d. 20 mg

The major causative organism for PEPTIC Ulcer disease (PUD) is:

- ☐ a. **Candida**
- ☐ b. **E. coli**
- ☐ c. **Salmonella**
- ☐ d. **H. pylori**

Which of the following complication of diabetes?

- ☐ a. Myocardial infarction
- ☐ b. Hypertension
- ☐ c. Nephropathy
- ☐ d. Stroke

Question 12

Not yet answered

 [Flag question](#)

Mr. Boateng has BP 155/98 mmHg. What stage of hypertension is this?

- ☐ a. Stage 1
- ☐ b. Stage 2
- ☐ c. Normal blood pressure
- ☐ d. Elevated

Triple therapy drug combination for treatment of H. pylori includes:

- ☐ a. Antacid + PPI + Analgesic
- ☐ b. Three PPIs
- ☐ c. One antibiotic + Antacid + PPI
- ☐ d. Two antibiotics + one PPI

Question 14

Not yet answered

 [Flag question](#)

Classical symptom of diabetes includes all the following except:

- ☐ a. Polydipsia
- ☐ b. Photophobia
- ☐ c. Polyphagia
- ☐ d. Polyuria



- ☒ a. Cause organ damage
- ☐ b. Cause mutation of genes
- ☐ c. Cause birth defects
- ☐ d. Cause cancer

[Clear my choice](#)

Question 18

Answer saved

 [Flag question](#)

All the following are examples of calcium channel blockers except?

- ☐ a. Felodipine
- ☐ b. Amlodipine
- ☒ c. Propranolol
- ☐ d. Nifedipine

[Clear my choice](#)

It is not recommended to rapidly drop blood pressure in hypertensive emergencies because?

- ☐ a. It leads to hypercalcemia
- ☐ b. It will lead to reduce organ perfusion
- ☐ c. It causes serious rise in temperature of the patient that is being treated
- ☐ d. It is expensive to do

Question 24

Not yet answered

🚩 [Flag question](#)

Which of the following correctly represents the processes of 'ADME' under pharmaco-kinetics?

- ☐ a. Activation, Distribution, Modification, Excretion
- ☐ b. Absorption, Diffusion, Metabolism, Excretion
- ☐ c. Absorption, Distribution, Metabolism, Elimination
- ☐ d. Absorption, Degradation, Metabolism, Excretion

Which of the following correctly represents the processes of 'ADME' under pharmaco-kinetics?

- ☐ a. Activation, Distribution, Modification, Excretion
- ☐ b. Absorption, Diffusion, Metabolism, Excretion
- ☐ c. Absorption, Distribution, Metabolism, Elimination
- ☐ d. Absorption, Degradation, Metabolism, Excretion

Hypertensive emergency is characterized by:

- ☐ a. BP greater than 140/90 mmHg with chest pain
- ☐ b. BP greater than 120/180 mmHg with end organ damage
- ☐ c. BP greater than 180/120 mmHg without end organ damage
- ☐ d. BP greater than 180/120 mmHg with end organ damage