

Question 1

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is the primary purpose of maintaining NPO prior to surgery? To prevent

- ☐ a. electrolyte imbalance
- ☐ b. aspiration pneumonia
- ☐ c. aspiration
- ☐ d. pneumonia

Question 2

Not yet answered

Marked out of 1.00

 [Flag question](#)

A patient complains of severe pains of 2 days following surgery. The nurse should first

- ☐ a. **Ensure the patient is having enough rest**
- ☐ b. **Inform the doctor**
- ☐ c. **Administer the analgesic P.R.N**
- ☐ d. **Take vital signs**

Question 3

Not yet answered

Marked out of 1.00

 [Flag question](#)

A patient has been admitted with burns involving the whole face, what type of surgery will be done to restore the face to normalcy? surgery.

- ☐ a. Diagnostic
- ☐ b. Construction
- ☐ c. Cosmetic
- ☐ d. Ambulatory

Question 4

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following assessment data is most important to determine when caring for a patient who has received spinal anesthesia?

- ☐ a. The character of the patient's respiration.
- ☐ b. The amount of wound drainage.
- ☐ c. The time of the return of motion and sensation in the patient's legs and toes.
- ☐ d. The patient's level of consciousness.

Question 5

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is the most dangerous complication during induction of spinal anesthesia?

- ☐ a. Respiratory paralysis
- ☐ b. Hypotension
- ☐ c. Hyperthermia
- ☐ d. .Cardiac arrest

Question 6

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following nursing actions would help the patient decrease anxiety during the preoperative period?

- ☐ a. Leave patients with relatives to talk
- ☐ b. Reassuring the patient that the surgical staff are competent
- ☐ c. Explaining all the procedures thoroughly in chronological order
- ☐ d. Spending time listening to the patient

Question 7

Not yet answered

Marked out of 1.00

 [Flag question](#)

A patient is finding it difficult to void after an indwelling catheter has been removed. This may be due to

- ☐ a. **An interruption in his normal voiding habit**
- ☐ b. **The patient's recent sedentary lifestyle**
- ☐ c. **Nervous tension following the procedure**
- ☐ d. **Fluid imbalance**

Question 8

Not yet answered

Marked out of 1.00

 **Flag question**

The diabetic patient who had undergone abdominal surgery experienced wound evisceration. Which of the following is the most appropriate immediate nursing action?

- ☐ a. **Cover the wound with sterile gauze moistened with sterile normal saline.**
- ☐ b. **Leave the wound uncovered and pull the skin edges together.**
- ☐ c. **Cover the wound with sterile dry gauze.**
- ☐ d. **Cover the wound with a water-soaked gauze.**

Question 9

Not yet answered

Marked out of 1.00

🚩 [Flag question](#)

The action to be taken when the nurse suspects that a patient's wound is infected is to

- ☐ **a. Observe site of the wound daily**
- ☐ **b. Clean the wound with a bactericidal solution twice daily**
- ☐ **c. Take a swab for bacteriological examination**
- ☐ **d. Dress the wound**

Question 10

Not yet answered

Marked out of 1.00

 [Flag question](#)

The period of time from when the decision for surgical intervention is made to when the patient is transferred to the operating room is referred to as..... phase

- ☐ a. Extra operative
- ☐ b. Perioperative.
- ☐ c. Intraoperative.
- ☐ d. Preoperative

Question 11

Not yet answered

Marked out of 1.00

 [Flag question](#)

While caring for a patient who has undergone surgery under general anesthesia, the nurse should notify the surgeon if the

- ☐ a. Patient has a snoring respiration
- ☐ b. Patient pushes the airway out
- ☐ c. Respirations are regular but shallow
- ☐ d. Becomes weak

Question 12

Not yet answered

Marked out of 1.00

 [Flag question](#)

During the immediate postoperative period, the nurse should give the highest priority to

- ☐ a. Recording intake and output
- ☐ b. Maintaining a patent airway
- ☐ c. Check the vital signs every 15 minutes
- ☐ d. Observing for haemorrhage

Question 13

Not yet answered

Marked out of 1.00

 [Flag question](#)

A postoperative client receives a dinner tray with gelatin, pudding, and vanilla ice cream. Based on the foods on the client's tray, what would the nurse anticipate the client's current diet order to be:

- ☐ a. Bland diet
- ☐ b. Regular diet
- ☐ c. Full liquid diet
- ☐ d. Soft diet

Question 14

Not yet answered

Marked out of 1.00

 [Flag question](#)

The nurse is admitting a patient to the operating room. Which of the following nursing actions should be given the highest priority by the nurse?.

- ☐ a. Positioning and performing skin preparation to the patient.
- ☐ b. Assessing the patient's level of consciousness.
- ☐ c. Checking the patient's identification and correct operative permit.
- ☐ d. Checking the patient's vital signs..

Question 15

Not yet answered

Marked out of 1.00

 [Flag question](#)

The nurse will provide preoperative teaching on deep breathing, coughing, and turning exercises. When is the best time to provide the preoperative teachings?

- ☐ a. The afternoon or evening prior to surgery.
- ☐ b. Several days prior to surgery.
- ☐ c. Upon admission of the client in the recovery room
- ☐ d. Before administration of preoperative medications.

Question 16

Not yet answered

Marked out of 1.00

🚩 [Flag question](#)

The injection of the local anaesthetic agent into the tissue through which the surgical incision will pass is the technique of

- ☐ a. Area block
- ☐ b. Regional application.
- ☐ c. Nerve blocking.
- ☐ d. Local infiltration.

Question 17

Not yet answered

Marked out of 1.00

🚩 [Flag question](#)

Yaa Mensah is very much worried about a scheduled hysterectomy, the nurse should therefore;

- ☐ a. Give her a chance to express her fear
- ☐ b. Change the topic when her fear is obvious
- ☐ c. Don't talk about his fears
- ☐ d. Tell her that her surgeon is very competent

Question 18

Not yet answered

Marked out of 1.00

 [Flag question](#)

The systematic techniques performed by a surgeon prior to operation are:

- ☐ a. Gowning, scrubbing & gloving
- ☐ b. Washing, Gloving, scrubbing
- ☐ c. Scrubbing gowning & gloving
- ☐ d. Gloving, gowning & scrubbing

Question 19

Not yet answered

Marked out of 1.00

🚩 [Flag question](#)

Which of the following factors ensure the validity of informed written consent, EXCEPT:

- ☐ a. The consent is secured before administration of preoperative medications.
- ☐ b. If the patient is a child, secure consent from the parents or legal guardian.
- ☐ c. If the patient is unable to write, the nurse signs the consent for the patient.
- ☐ d. The patient is of legal age with a proper mental disposition.

Question 20

Time left 0:18:20

Hide

Not yet answered

Marked out of 1.00

 [Flag question](#)

The nurse is caring for a patient who has undergone exploratory laparotomy. Which of the following postop findings should the nurse report to the physician?

- ☐ a. The patient pushes out the oral airway with his tongue.
- ☐ b. The patient's wound drainage.
- ☐ c. The patient's vital signs are as follows: BP = 100/70 mmHg; PR = 95 bpm; RR = 9 minute; T = 36.8°C.
- ☐ d. The patient's urine output has been 20 ml/hr for the past 2 hours.

Question 21

Time left 0:18:14

Hide

Not yet answered

Marked out of 1.00

🚩 [Flag question](#)

Which of the following postoperative patients is at risk for respiratory complications?

- ☐ a. The patient with a normal pulmonary function who had undergone upper abdominal surgery.
- ☐ b. A football player who had undergone knee replacement surgery.
- ☐ c. The obese patient with a long history of smoking who had undergone upper abdominal surgery.
- ☐ d. An adolescent patient with diabetes mellitus who had undergone cholecystectomy.

Question 22

Not yet answered

Marked out of 1.00

 [Flag question](#)

All the following are classifications of surgery according to urgency EXCEPT:

- ☐ a. Palliative
- ☐ b. Emergency
- ☐ c. Urgent
- ☐ d. Planned

Question 23

Not yet answered

Marked out of 1.00

🚩 [Flag question](#)

Which of the following is experienced by the patient who is under spinal anesthesia? The patient experiences

- ☐ a. amnesia
- ☐ b. consciousness
- ☐ c. immobility
- ☐ d. no sensation

Question 24

Not yet answered

Marked out of 1.00

 [Flag question](#)

The patient had undergone a total hip replacement. He complains of pain in the operative site. Which of the following is the appropriate initial nursing action?

- ☐ a. Change the patient's position.
- ☐ b. Assess the patient's pain level and vital signs.
- ☐ c. Administer the ordered analgesic.
- ☐ d. Instruct the patient to do deep breathing and coughing exercises.

Question 25

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is used to prepare the skin before surgery

- ☐ a. Disinfection
- ☐ b. Antiseptic
- ☐ c. Methylated spirit
- ☐ d. Antisepsis

Question 26

Time left 0:17:48

Hide

Not yet answered

Marked out of 1.00

 [Flag question](#)

A nurse is preparing the preoperative client for surgery. The following statements indicate the client is knowledgeable about his impending surgery, EXCEPT:

- ☐ a. "The skin prep area is going to be longer and wider than the anticipated incision."
- ☐ b. "To ensure my safety, a 'time out' will be conducted in the operating room."
- ☐ c. "After surgery, I will need to wear the pneumatic compression device while sitting in the chair."
- ☐ d. "I cannot have anything to drink or eat after midnight on the night before the surgery."

Question 27

Not yet answered

Marked out of 1.00

 [Flag question](#)

The patient had undergone spinal anesthesia for appendectomy. To prevent spinal headaches, the nurse should place the patient in which of the following positions?

- ☐ a. Modified Trendelenburg position.
- ☐ b. Flat on the bed for 6 to 8 hours.
- ☐ c. Prone position.
- ☐ d. Semi-Fowler.

Question 28

Not yet answered

Marked out of 1.00

 [Flag question](#)

The action to be taken when the nurse suspects that a patient's wound is infected is to

- ☐ a. Call the doctor
- ☐ b. Take a swab for bacteriological examination.
- ☐ c. Clean the wound with a bactericidal solution twice daily.
- ☐ d. Change the dressing aseptically.

Question 29

Not yet answered

Marked out of 1.00

 [Flag question](#)

In the recovery room, the postoperative client suddenly becomes cyanotic. What is the most appropriate nursing action?

- ☐ a. Call for assistance.
- ☐ b. Insert an oral airway and suction the nasopharynx.
- ☐ c. Start administration of oxygen through a nasal cannula..
- ☐ d. Reposition the head and determine patency of the airway.

Question 30

Time left 0:17:28

Hide

Not yet answered

Marked out of 1.00

 [Flag question](#)

Which of the following is experienced by the patient who is under general anesthesia?

- ☐ a. The patient experiences loss of sensation in the lower half of the body.
- ☐ b. The patient is awake.
- ☐ c. The patient experiences slight pain..
- ☐ d. The patient is unconscious.