

SURGICAL NURSING II QUESTIONS

Question 1

In the management of fractures, a surgical procedure may be required to return broken bone fragments to their normal anatomical position. What is this procedure called?

Correct answer: d. Reduction

Rationale:

Reduction refers to the process of realigning fractured bone ends to their normal position, either manually (closed reduction) or surgically (open reduction).

Question 2

Thyroidectomy is performed under specific clinical conditions. In which of the following situations is thyroidectomy NOT indicated?

Correct answer: a. Is under “watchful waiting” period

Rationale:

When the thyroid condition is mild and being monitored without progression, surgery is not required. Thyroidectomy is indicated for large goiters, malignancy, or uncontrolled hyperthyroidism.

Question 3

A fracture may occur when an underlying disease weakens the bone structure, making it susceptible to breaking even with minimal trauma. What is this type of fracture called?

Correct answer: d. Pathological fracture

Rationale:

Pathological fractures occur in bones weakened by disease such as osteoporosis, tumors, or infections.

Question 4

Electrical burns have distinct characteristics compared to other types of burns. Which of the following best describes an electrical burn?

Correct answer: d. Causes deep tissues damage

Rationale:

Electrical burns often appear small on the surface but cause extensive deep tissue and organ damage due to the passage of electric current.

Question 5

Pterygium is a common eye condition related to environmental exposure. What is the most common symptom experienced by patients with pterygium?

Correct answer: d. Redness and irritation

Rationale:

Pterygium commonly causes chronic eye irritation, redness, and a foreign body sensation. Vision is affected only when it encroaches on the cornea.

Question 6

Several factors contribute to the development of goiter. Which of the following is NOT a risk factor?

Correct answer: d. Insulin resistance

Rationale:

Goiter is linked to iodine deficiency, gender, radiation exposure, and lifestyle factors—not insulin resistance.

Question 7

A fracture that fails to heal within the expected time frame (6–9 months) is described using which term?

Correct answer: b. Nonunion

Rationale:

Nonunion refers to a fracture that shows no signs of healing after an extended period.

Question 8

Bone healing occurs in stages. Which stage occurs first following a fracture?

Correct answer: b. Inflammation

Rationale:

The inflammatory phase begins immediately after injury and involves hematoma formation and inflammatory cell activity.

Question 9

Which of the following is the most consistent symptom experienced by patients with fractures?

Correct answer: c. Pain

Rationale:

Pain is universally present due to tissue damage and nerve stimulation.

Question 10

A deviated nasal septum may arise from various causes. Which of the following is NOT a cause?

Correct answer: d. Cosmetic surgeries

Rationale:

Cosmetic surgery is usually corrective, not causative. Trauma, infection, and aging can lead to septal deviation.

Question 11

During fracture healing, abnormal bone formation may occur in soft tissues. What is this condition called?

Correct answer: c. Heterotopic ossification

Rationale:

Heterotopic ossification is the abnormal formation of bone outside the skeletal system.

Question 12

Which of the following best describes a superficial (first-degree) burn?

Correct answer: c. Heals within 2 to 3 days

Rationale:

First-degree burns affect only the epidermis and heal rapidly without scarring or blisters.

Question 13

What is the gold standard diagnostic tool for confirming cataract?

Correct answer: b. Slit-lamp biomicroscopy

Rationale:

Slit-lamp examination allows direct visualization of lens opacity.

Question 14

Which description best fits a second-degree (partial thickness) burn?

Correct answer: c. Red, moist and blistered

Rationale:

Second-degree burns involve the epidermis and part of the dermis, leading to blistering and moisture.

Question 15

Which of the following is NOT a complication of goiter?

Correct answer: d. Head injury

Rationale:

Goiter complications include bleeding, infection, and nerve injury—not head injury.

Question 16

Which condition is NOT a common complication of burns in adults?

Correct answer: d. Obesity

Rationale:

Burn complications include infection, electrolyte imbalance, and contractures.

Question 17

Which combination best represents the diagnostic approach used in burn assessment?

Correct answer: a. Physical, history of the injury and the use of rule of nine

Rationale:

Burn diagnosis relies on patient history, physical assessment, and TBSA estimation using the Rule of Nines.

Question 18

Ethmoidal nasal polyps originate from which anatomical structure?

Correct answer: a. Ethmoidal sinuses through the middle meatus to the nasal cavity

Rationale:

Ethmoidal polyps arise from the ethmoid sinuses and extend into the nasal cavity.

Question 19

What type of fracture results from repetitive stress or overuse?

Correct answer: d. Stress fracture

Rationale:

Stress fractures are common in athletes and occur due to repeated microtrauma.

Question 20

Which of the following is NOT a goal of fracture healing care?

Correct answer: c. To avoid granulation and contractures

Rationale:

Granulation is a normal healing process. Care aims to reduce pain, prevent infection, and promote healing.

Question 21

A fracture in a child that bends and partially breaks the bone is known as what type?

Correct answer: b. Greenstick fracture

Rationale:

Children's bones are flexible, making greenstick fractures common.

Question 22

A fracture in which the bone breaks into two or more fragments is called:

Correct answer: c. Comminuted fracture

Rationale:

Comminuted fractures involve multiple bone fragments.

Question 23

What is the main cause of goiter worldwide?

Correct answer: b. Iodine deficiency

Rationale:

Iodine deficiency leads to inadequate thyroid hormone production and gland enlargement.

Question 24

Which is NOT part of the pathophysiology of nasal polyps?

Correct answer: c. Active mucociliary clearance

Rationale:

Nasal polyps impair mucociliary clearance rather than enhance it.

Question 25

A patient presents with burns covering 30% of total body surface area. How is this burn classified?

Correct answer: d. Severe type of burns

Rationale:

Burns involving $\geq 25\%$ TBSA in adults are classified as severe.

Question 26

Which symptom is least likely in inhalational burns?

Correct answer: b. Blindness

Rationale:

Inhalational burns primarily affect the respiratory system.

Question 27

What is the primary cause of death in burn patients?

Correct answer: c. Infection

Rationale:

Sepsis from infection is the leading cause of mortality in burn patients