

Question 1

A client complains of bladder spasms while an indwelling catheter is in place. The nurse inspects the tubing and notes it is looped and the drainage bag is above bladder level. What should the nurse do?

- a. Clamp the catheter for 30 minutes then release
- b. Replace the catheter with a larger size to increase drainage
- c. Ignore the complaint — spasms are normal and self-limiting
- d. Secure the tubing to prevent loops, reposition the bag below bladder level**

Question 2

A client elects to have epidural anesthesia to relieve the discomfort of labor. Following the initiation of epidural anesthesia, the nurse should give priority to:

- a. Checking the client's blood pressure**
- b. Placing the client in a supine position
- c. Obtaining a fetal heart rate
- d. Checking for cervical dilation

Question 3

What is the best nursing intervention to help maintain catheter patency in a client with an indwelling urinary catheter?

- a. Disconnect the system daily for cleaning
- b. Clamp the catheter every hour for 10 minutes
- c. Raise the drainage bag above bladder level to increase flow
- d. Encourage the client to drink adequate fluids (if not restricted)**

Question 4

Which one of the following measures decreases abdominal discomfort when the post-operative client is asked to cough?

- a. Splinting the incision with a pillow**
- b. Exhaling forcefully between coughs
- c. Maintaining muscle tension in the operative site
- d. Taking panting respirations between coughs

Question 5

Which feline blood type is most commonly termed as the universal recipient?

- a. B
- b. AB**
- c. A
- d. O

Question 7

What are the advantages to using monofilament suture material?

- a. Minimal Tissue Reactivity, Reduced Risk of Infection**
- b. Low Risk of Infection, Is an Organic Product
- c. High Risk of infection, High Risk of Reactivity
- d. Strong Firm Knot, Minimal Tissue Reactivity

Question 9

During blood transfusion, the nurse should monitor the patient closely for which of the following as a common signs or symptoms of a transfusion reaction?

- a. Flushed skin and itching**
- b. Decreased respiratory rate and blood pressure
- c. Hypertension and tachycardia
- d. Increased urine output and diaphoresis

Question 10

Wound drainage is inserted in or near a wound to-----drainage, and decreases the risk of --
----- formation.

- a. Promote, abscess**
- b. Cease, abscess
- c. Discourage, abscess
- d. Promote, tissue

Question 11

The reaction or response of the body tissue to irritation or injury is termed:

- a. Infection
- b. Resolution
- c. Inflammation**
- d. Suppuration

Question 12

Another name for knee-chest position is:

- a. Genu-pectoral**
- b. Genu-dorsal
- c. Lithotomy
- d. Sim's

Question 13

During insertion of a urinary catheter in a male client, urine appears in the tubing. How far should the nurse advance the catheter before inflating the balloon?

- a. Hold insertion where urine appeared and inflate
- b. Advance 6–8 inches after urine appears
- c. Advance approximately 1–2 inches (2.5-5cm) past urine flow**
- d. Immediately inflate the balloon upon seeing urine

Question 14

Which of the following underlisted instrument is used to hold and manipulate the uterus during gynecological procedures?

- a. Sim's speculum
- b. Trocar
- c. Uterine sound**
- d. Retractor

Question 15

Which of the following is not a common indication for oxygen therapy?

- a. Chronic obstructive pulmonary disease (COPD)
- b. Hypoxemia
- c. Asthma exacerbation
- d. **Hypertension**

Question 16

Which of the following underlisted instruments is used to create an opening into a body cavity during laparoscopic surgery?

- a. **Trocar**
- b. Suture material
- c. Surgeon Scissors
- d. Needle holder

Question 20

Which of the following underlisted instrument is commonly used to grasp and hold tissues during surgery?

- a. Scalpel
- b. **Dissecting Forceps**
- c. Retractor
- d. Artery forceps

Question 21

Which of the following underlisted instrument is used to clamp blood vessels to control bleeding during surgery?

- a. Scalpel
- b. Dissecting Forceps
- c. Retractor
- d. **Artery forceps**

Question 24

Which of the following underlisted instrument is used to hold and manipulate needles during suturing?

- a. Stitch Scissors
- b. Trocar
- c. Suture material
- d. **Needle holder**

Question 25

The following are factors that promote wound healing EXCEPT

- a. Protein diet
- b. Blood supply
- c. Rest
- d. **Haematoma**

Question 26

A client is admitted with benign prostatic hypertrophy. Which clinical manifestation should the nurse expect?

- a. **Frequent urge to void**
- b. Foul-smelling urine
- c. Pain on urination
- d. Copious urine output

Question 30

After the physician performs an amniotomy, the nurse's first action should be to assess the:

- a. **Fetal heart tones**
- b. Degree of cervical dilation
- c. Client's level of discomfort
- d. Client's vital signs

Question 33

How much blood is mostly donated at a time?

- a. 2 quarts
- b. 1 quart
- c. **1 pint**
- d. 2 pints

Question 37

If continued bleeding occurs during the third stage with a contracted uterus, the cause is most likely to be:

- a. **Cervical and perineal Lacerations**
- b. Placental abruption
- c. Uterine atony
- d. Cervical Polyp

Question 38

Which of the following is the most common cause of postpartum hemorrhage?

- a. Retained placenta
- b. Placental abruption
- c. Uterine rupture
- d. **Uterine atony**

Question 40

The skin's main function in wound healing is:

- a. Perspiration and growth of hair
- b. Temperature regulation only
- c. Vitamin D synthesis only
- d. **Barrier protection and tissue repair**

Question 41

The nurse is performing a self-breast exam when she discovers a mass. Which characteristic of the mass would be most indicative of a malignancy?

- a. Regular shape
- b. Tender to touch
- c. Moves easily
- d. Firm to the touch

Question 43

A client has cancer of the pancreas. The nurse should be most concerned with which nursing diagnosis?

- a. **Alteration in nutrition**
- b. Alteration in skin integrity
- c. Alteration in bowel elimination
- d. Ineffective individual coping

Question 45

The nurse is teaching a client with an indwelling urinary catheter how to perform perineal care. Which instruction is correct?

- a. Clean from back to front to ensure thoroughness
- b. Use antiseptic sprays and powders around catheter entry site
- c. **Wipe the catheter insertion area and perineum at least once daily with mild soap and water**
- d. Stop cleaning if the catheter remains in situ more than 7 days

Question 48

Which of the following underlisted instrument is used to dilate or enlarge an opening or passage during procedures like manual vaginal evacuation?

- a. Trocar
- b. Retractor
- c. Sim's Speculum
- d. **Dilator**

Question 49

A donor has AB- blood. Which patient or patients below can receive this type of blood safely?

- a. A patient with A- blood.
- b. A patient with O- blood.
- c. A patient with B- blood.
- d. **A patient with AB- blood**

Question 50

Which exam is most reliable in diagnosing peptic ulcer disease?

- a. **Endoscopy**
- b. Upper-gastrointestinal x-ray
- c. Gastric analysis
- d. Barium studies

Question 51

A nurse is preparing to remove an indwelling urinary catheter. Which step must the nurse perform before gently withdrawing the catheter?

- a. inflate the balloon to check it still holds fluid
- b. **Deflate the balloon fully using a needleless syringe**
- c. Tug gently to ensure balloon is deflated
- d. Cut the tubing to release the balloon

Question 54

Question text

A nurse is teaching a client who will have an indwelling catheter for several days. Which instruction should the nurse include to help prevent catheter associated urinary tract infection (CAUTI)?

- a. **“Always keep the drainage bag below the level of your bladder.”**
- b. “Disconnect and clean the drainage bag each morning so the system stays fresh.”
- c. “Only clean the meatus if you see redness or irritation.”
- d. “Raise the drainage bag up to speed up urine flow after meals.”

Question 56

Wound healing which has the margins neatly approximated is known as

- a. Tertiary intention
- b. Secondary intention
- c. Regeneration
- d. **Primary intention**

Question 57

Nurse Annie during wound dressing on the medical unit observed that exudates from the wound appear thick, foul smelling and green. She documents this as:

- a. Sanguinous
- b. **Purulent**
- c. Serous
- d. Sero-sanguinous

Question 58

Which of the following is a potential complication of oxygen therapy?

- a. Hypoxemia
- b. Hypotension
- c. **Hypercapnia**

- d. Hyperventilation

Question 59

Which of the following is a characteristic of an unintentional wound is:

- a. Clean edges
- b. Bleeding is controlled
- c. **High risk for infection**
- d. Done on purpose

Question 62

Which patient position is commonly used for surgeries involving the pelvis or lower abdomen?

- a. **Lithotomy position**
- b. Supine position
- c. Trendelenburg position
- d. Prone position

Question 64

Healing of wound by second intention is healing by

- a. Epithelization
- b. Skin approximation
- c. **Granulation**
- d. Skin grafting

Question 67

The physician has ordered a straight catheterization for a female client. When performing a straight catheterization on a female client, the nurse should:

- a. Use medical asepsis when doing the catheterization
- b. Insert the catheter 4–6 inches
- c. Inflate and deflate the balloon before insertion
- d. **Hold the catheter in place while the bladder empties**

Question 69

Which of the following catheter sizes is recommended to reduce infection risk in an adult client when catheterization is required?

- a. Choose size based on bag capacity
- b. The largest size possible so flow is rapid
- c. Always use a 20F catheter for indwelling
- d. The smallest appropriate size for the individual

Question 70

What is the primary nursing diagnosis for a 4th to 10th-day postoperative liver transplant patient?

- a. Excess Fluid Volume
- b. Decreased Cardiac Output
- c. Impaired Skin Integrity
- d. Risk for Rejection

Question 71

Which of the following is a VALID INDICATION for using an indwelling urinary catheter?

- a. Routine urine specimen collection only
- b. To monitor output in all postoperative clients
- c. Urinary retention unrelieved by other methods
- d. Client convenience because of mobility issues

Question 72

The client arrives in the emergency department after a motor vehicle accident. Nursing assessment findings include BP 80/34, pulse rate 120, and respirations 20. Which is the client's most appropriate priority nursing diagnosis?

- a. Fluid volume deficit
- b. Alteration in cerebral tissue perfusion
- c. Ineffective airway clearance
- d. Alteration in sensory perception

Question 73

The most appropriate action to be taken when the nurse suspects that a patient's wound is infected is to

- a. Clean the wound with bactericidal solution twice daily
- b. Observe the wound site daily
- c. Change the dressing aseptically
- d. **Take a swab for bacteriological examination before dressing aseptically**

Question 74

A client with pancreatic cancer has an infusion of TPN (Total Parenteral Nutrition). The doctor has ordered a sliding scale insulin monitoring. The most likely explanation for this order is:

- a. Total Parenteral Nutrition cannot be managed with oral hypoglycemics.
- b. **Total Parenteral Nutrition is a high-glucose solution that often elevates the blood glucose levels.**
- c. Total Parenteral Nutrition leads to negative nitrogen balance and elevated glucose levels.
- d. Total Parenteral Nutrition leads to further pancreatic disease

Question 75

Which feline blood type is most common termed as the universal donor?

- a. AB
- b. B
- c. **O**
- d. A

Question 76

What are the disadvantages to using braided (multifilaments) suture material?

- a. High Risk of Infection, High Failure Rate
- b. **High Risk of infection, High Risk of Reactivity**
- c. Highly unstable, Highly Infectious
- d. Low risk of Infection, High Failure Rate

Question 78

Which patient position is commonly used for abdominal surgeries?

- a. Lithotomy position
- b. Prone position
- c. Supine position**
- d. Trendelenburg position

Question 79

Which of the following should the nurse assess first when a patient is using a rebreather mask for oxygen therapy?

- a. Blood pressure and heart rate
- b. Skin integrity around the mask area
- c. Respiratory rate and effort**
- d. Oxygen flow rate and temperature

Question 82

The nurse is caring for a client with esophageal cancer. The client's history will likely reveal:

- a. A diet low in fat
- b. Presence of gastroesophageal reflux**
- c. A diet high in fiber
- d. Occasional use of alcohol

Question 83

..... is the nursing care of adult patients/clients whose conditions or disorders are treated surgically, or medically/pharmacologically

- a. Surgical Nursing**
- b. Surgical – Medical Nursing
- c. Pharmacological Nursing
- d. Advanced Nursing I

Question 85

The nurse follows through an order to infuse 250 mL of plates intravenous over 2 hours and 30

minutes. The drop factor is 10 drops per mL. To safely administer the order, the nurse will set the flow rate of the IV pump at what mL per hour? Additionally, at how many drops per minute?

- a. 101 mL per hour and 117 drops per minute
- b. 100 mL per hour and 117 drops per minute
- c. 101 mL per hour and 17 drops per minute
- d. 100 mL per hour and 17 drops per minute**

Question 89

During pre-operative teaching, coughing and deep breathing exercise is taught to prevent which of the following?

- a. Embolism
- b. Haemorrhage
- c. Vomiting
- d. Dehiscence**

Question 90

The nurse is taking the vital signs of the client admitted with cancer of the pancreas. The nurse is aware that the fifth vital sign is:

- a. Respiration
- b. Temperature
- c. Pulse
- d. Pain**

Question 91

The nurse is assessing the client with a total knee replacement 2 hours post-operative. Which information requires notification of the doctor?

- a. The client has a low-grade temperature.
- b. Bleeding on the dressing is 2cm in diameter.
- c. The client's hemoglobin is 6g/dL.**
- d. The client voids after surgery

Question 92

Which of the following is a CONTRAINDICATION (or relative contraindication) for initial insertion of

a suprapubic catheter?

- a. Neurogenic bladder requiring long-term drainage.
- b. Overlying abdominal wall infection at the proposed insertion site.**
- c. Chronic urinary retention due to benign prostatic hyperplasia.
- d. Palpable distended bladder on abdominal exam.

Question 93

The nurse caring for a client on the pediatric unit administers adult-strength Digitalis to the 3-pound infant. As a result of her actions, the baby suffers permanent heart and brain damage. The nurse can be charged with:

- A. Negligence
- B. Assault
- C. Tort
- D. Malpractice**

Question 94

A nurse is about to insert a sterile indwelling urinary catheter in a male client. Which of the following is the MOST IMPORTANT first step?

- a. Select the largest catheter French size available
- b. Perform hand hygiene and don sterile gloves**
- c. Inflate the balloon before urine appears in the tubing
- d. Ask the client to cough to help the catheter advance

Question 95

Inflammation is a useful response which serves the following purposes EXCEPT

- a. Respond to a particular cause**
- b. Restore tissue to normality or near normal
- c. Limit tissue injury
- d. Localize and eliminate the causative agent

Question 96

A patient must meet which of the following criteria in order to receive a foley catheter:

- a. Has a urinary obstruction**

- b. Unable to get to the bathroom because he/she is dizzy.
- c. Has an ulcer on the arm
- d. Is hemodynamically stable

Question 98

The medical term or diagnosis involving traumatic blood loss to the extent that, clotting properties are all lost and the only means of resuscitation is blood transfusion is known as;

- a. Disseminated intravascular coagulation**
- b. All the above
- c. Cardiopulmonary resuscitation
- d. Distractive intravenous coagulation

Question 99

A nurse is assessing a client hospitalized with peptic ulcer disease. Which finding should be reported to the charge nurse immediately?

- a. BP 110/88, pulse 56
- b. BP 82/60, pulse 120**
- c. Pulse 68, respirations 24
- d. Pulse 82, respirations 16

Question 100

Which of the following is NOT a common cause of chronic wounds?

- a. Sunburn**
- b. Vascular disease
- c. Pressure injury
- d. Diabetes