

Question 1

The part of the pelvis that bears the body's weight when a person is seated is the: a. Ischial spine

b. Ischial tuberosity

c. Iliac crest

d. Pubic symphysis

 Correct Answer: b. Ischial tuberosity

Rationale: The ischial tuberosities are commonly called the sitting bones because they support body weight during sitting.

Question 2

The medical term used to describe the absence of menstruation is: a. Menarche

b. Dysmenorrhoea

c. Amenorrhoea

d. Pseudocyesis

 Correct Answer: c. Amenorrhoea

Rationale: Amenorrhoea refers to the absence of menstrual flow, either primary or secondary.

Question 3

Which part of the fallopian tube is the usual site of fertilization and why? a. Infundibulum – it receives the ovum

b. Ampulla – it provides favourable conditions for fertilization

c. Isthmus – it stores sperm cells

d. Interstitial part – it opens into the uterus

 Correct Answer: b. Ampulla – it provides favourable conditions for fertilization

Rationale: The ampulla is wide and well supplied with blood, making it the most common site for fertilization.

Question 4

Which ethical principle emphasizes truth-telling in nursing practice? a. Fidelity

b. Beneficence

c. Justice

d. Veracity

☒ Correct Answer: d. Veracity

Rationale: Veracity refers to the obligation of health professionals to tell the truth to patients.

Question 5

Which pelvic joint becomes more flexible during pregnancy due to the action of relaxin?

a. Knee joint

b. Atlanto-occipital joint

c. Hip joint

d. Sacroiliac joint

☒ Correct Answer: d. Sacroiliac joint

Rationale: Relaxin increases mobility of pelvic joints, especially the sacroiliac joint and symphysis pubis.

Question 6

The expulsion of the cervical mucous plug (operculum) during vaginal examination suggests: a. Vaginal infection

b. Onset of menstruation

c. Cervical injury

d. Beginning of labour

☒ Correct Answer: d. Beginning of labour

Rationale: The operculum is released as the cervix begins to soften and dilate in labour.

Question 7

The slight drop in fundal height after 36 weeks of pregnancy is mainly due to: a. Uterine retroversion

b. Placental separation

c. Uterine retraction

d. Descent of the foetal head

☒ Correct Answer: d. Descent of the foetal head

Rationale: This process is known as lightening, where the foetal head enters the pelvis.

Question 8

Inflammation of ducts opening on either side of the urethral orifice affects the: a. Skene's glands

b. Bartholin's glands

c. Vaginal introitus

d. Urethral meatus

☒ Correct Answer: a. Skene's glands

Rationale: Skene's glands are para-urethral glands located beside the urethral opening.

Question 9

An increase in vaginal pH above 5.0 is most likely caused by: a. Increased uterine blood flow

b. Excess lactobacilli activity

c. Excess glycogen production

d. Loss of normal vaginal flora

☒ Correct Answer: d. Loss of normal vaginal flora

Rationale: Lactobacilli maintain acidic vaginal pH by producing lactic acid; loss raises the pH.

Question 10

Which female external genital organ corresponds embryologically to the male penis? a. Hymen

b. Vestibule

c. Labia minora

d. Clitoris

☒ Correct Answer: d. Clitoris

Rationale: The clitoris and penis develop from the same embryonic tissue.

Question 11

The primary function of the epididymis is to: a. Store and mature sperm cells

- b. Secrete seminal fluid
- c. Provide glucose to sperm
- d. Produce testosterone

☒ Correct Answer: a. Store and mature sperm cells

Rationale: Sperm gain motility and maturity while stored in the epididymis.

Question 12

At what gestational age does the uterus become an abdominal organ? a. 8 weeks

- b. 24 weeks
- c. 12 weeks
- d. 20 weeks

☒ Correct Answer: c. 12 weeks

Rationale: At about 12 weeks, the uterus rises above the pelvic brim.

Question 13

The posterior vaginal fornix is the deepest because the uterus is: a. Retroverted

- b. Straight
- c. Posteriorly displaced
- d. Anteverted

☒ Correct Answer: d. Anteverted

Rationale: Forward tilting of the uterus deepens the posterior fornix.

Question 14

Which of the following bones does NOT form part of the pelvis? a. Femur

- b. Coccyx
- c. Innominate bones
- d. Sacrum

☒ Correct Answer: a. Femur

Rationale: The femur is the thigh bone and not part of the pelvic girdle.

Question 15

The correct anatomical order of the uterine layers from inner to outer is: a.
Endometrium → Peritoneum → Myometrium

b. Perimetrium → Endometrium → Myometrium

c. Myometrium → Endometrium → Peritoneum

d. Endometrium → Myometrium → Perimetrium

☒ Correct Answer: d. Endometrium → Myometrium → Perimetrium

Rationale: These layers line, support, and cover the uterus respectively.

Question 16

Which ligament connects the sacrum to the ischial spine? a. Inguinal ligament

b. Sacrospinous ligament

c. Pubic ligament

d. Sacrotuberous ligament

☒ Correct Answer: b. Sacrospinous ligament

Rationale: The sacrospinous ligament runs from the sacrum to the ischial spine.

Question 17

Distributing limited ventilators based on likelihood of recovery demonstrates: a.
Beneficence

b. Fidelity

c. Justice

d. Autonomy

☒ Correct Answer: c. Justice

Rationale: Justice ensures fair and equitable allocation of healthcare resources.

Question 18

The lower folds of the labia minora join posteriorly to form the: a. Fourchette

b. Vestibule

c. Hymen

d. Frenulum

☒ Correct Answer: d. Frenulum

Rationale: The frenulum is formed by the posterior union of the labia minora.

Question 19

Undescended testes before birth may result in: a. Increased testosterone

b. Improved sperm quality

c. Increased seminal volume

d. Infertility due to high temperature

☒ Correct Answer: d. Infertility due to high temperature

Rationale: The abdomen is too warm for normal sperm production.

Question 20

The upper two-fifths of the acetabulum is formed by the: a. Ilium

b. Sacrum

c. Ischium

d. Pubis

☒ Correct Answer: a. Ilium

Rationale: The ilium contributes the largest portion of the acetabulum.

Question 21

Which hormone is responsible for increasing pelvic joint laxity during pregnancy? a.

Adrenaline

b. Testosterone

c. Estrogen

d. Relaxin

☒ Correct Answer: d. Relaxin

Rationale: Relaxin softens ligaments to prepare the pelvis for childbirth.

Question 22

The obstetric importance of the sacral promontory is that it: a. Supports sitting posture

b. Forms the pelvic wall

c. Joins pelvic bones

d. May reduce the pelvic inlet diameter

☒ Correct Answer: d. May reduce the pelvic inlet diameter

Rationale: A prominent sacral promontory can obstruct foetal descent.

Question 23

The downward contraction of the uterus from the cornua assists in: a. Cervical relaxation

b. Foetal expulsion

c. Placental circulation

d. Preventing foetal descent

☒ Correct Answer: b. Foetal expulsion

Rationale: Coordinated uterine contractions push the foetus downward.

Question 24

The symphysis pubis is classified as a: a. Fibrous joint

b. Hinge joint

c. Synovial joint

d. Cartilaginous joint

☒ Correct Answer: d. Cartilaginous joint

Rationale: The symphysis pubis is a secondary cartilaginous joint.

Question 25

A woman who has delivered six or more viable babies is referred to as: a. Nullipara

b. Grand multipara

c. Primipara

d. Multipara

☒ Correct Answer: b. Grand multipara

Rationale: Grand multiparity refers to delivery of six or more children.