



1. The time in the menstrual cycle during which it is most likely for a female to become pregnant
 - A. The fertile period
 - B. Just before menstruation occurs
 - C. Days 6 to 11 approximately
 - D. During menstruation
2. In the diagram of the womb shown, select the part where implantation takes place.



- A. W
 - B. Z
 - C. X
 - D. Y
3. In the diagram shown, where is the placenta located?



- A. R
- B. S
- C. Q

D. P

4. Soon after the first missed menstrual period the cervix begins to soften as a result of the increased blood supply. This is known as:
 - A. Chadwick's sign
 - B. Goodell's sign
 - C. Hegar's sign
 - D. Lightening
5. The cervical canal fills with a thick mucous plug that bars bacteria from entering the uterus during pregnancy. The clinical name for this mucous plug is:
 - A. Catarrh
 - B. Endocervicitis
 - C. Operculum
 - D. Phlegm
6. Which is changing of unspecialized cells into specialized cells, organs and tissues of animals?
 - A. Differentiation
 - B. Ovulation
 - C. Ovum
 - D. Spermatogenesis
7. A pregnant client with BMI 22 normal range asks how she should be gaining weight during pregnancy. The most appropriate response would be
 - A. 1.4kg -1.8kg in the first trimester then 0.5kg per week for the remainder of the pregnancy
 - B. A total of 9kg-11kg
 - C. 0.5kg a week during first two trimesters, then 1 kg per week during third
 - D. 0.5kg a week throughout the pregnancy
8. Pregnancy produces noticeable softening of the uterus so that by the eighth week an examiner can bend it by palpation. This is called:
 - A. Chadwick's sign
 - B. Goodell's sign
 - C. Hegar's sign
 - D. Lightening
9. By the eighth week, increased vascularity of the vagina produces a purplish hue that is visible to the examiner. This typical sign of pregnancy is called:
 - A. Chadwick's sign
 - B. Goodell's sign
 - C. Hegar's sign
 - D. Lightening
10. As the fetus grows, the uterus enlarges, pressing out from within. Elastic fibers of the deep layers of skin separate and break resulting in the formation of:
 - A. Striae gravidarum
 - B. Pruritus
 - C. Linea nigra

- D. Chloasma
11. A temporary deposit of pigment that typically runs from the pubic bone to the navel is known as:
- A. Striae gravidarum
 - B. Pruritus
 - C. Linea nigra
 - D. Chloasma
12. Hyperpigmented discoloration of the facial skin during pregnancy is called:
- A. Striae gravidarum
 - B. Pruritus
 - C. Linea nigra
 - D. Chloasma
13. Which hormone is secreted by the placenta after 12th week gestation and is primarily responsible for maintenance of the pregnancy?
- A. Estrogen
 - B. HCG
 - C. Progesterone
 - D. Prolactin
14. A pregnant client asks when she should be able to hear the baby's heartbeat. The nurse's best response is
- A. FHT are heard by doppler at 6-7 weeks gestation.
 - B. FHT are heard by doppler at 10-12 weeks gestation.
 - C. FHT are heard by doppler at 16-18 weeks gestation.
 - D. FHT are heard by doppler at 20-23 weeks gestation.
15. Implantation occurs approximately how soon after fertilization?
- A. 2 days
 - B. 6 days
 - C. 10 days
 - D. 14 days
16. Which of the following is true regarding embryonic period?
- A. It starts at fertilization and continues through day 48 of fetal development.
 - B. It starts at the end of implantation and continues through day 48 of fetal development
 - C. It starts at fertilization and continues through day 56 of fetal development.
 - D. It starts approximately 7 days after fertilization and proceeds through day 56 of fetal development
17. The eyelids of fetus remain fused through what gestational age by LMP?
- A. 15th
 - B. 20th
 - C. 25th
 - D. 30th

18. The best time to avoid teratogens to prevent major congenital defects is.....
- A. Early pregnancy
 - B. Late pregnancy
 - C. Prior to birth
 - D. Prior to sexual intercourse
19. Why is the embryonic period such a high-risk time for the development of major birth defects?
- A. Basic structures of all major body organs are completed during this time.
 - B. Placental circulation is established during this time.
 - C. Refinement of organ function occurs during this time.
 - D. Teratogen exposure is highest at this time
20. When does the embryonic heart begins to beat?
- A. At conception.
 - B. 2 weeks post conception.
 - C. Weeks 3-4 post conception.
 - D. Weeks 8-9 post conception
21. During preconceptual counselling a client has a non-immune rubella. Once she is immunized how long she should wait before becoming pregnant?
- A. 1 month
 - B. 3 months
 - C. 3 months
 - D. No wait is needed
22. Which of the following is not used as means to date a pregnancy?
- A. Quantitative hCG.
 - B. Sure, date of LMP
 - C. Uterine sizing
 - D. Ultrasound
23. The physiological basis for pseudo-anaemia in pregnancy is.....
- A. There is a decrease in RBCs resulting in decreased oxygen carrying capacity.
 - B. There is an increase in both RBCs and plasma with plasma increasing at greater proportion.
 - C. There is an increase in plasma volume while RBCs count does not increase.
 - D. There is an increase in plasma volume while RBCs count decreases.
24. All of the following are assessed during the client H&P. Which would be classified as "probable sign" of pregnancy?
- A. Breast enlargement and tenderness.
 - B. Cessation of menstruation.
 - C. Softening of the cervix.
 - D. FHTs of 140 bpm

25. Client asks: "my period is a week late". Is it too early for pregnancy test? which of the following responses would be the most appropriate?
- A. A pregnancy test would be accurate at this time.
 - B. For accuracy, you should be at least 2 weeks late.
 - C. Have you been sexually active?
 - D. Would you be upset if you were pregnant?
26. The following are presumptive skin signs of pregnancy except:
- A. Chloasma.
 - B. Maculo-papular rash.
 - C. Linea Nigra.
 - D. Stretch Marks.
27. The following are all normal physiological changes regarding normal pregnancy EXCEPT. Pregnancy is associated with:
- A. Increase cardiac output.
 - B. Increase venous return.
 - C. Increase peripheral resistance.
 - D. Increase pulse rate.
28. In normal pregnancy, levels of all of the following hormones increases EXCEPT:
- A. Parathyroid hormone.
 - B. Free cortisol.
 - C. Prolactin.
 - D. Estradiol.
29. Which of the following statement is TRUE in relation to normal pregnancy:
- A. Estradiol is the principal circulating estrogen.
 - B. The blood pressure increases in first and second trimester.
 - C. The tidal volume is reduced.
 - D. In The second half of pregnancy, amniotic fluid is mostly contributed fetal urine
30. The increase in blood volume in normal pregnancy is made up of:
- A. Plasma only.
 - B. Erythrocytes only.
 - C. More plasma than erythroblasts.
31. The softening of the cervical isthmus that occurs early in gestation is called:
- a. Hegar's sign.
 - b. Chadwick's sign.
 - c. Braxton Hick's contraction.
 - d. Von Fernwood's sign.
32. Booking investigations include all the following, EXCEPT:
- a. Liver function test.
 - b. Glucose challenge test.
 - c. Complete Blood Count.
 - d. Ultrasound Scan.

33. Good antenatal care can prevent all the following complications, EXCEPT:
- Iron or folic acid deficiency anemia.
 - UTI of pyelonephritis.
 - Macrosomia.
 - Preterm labor.
34. Of the following laboratory studies, which test might be done routinely at booking:
- Electrolytes.
 - Urinary estriol.
 - Serum glutamic-oxaloacetic transaminase.
35. Hypoplasia and yellow discoloration of the primary teeth has occurred in infants whose pregnant mothers were treated with drug:
- Sulphonamides.
 - Penicillin.
 - Streptomycin.
 - Tetracycline.
36. Components of biophysical profile include all of the following, EXCEPT:
- Fetal movement.
 - Placental thickness.
 - Fetal breathing movement.
 - Amniotic fluid volume assessment.
37. Antenatal fetal monitoring can NOT be accomplished by:
- Fetal kick chart.
 - Fetal scalp sampling.
 - Non-stress test.
 - Obstetric U/S & Biophysical profile.
38. Which of the following procedures allow the earliest retrieval of DNA for prenatal diagnosis in pregnancy:
- Fetoscopy.
 - Amniocentesis.
 - Chorionic Villi Sampling.
 - Percutaneous Umbilical Blood Sampling.
39. Patients with high risk pregnancy should have:
- Follow-up in ANC every 6 weeks.
 - Fetal kick chart.
 - Fetal maternal transfusion.
 - Fetal biophysical profile.
40. A biophysical profile includes all of the following assessment parameters EXCEPT:
- Fetal movement.
 - Fetal weight.
 - Fetal tone.
 - Fetal breathing movements.
41. A low APGAR score at one minute:
- Is highly correlated with late neurologic sequelae.
 - Indicates an academic newborn.
 - Has the same significance in premature and term infants.
 - Indicates the need for immediate resuscitation.

42. APGAR's score includes all the followings EXCEPT:
- Skin color.
 - Muscle tone.
 - Blood pH.
 - Heart rate.
43. Immediate therapy for infants with suspected meconium should routinely include:
- Corticosteroid.
 - Antibiotics.
 - Sodium bicarbonate.
 - Clearing of the airway.
44. The probability of multiple pregnancy is usually associated with which of the following factors
- In white people more than black.
 - With advancing maternal age.
 - With Bromocriptine use for infertility treatment.
 - If first pregnancy.
45. Which of the following statements is TRUE regarding twin deliveries?
- The first twin is at greater risk than the second.
 - They usually go postdate.
 - Commonest presentation is cephalic and second breach.
 - There is increased risk of postpartum hemorrhage
46. Pregnancy produces noticeable softening of the uterus so that by the eighth week an examiner can bend it by palpation. This is called:
- Chadwick's sign.
 - Goodell's sign.
 - Hegar's sign.
 - Lightening.
47. By the eighth week, increased vascularity of the vagina produces a purplish hue that is visible to the examiner. This typical sign of pregnancy is called:
- Chadwick's sign.
 - Goodell's sign.
 - Hegar's sign.
 - Lightening.
48. As the fetus grows, the uterus enlarges, pressing out from within. Elastic fibers of the deep layers of skin separate and break resulting in the formation of:
- Striae gravidarum.
 - Pruritus.
 - Linea nigra.
 - Chloasma.
49. A temporary deposit of pigment that typically runs from the pubic bone to the navel is known as:
- Striae gravidarum.
 - Pruritus.
 - Linea nigra.
 - Chloasma.
50. Hyperpigmented discoloration of the facial skin during pregnancy is called:

- Q. Striae gravidarum
 - R. Pruritus
 - S. Linea nigra
 - T. Chloasma
51. Which hormone is secreted by the placenta after 12th week gestation and is primarily responsible for maintenance of the pregnancy?
- U. Estrogen
 - V. HCG
 - W. Progesterone
 - X. Prolactin
52. A pregnant client asks when she should be able to hear the baby's heartbeat. The nurse's best response is
- Y. FHT are heard by doppler at 6-7 weeks gestation.
 - Z. FHT are heard by doppler at 10-12 weeks gestation.
 - AA. FHT are heard by doppler at 16-18 weeks gestation.
 - BB. FHT are heard by doppler at 20-23 weeks gestation.
53. Implantation occurs approximately how soon after fertilization?
- CC. 2 days
 - DD. 6 days
 - EE. 10 days
 - FF. 14 days
54. Which of the following is true regarding embryonic period?
- GG. It starts at fertilization and continues through day 48 of fetal development.
 - HH. It starts at the end of implantation and continues through day 48 of fetal development
 - II. It starts at fertilization and continues through day 56 of fetal development.
 - JJ. It starts approximately 7 days after fertilization and proceeds through day 56 of fetal development
55. The eyelids of fetus remain fused through what gestational age by last menstrual period?
- KK. 15th
 - LL. 20th
 - MM. 25th
 - NN. 30th