

Question 1

Maternal causes of prematurity include the following EXCEPT:

- a. Malnutrition and anemia
- b. Fetal distress
- c. Short-stature mother
- d. Maternal infections

Question 2

The following are signs of good attachment during breastfeeding EXCEPT:

- a. Baby's chin touching mother's breast
- b. Baby's lower lip turned inwards
- c. Baby's mouth is wide open
- d. More of the areola above the baby's mouth than below

Question 3

Which of the following is a biological factor influencing growth and development?

- a. Family income
- b. Education
- c. Heredity
- d. Nutrition

Question 4

Which finding is expected in a 3-month-old child with normal Gross motor development?

- a. Hold the object put in hand
- b. Bring hands together
- c. Turn from side to back
- d. Sit with adequate support

Question 5

The following are principles of growth and development EXCEPT:

- a. Principle of continuity
- b. Principle of individual difference
- c. Principle of specific to general
- d. Rate of growth and development

Question 6

Madam Emmanuella delivered at a gestation of 39 weeks. On checking the baby's weight, he weighed 2.1kg. This baby's weight is considered?

- a. Low birth weight
- b. Appropriate for gestation
- c. Large for gestational age
- d. Small for gestational age

Question 7

Which of Erik Erikson's psychosocial developmental theories can be identified in an infant child?

- a. Sense of industry versus the sense of inferiority
- b. Sense of autonomy versus the sense of shyness
- c. Sense of initiative versus sense of guilt
- d. Sense of trust versus Mistrust

Question 8

Cephalohematoma is most commonly associated with:

- a. Breech delivery
- b. Cesarean section
- c. Premature rupture of membranes
- d. Forceps or vacuum-assisted delivery

Question 9

The yellow, thick milk secretion of the breast in the first three days after delivery is known as?

- a. Mature milk
- b. Hind milk
- c. Fore milk
- d. Colostrum's

Question 10

The following are the proper positions of the baby during breastfeeding?

- a. The infant's head is straight
- b. Infant's body away from mother
- c. infant facing the mother
- d. Infant not supported well

Question 11

The following is a Gross motor development identified in a 5-month-old child.

- a. Balances head well
- b. Lies in a flexed position
- c. Bring hands together
- d. Turn from the back side

Question 12

The following are components of kangaroo mother care (KMC) EXCEPT;

- A. Exclusive breastfeeding
- B. Continuous kangaroo mother care
- C. Follow-up care
- D. Skin-to-skin contact

Question 13

Which of the following is a language and speech development that can be identified in a 2-month-old child?

- a. Responding to human voices
- b. Speech is understood by strangers
- c. Baby starts mama/dada
- d. Start cooing sound

Question 14

Ms. Anita delivered prematurely at 29 weeks. As the nurse, what will be your recommended mode of feeding for this baby?

- a. Nasogastric Tube feeding
- b. Bottle feeding
- c. Breastfeeding
- d. Cup and spoon-feeding

Question 15

All the following are features of a premature infant EXCEPT:

- a. Subcutaneous fat
- b. Soft ear with little cartilage
- c. Well-developed breast tissue
- d. Few creases on the soles of the feet

Question 16

Which of the following is the first principle of management of preterm babies?

- a. Maintain nutrition
- b. Prevention of infection
- c. Maintaining body temperature
- d. Respiratory support

Question 17

Infants who are born preterm have an increased incidence of:

- a. Pyrexia
- b. Wasting
- c. Meconium aspiration syndrome
- d. Hypothermia

Question 18

Which hormone is responsible for milk formation?

- a. Prolactin hormone
- b. Insulin hormone
- c. Thyroid hormone
- d. Growth hormone

Question 19

Which developmental milestone puts the four-month-old infant at the greatest risk for injury?

- a. Standing
- b. Switching objects from one hand to another
- c. Crawling
- d. Rolling over

Question 20

Birth weight doubles by?

- a. 6 months
- b. 1 Year
- c. 3 Years

- d. 2 Years

Question 21

According to Sigmund Freud's stages of growth and development, the developmental task associated with infancy is:

- a. Anal stage
- b. Oral stage
- c. Oedipal stage
- d. Latency stage

Question 22

Which of the following is the benefit of kangaroo mother care to the mother?

- a. Less apnea
- b. Breastfeeding
- c. weight gain
- d. Maintain temperature

Question 23

What feed is usually given to low-birth-weight infants during kangaroo mother care?

- a. Honey
- b. Sugar water
- c. Breast milk
- d. Preterm formula

Question 24

Which of the following is the rooting reflex?

- a. Flexion of extremities
- b. Arm extended up
- c. Extension of arms

- d. Turn the head to the side when touched

Question 25

The neonatal reflex elicited by touching the cheeks of the baby is:

- a. Sucking reflex
- b. Swallowing reflex
- c. Moro reflex
- d. Rooting reflex

Question 11

The most important environmental factor affecting a child's growth is:

- a. Climate
- b. Family size
- c. Religion
- d. Nutrition

The following are components of kangaroo mother care (KMC) EXCEPT;

- a. Exclusive breastfeeding
- b. Follow-up care
- c. Skin-to-skin contact
- d. Continuous kangaroo mother care

Question 23

Cephalohematoma is a collection of blood between:

- a. Skin and periosteum
- b. Periosteum and skull bone

- c. Dura mater and skull bone
- d. Scalp and galea aponeurotic