

Question 1

Maternal causes of prematurity include the following EXCEPT:

- a. Malnutrition and anemia
- b. Fetal distress
- c. Short-stature mother
- d. Maternal infections

Question 2

The following are signs of good attachment during breastfeeding EXCEPT:

- a. Baby's chin touching mother's breast
- b. Baby's lower lip turned inwards
- c. Baby's mouth is wide open
- d. More of the areola above the baby's mouth than below

Question 3

Which of the following is a biological factor influencing growth and development?

- a. Family income
- b. Education
- c. Heredity
- d. Nutrition

Question 4

Which finding is expected in a 3-month-old child with normal Gross motor development?

- a. Hold the object put in hand
- b. Bring hands together
- c. Turn from side to back
- d. Sit with adequate support

Question 5

The following are principles of growth and development EXCEPT:

- a. Principle of continuity
- b. Principle of individual difference
- c. Principle of specific to general
- d. Rate of growth and development

Question 6

Madam Emmanuella delivered at a gestation of 39 weeks. On checking the baby's weight, he weighed 2.1kg. This baby's weight is considered?

- a. Low birth weight
- b. Appropriate for gestation
- c. Large for gestational age
- d. Small for gestational age

Question 7

Which of Erik Erikson's psychosocial developmental theories can be identified in an infant child?

- a. Sense of industry versus the sense of inferiority
- b. Sense of autonomy versus the sense of shyness
- c. Sense of initiative versus sense of guilt
- d. Sense of trust versus Mistrust

Question 8

Cephalohematoma is most commonly associated with:

- a. Breech delivery
- b. Cesarean section
- c. Premature rupture of membranes
- d. Forceps or vacuum-assisted delivery

Question 9

The yellow, thick milk secretion of the breast in the first three days after delivery is known as?

- a. Mature milk
- b. Hind milk
- c. Fore milk
- d. Colostrum's

Question 10

The following are the proper positions of the baby during breastfeeding?

- a. The infant's head is straight
- b. Infant's body away from mother
- c. infant facing the mother
- d. Infant not supported well

Question 11

The following is a Gross motor development identified in a 5-month-old child.

- a. Balances head well
- b. Lies in a flexed position
- c. Bring hands together
- d. Turn from the back side

Question 12

The following are components of kangaroo mother care (KMC) EXCEPT;

- A. Exclusive breastfeeding
- B. Continuous kangaroo mother care
- C. Follow-up care
- D. Skin-to-skin contact

Question 13

Which of the following is a language and speech development that can be identified in a 2-month-old child?

- a. Responding to human voices
- b. Speech is understood by strangers
- c. Baby starts mama/dada
- d. Start cooing sound

Question 14

Ms. Anita delivered prematurely at 29 weeks. As the nurse, what will be your recommended mode of feeding for this baby?

- a. Nasogastric Tube feeding
- b. Bottle feeding
- c. Breastfeeding
- d. Cup and spoon-feeding

Question 15

All the following are features of a premature infant EXCEPT:

- a. Subcutaneous fat
- b. Soft ear with little cartilage
- c. Well-developed breast tissue
- d. Few creases on the soles of the feet

Question 16

Which of the following is the first principle of management of preterm babies?

- a. Maintain nutrition
- b. Prevention of infection
- c. Maintaining body temperature
- d. Respiratory support

Question 17

Infants who are born preterm have an increased incidence of:

- a. Pyrexia
- b. Wasting
- c. Meconium aspiration syndrome
- d. Hypothermia

Question 18

Which hormone is responsible for milk formation?

- a. Prolactin hormone
- b. Insulin hormone
- c. Thyroid hormone
- d. Growth hormone

Question 19

Which developmental milestone puts the four-month-old infant at the greatest risk for injury?

- a. Standing
- b. Switching objects from one hand to another
- c. Crawling
- d. Rolling over

Question 20

Birth weight doubles by?

- a. 6 months
- b. 1 Year
- c. 3 Years
- d. 2 Years

Question 21

According to Sigmund Freud's stages of growth and development, the developmental task associated with infancy is:

- a. Anal stage
- b. Oral stage
- c. Oedipal stage
- d. Latency stage

Question 22

Which of the following is the benefit of kangaroo mother care to the mother?

- a. Less apnea
- b. Breastfeeding
- c. weight gain
- d. Maintain temperature

1. What feed is usually given to low-birth-weight infants during kangaroo mother care?

- a. Honey
- b. Sugar water
- c. Breast milk
- d. Preterm formula

2. Which of the following is the rooting reflex?

- a. Flexion of extremities
- b. Arm extended up
- c. Extension of arms
- d. Turn the head to the side when touched

2. The neonatal reflex elicited by touching the cheeks of the baby is:

- a. Sucking reflex
- b. Swallowing reflex
- c. Moro reflex

d. Rooting reflex

3. The most important environmental factor affecting a child's growth is:

a. Climate

b. Family size

c. Religion

d. Nutrition

4. The following are components of kangaroo mother care (KMC) EXCEPT;

a. Exclusive breastfeeding

b. Follow-up care

c. Skin-to-skin contact

d. Continuous kangaroo mother care

5. Cephalohematoma is a collection of blood between:

a. Skin and periosteum

b. Periosteum and skull bone

c. Dura mater and skull bone

d. Scalp and galea aponeurotic

6. Which one of the following disease condition identified hypertrophy of right ventricle?

a. Pulmonary stenosis

b. Ventricular septal defect

c. Atrial septal defect

d. Coarctation of aorta

7. Which one of the following month child sit alone?

a. 2 Month

b. 8Month

c. 7 Month

d. 3 Month

8. Which one of the following is best treatment to increase weight of low birth weight baby?

a. Nasogastric feeding

b. Intravenous therapy

c. Kangaroo Mother care

d. Antibiotics

9. Which one of the following symptom of atrial septal defect

a. Cyanosis

b. Regular heart beat

c. Easy breathing

d. Weight gain

10. Which one of the following investigations used for atrial septal defect

a. Electro encephalo gram

b. CT scan

c. Echocardiography

d. Physical examination

11. Which one of the following is proper position of the baby during breast feeding

a. Infant body away from mother

b. Infant not supported well

c. Infant head is straight

d. Infant facing the mother

12. Which one of the following is normal height of newborn baby

a. 35-40 cm

b. 50-51cm

c. 60-61cm

d. 25-30 cm

13. Which one of the following language development identified 3 months?

a. Laugh and squall

b. Start mama/dada

c. Start cooing sound

d. Responding to human voices

14. . Which one of the following hormone responsible for milk formation

a. Prolactin

b. Oxytocin

c. Follicle stimulating

d. Luteinizing

15. Which one of the following restrain used for postoperatively care of cleft lip and palate baby

a. Mummy restrain

b. Jacket restrain

c. Elbow restrain

d. Clove hitch restrain

16. Which One of the following is anterior fontanel closes

a. 12-18 Months

b. 20-25 Months

c. 1-6 Months

d. 6-10 Months

17. Which one of the following is symptom of cleft lip and palate

- a. Difficult sucking
- b. Infection
- c. Fever
- d. Weight gain

18. Which one of the following is not a etiology for congenital anomalies

- a. Genetic
- b. Exposure to chemical
- c. Infection during pregnancy
- d. Proper antenatal check

17. Which one of the following Gross motor development identified 3 month child??

- a. Sit with adequate support
- b. Hold object put in hand
- c. Bring hand together
- d. Roll from front to back

18. Which one of the following factor influcing growth and development?

- a. Environmental
- b. Congenital
- c. HIV infection
- d. No treatment

19. Which One of the following is rooting reflex

- a. Turn head to side when touched
- b. Arm extended up
- c. Flexion of extremities
- d. Extension of arm

20. One of the following is False clinical manifestation of ventricular septal defect

- a. Weight gain
- b. Cyanotic spells
- c. Wheezing
- d. Trachypnea

21. Which one of the following is complication of preterm baby

- a. Crying
- b. Jaundice
- c. Head ache
- d. Redness

22. Which one of the following is psychosocial development during infancy?

- a. Sense of industry vs sense of inferiority
- b. Sense of autonomy vs sense of shyness
- c. Sense of initiative vs sense of Guilt
- d. Sense of Trust vs Mistrust

23. Which one of the following is technique helps to reduce anxiety of child in hospital

- a. History taking
- b. Providing toys
- c. Talking
- d. Giving medication

24. Which one of the following is first principle of management of preterm baby

- a. Maintaining body temperature
- b. Respiratory support
- c. Prevention of infection
- d. Maintain nutrition

25. Which one of the following is exclusive breast milk providing to child?

- a. 7 Month
- b. 4 Month
- c. 8 Month
- d. 6 Month

26. Which one of the following is first stages of growth and development

- a. School going
- b. Infant
- c. Preschool
- d. Newborn

27. Which one of the following month child start crawling month

- a. 9 Month
- b. 6 Month
- c. 8 Month
- d. 7 Month

28. Which one of the following is a central nervous symptom of preterm baby

- a. Atelectasis
- b. Poor sucking
- c. Lack of subcutaneous fat
- d. Lethargic

29. Which one of the following is small for gestational age

- a. Baby weight less than 200 gram
- b. Baby weight less than 100 gram
- c. Baby born before 37 weeks
- d. Baby weight 10th percentile

30. Which one of the following is prevention of infection to low birth weight baby

- a. Isolation
- b. Handling baby without sanitizer
- c. Proper hand washing
- d. Wearing personal protective equipment

Below are the correct answers with brief rationales for each question. I have kept the explanations clear, exam-focused, and concise.

Question 1

Answer: b. Fetal distress

Rationale: Fetal distress is a fetal cause, not a maternal cause. Malnutrition, anemia, short stature, and infections are maternal factors.

Question 2

Answer: b. Baby's lower lip turned inwards

Rationale: Good attachment requires the lower lip to be flanged outward, not inward.

Question 3

Answer: c. Heredity

Rationale: Heredity is a biological factor. Income and education are social, nutrition is environmental.

Question 4

Answer: b. Bring hands together

Rationale: At 3 months, babies can bring hands together. Sitting and rolling occur later.

Question 5

Answer: c. Principle of specific to general

Rationale: Growth proceeds from general to specific, not the reverse.

Question 6

Answer: a. Low birth weight

Rationale: Any baby weighing <2.5 kg is low birth weight, regardless of gestational age.

Question 7

Answer: d. Sense of trust versus mistrust

Rationale: This is Erikson's stage for infancy (0–1 year).

Question 8

Answer: d. Forceps or vacuum-assisted delivery

Rationale: Cephalohematoma results from birth trauma, especially assisted delivery.

Question 9

Answer: d. Colostrum

Rationale: Colostrum is the yellow, thick milk produced in the first few days.

Question 10

Answer: c. Infant facing the mother

Rationale: Proper breastfeeding position requires the baby to face the mother, head and body aligned.

Question 11

Answer: a. Balances head well

Rationale: Head control is achieved around 4–5 months.

Question 12

Answer: B. Continuous kangaroo mother care

Rationale: Continuous KMC is a type, not a component. Core components are skin-to-skin, breastfeeding, and follow-up.

Question 13

Answer: d. Start cooing sound

Rationale: Cooing begins around 2 months.

Question 14

Answer: a. Nasogastric tube feeding

Rationale: A 29-week preterm baby lacks coordinated sucking and swallowing.

Question 15

Answer: c. Well-developed breast tissue

Rationale: Premature infants have poorly developed breast tissue.

Question 16

Answer: c. Maintaining body temperature

Rationale: Preventing hypothermia is the first priority in preterm care.

Question 17

Answer: d. Hypothermia

Rationale: Preterm babies lose heat easily due to little subcutaneous fat.

Question 18

Answer: a. Prolactin hormone

Rationale: Prolactin stimulates milk production.

Question 19

Answer: d. Rolling over

Rationale: Rolling increases the risk of falls and injury.

Question 20

Answer: a. 6 months

Rationale: Birth weight doubles by 5–6 months.

Question 21

Answer: b. Oral stage

Rationale: According to Freud, infancy is the oral stage.

Question 22

Answer: b. Breastfeeding

Rationale: KMC improves bonding and breastfeeding for mothers.

Second Section

1

Answer: c. Breast milk

Rationale: Breast milk is ideal for LBW babies in KMC.

2

Answer: d. Turn the head to the side when touched

Rationale: This defines the rooting reflex.

3

Answer: d. Rooting reflex

Rationale: Touching the cheek elicits rooting.

4

Answer: d. Nutrition

Rationale: Nutrition is the most important environmental factor.

5

Answer: b. Periosteum and skull bone

Rationale: Cephalohematoma lies between the periosteum and skull.

6

Answer: a. Pulmonary stenosis

Rationale: Causes right ventricular hypertrophy due to obstruction.

7

Answer: b. 8 Month

Rationale: Sitting alone usually occurs around 8 months.

8

Answer: c. Kangaroo Mother Care

Rationale: KMC promotes warmth, feeding, and weight gain.

9

Answer: a. Cyanosis

Rationale: Cyanosis can occur in advanced ASD.

10

Answer: c. Echocardiography

Rationale: It is the gold standard for ASD diagnosis.

11

Answer: d. Infant facing the mother

Rationale: Correct alignment improves attachment.

12

Answer: b. 50–51 cm

Rationale: Average newborn length is about 50 cm.

13

Answer: c. Start cooing sound

Rationale: Seen around 2–3 months.

14

Answer: a. Prolactin

Rationale: Responsible for milk formation.

15

Answer: c. Elbow restraint

Rationale: Prevents the baby from touching the surgical site.

16

Answer: a. 12–18 months

Rationale: Normal closure time of anterior fontanel.

17

Answer: a. Difficult sucking

Rationale: Common in cleft lip and palate.

18

Answer: d. Proper antenatal check

Rationale: This prevents anomalies, not causes them.

19

Answer: c. Bring hand together

Rationale: Typical 3-month gross motor milestone.

20

Answer: b. Cyanotic spells

Rationale: VSD usually causes poor weight gain, not gain.

21

Answer: b. Jaundice

Rationale: Common complication of prematurity.

22

Answer: d. Sense of Trust vs Mistrust

Rationale: Erikson's infancy stage.

23

Answer: b. Providing toys

Rationale: Play reduces anxiety in hospitalized children.

24

Answer: a. Maintaining body temperature

Rationale: First and most critical step.

25

Answer: d. 6 Month

Rationale: WHO recommends exclusive breastfeeding for 6 months.

26

Answer: d. Newborn

Rationale: First stage of growth and development.

27

Answer: a. 9 Month

Rationale: Crawling usually begins around 8–9 months.

28

Answer: d. Lethargic

Rationale: CNS manifestation in preterm babies.

29

Answer: d. Baby weight 10th percentile

Rationale: Defines small for gestational age (SGA).

30

Answer: c. Proper hand washing

Rationale: Most effective infection-prevention method.

If you want, I can also:

Convert this into revision notes

Create practice quizzes

Highlight high-yield exam points