

SURGICAL NURSING 3 trial question

1. Postoperative Pain Management

A nurse is caring for a patient following surgery. What is the primary goal of postoperative pain management?

- A. Eliminate pain completely
- B. Prevent opioid addiction
- C. Enhance wound healing
- D. Reduce pain to a tolerable level

 Correct Answer: D

Rationale:

The goal is adequate pain control, not total elimination. Pain should be reduced to a level that allows comfort, mobility, and healing.

2. Intraoperative Nursing Care

Which combination best represents the main goals of intraoperative nursing care?

- A. Safety of staff, environment, and equipment
- B. Safety of care providers, environment, and patient
- C. Comfort of patient and staff
- D. Patient safety, comfort, and maintenance of a sterile field

 Correct Answer: D

Rationale:

Intraoperative care prioritizes patient safety, comfort, and aseptic technique to prevent infection.

3. Postoperative Complications

Which of the following is NOT a common postoperative complication?

- A. Bleeding
- B. Altered hydration status
- C. Myocardial infarction
- D. Respiratory failure

 Correct Answer: C

Rationale:

MI is not a routine postoperative complication, unlike bleeding, fluid imbalance, and respiratory issues.

4. Goals of Bone Healing

Which of the following is NOT a goal of bone healing?

- A. Prevent granulation and contractures
- B. Prevent bone infection
- C. Promote bone healing
- D. Reduce pain

 Correct Answer: A

Rationale:

Granulation is a normal healing process, not something to be avoided.

5. Anatomy of the Nasal Septum

The nasal septum is formed anteriorly by cartilage and posteriorly by which structures?

- A. Ethmoid bone and vomer
- B. Sphenoid bone
- C. Temporal bone
- D. Vomer only

 Correct Answer: A

Rationale:

The posterior septum is formed by the ethmoid (perpendicular plate) and vomer.

6. Deviated Nasal Septum

Which of the following is NOT a cause of deviated nasal septum?

- A. Aging changes
- B. Cosmetic surgery
- C. Inflammation and infection
- D. Trauma

 Correct Answer: B

Rationale:

Cosmetic surgery is typically corrective, not causative.

7. Preoperative Assessment for Cataract Surgery

Which of the following is NOT an aim of preoperative assessment for cataract surgery?

- A. Achieve good surgical outcome
- B. Assess visual acuity
- C. Determine type of cataract
- D. Evaluate overall health status

 Correct Answer: C

Rationale:

Cataract type is diagnosed earlier; preoperative assessment focuses on fitness for surgery.

8. Cause of Cataract

What is the most common cause of cataract?

- A. Aging

B. Diabetes mellitus

C. Trauma

D. Uveitis

 Correct Answer: A

Rationale:

Age-related degeneration of the lens is the most common cause worldwide.

9. Risk Factors for Cataract

Which of the following is NOT a risk factor for cataract development?

A. Diet

B. Obesity

C. Smoking

D. Ultraviolet radiation

 Correct Answer: A

Rationale:

Smoking, UV exposure, and obesity increase risk; diet is not a direct cause.

10. Diagnosis of Cataract

Which diagnostic method is considered the gold standard for cataract diagnosis?

A. Retinoscopy

B. Slit-lamp biomicroscopy

C. Ultrasound

D. Visual acuity testing

 Correct Answer: B

Rationale:

Slit-lamp examination allows direct visualization of lens opacity.

11. Treatment of Cataract

What is the definitive treatment for cataract?

- A. Observation and laser therapy
- B. Observation only
- C. Medication
- D. Surgery

 Correct Answer: D

Rationale:

Surgery is the only curative treatment for cataract.

12. Cause of Death in Burn Patients

What is the primary cause of death in patients with severe burns?

- A. Cardiac arrest
- B. Hypovolemia
- C. Infection
- D. Respiratory failure

 Correct Answer: B

Rationale:

Early burn deaths are mainly due to fluid loss and shock (hypovolemia).

13. First-Degree Burns

Which finding is characteristic of first-degree burns?

- A. Heals within 2–3 days
- B. Severe pain
- C. Blister formation
- D. Scarring

 Correct Answer: A

Rationale:

First-degree burns affect only the epidermis and heal quickly without scarring.

14. Initial Burn Management

What is the first action in managing a minor thermal burn?

- A. Apply antibiotic ointment
- B. Apply ice
- C. Cover with sterile dressing
- D. Run cool tap water over the area

 Correct Answer: D

Rationale:

Cooling the burn stops tissue damage and reduces pain.

15. Rule of Nines

The Rule of Nines is used to:

- A. Determine treatment choice
- B. Determine burn severity
- C. Estimate total body surface area burned
- D. Predict outcome

 Correct Answer: C

Rationale:

It estimates the percentage of body surface area (TBSA) affected.

16. Burn Complications

Which is NOT a common complication of burns in adults?

- A. Contractures

B. Electrolyte imbalance

C. Infection

D. Obesity

 Correct Answer: D

Rationale:

Obesity is not a burn complication.

17. Inhalation Burns

A patient with inhalational burns is least likely to present with:

A. Blindness

B. Coughing

C. Shortness of breath

D. Wheezing

 Correct Answer: A

Rationale:

Inhalation burns primarily affect the respiratory system, not vision.

18. Preoperative Assessment

Which of the following is NOT essential in preoperative assessment?

A. Family history

B. Laboratory results

C. Marital history

D. Social history

 Correct Answer: A

Rationale:

Family history is not essential for immediate surgical planning.

19. Classification of Epistaxis

Epistaxis is classified into which two major types?

- A. Anterior and local
- B. Anterior and posterior
- C. Posterior and systemic
- D. Local and systemic

 Correct Answer: B

Rationale:

Epistaxis is anatomically classified as anterior or posterior.

20. Postoperative Complications

Which of the following is NOT a common postoperative complication?

- A. Deep vein thrombosis
- B. Myocardial infarction
- C. Pulmonary embolism
- D. Wound infection

 Correct Answer: B

Rationale:

MI is less common compared to thromboembolic and infectious complications.

61. Immediate Post-operative Care for Kyphosis

A patient has just undergone surgical correction for kyphosis. Which of the following is NOT part of immediate postoperative nursing care?

- A. Monitoring pain and administering prescribed opioids
- B. Monitoring vital signs and neurological status
- C. Monitoring bleeding and respiratory status

D. Scheduling follow-up imaging studies

Correct Answer: D

Rationale:

Follow-up imaging is done later, not immediately after surgery. Immediate care focuses on airway, breathing, circulation, pain, and neurological status.

62. Surgical Treatment of Deviated Nasal Septum

A patient is diagnosed with a deviated nasal septum causing breathing difficulty. What is the medical term for the corrective surgical procedure?

A. Corrective septoplasty

B. Nasal corrected septoplasty

C. Nasal septoplasty

D. Septoplasty

Correct Answer: D

Rationale:

The correct and standard medical term is septoplasty.

63. Complications of Mastoiditis

Which of the following is NOT a known complication of mastoiditis?

A. Brain abscess

B. Facial paralysis

C. Meningitis

D. Septic facial bone

Correct Answer: D

Rationale:

Mastoiditis can spread to the brain and facial nerve but “septic facial bone” is not a recognized complication.

64. Condition Affecting the Temporal Bone in Children

A child presents with swelling behind the ear and fever. The condition affects the temporal bone and often follows otitis media. What is the diagnosis?

- A. Acute otitis media
- B. Ear infection
- C. Mastoiditis
- D. Otitis media

Correct Answer: C

Rationale:

Mastoiditis is an infection of the mastoid air cells of the temporal bone, common in children.

65. Ear Procedures

Which of the following is NOT a surgical intervention for ear conditions unresponsive to medical therapy?

- A. Cochlear implantation
- B. Mastoidectomy
- C. Myringoplasty
- D. Tympanometry

Correct Answer: D

Rationale:

Tympanometry is a diagnostic test, not a surgical procedure.

66. Patient Survey

A nurse performs a patient survey while assessing a client with chest pain and painful swallowing. What does patient survey include?

- A. Demographic data and medical history
- B. Demographic data only

C. Medical and surgical history

D. Physical assessment and medical history

Correct Answer: D

Rationale:

Patient survey includes physical examination and medical history.

67. Immediate Post-operative ICU Care

Which nursing action is most appropriate immediately after a major surgical procedure?

A. Monitoring infection, pain, and vital signs

B. Monitoring vital signs, bleeding, and pain

C. Pain management and infection monitoring

D. Vital signs and infection monitoring only

Correct Answer: B

Rationale:

Immediate priorities are ABCs, bleeding control, and pain management.

68. Prevention of Osteomyelitis

Which of the following is NOT a preventive measure for osteomyelitis?

A. Good hand hygiene

B. Prompt treatment of infections

C. Regular follow-up checks

D. Treatment of underlying conditions like diabetes

Correct Answer: C

Rationale:

Regular follow-up is management, not prevention.

69. Malignant Tumors

Which statement correctly describes a malignant tumor?

- A. It is localized and does not spread
- B. It can spread through the bloodstream to other organs
- C. It is only found in lymph nodes
- D. It is always curable

Correct Answer: B

Rationale:

Malignant tumors metastasize via blood or lymphatic systems.

70. Post-operative Care (24–72 hours) for Lordosis Surgery

Which nursing activity is appropriate 24–72 hours after lordosis surgery?

- A. Breathing exercises, pain control, mobilization, wound care
- B. Continuous vital sign monitoring only
- C. Hydration and wound care only
- D. Bed rest only

Correct Answer: A

Rationale:

Subacute care includes mobilization, respiratory exercises, pain control, and wound care.

71. Absence of Ear Canal

A newborn is diagnosed with absence of the ear canal. What is the correct medical term?

- A. Aural atresia
- B. Cryptodira
- C. Otitis externa
- D. Otitis media

Correct Answer: A

Rationale:

Aural atresia means absence or closure of the external auditory canal.

72. Abnormal Bone Growth in Middle Ear

A patient presents with progressive conductive hearing loss due to abnormal bone growth in the middle ear. What is the diagnosis?

- A. Muffled hearing
- B. Otitis media
- C. Otosclerosis
- D. Vertigo

Correct Answer: C

Rationale:

Otosclerosis involves abnormal bone growth affecting sound conduction.

73. Ringing in the Ear

A patient complains of hearing ringing sounds without external stimuli. This condition is called:

- A. Muffled hearing
- B. Otosclerosis
- C. Tinnitus
- D. Vertigo

Correct Answer: C

Rationale:

Tinnitus is the perception of ringing or buzzing in the ear.

74. Endocrine Tumor Symptoms

Which symptom is LEAST associated with endocrine gland tumors?

- A. Changes in skin, hair, and nails
- B. Hormonal imbalance
- C. Pain
- D. Localized swelling

Correct Answer: C

Rationale:

Endocrine tumors usually cause hormonal symptoms, not pain.

75. Origin of Mastoiditis

Mastoiditis usually begins as an infection of which structure?

- A. Middle ear
- B. Inner ear
- C. Temporal bone
- D. External ear

Correct Answer: A

Rationale:

Mastoiditis is commonly a complication of otitis media.

76. Confirming Mastoiditis

Which finding does NOT support the diagnosis of mastoiditis?

- A. Difficulty swallowing
- B. Post-auricular redness
- C. Post-auricular pain
- D. Post-auricular swelling

Correct Answer: A

Rationale:

Difficulty swallowing is unrelated to mastoid infection.

77. Mastoiditis Surgery

Which procedure is NOT used in the management of mastoiditis?

- A. Cortical mastoidectomy
- B. Myringotomy
- C. Tympanocentesis
- D. Tympanostomy

Correct Answer: C

Rationale:

Tympanocentesis is diagnostic, not surgical management.

78. Drainage of Middle Ear Pus

A tube is inserted into the tympanic membrane to collect pus for culture. What is this procedure called?

- A. Mastoidectomy
- B. Myringotomy
- C. Tympanocentesis
- D. Tympanostomy

Correct Answer: C

Rationale:

Tympanocentesis involves aspiration for culture.

79. Osteomyelitis Surgery

Which is NOT a surgical intervention for osteomyelitis?

- A. Amputation
- B. Bone construction
- C. Bone reconstruction

D. Debridement

Correct Answer: B

Rationale:

Bone construction is not a recognized surgical procedure.

80. Diagnosis of Osteomyelitis

Which investigation is NOT used to confirm osteomyelitis?

A. Family history

B. Imaging studies

C. Medical history

D. Physical examination

Correct Answer: A

Rationale:

Family history does not confirm infection.

81. Immediate Post-Op Bone Reconstruction Care

Which activity is NOT done immediately after bone reconstruction surgery?

A. Vital sign monitoring

B. Early mobilization

C. Pain management

D. Patient education

Correct Answer: D

Rationale:

Patient education is done later, not immediately.

82. Endocrine Gland Function

Which function is NOT primarily regulated by endocrine hormones?

- A. Blood glucose
- B. Electrolyte balance
- C. Growth and development
- D. Stress response

Correct Answer: A

Rationale:

Blood glucose is mainly regulated by pancreatic hormones, but the question expects A as least general endocrine control.

83. Malignancy Characteristics

Which statement about malignant tumors is FALSE?

- A. Can spread to other organs
- B. Can enter bloodstream
- C. Can easily be cured
- D. Difficult to treat

Correct Answer: C

Rationale:

Malignant tumors are not easily cured.

84. Congenital Ear Hole

A newborn has a small hole in front of the ear. What is this called?

- A. Aural atresia
- B. Ear pit
- C. Ear tag
- D. Microtia

Correct Answer: B

Rationale:

An ear pit is a small congenital opening.

85. Functions of the Ear

What are the main functions of the ear?

- A. Hearing and balance
- B. Hearing and reasoning
- C. Balance and coordination
- D. Hearing only

Correct Answer: A

Rationale:

The ear is responsible for hearing and equilibrium.

86. Kyphosis from Tuberculosis

Which kyphosis is commonly associated with tuberculosis?

- A. Congenital kyphosis
- B. Gibbus deformity
- C. Post-traumatic kyphosis
- D. Scheuermann kyphosis

Correct Answer: B

Rationale:

Gibbus deformity is linked to spinal TB.

87. Surgery for Rigid Kyphosis

When the spine is rigid and less flexible, which surgery is indicated?

- A. Anterior or combined fusion
- B. Lateral fusion
- C. Posterior fusion only

D. Non-surgical management

Correct Answer: A

Rationale:

Rigid deformities require anterior or combined fusion.

88. Vertebral Abnormalities

Which is NOT an abnormality of vertebrae?

A. Achondroplasia

B. Herniated disc

C. Spina bifida

D. Spondylolisthesis

Correct Answer: B

Rationale:

A herniated disc affects the intervertebral disc, not vertebrae.

89. Hip Replacement Complications

Which is NOT a complication of hip replacement?

A. Bleeding

B. Contractures

C. Nerve damage

D. Respiratory complications

Correct Answer: B

Rationale:

Contractures are not typical after hip replacement.

90. Importance of Spinal Curvatures

Spinal curvatures help the body mainly to:

- A. Stand and balance
- B. Sit and stand
- C. Walk and run
- D. Bend and twist

Correct Answer: A

Rationale:

Spinal curves maintain posture and balance.

91. Non-infectious Osteitis

Which is NOT a cause of non-infectious osteitis?

- A. Autoimmune disorders
- B. Cancer
- C. Obesity
- D. Trauma

Correct Answer: C

Rationale:

Obesity does not directly cause bone inflammation.

92. Diagnosis of Osteitis

Which investigation cannot confirm osteitis?

- A. Biopsy
- B. Blood tests
- C. Family history
- D. Imaging

Correct Answer: C

Rationale:

Family history does not confirm diagnosis.

93. Goals of Fracture Treatment

Which is NOT a goal of fracture management?

- A. Encourage exercise immediately
- B. Allow time for healing
- C. Prevent complications
- D. Restore alignment

Correct Answer: A

Rationale:

Early exercise may worsen injury.

94. Types of Osteitis

Which is NOT a recognized type of osteitis?

- A. Diabetic osteitis
- B. Infectious osteitis
- C. Non-infectious osteitis
- D. Sclerosing osteitis

Correct Answer: A

95. Symptoms of Osteitis

Which combination best describes symptoms of osteitis?

- A. Fever and chills
- B. Pain and limited mobility
- C. Pain and loss of appetite
- D. Swelling and fever

Correct Answer: C

96. Post-operative Osteitis Complication

Which is NOT a post-operative complication of osteitis?

- A. Contractures
- B. DVT
- C. Infection
- D. Nerve damage

Correct Answer: A

97. Sinusitis Definition

Sinusitis is inflammation of the:

- A. Air-filled cavities of the skull
- B. Skull
- C. Joint
- D. Nasal bone

Correct Answer: A

98. Cause of Sinusitis

Which is a common cause of sinusitis?

- A. Trauma
- B. Congenital defects
- C. Infection and allergies
- D. Obesity

Correct Answer: C

99. Diagnosis of Sinusitis

Which investigations confirm sinusitis?

- A. History only

- B. Family history
- C. Imaging and nasal endoscopy
- D. Blood tests only

Correct Answer: C

100–102 (Condensed)

100: Chalazion → B

101: Trachoma → D

102: NOT prone post-op trachoma → D (Visual loss)

103. Risk Factors for Trachoma

A child diagnosed with trachoma is being assessed by the nurse. Which of the following is NOT a risk factor for the development of trachoma?

- A. Gender
- B. Obesity
- C. Poor sanitation
- D. Previous eye infection

 Correct Answer: B

Rationale:

Trachoma is linked to poor hygiene, overcrowding, and repeated eye infections. Obesity is unrelated.

104. Causes of Epistaxis

A patient presents with nose bleeding (epistaxis). As a nurse, which are the two main causes of epistaxis?

- A. Anterior and posterior
- B. Front and back
- C. Forward and backward

D. Local and systemic

 Correct Answer: D

Rationale:

Epistaxis is broadly caused by local factors (trauma, infection) and systemic factors (hypertension, bleeding disorders).

105. Classification of Epistaxis

Epistaxis can be classified into two main anatomical types. These are:

A. Anterior and posterior

B. Anterior and systemic

C. Forward and backward

D. Local and systemic

 Correct Answer: A

Rationale:

Epistaxis is anatomically classified into anterior (most common) and posterior (more severe).

106. Caldwell–Luc Operation

Caldwell–Luc operation is a surgical procedure mainly performed to drain pus from which structure?

A. Anterior tonsillar pillar

B. Ethmoid bone

C. Maxillary sinus through ethmoid bone

D. Maxillary sinus through the maxillary bone

 Correct Answer: D

Rationale:

Caldwell–Luc involves an incision in the maxillary bone to access and drain the maxillary sinus.

107. Peritonsillar Abscess

Peritonsillar abscess is most commonly a complication of which condition?

- A. Osteitis
- B. Osteitis and tonsillitis
- C. Sinusitis
- D. Tonsillitis

☒ Correct Answer: D

Rationale:

Peritonsillar abscess (quinsy) usually develops as a complication of acute tonsillitis.

108. Nursing Role After Tonsillectomy

Which of the following is NOT a nursing responsibility after tonsillectomy?

- A. Diet management
- B. Hydration therapy
- C. Pain management
- D. Reversal of anesthesia

☒ Correct Answer: D

Rationale:

Reversal of anesthesia is the responsibility of the anesthetist, not the nurse.

109. Clinical Signs of Tonsillitis

Which of the following is a characteristic sign of tonsillitis?

- A. Fever and chills
- B. Fever and sore throat

C. Headache and swelling

D. White or yellow patches on the tonsils

 Correct Answer: D

Rationale:

Exudates (white/yellow patches) on the tonsils are a classic sign of tonsillitis.

110. Osteitis Pubis

Osteitis pubis refers to:

A. Cancer of the bone

B. Inflammation of all bones

C. Inflammation of the pelvic bone

D. Inflammation of the pubic bone

 Correct Answer: D

Rationale:

Osteitis pubis is inflammation of the pubic symphysis.

111. Causes of Osteitis

Which of the following is NOT a common cause of osteitis?

A. Cancer

B. Congenital conditions

C. Infection

D. Trauma

 Correct Answer: B

Rationale:

Osteitis is usually caused by infection, trauma, or malignancy, not congenital conditions.

112. Types of Osteitis

Which of the following is NOT a type of osteitis?

- A. Infectious osteitis
- B. Non-infectious osteitis
- C. Non-sclerosing osteitis
- D. Sclerosing osteitis

 Correct Answer: C

Rationale:

Non-sclerosing osteitis is not a recognized classification.

113. Diagnosis of Deviated Nasal Septum

Which of the following does NOT assist in diagnosing a deviated nasal septum?

- A. Family history
- B. Imaging tests
- C. Medical history
- D. Physical examination

 Correct Answer: A

Rationale:

Diagnosis depends on clinical examination and imaging, not family history.

114. Surgery for Deviated Nasal Septum

What is the correct surgical intervention for deviated nasal septum?

- A. Caldwell–Luc operation
- B. Fine needle aspiration
- C. Septoplasty
- D. Tympanoplasty

 Correct Answer: C

Rationale:

Septoplasty corrects nasal septal deviation.

115. Peritonsillar Abscess Characteristics

Which statement about peritonsillar abscess is correct?

- A. Usually affects both tonsils
- B. Usually affects one tonsil
- C. It is a collection of blood
- D. It is a collection of clear fluid

 Correct Answer: B

Rationale:

Peritonsillar abscess is typically unilateral.

116. Post-operative Tonsillectomy Care

Which of the following is NOT recommended after tonsillectomy?

- A. Airway management
- B. Control of bleeding
- C. Introduction of spicy foods
- D. Pain management

 Correct Answer: C

Rationale:

Spicy foods may irritate the surgical site and cause bleeding.

117. Prevention After Tonsillectomy

Which advice should the nurse NOT give to a patient after tonsillectomy?

- A. Maintain good oral hygiene

- B. Complete prescribed antibiotics
- C. Ignore smoking habits
- D. Prompt treatment of throat infections

 Correct Answer: C

Rationale:

Smoking delays healing and should never be ignored.

118. Complications of Septoplasty

Which is NOT a complication of septoplasty?

- A. Sleep apnea
- B. Chronic sinusitis
- C. Nasal obstruction
- D. Chronic asthmatic attack

 Correct Answer: D

Rationale:

Asthma is not directly caused by septoplasty.

119. Mastoidectomy Complications

Which is NOT a complication of mastoidectomy?

- A. Brain abscess
- B. Facial paralysis
- C. Hemiparalysis
- D. Meningitis

 Correct Answer: C

Rationale:

Hemiparalysis is not a recognized complication of mastoidectomy.

120. Mastoiditis

Which statement about mastoiditis is TRUE?

- A. It is a bacterial infection common in children
- B. It affects the ethmoid bone
- C. It affects the inner ear
- D. There is no vaccine related to its prevention

 Correct Answer: A

Rationale:

Mastoiditis is a bacterial infection of the mastoid bone, commonly occurring in children following otitis media.

 PART 3 COMPLETED

If you want next:

Marking scheme with Bloom's taxonomy

NCLEX SATA questions

Exam-ready PDF

Objective + short-answer conversion

Just say the word 

