

MENTAL HEALTH QUESTIONS..

1. Personality is formed by the interaction of environment and
 - A. Behavior
 - B. Heredity**
 - C. Parents
 - D. Society

2. Which of the following personalities described personality to have abstract structure?
 - A. Erick Erickson
 - B. Sigmund Alfred
 - C. Sigmund Fred
 - D. Sigmund Freud**

3. Which of the parts of the mind serves as the storhouse of memories?
 - A. Conscience
 - B. Conscious
 - C. Preconscious**
 - D. Unconsciousdevelopment?

4. Which of these behaviors can be said to be as results of fixation at the oral stage of personality
 - A. Depression
 - B. Excessive laughter
 - C. Excessive smoking**
 - D. Orderliness

5. The outstanding behavior of which personality disorder is the persistent disregard for the feeling and the right of others.
 - A. Antisocial**
 - B. Borderline
 - C. Dependent
 - D. Passive-aggressive

6. The type of anxiety characterized by chronic unrealistic or excessive worry traditionally described as free-floating anxiety is
 - A. Agoraphobia
 - B. Generalized Anxiety disorder**
 - C. Panic disorder
 - D. Obsessive compulsive disorder

7. Which of the following is not a psychological symptom of an anxiety state?
 - A. Apprehension
 - B. Irritability
 - C. Scared
 - D. Trembling**

8. The major tranquilizers are the drug of choice in the treatment of

- A. Depression
- B. Narcotic withdrawal
- C. Anxiety disorder
- D. Psychoses**

9. Which of the following is likely to result when a person physically dependent on substance suddenly ceases to use it?

- A. Hallucination
- B. Delusion
- C. Withdrawal syndrome**
- D. Anxiety

10. Which of the following best explains acute organic reaction

- A. It involves the destruction of the brain cells
- B. It spans over a relatively longer period of time
- C. The onset is sudden and reversible**
- D. There is loss of touch with reality

11. Chameleon-like attitude is a characteristic of which of the following personality disorders

- A. Paranoid personality disorder
- B. Cyclothymic personality disorder**
- C. Schizotypal personality disorder
- D. Narcissistic personality disorder

12. Explosive personality disorder may be pre morbid personality for

- A. Epilepsy**
- B. Mania
- C. Psychopathy
- D. Schizophrenia

13. Social phobia may be a complication of

- A. Avoidance personality disorder**
- B. Narcissistic personality disorder
- C. Dependent personality disorder
- D. Schizoid personality disorder

14. Esi sees a piece of rag on her table and screams that it is a snake. This behavior is referred to as:

- A. Delusion
- B. Hallucination
- C. Illusion**
- D. Phobia

15. In waxy flexibility the patient

- A. Adopts an unusual position for a long time
- B. Repeats all acts seen
- C. Repeats all sound heard.
- D. Adopts strange positions fixed by someone else**

16 Disturbance of thinking, volition, and perception are classical features of

- A. Depression
- B. Mania
- C. Phobia
- D. Schizophrenia**

17. Electroplexy has proved to be most successful in the management of

- A. Epilepsy
- B. Mania
- C. Depression**
- D. Schizophrenia

18. General Paralysis of the insane (GPI) is a condition caused by infection with

- A. E-coli
- B. Pneumococcal
- C. Treponema Pallidum**
- D. Tridium Welch

19. Silly giggling, carrying of junks and Labelle indifference are major mental symptoms of

- A. catatonic schizophrenias
- B. disorganized schizophrenia**
- C. depression
- D. Mania

20. Which level of Mental Retardation constitutes the largest group of the mentally retarded population?

- A. Mild retardation**
- B. Moderate retardation
- C. Sever retardation
- D. Profound retardation

21. Atropine in ECT is given

- A. to alleviate anxiety
- B. to decrease secretions**
- C. to relax muscles
- D. as a short acting anesthetic agent

22. The following are contraindicated to ECT EXCEPT

- A. Congestive heart failure
- B. Angina pectoris
- C. c significant hypotension

D. Schizoaffective disorder.

23. The most common side effect of ECT are

- A. Permanent memory loss and brain damage
- B. Fracture and dislocated bones
- C. Temporal memory loss and confusion**
- D. Myocardial infarction and cardiac arrest

24. The following are social therapies EXCEPT

- A. Psychoanalysis**
- B. Occupational therapy
- C. Recreational therapy
- D. Group therapy

25. Indication of ECT include the following EXCEPT

- A. Involutional depression**
- B. Mania
- C. Dementia
- D. Depressive state

26. Systematic desensitization is used to treat

- A. Depression
- B. Phobic reaction**
- C. Conversion disorder
- D. Schizophrenia

27. The following are physical therapies used in psychiatry EXCEPT

- A. Aversion therapy**
- B. Prolonged narcosis
- C. Electropexy
- D. Modified insulin therapy

28. Which of the following is a misplacement

- A. Imipramine
- B. Tranylcypromine
- C. Lithium carbonate**
- D. Isocarboxazide

29. The most commonly prescribed group of drugs in the management of mania is

- A. Antidepressants
- B. Neuroleptics
- C. Anxiolytics
- D. Sedatives and hypnotics**

30. Which of the following is typically used in systematic desensitization

- A. Apomorphine
- B. electric shock

C. Relaxation

D. Token economy

31. Which of these neurotransmitters is most closely associated with schizophrenia

A. Adrenalin

B. Dopamine

C. Norepinephrine

D. Serotonin

32. Which of the following is a misplacement

A. Carbamazepine

B. Primidone

C. Ethosuximide

D. Protripty line

33. Imipramine is a drug under...

A. Antidepressants

B. Neuroleptics

C. Anxiolytics

D. Anticonvulsants

34. Aversion therapy is used in the management of

A. Depression

B. Alcoholism

C. Mania

D. Schizophrenia

35. Which of the following drugs will be prescribed by the Psychiatrist for patient with neurotic depression?

A. Phenazine

B. Amitriptyline

C. Imipramine

D. Amitriptyline

36. A person who is physically dependent on substances would experience one of the following when he ceases to take the substance

A. Anxiety state

B. Alcoholic hallucinosis

C. persecutory delusions

D. Withdrawal syndrome

37. Application of learning principles and theories in the treatment of mental disorder is

A. behavior therapy

B. Learning therapy.

C. Occupational therapy

D. Chemotherapy

38. A patient on monoamine oxidase inhibitors who takes cheese and banana in his diet is likely to suffer from

- A. Euphoria
- B. Hypertensive crisis**
- C. Panic disorder
- D. Liver failure

39. The following drugs are phenothiazine EXCEPT

- A. Largatil
- B. Fluphenazine
- C. Serenace**
- D. Sparine

40. Akethasia is identified by which of the symptoms

- A. Mask-like face
- B. muscle weakness
- C. Neck pain
- D. Shuffling gait**

41. The following are Parkinsonian symptoms of antipsychotic drugs used except

- A. Oculogyric crisis
- B. Mask-like face**
- C. Tremors of the hands, lips and tongue
- D. Cog wheel rigidity

42. Psychosurgery was first introduced by

- A. Sigmund Freud
- B. Egas Moniz**
- C. Ugo Calletti
- D. Manfred sakei

43. The following are all antidepressants EXCEPT

- A. Parnate
- B. Tryptizole
- C. Largatil**
- D. Tofranil

44. Before ECT is given the nurse must ensure that the treatment is equipped with

- A. Oxygen
- B. Suction apparatus
- C. intermittent positive respirator
- D. All the above.**

45. Which position should the patient be maintained after ECT

- A. Lateral position**
- B. Recumbent position
- C. Upright;

D. Prone position

46. The following are features of Akathesia EXCEPT

A. Fidgeting

B. Frequent change in position

C. Chewing.

D. Pacing

47. The essential foundation that must be established early in the therapeutic relationship is..

A. Change

B. Confidence

C. Insight

D. Trust

48. The immediate nursing goal for the client with post-traumatic stress disorder is to

A. desensitize him

B. focus on reality

C. take antipsychotic medication

D. teach him relaxation

49. One of the objective of family therapy is

A. Knowing the family

B. Providing mutual support for the members

C. Recounting the family history

D. Solving problems of the community.

50. Which of the under mentioned is a side effect of tricyclic antidepressants?

A. blurred vision

B. Dry mouth

C. Hypertension

D. Retention of urine.

51. Barbiturate act on the central nervous system as

A. Depressants

B. Hallucinogens

C. Neurotransmitters

D. Stimulants

52. Chlorpromazine should not be mixed with other drugs because

A. Absorption will be too fast

B. Precipitate will form

C. Effervescence will occur

D. The syringe used will be clouded.

53. An extra pyramidal symptoms that is potentially reversible and associated with

- A. Oculogeric crisis**
- B. spasmodic torticollis
- C. Opisthotonus
- D. Tardive dyskinesia

54. When monoamine oxidase inhibitor is prescribed the patient should be cautioned against

- A. Eating fatty food
- B. Ingesting beans and cheese**
- C. Prolonged exposure to sunlight
- D. Excessive exercise.

55. When managing a patient with phobia, one of the following techniques is useful

- A. Aversion therapy
- B. Behavior therapy
- C. Systematic desensitization**
- D. Operant conditioning.

QUESTION 56-60 MATCH THE GENERIC NAME OF THE PSYCHOTROPIC DRUGS IN COLUMN "A" WITH ITS TRADE NAME IN COLUMN "B"

COLUMN A

- 56. Diazepam
- 57. Fluphenazine
- 58. Olanzapine
- 59. Chlorpromazine
- 60 Amitriptyline

COLUMN B

- a. promazine
- b. Melleril
- 58- c. zyprexa**
- 57- d. serenace**
- e. camcollt
- f. modicate
- 59- g. largactil**
- 60- h. tryptizole**
- 56 -i. Valium**

61. Which of the following is a significant feature of organic psychosis?

- A. Auditory hallucination**
- B. olfactory hallucination
- C. Tactile hallucination
- D. Visual hallucination.

62. Which of the following symptom strongly suggest that a patient has had an organic brain damage?

- A. Emotional lability
- B. Elaborated delusions
- C. Sudden difficulty with meander**
- D. Withdrawal from others for a long time.

63. Which of the following neurotransmitters is most closely associated with Parkinson's disease?

- A. Acetylcholine**
- B. Adrenaline
- C. Substance Abuse
- D. Serotonin.

64. The nurse caring for patient with Senile dementia should bear in mind

- A. All dementia patients can commit suicide
- B. Patients with Senile dementia are unpredictable
- C. Client with dementia require skills and humanity.**
- D. Self- destructive are inevitable.

65. A relatively permanent loss of intellectual functioning occurring later in life and due to brain damage is termed?

- A. Delirium
- B. Dementia**
- C. Mental impairment
- D. Parkinson's disease.

66. Which of the following is a possible consequence of substance abuse?

- A. A motivation syndrome**
- B. Ataxic gait
- C. Loss of sensation
- D. Anorexia.

67. Which of the following characteristics is commonly associated with addictive behavior?

- A. Escalating use
- B. Loss of control
- C. Strong compulsive
- D. All the above.**

68. Which of the following mental condition is a metabolic disorder?

- A. Alcoholism
- B. Mongolism
- C. Phenylketonuria**
- D. Parkinson's disease.

69. A mental disorder which is characterized by dementia and snake-like movement is called?

- A. Alzheimer's disease
- B. Huntington's disease**
- C. Neurosyphilis
- D. Pick's disease.

70. Which of the following statements best explains the rationale for nursing patients with Delirium in a lighted room?

- A. To protect the patient against injury
- B. To guard against hallucination**
- C. To limit the degree of confusion
- D. To allow easy identification of object

71. To prevent recurrent seizure attacks the nurse is likely to do one of the following.

- A. Educate the patient on precipitating causes of seizure**
- B. Teach patient to lie down when attack is eminent
- C. Stress on drugs compliance
- D. Listen to the concern of client and address it.

72. Ziprasidone (Geodon) is

- A. Antipsychotic agent**
- B. Anticonvulsant
- C. Antidepressant
- D. Antihistamine

From question 73 to 83, give the appropriate trade name of the drugs

- | | |
|------------------------------------|---------------------------|
| 73. Aripiprazole..... | a. Atarax(Vistaril) - 81 |
| 74. Butabarbital..... | b. Prozac (Sarafem) - 79 |
| 75. Clonazepam..... | c. Seroquel - 83 |
| 76. Dextroamphetamine sulfate..... | d. Abilify - 73 |
| 77. Desipramine..... | e. Norpramin - 77 |
| 78. Estazolam..... | f. Ziprasidone - 80 |
| 79. Fluoxetine..... | g. Marplan - 82 |
| 80. Geodon..... | h. Butisol- 74 |
| 81. Hydroxyzine..... | i. Klonopin- 75 |
| 82. Isocarboxazid..... | j. Prosom - 78 |
| 83. Quetiapine..... | k. Adderall - 76 |

84. Conversion disorder is most commonly found in which of the following personality disorder?

- A. Anankastic
- B. Paranoid
- C. Schizoid
- D. Histrionic.**

85. Which of the following is a manifestation of Post-Traumatic Stress Disorder?

- A. Dizziness
- B. Irritability
- C. Nightmares**
- D. Paralysis.

86. The following behaviors are likely to be presented in a patient suffering from conversion disorder EXCEPT.

- A. Alteration in mobility
- B. Paralysis of the hands
- C. Potential for convulsion
- D. Potential for falling into fire.**

87. Aversion therapy in which ant abuse is given in the management

- A. Depression
- B. Alcoholism**
- C. Mania
- D. Schizophrenia

88. You served a patient on your ward with palm nut soup and he tells you to take your human blood away. This perception of the patient is termed?

- A. Delusion
- B. Hallucination
- C. Illusion**
- D. Ideas of reference.

89. Which of the following is not a member of the group'?

- A. Hypochondriacal
- B. Ideas of reference
- C. Grandeur
- D. Involutional depression.**

90. Which of these is odd?

- A. Homosexuality
- B. Premature ejaculation
- C. Frigidity
- D. Aversion.**

91. An illusion in simple terms means?

- A. Complete loss of memory
- B. Misinterpretation of sensory stimuli**
- C. A false belief
- D. Delusion of persecution.

92. In court order for prolonged treatment, a patient can be detained for a period not exceeding:

- A. 14 days
- B. 6months
- C. 18months
- D. 12months.**

93. A psychiatric disorder in which there is no gross change and hospitalization is seldom necessary is termed?

A. Anxiety disorder

B. Psychopathy

C. Depression

D. Mania.

94. A patient is described as potentially suicidal if he is suffering from

A. Mental subnormality

B. Endogenous depression

C. Mania

D. Delirium.

95. Which of the following people must be first interviewed during psychiatric history taking-

A. Accompanied policeman

B. Client himself

C. Client partner

D. Family members.

96. All the following are dimensions for mental status examination except:

A. Memory

B. Orientation

C. Personal history

D. State of consciousness.

97. Which of the following terms mean the same as normal affect?

A. Blunt affect

B. Euthymic affect

C. Flat affect

D. Incongruous affect.

98. Which of the following is odd?

A. Certificate of urgency

B. Court order

C. Vagrant.

D. Lucidity

99. Ama Abokoma came to check on her licensing examination result and was told she had failed. She was then seen to be very excited. Abokoma's affect could be described as

A. Blunt

B. Constricted

C. Flat

D. Incongruous.

100. The prolonged and monotonous repetition of meaningless words or phrases without any question posed is referred to as

A. Echolalia

- B. Echopraxia
- C. Neologism
- D. Verbigeration.**

101. The form of thought where ideas are unrelated is termed as

- A. Circumstantiality**
- B. Clang association
- C. Loosening association
- D. Preservation.

102. Kweku Nansah saw three nurses in front of him in a discussion and thought that the nurses were discussing about him. This is best referred to as

- A. Flight of ideas
- B. Ideas of influence
- C. Ideas of reference
- D. Paranoid ideation.**

103. The patient's awareness and understanding of his/her illness is termed as.....

- A. Insight**
- B. Judgment
- C. Memory
- D. Orientation

104. All the following are spheres of orientation except:

- A. Object**
- B. Person
- C. Place
- D. Time.

105. Which level of insight is this patient if he shows absence of understanding into his condition?

- A. Deep insight
- B. Lack insight**
- C. Shallow insight
- D. None of the above.

106. The most appropriate drug in the management of status epilepticus is

- A. Antabuse
- B. Diazepam**
- C. Olanzapine
- D. Oxazepam.

107. Kofi Mintah, a 20-year-old student had a mean score of 5 in a standardized test. The corresponding I.Q. of a person who is 25 years old will be

- A. 20%**
- B. 25%
- C. 400%

D. 500%.

108. The following drugs are used in the management of epilepsy except:

A. Antabuse

B. Diazepam

C. Ethosuximide

D. Phenobarbitone.

109. The form of therapy aimed at alleviating or correcting any organic pathology of a patient's condition is known as ..

A. Behavior modification therapy

B. Counseling

C. Psychotherapy

D. Somatic therapy.

110. The feeling of love that a client unconsciously has towards the analyst during psychoanalysis is termed as

A. Abreaction

B. Counter transference

C. Negative transference

D. Positive transference.

111. All behavior observed in mentally ill person is considered to be

A. Adaptive

B. Dysfunctional

C. Inappropriate

D. Bizarre

112. When the nurse sets limits on aggressive behavior in a manic patient she has been assigned to, she has assume the role of

A. Counselor

B. Parent surrogate

C. Socialization agent

D. Therapist

113. During the working phase of the nurse-patient relationship, the nurse is primarily focused on helping the patient

A. Develop insight into the cause of his illness

B. Prepare for the end of nurse-patient relationship

C. Express feeling, thought & problems to the nurse

D. Transfer positive aspect of the relation to others

114. If a nurse administers the wrong medication to a patient.

A. She is directly liable to the patient

B. She is indirectly liable to that patient

C. The patient's physician is liable to both the patient and others.

D. She is liable to the ministry of health.