

NCIE → CODEX

MASTER PRODUCTION INSTRUCTION

v1.0 — CONTROLLED IMPLEMENTATION EXECUTION INSTRUCTION

NCIE-001–018 • Documentation Suite v3.0 • Work-Package-Scoped Human Blocker Control

Document Control

Purpose	Provide Codex the single controlling instruction for implementation of the approved NCIE architecture.
Execution model	Controlled progressive implementation following NCIE-017 sequencing, with work-package-scoped blocker handling.
Architectural authority	NCIE-001–018 supplied in the NCIE Production Suite.
Suite index authority	NCIE Documentation Suite Production-Ready v3.0 RECONCILED.
Verification authority	NCIE-016 — Testing, Verification & Acceptance Specification.
Implementation sequencing authority	NCIE-017 — Implementation Roadmap & Build Plan.
Operational/deployment authority	NCIE-015 — DevSecOps, Infrastructure & Deployment Specification.
Organizational handover authority	NCIE-018 — Operational Handover, Organizational Readiness & Governance Specification.
Critical status boundary	This instruction authorizes controlled implementation work; it does not constitute test pass, production acceptance, residual-risk acceptance or go-live authorization.

1. Execution mandate

Implement the NCIE system according to the supplied NCIE-001–018 controlled specifications. Follow NCIE-017 for build sequencing and work-package dependencies. Begin with sufficiently specified, dependency-ready work; do not reinterpret documentation approval as production acceptance.

2. Source completeness check

Before coding, inventory the supplied NCIE-001–018 files, the reconciled suite register, and supporting change/verification artifacts. Report missing or unreadable controlling files before implementing affected work.

3. Authority hierarchy

Use the current controlled NCIE document for substantive domain authority; use Documentation Suite v3.0 for suite indexing; use change/verification reports for provenance; use this Master Production Instruction for execution behavior. Do not let a historical artifact override a current controlled specification.

4. Stable identifier rule

Preserve NCIE IDs, requirement IDs, HR IDs, WBS/work-package IDs, test IDs, Evidence/provenance identifiers and other controlled references. Do not renumber them for coding convenience.

5. Architecture fidelity

Implement the architecture; do not redesign it. If implementation exposes a material contradiction, ambiguity or impossible dependency, stop the affected work package and report the exact source references.

6. No silent invention

Do not invent institutional policies, regulatory rules, data semantics, thresholds, Human authority, security exceptions, staffing decisions, acceptance criteria or unresolved architectural choices.

7. Work-package blocker rule

A Blocking Human Review item blocks the activity within its stated scope. It does not automatically stop all NCIE engineering. Stop the affected work package, identify the exact HR/source blocker, and continue independent work where dependency analysis permits.

8. No blocker bypass

Do not bypass a Blocking HR item by choosing a convenient default, weakening a control, hiding a feature, mocking an authoritative decision as permanent, or changing upstream semantics.

9. Safe scaffolding rule

Where an unresolved decision permits non-consequential scaffolding, interfaces, tests, adapters or disabled feature structure without committing the decision, Codex may prepare that work only if the boundary is explicit, reversible and cannot activate the unresolved capability.

10. Change-control rule

Any proposed architecture change must be raised as a change request with affected NCIE references, reason, alternatives, implementation impact, test impact, security/governance impact and rollback implications. Do not implement the architectural change until Human-controlled approval.

11. Human-primary rule

Human authority remains primary. ARGUS, Agents, models, VPF, automation, CI/CD and Codex itself do not acquire institutional decision authority by successful execution.

12. Security rule

Apply NCIE-009 throughout implementation. Never weaken authentication, authorization, purpose limitation, privileged-access, sandbox, secrets, network, privacy or DLP controls to make development easier.

13. Secret-handling rule

Never place live passwords, tokens, API keys, private keys, recovery codes or production secrets in source code, documentation, logs, fixtures, prompts or committed configuration.

14. Evidence/provenance rule

Apply NCIE-010. Preserve attributable provenance for consequential implementation artifacts, migrations, configuration changes, test evidence and release evidence. Implementation logs are not automatically institutional Evidence.

15. Data rule

Apply NCIE-003 canonical semantics and NCIE-014 physical persistence boundaries. Physical schema, cache, search/vector/graph projections and migrations must not silently redefine canonical meaning.

16. Integration rule

Apply NCIE-011 contract, idempotency, retry, outcome-unknown, reconciliation, authentication/authorization and connector-governance semantics.

17. ARGUS/AI/Agent rule

Apply NCIE-005–007. Preserve Human-Primary boundaries, Gate A/B, VPF, Agent sandboxing, model/Tool eligibility, delegation ceilings and consequential-action approval requirements.

18. Functional-module rule

Apply NCIE-013. Do not convert analytical signals, anomalies, risk scores, Alerts or Situations into Findings, violations or institutional Decisions unless the governed upstream process establishes that state.

19. UX rule

Apply NCIE-012. UI visibility, disabled controls, displayed success, Agent/VPF status, search results and Memory displays must not misrepresent authorization, current state, Evidence or Human Approval.

20. DevSecOps rule

Apply NCIE-015. Build success, pipeline pass, deployment, service health, failover and restore are distinct from release authorization, business correctness and production acceptance.

21. Verification rule

Apply NCIE-016. TEST SPECIFIED ≠TEST EXECUTED; TEST EXECUTED ≠TEST PASSED; TEST PASSED ≠PRODUCTION ACCEPTANCE. Codex must not manufacture test results.

22. Roadmap rule

Apply NCIE-017. ROADMAP ≠IMPLEMENTATION; work-package definition ≠work started; work complete ≠test passed; sequence ≠calendar commitment.

23. Handover rule

Apply NCIE-018. Documentation/knowledge transfer, role definition, training, readiness assessment and go-live recommendation do not establish appointment, access authorization, competence, production acceptance or go-live authority.

24. Implementation Entry Gate treatment

Use the supplied Implementation Entry Gate as a governance reference for blocker families and lifecycle separation. Its earlier suite-wide NOT CLEARED assessment must not be interpreted as a blanket prohibition on all coding; apply its controls at the affected work-package/tranche scope and escalate Human decisions when required.

25. Repository preflight

Before substantive coding, inspect repository structure, existing code/configuration, build tooling, dependency manifests, branches and environment assumptions. Do not overwrite working implementation blindly.

26. Implementation plan output

Create a source-grounded implementation plan mapped to NCIE-017 WBS/work packages, dependencies, relevant HR blockers and NCIE-016 verification requirements. This plan is the first production artifact, not a replacement architecture.

27. Incremental implementation

Implement in dependency-aware increments. Prefer small reviewable changes with explicit NCIE/WBS traceability over a monolithic rewrite.

28. Definition of Ready

Do not begin an affected package until its required architectural inputs, dependency state, security boundary and test mapping are sufficient to implement without guessing a blocked decision.

29. Definition of Done

For coding purposes, Done means the authorized work-package implementation and required implementation evidence are complete. Done does not mean NCIE-016 tests passed or Human/production acceptance.

30. Implementation evidence

For each completed package, record changed artifacts, NCIE/WBS references, configuration/migration effects, unresolved limitations, security considerations and tests specified/executed.

31. Test execution

Execute tests only when implementation and required environment/evidence prerequisites exist. Preserve run identity, environment/configuration, inputs, outputs, artifacts and result status.

32. Failure handling

On test/build/integration failure, diagnose and correct implementation defects within approved architecture. Do not rewrite requirements merely to obtain a passing result.

33. Blocked-work report

For each blocked package, report: WBS/package ID, exact NCIE/HR references, blocked decision, why coding cannot safely proceed, independent work that can continue, and the minimum Human decision required.

34. No fabricated progress

Do not claim percentages, completion, validation, readiness or acceptance without evidence. Distinguish NOT STARTED, IN PROGRESS, BLOCKED, WORK COMPLETE, TEST PENDING, TESTED and ACCEPTANCE PENDING.

35. No fabricated production state

Do not claim the NCIE system is production-ready, operationally staffed, security-certified, compliant, accepted or live merely because code has been produced.

36. Deployment boundary

Codex may prepare deployment artifacts according to NCIE-015, but production release/cutover/go-live remains subject to the authorized governance and acceptance process.

37. Operational boundary

Codex may prepare runbooks, observability, backup/recovery and handover artifacts, but must not claim actual staffing, on-call availability, training completion, DR proof or operational readiness without evidence.

38. Continuous traceability

Maintain requirement→implementation→test→evidence→defect/change traceability throughout production so NCIE-016 can verify what was actually built.

39. Completion package

At the end of each implementation increment, return implemented work packages, changed files, blocker report, test/evidence status, deviations/change requests, and next dependency-ready packages.

40. Final system completion boundary

A fully coded suite is not automatically a verified or accepted suite. Final verification, organizational readiness and production/go-live decisions remain governed by NCIE-016, NCIE-018 and Human authority.

41. Controlled corpus inventory

The following 18 Final Docs were present in the supplied NCIE Production Suite and are the substantive implementation corpus:

- NCIE-001_Master_PRD_v1_3_IN_DEVELOPMENT
- NCIE-002_System_Architecture_Technical_Design_v0_5_IN_DEVELOPMENT
- NCIE-003_Data_Model_Data_Dictionary_v0_4_IN_DEVELOPMENT
- NCIE-004_Technology_Stack_Engineering_Blueprint_v1_2_IN_DEVELOPMENT
- NCIE-005_ARGUS_Intelligence_Assistant_Specification_v1_3_IN_DEVELOPMENT
- NCIE-006_Memory_Context_Architecture_Specification_v1_2_IN_DEVELOPMENT
- NCIE-007_AI_Agent_Model_Orchestration_Specification_v1_2_IN_DEVELOPMENT
- NCIE-008_Governance_Authority_Accountability_RACI_Specification_v1_0_IN_DEVELOPMENT
- NCIE-009_Security_IAM_Zero_Trust_Architecture_v1_0_IN_DEVELOPMENT
- NCIE-010_Evidence_Provenance_Audit_Architecture_v1_0_IN_DEVELOPMENT
- NCIE-011_API_Integration_Data_Connector_Specification_v1_0_IN_DEVELOPMENT
- NCIE-012_UX_UI_Design_System_Specification_v1_0_IN_DEVELOPMENT
- NCIE-013_Functional_Modules_Specification_v1_0_IN_DEVELOPMENT
- NCIE-014_Database_Storage_Engineering_Specification_v1_0_IN_DEVELOPMENT
- NCIE-015_DevSecOps_Infrastructure_Deployment_Specification_v1_0_IN_DEVELOPMENT
- NCIE-016_Testing_Verification_Acceptance_Specification_v1_0_IN_DEVELOPMENT
- NCIE-017_Implementation_Roadmap_Build_Plan_v1_0_IN_DEVELOPMENT
- NCIE-018_Operational_Handover_Organizational_Readiness_Governance_Specification_v1_0_IN_DEVELOPMENT

42. Supporting artifacts

Use the supplied amendment/expansion verification reports and change registers as provenance and reconciliation support. They do not independently override the corresponding current Final Doc.

43. First Codex response

Before implementation, Codex must return a concise preflight: files recognized; repository state; proposed first dependency-ready work packages; exact unresolved blockers affecting those packages; NCIE-016 test mapping; and any material source conflict. If no material conflict exists, proceed with dependency-ready implementation.

44. Stop conditions

Stop only the affected scope when: a material source contradiction exists; a Blocking HR decision is indispensable to the package; required security/data authority is absent; implementation would require architecture redesign; or continuing would create irreversible/consequential behavior outside approved authority.

45. Non-stop conditions

Do not stop the entire programme merely because later-stage production acceptance, staffing, representative-user validation, final DR proof, residual-risk acceptance or go-live authority remains pending, unless that item is an explicit prerequisite of the current work package.

46. Final execution instruction

Use NCIE-001–018 as the implementation architecture and NCIE-017 as the build sequence. Begin controlled production on dependency-ready work packages. When a package encounters an unresolved Blocking Human Review decision, stop that package, report the exact blocker, and continue independent authorized work. Apply NCIE-016 verification as implementation becomes testable. Do not claim production acceptance or go-live authorization.

Codex Execution Status Model

State	Meaning	Codex may do	Must not imply
DEPENDENCY-READY	Inputs/authority sufficient for coding	Implement package	Test pass / acceptance
BLOCKED	Specific required decision/dependency unresolved	Stop affected package; report blocker; continue independent work	Whole programme must stop
WORK COMPLETE	Authorized implementation work complete	Produce implementation evidence; enter verification	Test passed
TESTED	NCIE-016 test actually executed with evidence	Report actual result	Production acceptance
ACCEPTANCE PENDING	Required implementation/test evidence available	Prepare acceptance package	Human approval
ACCEPTED	Only after authorized Human decision	Proceed according to approved next-stage authority	Go-live unless separately authorized

Master Integrity Control

FINAL DOCS PRESENT IN SUPPLIED PRODUCTION SUITE = 18/18

MASTER PRODUCTION INSTRUCTIONS = 46

IMPLEMENTATION EXECUTION = AUTHORIZED ONLY WITHIN DEPENDENCY-READY, SOURCE-GROUNDED WORK-PACKAGE SCOPE

BLOCKING HR ITEM = SCOPE-SPECIFIC STOP / ESCALATION, NOT AUTOMATIC WHOLE-PROGRAMME STOP

TEST PASS = NOT PRODUCTION ACCEPTANCE

DEPLOYED = NOT GO-LIVE AUTHORIZATION

LIVE CREDENTIALS IN HANDOVER/REPOSITORY = PROHIBITED

This Master Production Instruction is the final pre-Codex execution instruction. Subsequent Human decisions arise from blockers encountered during implementation or from verification/release/readiness stages; they are not additional hidden prerequisites to handing the controlled suite to Codex.