




Rohs Step Motor 28BYJ-48 5V DC

t tytyk

[VIEW IN BROWSER](#)

updated 1. 1. 2024 | published 1. 1. 2024

Summary

Model for use in checking fit STEP, STL and IPT incl



1.33 hrs



1 pcs



0.30 mm



0.40 mm



PLA



21 g



Prusa
MK3/S/S+

[Hobby & Makers](#) > [RC & Robotics](#)

Tags: [motor](#) [stepper](#) [rohs](#)

Model for use in checking fit, as accurate as it could be using only a mm transparent flat ruler

STEP, STL and IPT included

Wires extruded 8mm to do fit without bending but are flexible enough to be maybe 2mm clearance on the real model

No association with ROHS, made for a project and thought others may need it too

Model files



rohs-step-motor-28byj-48-5v-dc.3mf



rohs-step-motor-28byj-48-5v-dc.stp



stepper-motors.ipt


Print files



rohs-step-motor-28byj-48-5v-dc_03mm_pla_mk3s_1h20m.gcode

🌀 PLA 📏 0.40 mm ≡ 0.30 mm ⌚ 1.33 hrs ⚖️ 21 g 🖨️ Prusa MK3/S/S+

Other files



stepper-motor-specifications.pdf

License ©

This work is licensed under a
Creative Commons (4.0 International License)

Attribution-NonCommercial



✖ | Sharing without ATTRIBUTION

- ✓ | Remix Culture allowed
- ✗ | Commercial Use
- ✗ | Free Cultural Works
- ✗ | Meets Open Definition