


Scenario 04 — CyberGuard SIEM Manager (Cybersecurity product)

Instructor guide & answer key

This document is **not** for trainees. It contains the intended answers to the CRA questionnaire, evidence-to-question mapping, scoring rubric, and what a successful deliverable looks like.

Scenario shape: unlike scenarios 1–3, this is **not** a vulnerable-target audit — the SIEM product is assumed to have passed engineering. The trainee's job is to run the **CRA conformity assessment** and produce the readiness pack. Most answers are **Compliant**, one is **Partially compliant** by design.

1. Scenario topology



The reference build on VM2 exists so the CyberFort scanners have something concrete to point at. It is **not** a vulnerable target. Trainees who scan it should find a clean result (or at most low-severity info findings), which reinforces that the scenario is about the CRA conformity flow, not exploitation.

2. Product classification and framework fit

CyberGuard SIEM Manager v1.0 is:

Attribute	Value
Sector	Cybersecurity software
Regulator	EU Cyber Resilience Act (Regulation (EU) 2024/2847)
CRA classification	Annex III Class II — important product with digital elements (network protection / IDS/IPS)
Conformity path	Internal audit + notified-body review of technical documentation (Annex VII Module B/C)
Support period	60 months from release (Article 13(8))
Vendor	CyberGuard Labs SME s.à r.l. (Cyprus, 24 employees)

3. Evidence bundle — what each file is for

The evidence bundle at `evidence/` maps to specific CRA questions:

Evidence file	Purpose	CRA questions it satisfies
<code>cyberguard-sbom.spdx.json</code>	SBOM in SPDX 2.3	38, 39
<code>penetration-test-report.md</code>	Independent pen-test	1, 13, 20, 21, 41
<code>secure-development-lifecycle.md</code>	SDLC + patch policy	10, 14, 16, 25
<code>coordinated-vulnerability-disclosure-policy.md</code>	CVD / PSIRT policy	43, 46

The four documents are deliberately **credible but fictional**. They are complete enough to defend against a notified-body's initial review; they would not withstand a real audit but serve their teaching purpose.

4. Answer key — the 16 target CRA questions

Verbatim question texts extracted from `frameworks_seed.py` (CRA conformity pool). Trainees should reach these answers:

#	Question	Expected answer	Rationale
1	Risk assessment done?	Compliant	Pen-test report §Executive summary + threat model
10	Cybersecurity aspects documented?	Compliant	SDLC + release notes
13	No known exploitable vulns at ship?	Compliant	Pen-test: 0 critical, retested high/medium
14	Secure by default configuration?	Compliant	SDLC §2 secure-coding checklist
16	Vulns addressable via updates?	Compliant	SDLC §5 (7-day patch SLA)
17	Automatic updates enabled by default?	Partially compliant	The manager auto-updates; agents pull on check-in (may be air-gapped). Trainee should write the compensating-control paragraph, ideally invoking the AI assistant.
20	Unauthorized-access controls?	Compliant	Pen-test: RBAC + MFA, no high findings
21	Auth / IAM implemented?	Compliant	Same
23	Encryption in transit / rest?	Compliant	TLS 1.3 + mTLS

#	Question	Expected answer	Rationale
25	Integrity of data / config?	Compliant	Cosign-signed releases
34	Security-relevant info recording?	Compliant	The product is a SIEM — self-auditing
38	Vulns + components documented?	Compliant	SBOM + PSIRT tracker
39	SBOM in machine-readable format?	Compliant	SPDX 2.3
41	Regular security tests?	Compliant	Quarterly pen-test + continuous fuzzing
43	Fixed-vuln descriptions published?	Compliant	CVD policy §Publication
46	Contact for reporting vulns?	Compliant	CVD policy — <code>security@cyberguard.example</code>

Only Q17 is Partially compliant. Trainees who mark it Compliant without qualifying should be prompted to consider the air-gapped-agent case.

5. What a successful deliverable looks like

At the end of the scenario the CyberFort tenant should contain:

- One asset: `CyberGuard SIEM Manager 1.0.0` (Manufacturer, Annex III Class II).
- One CRA Conformity assessment: `CyberGuard CRA Conformity` with 16 questions answered and evidence attached.
- A generated **CRA readiness PDF** exported from the Assessments toolbar.

Assessment Overview

View your active assessments or create new ones

Active Assessments 5

Assessments currently in progress

- CyberGuard CRA Conformity

CRA • Product: CyberGuard SIEM Manager

0%

Selected
- NetLink ISO 27001 Gap

CRA • Product: NetLink Customer Portal

0%
- SmartGrid NIS2 Conformity

Create New Assessment

Start a new assessment for a framework

Framework

CRA

Assessment Type

Conformity

Scope Type *

Select scope type

Assessment Name

Enter assessment name

Create

Cancel

5
Total0
Completed

Select Assessment

Or browse and select from existing assessments

Framework

CRA

Assessment Type

Conformity

Assessment

CyberGuard CRA Conformity

Delete Assessment

Assessment Questions (Asset / Product: CyberGuard SIEM Manager)

Question 1

Mandatory: YES Completed: YES Common in: CRA (clone-systems.com)

Have you undertaken an assessment of the cybersecurity risks associated with your product with digital elements?

☒ Yes ☐ No ☐ Partially ☐ N/A

Assign Policy No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Save Answer

Clear Answer

Attach File(s)

Question 2

Mandatory: YES Completed: YES Common in: CRA (clone-systems.com)

Do you take the outcome of the cybersecurity risk assessment into account during the planning, design, development, production, delivery and maintenance phases?

☒ Yes ☐ No ☐ Partially ☐ N/A

Assign Policy No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Save Answer

Clear Answer

Attach File(s)

Question 3

Mandatory: YES Completed: YES Common in: CRA (clone-systems.com)

Is your cybersecurity risk assessment documented and updated as appropriate during the support period?

Save Answer

Clear Answer

Attach File(s)

CYBERFORT

RESILIENT EUROPE

Dashboard

Assessments

Frameworks

Assets / Products

Risks

Controls

Documents

Compliance Chain

Security Tools

Audit Engagements

Administration

Documentation

AI Assistant

manastasiadis

CRA Extended

Sign out

Yes

No

Partially

N/A

Assign Policy

No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Question 4

Mandatory: YES Completed: YES Common in: CRA (clone-systems.com)

Save Answer

Clear Answer

Attach File(s)

Does your cybersecurity risk assessment comprise an analysis based on the intended purpose and reasonably foreseeable use of the product?

Yes

No

Partially

N/A

Assign Policy

No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Question 5

Mandatory: YES Completed: YES Common in: CRA (clone-systems.com)

Save Answer

Clear Answer

Attach File(s)

Does your risk assessment take into account the conditions of use, operational environment, and assets to be protected?

Yes

No

Partially

N/A

Assign Policy

No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Question 6

Mandatory: YES Completed: YES Common in: CRA (clone-systems.com)

Save Answer

Clear Answer

Attach File(s)

Does your risk assessment consider the length of time the product is expected to be in use?

Yes

No

Partially

N/A

Assign Policy

No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Question 7

Mandatory: YES Completed: NO Common in: CRA (clone-systems.com)

Save Answer

Clear Answer

Attach File(s)

Does your cybersecurity risk assessment indicate whether and how the security requirements are applicable to your product?

Yes

No

Partially

N/A

Assign Policy

No Policy

Evidence Description

Describe the evidence supporting this answer...

0 file(s) attached:

Question 8

Mandatory: YES Completed: NO Common in: CRA (clone-systems.com)

Save Answer

Clear Answer

Attach File(s)

Do you include the cybersecurity risk assessment in the technical documentation when placing the product on the market?

Yes

No

Partially

N/A

Assign Policy
No Policy

Evidence Description
Describe the evidence supporting this answer...

0 file(s) attached:

Question 9
Mandatory: **YES** Completed: **NO** Common in: CRA(clone-systems.com)

Where certain essential cybersecurity requirements are not applicable, do you include clear justification in the technical documentation?

☐ Yes ☐ No ☐ Partially ☐ N/A

Assign Policy
No Policy

Evidence Description
Describe the evidence supporting this answer...

0 file(s) attached:

Save Answer
Clear Answer
Attach File(s)

Question 10
Mandatory: **YES** Completed: **NO** Common in: CRA(clone-systems.com)

Do you systematically document relevant cybersecurity aspects concerning your products with digital elements?

☐ Yes ☐ No ☐ Partially ☐ N/A

Assign Policy
No Policy

Evidence Description
Describe the evidence supporting this answer...

0 file(s) attached:

Save Answer
Clear Answer
Attach File(s)

1-10 of 52 questions
1 2 3 4 5 6

6. Scoring rubric (100 pts)

Activity	Points
Asset registered with correct CRA classification (Annex III Class II)	10
CRA Conformity assessment created and scoped to the asset	10
All 16 target questions answered	40 (2.5 pts each)
Evidence attached to at least 12 of the 16 answers	15
AI assistant used on at least one question (ideally Q17)	10
Readiness PDF exported	10
Combined readiness pack (PDF + SBOM + policies + pen-test) assembled	5

Pass threshold: 70.

7. Common trainee mistakes

Mistake	Coach's response
Marks Q17 as fully Compliant	Ask about air-gapped agents; steer toward Partially with a compensating-control note.
Answers all questions without attaching evidence	Fail — CRA notified-body review requires evidence, not just answers.
Registers CyberGuard as Importer or Distributor instead of Manufacturer	CyberGuard Labs is the manufacturer per the scenario brief. Wrong operator role = wrong CRA obligations.
Selects Framework NIS2 instead of CRA	NIS2 is operator-side. This product is being placed on the EU market — CRA applies.
Scans the target and files "no findings" as a risk	The scenario is not about exploitation. Scans are optional; a clean result is fine.

8. Reset between sessions

```
cd /srv/cyberguard-scenario/04-cyberguard-siem-vendor
docker compose down
docker compose up -d --build
```

The container has no persistent volume, so every restart is factory-fresh. To reset the CyberFort tenant, delete the **CyberGuard SIEM Manager** asset and the **CyberGuard CRA Conformity** assessment via the platform UI.