

Universe24: an integer cellular automaton read through clicks, the world it computes, and the clicks of nature it approaches

Alon Gonen

Independent researcher, Haifa, Israel

alon@defounder.ai ORCID 0009-0008-2701-4599

October 2026

Abstract

How much of physics does one local rule in whole numbers compute, nothing continuous beneath and a detector's click the only measurement? We present a method: an integer cellular automaton, a cubic lattice of Nodes stepped by one recurrence taking a Node's present, past and six neighbours through one integer division, reversibly, conserving a quadratic form exactly in the rationals, covariantly under the cube's 48, with no boost. A change crosses at most one Link per interval, light's speed $1/\sqrt{3}$ of that bound, nature's c setting the Link and the interval. Measurement is the meeting at a detector of the record run forward from its root with the detector's own transition read backward from the realised click, two quanta and never one; the detector draws the click, the lattice draws nothing, that draw the one non-local element. On it the wave equation, the quantum of action and the metric of gravity are three readings of one line. From the line alone, its own formulas with no number of nature: a family's pair $[p, q]$, $\cos \omega_0 = p/q$, gives its inertial mass $m^* = 3 \tan \omega_0$ and its light speed $c_m^2 = \omega_0 / (3 \tan \omega_0)$, with $E = m^* c_m^2$ exactly and Lorentz's factor at c_m as the gap closes; the matter pair's post-Newtonian $\gamma_K = q/p$ and $\beta_K = (q + p)/(2p)$, closing to 1 with the gap; charge universality and the forces' ratio $(m_p/m_e)^2$ across families; and $\alpha = (3\sqrt{3}/8\pi)k/(\Gamma E_s)$ between two quanta, k the file's declared weight. Newton's gravitation is reflected, G a reading, and Einstein's weak field under one named assumption fitted to two clicks: the exponential metric, $\gamma = 1$ exactly and $\beta = 1$ as the gap closes, a shadow 4.6 percent over Schwarzschild's. The paper claims the method and not nature: every result a supporting finding for the reader's test, what it does not give listed.

Keywords: integer cellular automaton; reversible lattice dynamics; measurement as a meeting of past and future; lattice dispersion and inertial mass; weak-field gravity on a lattice; limiting speed on a lattice

1 Introduction

The question. The object of this paper is one method of computing physics: a GameBoard of Nodes stepped by one local, reversible rule in whole numbers, read only through clicks, the one measurement there is. In the title's words: the integer cellular automaton is the GameBoard stepped by Rule3; the world it computes is a declared world's records and clicks; and the clicks of nature it approaches are the comparisons of Sections 8 to 10, supporting findings and never the claim. On it the classical wave equation, the quantum of action and the metric of gravity are three readings of one line, Rule3: the line itself is the lattice wave equation, its count read in quanta is the click, and its paces read as a clock and a ruler are the metric, with nothing continuous beneath. The question is whether that method can give the clicks that nature shows, and with how little state, non-locality and randomness; the fifteen formulas, the one computed world set beside a blind and the two gates below are examples of what the method yields, not its scope, and Section 10.3 lists what it does not yet give. The paper's one claim is the method: a GameBoard of integers stepped by one rule and read into the world through clicks, from which the forms set beside nature's are derived in the order stated. It does not claim that nature is such a lattice; every derivation, comparison and prediction below is a supporting finding for the method, each with its status, and none is the paper's thesis. The paper computes the click patterns of declared detectors and sets them beside nature's clicks; why a click happens stands outside it as a declaration, the draw, in the open list by name, and no claim of the paper rests on it: the form is claimed, the cause is not. It starts from one statement and never contradicts it (ASSUMPTION): the world is the meeting of the past with the future; a click is that meeting, the one measurement there is; and an observer sees only clicks (the words are defined at the end of this section). Every physical number of the paper is a reading of one integer rule with its declared integers, the pairs, Γ , T , the two holders' weights, gravity's E_g and the sign holder's k , and the vacuum content (Section 6.6); of nature's other clicks it gives the forms of Section 8 at the computed pair, with the findings of Section 10.3 against them. A Node holds a record's present and its past, two integer levels, and the rule makes the record's future from the two and from the six neighbouring Nodes. The rule is covariant under the lattice's translations and under the symmetry group of the cube, of order 48; no boost is among them (Section 3.1). The lattice holds nothing but events that split: at every Node a level splits by the rule to the six neighbours. Run forward from an emitter, the split events are the future, every path at once; read backward from a realised click by the same rule, they are the past, and through two slits both pass both gaps. A click is where the two meet at a declared detector, and which meeting is realised is the one thing the model does not determine, the one non-local element of the description (Section 5.2). What appears as a wave is the future, what appears as a particle is the present, the click, and the track is the past (Section 5.1). No theorem of minimality is claimed.

The rule in one line. Everything in the paper follows from one line of integer arithmetic, Rule3, together with one write, three readings, the declarations of Section 3 and the one assumption of Section 3.4. At every Node, in every interval and for every family of physical values [1, the line; the booking; the primitives]:

Rule3:	$w a_{\text{next}} + r' = \sum_{j \sim i} R_{ij} \text{arr}_j + S a_{\text{now}} - w a_{\text{before}} + r, \quad 0 \leq r' < w,$ $w = 6 \text{den} \Gamma^2, \quad R_{ij} = 2 \text{num} p_a(i, j)^2 = 2 \text{num} p_i^2 q_{ij}^2 / \Gamma^2,$ $S = 12 \text{den} \Gamma^2 - 12 (\text{den} - \text{num}) p_0^2 - \sum_{j \sim i} R_{ij};$	(1)
the one write:	$\text{a held part at a Node gains } \left(\sum_f w_f q_f(\text{Node}) + r \right) \text{div } E, \text{ the remainder } r \text{ kept there;}$	
the readings:	$D_i = \text{now}_i^2 - \text{next}_i \text{before}_i, \quad W_i = \text{re}_{\text{now}} \text{im}_{\text{before}} - \text{im}_{\text{now}} \text{re}_{\text{before}},$ $F_{ij} = \text{num} (\text{now}_i \text{before}_j - \text{before}_i \text{now}_j).$	

In the first line a_{now} , a_{before} and a_{next} are the family's level at the Node now, one interval before and one interval later: the present, the past and the future. arr_j is the arrival through the Port to the neighbour j , that neighbour's level, the six Ports summed. r and r' are the remainder kept at the Node before and after the step, Γ the Node clock. $[\text{num}, \text{den}]$ is the family's pair, and $\cos \omega_0 = \text{num}/\text{den}$ is its rotation per interval at wave number zero. p_0 is the Node's clock pace, p_i its own pace and $p_a(i, j)$ the pace of the Link through the Port, the Node's pace times the Link's factor q_{ij}/Γ , the factor read the same from both ends and the pace the reading Node's own. All are the Node clock lowered by the field levels the family reads there (Section 3.4). At the vacuum's paces the two Links of an axis share one $R_a = 2 \text{num} \Gamma^2$ and $S = 0$. div is the floor division. The second line is the only way a field's level is ever written: the sum over the sourcing families f of each family's own quantity q_f at the Node, weighted by w_f , plus the part's one remainder, divided by the part's wall E . The third line is what is read from a record and never written: its form D_i , which sources the fields; its Wronskian W_i , its charge; and its current F_{ij} into the Node i from its neighbour j , which a detector reads through its boundary in quanta of $W_c = 3 \text{den} T$, with T the quantum's norm, the normalisation of the quadratic form.

The formulas derived. From Eq. (1), in the paper's order, each with its mark in Table 1 and its algebra in the supplement: light's band, its dispersion and its index in a well (Sections 3.3 and 3.4); the lattice Klein-Gordon equation and its Schrödinger limit (Section 3.3); the conserved form and the share identity (Sections 4.3 and 4.4); the Wronskian as the charge and the holders' rests (Sections 5.5 and 6.4); the bound body's functional and its stability (Section 7.2); the adiabatic invariant and the count's drift (Section 7.4); the clock's rate, the bending, Shapiro's delay, the perihelion and the shadow's capture radius, the moving clock, de Broglie's and Planck's relations and $E = mc^2$ in the band's form, the content's index for every family and the fall as refraction (Section 8); Bell's E and S , Tsirelson's bound and GHZ's M under the declared credit (Section 9.4); the fine-structure constant as a coefficient of the file, the hierarchy of the two forces between families, the units and the highest photon energy, and Newton's G as a reading (Section 10.1). The formulas of Tables 1 and 2, several with their companions, from five fields, every one an algebraic consequence of the line and of the inputs named beside it.

What the paper contributes. We state the rule and what is exact about it, proved in the supplement, reversibility to the bit, the conserved form with its current, the momentum flux as the wave's own stress (Section 4). We formulate measurement as the meeting of the forward and the backward record at a declared detector, the one non-local element named (Section 5). We obtain the families as bands of the rule and choose a universe with as few free numbers as the rule allows (Section 6). We show that bodies are fixed points, prove their stability under the dilation and state how they cluster (Section 7). We compute the weak-field forms of gravity and the moving clock's factor, each marked by what it rests on, in the model's own potential and in the one nature's tests read (Section 8). And we state the two slits and Bell as derivations of what each must give, neither experiment performed here (Section 9).

What stands, and on what. Five things, each with its mark. (i) The core: Rule3 and the boxed lines that follow it, the paces, the conserved form, the share, the Wronskian, Kepler's potential and G as a reading, are theorems of the line or derived from it with no number of nature in them, and the step is reversible to the bit (Section 4); what the checks of this paper's closing corrected lay beside them, in secondary derivations, marks and digits, and not in the line. (ii) One rule in integers reaches Einstein's weak field: from the composed paces alone, under the one named assumption of Section 3.4, come the exponential metric, the bending $4U_b$, Shapiro's delay, the redshift and the push $E(1 + \beta^2)\nabla U$, with $\gamma = 1$ exactly in the clock's potential and $\beta = 1$ as the gap closes, the assumption fitted by two of those clicks and the others its predictions, and the forms against Kepler's potential closing on them as the gap closes (Section 8). (iii) The click is the one measurement, and the non-locality is accounted for in one place: Bell's 478/169 and the GHZ's -4 follow from the declared credit, the two slits' 278 stands against the blind 273, and the one non-local element is the credit's one draw through the root; the meeting of the past with the future at the detector is one picture (Section 5). (iv) Every claim carries its mark and its fence, and what fails is named with its number, $\alpha_1 = -8$, hydrogen's $1s$ at -0.043 of Rydberg's unit under the self-read (S.46), the shelved ion's telegraph (Section 10.3); nothing is claimed beyond its mark. (v) Everything is recomputable: the files, the engine, the scripts and the documents are public (Section 3.7), and every number that stands in the paper was recomputed from them, twice and independently where its status says two derivations and once where it says one. All of it is derived from one chosen set of rules, of which the engine fixes only the recurrence's form: other families, primitives and integers can be taken and other things built (Section 3.7).

What is put in, and the three kinds of claim. The paper's claims are of three kinds, and the text keeps them apart. *Found*: what is proved or derived from the rule with no input chosen for it, the fifteen formulas above and the

click formulas of Table 2 marked derived; the findings against nature are comparisons, listed in Section 10.3. *Assumed, chosen or declared*: the assumption and the credit below, the universe's rows, the detector's four declarations, its unit of credit among them, the electron as the free quantum of matter and the matter pair's denominator as the family's own integer (Section 10.1). *Held to be computable and not yet computed*: the bodies at the closing gap, the moving fixed point of a body and the absorbed fraction with the body's write; the explicitly named hypotheses are stated where they stand, among them light's gravity entered as a derived hypothesis (Section 10.2), the carrier that would mend the lattice's frame and the nuclear holders (Section 10.3). One assumption is named with the forms, that a Link is clocked twice by its reading Node's own clock, $hN = 1$, fixed by the bending and the perihelion (Section 3.4); the forms against Kepler's potential reach Einstein's only as the matter family's gap closes (Section 8). One choice was made with a known result in view, and we state it as an input, not a prediction: a click's share is the square of the meeting, a credit chosen to reach nature's correlations, so Bell's $2\sqrt{2}$ follows from it and does not test it. The file's numbers are nature's and not the rule's: the vacuum content, a declaration; the vacuum write's rate, Λ , the one declared number of the hypothesis of Section 7.5; the binding range, a world's choice; gravity's weight E_g and the sign holder's write weight k , read from G and from α ; and the gaps, read from the masses (Section 10.2, Table 4). Table 1 lists every result of the paper with its kind, its fence and its inputs. What is not claimed: that nature is a lattice; that any number of the computed pair [2, 3] is nature's; that a comparison with nature is more than a consistency statement at the stated order; or that a formula known in the continuum is new where the paper gives its lattice form, the known form standing beside it in every row. Every derivation was checked twice, independently, within the project and, where a world exists, by the implementation's checks, not by an independent referee. Where the text says exact it means exact in the rational arithmetic before the rounding, with the integer remainders bounded as stated. And a line decided after a derivation is stated as the law with the implementation's run pending, a run that differed from its prediction being a defect of the implementation to repair and never a result. The paper computes one world of the many the method admits: every number of the files and every declared row, a family, a holder, a read, an instrument, can be changed and the same rule run again; what is brought here is one plane of them, with every derivation and every new formula shown, and the claim is only that it approaches nature's clicks in the order stated, never that nature is so.

How a world is built and tested. The method's statement, with its pointers. A world file declares, and nothing else: a family's pair and dimension; a holder's sources, divisor and rest; the bodies and the messages; a detector's four declarations, region, window, floor and whole, and its seed; the faces. The engine holds no number, no formula, no family name and no flag, and every primitive is one folder found by its name [2, how to run a world; how to add a family]. One change, from numbers the paper keeps: the matter pair [2, 3] against [999, 1000] moves c_m/c from 0.867 to 1 and the computed pair's γ_K and β_K from 1.5 and 1.25 to 1 (Section 8); a binding holder's range R turns a declared body from unbound to bound (Section 6.4). The procedure, the two slits the example: the blind row is written from the law's lines before the run, the run is made, the back-in-time gate reports MATCH or MISS on its reversibility, and the reader prints the run's row beside the blind with its deviation and its extrema (Sections 3.7 and 9). Three worlds are run and gated in this paper, the two slits, Bell's gate and the GHZ gate; every other experiment the paper sets against nature is derived from the law's lines and not run, each with its mark and fence where it stands: Einstein's weak-field forms, the bending, Shapiro's delay, the redshift as the clock at two heights and the perihelion at the small gap (S.15, S.19, S.20), the shadow (S.30), the push on a moving record (S.58), the two slits' own blind row written before the run (Section 9.2), the moving clock (S.21, S.22), the magnetism of moving charges (S.33), the Eötvös ratio (S.47), the lens's one-quantum image (Eq. (17)), the clusters' deceleration (S.29), the atom (S.46), Rabi's absorption line (S.43), the gravity of light (Section 10.2), the anticoincidence (S.57), the Zeno effect (S.59), the preferred frame's α_1 and α_2 against Gravity Probe B and the Sun's spin (S.35), derived and failing, and, derived under a declaration, the shelved ion's telegraph and the excited body's giving (the rate declared; Section 10.3) and the nuclear binding (S.45, the weight declared); their engine worlds are read beside their blinds in Section 10.3, findings by name and no gate. Rule3 is fixed and no rule is added: a new line of physics enters as a hypothesis under its own name after the three tests, generic, vector and local, which is how every family and holder of this paper entered (Section 3.6).

The three layers of the method. The method has three layers, each with a fixed part and a free part. The board's rules (Section 3): which families and of what dimension, which holders, who reads what and how; Rule3 with its reads is fixed, the file's rows are free. The numbers (Section 6): Γ , the pairs, the holders' weights, gravity's E_g and the sign holder's k , T , the vacuum content, the ranges, all free and as few as the rule allows. The click (Sections 5, 5.3 and 7.4): how the board becomes a click, what the detector declares, what is credited and how a board mass is read as a click mass. Fixed here, common to every world, is the click's one form: the meeting, the bilinear credit, the draw by the shares, the detector's one write at the Node of the exchange and the postulate that only a click is a measurement; free, the world's, are the detector's four declarations, the unit it counts in among them.

How to read the paper. Every claim carries one of seven marks. THEOREM: proved for every lattice. DERIVED: obtained from theorems by argument. COMPUTED: a number obtained from the rule's lines before any run. ASSUMPTION: a line held by decision and named where it is used. HYPOTHESIS: a line outside the model, under its own name. EXPERIMENT: a number the model does not fix, with the experiment named that would fix it; the paper performs none. FITTED: an input chosen with a known result in view. The tables' status columns use the same marks, with calibration (a number taken from nature), declaration (a world's own number) and implemented (checked by the implementation) beside them. Every formula carries, beside its mark, its fence. GAMEBOARD: a reading of the lattice's own numbers that no instrument reports, a diagnostic. CLICKS: a formula of what a detector reports, the share Q_R/W_c on the forward orbit (Section 5.2) or a ratio of two such, the only kind that nature can be set beside. The algebraic steps of every

Table 1 The results of the paper, each with its kind, its fence and what it rests on. A calibration is a number taken from nature; EXPERIMENT a number the model does not fix.

Result	Kind	Fence	Rests on	Section
Rule3's step is reversible to the bit; the interval under the condition of Section 4.1	theorem	GameBoard	Rule3	4.1
The back-in-time gate says MATCH on the two slits', Bell's and GHZ's worlds; Bell's and the GHZ's readers return their blinds exactly, $S = 478/169$ and $M = -4$; the two slits' reader $N = 278$ against the blind 273, five quanta over, 0.3 of $\sqrt{273}$ (Section 9.2)	computed, a run	clicks	the implementation	4.1
The rule's acts form no product of levels	theorem	GameBoard	Rule3	4.2
A conserved form, its current, and the momentum flux as the wave's stress	theorem	GameBoard	Rule3	4.3
The count is the record's share; the total share is never negative	theorem	GameBoard	Rule3	4.4
Three exact massive rotations	theorem	GameBoard	Rule3	6.1
Light's speed $1/\sqrt{3}$ Links per interval, its dispersion, and no dispersion along the cube's diagonal	derived	GameBoard	Rule3 for the pair [1, 1]	3.3
A click is the meeting of two quanta, decided in the credit, written at one Node; no signal	assumption, derived	clicks	the meeting, the detector's draw and write	5
A field's reach from its gap, Yukawa's form	derived	GameBoard	Rule3 for a gapped pair	6.4
The stability of a body under the dilation, to first order in the well	theorem	GameBoard	the body's functional	7.2
A body's clicks: no light from a steady rotation, light at a breathing body's beat, the resonance at $2\omega_b$, the count's drift	derived	clicks	Rule3 at the body's Nodes	7.4
A cluster: the three levels at a Node as the nesting, three kinds of binding, the click the only thing between clusters, the hierarchy recursive	assumption, derived	GameBoard, clicks	the universe is bound; Rule3	7.5
The gravitational redshift, $z = f(\omega_0)U$	derived	clicks	the clock's read	8
The bending and the perihelion, which fixed the one assumption; the delay, the redshift's factor and the shadow's capture radius $2em$, its predictions	derived under the one assumption, fitted by the first two	clicks	a Link clocked twice by its Node's clock, $hN = 1$	8
The same forms against Kepler's potential: γ_K , β_K and α_K from the pair alone, closing with the gap	derived	clicks	the fall's formula	8
The moving clock: its fourth order and its kinetic scale c_m , Lorentz's as the gap closes	derived	clicks	Rule3's band	8
The force between moving charges, Coulomb's over γ	derived; the implementation's run a check of its bookkeeping	clicks	the rule's continuity identity, the sign's covector	8
De Broglie, the fall, Newton's pull; the content's index for every family, the lens	derived	GameBoard, clicks	the band and the field's rest	8
Newton's pull, the clock's G and Kepler's G	derived	GameBoard, clicks	Rule3 for [1, 1] and E_g	10.1
$\alpha_{\text{law}} = (3\sqrt{3}/8\pi)k/(\Gamma E_s)$ between two quanta, k the sign holder's declared weight; charge universality; the two forces' ratio between families $(m_p/m_e)^2$; the units; the share's ceiling; the gap below 10^{-19}	derived; k declared	clicks	the rotation, Poisson's rest, de Broglie; the quantum of a family; LHAASO	10.1
The two-slit fringe row and the lattice's arrival interval	computed	clicks	Rule3 on the declared world	9.2
Bell's $E = \cos 2(a - b)$, $S = 2\sqrt{2}$, $S(\rho)$ and Tsirelson's $2\sqrt{1 + \rho^2}$; every local credit at most 2 (theorem)	fitted; derived	clicks	the credit rule, the meeting's square	9.4
The vacuum content 0; gravity's events at light's speed in every level	assumption; implemented	clicks	declared; every row reads the content	6.5
The binding range, 20 Links	a world's choice	GameBoard	declared, a reading of an earlier round the families replace	6.4
Gravity's weight E_g and the sign holder's k , the matter pair's gap, the Link's length	calibration, experiment	clicks	nature's measurements	6.6, 10.2
The two clocks shift alike; the findings against nature of Section 10.3	derived; comparisons	clicks	the principle; Rule3	10.3

derivation that the text states without its proof are given in the supplementary material (Online Resource 1), Derivations S.1 to S.60, numbered as added, each naming its section, cited as (S.*n*) where used. The Statements and Declarations at the end say how the text was worked out with a large language model under the author's direction, every statement reviewed by the author. The paper cites three documents of its archive by the names of their sections: the law [1], the engine [2] and the decisions [3].




Fig. 1 (a) The GameBoard in space: a cubic array of Nodes, here $6 \times 6 \times 6$, each joined to its six neighbours by Links through the Ports $\pm x, \pm y, \pm z$ (the faint lines); one Node and its six neighbours marked, the Nodes one interval away from it. A Node keeps each family's two levels and its remainders there, and nothing else. (b) The Nodes one interval away from a Node form the octahedron $|x| + |y| + |z| \leq 1$, whose six vertices are the six Ports; its symmetry group is the cube's, O_h , the 24 rotations and, with the reflections, the 48 signed permutations of the axes, the group under which Rule3 is covariant (Section 3.1); its inscribed sphere, of radius $1/\sqrt{3}$, touches the eight faces on the cube's diagonals, and that radius is light's speed in Links per interval (Section 3.3). Both drawn from the definitions; no run.

The words. The physical location is a *Node*, and its complete local information is its *NodeState*. Nodes are joined by *Links* through six directional *Ports* per Node, and the lattice of Nodes is the *GameBoard* (Fig. 1(a)). A local change is an *Event*, and there is one local rule, Rule3. A *family* is one kind of physical value with its pair and what it holds. Its *record* is its levels over the GameBoard, two per Node with a remainder. A family of quanta has a *dimension*, 1 for one real line and 2 for a plane of two lines. A *body* is the set of Nodes on which a family's record stands bound, with no law of its own; a *cluster* is bodies in one another's wells; a *message* is a travelling record laid by the world. A *detector* is a region of Nodes declared in the file to report, and its *click* is one quantum credited to it, the one measurement; an *interval* is one step of the whole GameBoard; a family that holds a value for others to read is a *holder*. The words in full are S.49 [1, the objects][2, the words].

2 Related work

Reversible cellular automata and digital physics. The idea that the physical world is a discrete computation goes back to Zuse [4]; it was developed as reversible cellular automata by Fredkin, Toffoli and Margolus [5][6][7], as a programme of cellular automata by Wolfram [8], and as the cellular automaton interpretation, a deterministic foundation beneath quantum theory, by 't Hooft [9][10]. Quantum cellular automata put a unitary step on a lattice, from the lattice Weyl, Dirac and Maxwell equations [11] and quantum lattice gases [12] to the structure theorems of the reviews [13][14] and the derivation of Weyl's and Dirac's equations from an automaton's symmetries [15]; the present rule's step is an integer recurrence on two levels, not a unitary on amplitudes. Rule3 is a second-order cellular automaton in the sense of Toffoli and Margolus, $a_{\text{next}} = f(a_{\text{now}}) - a_{\text{before}}$ [7], with an integer alphabet and one Euclidean division whose remainder stays at the Node, which is what the title calls an integer cellular automaton. Feynman noted that a local classical computer reproduces no correlations beyond Bell's bound [16]; the model agrees, and places the excess in the declared credit of the click rather than in the lattice (Section 9.4).

Time-symmetric accounts of measurement. Wheeler and Feynman described radiation as an interaction between the source and the absorber, with advanced and retarded fields together [17]; Cramer's transactional interpretation has an offer wave forward and a confirmation wave backward, meeting at the absorber [18]. The two-state vector formalism evolves one state forward from the preparation and one backward from the outcome [19][20]; Price argued that a time-symmetric account is what Bell's theorem leaves open [21], and Wharton and Argaman showed that every locally mediated reformulation of quantum theory must let some mediating parameters depend on measurement settings in their future [22]. The model belongs to this class, the backward reading from a realised click depending on the detector's setting alone; it differs in that both directions are one integer line, exact to the bit, that their product is a reading and not a wave, and that the choice among the meetings is the one non-local element; the record is an ontic state in the terms of [23].

Bell's theorem and local models. Bell's inequality bounds every local account of a pair's correlations [24], in the form that experiments test [25], and a local model, a joint distribution and the inequalities are one condition [26]. The model's local credits give $S = \sqrt{2}$ and $S = 2$, as they must (Section 9.4); its credit by the contrast reaches the quantum correlation only by discarding pairs, Pearle's road [27], below the efficiency bounds of Eberhard and of Garg and Mermin [28][29], which the loophole-free tests of 2015 close for nature [30][31][33].

Discrete gravity and its tests. Regge calculus [35] and causal sets [36] discretise the geometry of space-time itself; here the lattice is never curved, and the weak-field forms are read from the coefficients (Section 8). In the parametrised post-Newtonian framework [38] the one assumption gives $\gamma = 1$ exactly and $\beta = 1$ at the small gap in the model's own potential, with the matter band's factors against the potential the tests read closing with its gap. A lattice breaks Lorentz invariance at order one unless its terms are tuned [39], and the bounds are reviewed in [40]; the paper's answer is no loops and the Link's bound of S.24, with the closing gap for matter (Section 8).

3 The model

This section states the model: the lattice, the families, the rule, the paces through which one family acts on another, the one write, the readings and the order of acts in an interval [1, the GameBoard and the families; Rule3; the primitives].

3.1 The GameBoard

The GameBoard is a box of $N_x \times N_y \times N_z$ Nodes. Two Nodes that differ by one step along one axis are joined by a Link, and each Node has six Links, one through each of its six Ports, $\pm x$, $\pm y$ and $\pm z$. Each axis is declared periodic, open or folded. Beyond an open face no Node lies and a level there is read as 0; a folded axis has one layer, and its two Ports return the Node itself. An inner face is a plane of Nodes declared closed except for declared gaps, which is how a wall with slits is made. A face may also be declared receding (ASSUMPTION): the box then grows by a layer of zeros whenever a nonzero level reaches the Node next to the face, so no event ever meets the face, and a run on such a box is a run on the unbounded lattice. The box grows and nothing stretches, so a receding face gives no cosmological redshift [1, the objects; the unbounded board][3, the receding face].

The group and its action. The symmetry group of the cube has 48 elements, the 24 rotations and, with the reflections, the signed permutations of the three axes, O_h , the octahedron's group as it is the cube's (Fig. 1(b)); with the translations it is the space group of the simple cubic lattice. It acts by permuting the Nodes and their Ports and carrying every level pair with its Node; the time reversal exchanges a record's present and its past and carries the step to its inverse (Theorem 1). Rule3 commutes with the space group's action, since its line reads the six Ports symmetrically and names no axis. Under the group the form D is a scalar, even under the time reversal; the current F a vector, odd under it; the Wronskian W a scalar under the cube's 48, odd under the time reversal and under the plane's reflection; and the click a scalar, naming a region and an interval and never a Node or an axis. No boost, no rotation beyond the cube's 24 and no scaling is in the group, so Lorentz's group and the continuum's rotations are no symmetries of the lattice, and what the paper finds of the moving clock it finds as a property of the clicks (Section 8) (THEOREM for the covariance and the readings' kinds; GAMEBOARD; S.4) [1, the direction; the four acts][3, the one algebra].

The NodeState holds the model's own numbers and nothing else: for every family and every part, two levels and one remainder, and for every part of a field family, the remainder of its one write. A count, a current, a charge or a tension is a reading computed from these numbers when it is needed; no register, table, formula or random draw is kept at a Node [1, the objects][3, nothing at a Node but the law's numbers].

3.2 Families and records

A family is declared by two keys: its pair [num, den] and its shape. A family of quanta, such as matter or light, declares its dimension, 1 for one real line or 2 for a plane of two lines, and holds nothing. A family of dimension 3, three real lines with a rotation among them on each Link, is declared by no file and enters only as an explicitly named hypothesis of Section 10.3 (HYPOTHESIS). A field family declares its sources, the form, the form with the three tensions, or the Wronskian, which fix its parts, one real line per source, with its divisor E_s and, for the massless field, its rest; a field sourced by the form or the tensions holds the content, which slows the clocks of the families that read it, and a field sourced by the Wronskian holds the sign, the charge's field. A family's record is its levels over the GameBoard, at every Node a level now and a level one interval before, with a remainder; a family of dimension 2 lays two level pairs (re, im), two solutions of the same line, and only a plane carries a charge (Section 5.5). A body is a connected set of Nodes on which a family's record stands bound, and a message is a travelling record laid by the world [1, the objects].

3.3 Rule3

At every Node, in every interval, every family steps by the first line of Eq. (1). The six arrivals through the Ports, each weighted by its Link's coefficient R_{ij} , the Node's own level times S , minus w times the level before, plus the remainder the Node kept, are summed as one whole number and divided once by the wall w ; the quotient is the next level, and the remainder, $0 \leq r' < w$, stays at the Node and never travels. Nothing is rounded away, and the step back is the same division, which is why every run is exact and reversible to the bit (Theorem 1). The name comes from the three axes, one coefficient per direction serving its two Ports, the wall's factor 6 the three directions twice; for light the next level is the sum of the six arrivals over 3, minus the level before [1, the line].

$$a_{\text{next}} + a_{\text{before}} = \frac{\text{num}}{3 \text{ den}} \sum_a (\text{arr}_{+a} + \text{arr}_{-a}), \quad (2)$$

whose rotation at the wave vector $\mathbf{k}$ is $\cos \omega = \frac{\text{num}}{3 \text{ den}} \sum_a \cos k_a$. At wave number zero $\cos \omega_0 = \text{num}/\text{den}$, and for the massless pair [1, 1] along one axis $\cos \omega = (2 + \cos k)/3$, so $\omega = |k|/\sqrt{3}$ as $k \rightarrow 0$, and along the cube's diagonal $\cos \omega = \cos k$ exactly, no dispersion (DERIVED, GAMEBOARD; S.1). Light's speed at long wavelength is therefore $1/\sqrt{3}$

Links per interval, below the causal bound of one Link per interval, and its group speed falls at shorter wavelengths as $1 - 0.083 k^2$ [1, the lattice constants]. In nature's names the vacuum's line is the discrete Klein-Gordon equation, exact but for the remainder term: with $S_6 = 6 + \Delta_{\text{lat}}$, $a_{\text{next}} - 2a_{\text{now}} + a_{\text{before}} = c_K^2 \Delta_{\text{lat}} a_{\text{now}} - m^2 a_{\text{now}} + (r - r')/w$, with $c_K^2 = \text{num}/(3 \text{den})$ and $m^2 = 2(1 - \text{num}/\text{den})$, the rest rotation as the mass (c_K is the equation's coefficient. The band's kinetic scale c_m^2 of Section 8, (e), is $\omega_0/(3 \tan \omega_0)$ and its largest group speed $c \cos \omega_0$, the three one as the gap closes). Its slow limit at small wave number is Schrödinger's equation with the inertia $m^* = 3 \tan \omega_0$ and, in a content U , the potential $\omega_0 f(\omega_0) U$ of Section 7.4 (DERIVED, GAMEBOARD). And $m^* c_m^2 = \omega_0$ exactly for every pair: the model's $E = mc^2$ at the band's kinetic scale, read in three click numbers, nature's its small-gap limit, the departure $\omega_0/\tan \omega_0$, $1 - \omega_0^2/3$ to the order ω_0^2 (DERIVED, CLICKS; S.18, S.21). At the vacuum's pace Rule3 is the leapfrog scheme of the Klein-Gordon equation, whose dispersion is the known one [41]; what the law adds is one rational [num, den] fixing mass and speed together, the equation exact, its departures predictions with bounds (Section 10.2), the integers with the remainder, and the paces (DERIVED).

3.4 The paces: how a field acts on a record

A field acts on a family by changing the family's paces at a Node, the coefficients of Rule3 there:

$$\begin{aligned} p_0 &= \Gamma (1 - 1/\Gamma)^c, & p_i &= \frac{p_0(c_i)^2}{\Gamma}, & p_a(i, j) &= \frac{p_i q_{ij}}{\Gamma}, & q_{ij} &= \Gamma - t_a(i, j), \\ c &= \sum_{\text{reads}} \text{weight} \times \text{the read family's time level}, \end{aligned} \tag{3}$$

Here c_i is the content the family reads at the Node (the symbol c names the content in this section and light's speed elsewhere), the sum over its reads of the weight times the read field's level. The clock p_0 composes, each unit of the level slowing it by the same factor $1 - 1/\Gamma$, to the unit. The Node's pace p_i is the clock twice, p_0^2/Γ , so that the ruler goes with the clock; $t_a(i, j)$ is the Link's tension, one number per Link from its two ends' parts (Section 4.3), read into the Link's factor q_{ij} the same from both ends. And the Link's pace is the product, $\Gamma - 2c_i - t_a$ to first order [1, every row reads the content; the clock is the Node's, the tension is the Link's]. A positive weight makes a hollow, an attraction; a negative weight makes a hill. The pace is the clock's slowing: a record at a Node of pace p rotates and moves as at Γ , with its intervals p/Γ as long. Every family reads the holders of the content its declaration names at the weights it names, gravity's and the binding field's at the weight 1 for every family, the fields among the readers and a holder of the content its own level among it (the law's line, implemented; Section 3.7; the nuclear holders of Section 10.3 by the nucleon families alone), so $x = (L_b + L_g)/\Gamma$ with L_b the binding field's level and L_g gravity's. A family of dimension 2 also reads the holder of the sign plainly, and light, the holder's own record, reads the holders of the content as every family does and not the holder of the sign. And a family sources what it reads at the weight it reads with, so every pair of families that read each other is reciprocal [1, the paces; the reads are the held row's pair's].

The one assumption of the forms: a Link is clocked twice by its reading Node's own clock. Nothing in Rule3 fixes how a level enters the paces; beside the line the model holds that a level is a count of units and every act is measured in the Node's own units, its second input beside the line (ASSUMPTION). Two parts of the paces follow from that. The clock composes, $p_0 = \Gamma(1 - 1/\Gamma)^c$, each unit slowing the clock as it stands by the same fraction, since the write of one unit is an act measured in the Node's own units, the read included (DERIVED from it). And every act of the interval, Rule3's step, the held rows' write and the sign holder's turn, is Rule3's act measured in the cell's units, so a uniform level $U = c/\Gamma$ changes only the units, time by $N = p_0/\Gamma$ and length by $h = p_0/p_a$ per Link, the write carrying $p_x p_y p_z / (p_0 \Gamma^2)$ on the form and $p_x p_y p_z / (p_0^2 \Gamma)$ on the Wronskian, and the turn p_0/Γ , per proper volume and per proper interval (DERIVED, S.34; implemented, Section 3.7). The one sentence not in Rule3, the model's one assumption of the forms, named as the credit is (Section 5): a Link is clocked twice by its reading Node's own clock, $p_a = p_0^2/\Gamma$, that is $hN = 1$, the ruler going with the clock (ASSUMPTION). The lattice says why twice, a Link having two ends, and not why the reading Node's clock stands at both rather than the two ends' product, which gives $\beta_K = -1$; the sentence is fixed by two clicks, the bending's $\gamma = 1$ and the perihelion's $\beta = 1$, and this is where Einstein's $\gamma = \beta = 1$ enter the model by hand (ASSUMPTION, FITTED: an input chosen with two known clicks in view; every form of Section 8 is conditional on it and none is a consequence of Rule3 alone; the bending and the perihelion fixed it and are no test of it, while Shapiro's delay, the redshift's factor $f(\omega_0)$ and the shadow's $2em$, e Euler's number, remain its predictions). Under it the model's static metric for light is $ds^2 = -e^{-2U} dt^2 + e^{2U} d\mathbf{x}^2$ to $O(U/\Gamma)$ and in the ray limit, the exponential metric [42], Einstein's to the first post-Newtonian order; the clock's rate is N in the lattice's variable $2 \sin(\omega/2)$ exactly and in ω to the finite-rotation correction $\omega_0^2/12$, 5.9 percent at the computed pair (6.3 exactly) and 10^{-20} at nature's LHAASO bound (4×10^{-29} at the axis bound), the metric stated in the variable in which it is exact (DERIVED; S.31); the shadow's capture radius $2em$ its second-order click against Schwarzschild's $3\sqrt{3}m$ (Section 8), in the lattice's frame, the frame a second residue not derived from Rule3 and read by the binary pulsars' α_1 (Section 10.3). The quadratic $(\Gamma - c)^2 + c^2$ is the composition's second-order truncation [1, the same clock and the same ruler for every act; the paces compose][1, what is open, item 15].

The band at a pace. From the coefficients, the rotation of a record at a Node of clock pace p_0 and Link paces p_a is (DERIVED, GAMEBOARD; S.1)

$$\cos \omega = 1 - \left(1 - \frac{\text{num}}{\text{den}}\right) \left(\frac{p_0}{\Gamma}\right)^2 - \frac{\text{num}}{3 \text{den}} \sum_a \left(\frac{p_a}{\Gamma}\right)^2 (1 - \cos k_a), \quad (4)$$

The mass term scales with the clock's square and the band term with the Link's. Two readings follow. First, at $k = 0$ every massive band's rest rotation obeys $1 - \cos \omega_b = (p_0/\Gamma)^2 (1 - \cos \omega_0)$, the clocks' shifts of Section 7.4. Second, along a Link every wave's speed falls with the Link's pace, $\Gamma - 2c - t_a$ to first order, so light is delayed and bent by twice the clock's share. At a Node of content $x = L/\Gamma$ light's band is $[2 - 4N^4, 2]$ in $2 \cos \omega$ with $N = (1 - 1/\Gamma)^L$, and at long wavelength $\omega = N^2 |k|/\sqrt{3}$: light's speed is $N^2 = e^{-2x}$ times its vacuum speed, to the unit, an index $n = e^{2x}$, $1/(1 - 2x)$ to the first order, with $n - 1 = 2x$ (S.2). A record whose rotation lies outside the band at a Node is evanescent there and reflected whole; light meets a total mirror where $p_a < \Gamma \sin(k/2)$ [1, the band at a pace; the rows against nature, (b)].

The guard. A pace is positive by the composition and must lie below an edge P , with $P^2 = 2 \text{den} \Gamma^2 \text{div} (\text{den} + |\text{num}|)$, which is Γ^2 for light: beyond P the mode at wave number π on every axis grows without bound, and at or below P no mode grows exponentially (THEOREM, GAMEBOARD). The guard is the Courant, Friedrichs and Lewy condition of the explicit scheme Rule3 is at the vacuum's pace [41], checked once at load. Under the composed paces no Link ever closes: the clock $\Gamma(1 - 1/\Gamma)^c$ is positive at every content and the Node's pace is its square over Γ , so a deep well freezes a clock and closes nothing, and the quadratic form's horizon at $\Gamma/2$ is a feature of the truncation and not of the law (DERIVED, GAMEBOARD; S.3). A Node whose Link pace rounds to 0, a frozen Node, reads nothing: no event enters it; its level is kept, matter's rotation nearly stopped and light's drifting linearly, and its active neighbours still read it at their own pace, so the cut is one-way; its share is 0 by the instrument's declaration, so it is dark (S.3, S.41). Two thresholds carry the word: the Link's pace at $(\Gamma/2) \ln 2\Gamma$ levels, 28,178 at $\Gamma = 6,000$, the engine's 28,206 with p_0 rounded before squaring (S.41), and the clock's at $\Gamma \ln 2\Gamma$. The guard's bound, $|2 \cos \omega| \leq 2$ at the band's edges, admits the edge itself, where a linearly growing solution exists, and it is stated for $\text{num} \geq 0$; at that edge the vacuum's checkerboard mode, driven by the remainders, grows as $t^{3/2}$, no click reading it, and reaches the loader's amplitude bound, 9,266 levels on the shipped files (GAMEBOARD), a negative numerator's lowest rotation lying at $k = 0$ (S.3). At a negative content light's zone-corner mode grows, so light refuses a content below 0, and the vacuum's content is 0 (Section 6.5) [1, the guard; the frozen Node has no share].

3.5 The write, the readings and the interval

The one write. Every write into a field's level is one act, the second line of Eq. (1): at a Node in each interval a held part gains $(\sum_f w_f q_f + r) \text{div } E$, one division per part with one remainder r carried at that Node. Here q_f is the sourcing family's own quantity at the Node: its form D_f for a holder of the content, its Wronskian W_f for the holder of the sign, or its tension $T_{aa,f}$ for an axis part. w_f is the weight with which that family reads the written field, and E is the part's wall, $E_s T$ for the time part and $E_s W_c$ for an axis part. The sources are summed in the numerator and never divided apart, so no remainder stands per sourcing family [1, the primitives][3, the one algebra].

The readings. A reading is a bilinear form of the levels with declared coefficients; it writes nothing on the GameBoard. The law reads three, the third line of Eq. (1). The form $D_i = \text{now}_i^2 - \text{next}_i \text{before}_i$, the present against the product of the future and the past, is $B^2 \sin^2 \omega_b$ at every interval for a standing record of peak B ; its quotient over T , the well, sources the fields. The Wronskian W_i is the charge (Section 5.5). The current $F_{ij} = \text{num}(\text{now}_i \text{before}_j - \text{before}_i \text{now}_j)$ into the Node i from its neighbour j is antisymmetric and, with the Link's factor q_{ij}^2/Γ^2 , is the Link term of the conserved form (Theorem 3), the plain current where no tension stands; a wave travelling from i to j has $F_{ij} < 0$. A static record has $\text{now} = \text{next} = \text{before}$, so its form and its current vanish: a static field carries no quanta and no detector sees it [1, the booking; the conserved form].

The interval. Every read is of the values at the interval's start; Rule3's line reads one Link per interval, and nothing in zero time; every reading of the interval, the step, the tensions and the hold's write, is read from the record as it stands at the interval's start, so a Node's NodeState after one interval depends on the Node and its six neighbours alone, the interval's dependency radius one Link (the law's line, GAMEBOARD) [1, the interval's dependency radius is one Link]. The interval has four acts in order: (i) the read, each family's paces from the field levels, the reading field's own among them, and each Link's factor from its tension; (ii) Rule3 on every record; (iii) the readings, each record's currents, tension, form and Wronskian at the levels the step started from, and each detector's report; (iv) the write of each field from its summed sources. [1, the interval][2, the interval].

What is conserved, and where. On the GameBoard the conservations are per family: the weighted form of a family while its reads are static (Theorem 3), the Wronskian of a plane family under a static level, exactly in the line under the implementation's present convention of the turn (Section 5.5), the quanta through the Ports, the wave number of a free record and reversibility bit for bit. Energy is conserved within a family by theorem, between a charged body and its light by the law's line (Section 10.1), and between a body and the holders of the content it is replaced by the mass defect (Section 10.3). The GameBoard conserves no total: the sum of the families' forms is not conserved and not assumed, the share moving with the paces with no current to compensate (Eq. (13)). The click layer has books of its own: a click credits one whole quantum at the detector's own whole, drawn by the inflow of the record's share through its front over

its window; a frequency of nature is read as the inflow's beat within the window or as the absorber's resonance; the GameBoard's quantities, the form, the content, the level, the rotation, are read by no click except as the share's inflow; and the credit's bookkeeping is that the shares sum to what the screen saw, one whole per click, the whole the detector's own transition (Sections 5.3 and 7.4). In the clicks there are conservations other than the board's, and neither layer keeps a total energy (THEOREM for the board's, ASSUMPTION for the credit's) [1, the conserved form].

3.6 The postulates

The model rests on the law's seven postulates [1, the postulates], the detector's write added by decision with its gate pending [3, the two hands close the line of the click's write]: (1) the world is Nodes and Events, an Event a level stepped by Rule3 with its remainder, a click a detector's report and, by that decision, its one write at the Node the quantum reached it from, and nothing else happens; (2) a Node holds bounded local information, read from itself and its six neighbours, and nothing of the past is kept beyond the one level before; (3) consistency is local and causal, one Link per interval for every reading of the interval (Section 4.3), with one exception, the credit of a click by the shares over every declared detector, the one non-local element, not derived; (4) the causal speed is one Link per interval; (5) every physical calculation is on bounded integers, with no floating-point number, no root and no random draw in the GameBoard's step, the detector's draw the instrument's, with its declared seed; (6) a measurement is a detector's click, the net current into a declared region through its front boundary over one interval, accumulated over the window, never a Node; (7) the GameBoard, where no one measures, is deterministic and reversible to the bit, a detector's write the instrument's act, forward only, outside the reversal, and the detectors' clicks are the only thing claimed to represent nature. The line and its clock are fixed: every mend of the model is a family, a holder, a declaration or a read, never a change of Rule3 (ASSUMPTION) [3, nothing that is not Rule3 remains].

3.7 The implementation

The implementation, Universe24 [43][2], is the law's implementation and nothing else: a GameBoard of Nodes, every family's NodeState at every Node, and one interval of acts in the law's order, each a call of Rule3 on whole-board arrays of integers at a declared width, every neighbour read through a Port; the call is the same at every Node and for every family, a family's pair, dimension, reads and weights entering it as arguments from the universe file and from nothing else. It holds no number of physics, no formula, no family's name and no flag, every physical value coming from the run's files; a run is headless, writes the click lines, the measurement, and runs for results only after the check of Section 4.1 says MATCH [2, the engine; the NodeState; the output; the gates]. It holds the law's lines of Section 3.4, and the checked worlds' outputs under them are bit-identical to the quadratic forms' runs [2, the NodeState; the interval]. The checks' runs: the two slits, the Huygens prediction 273, written before the run, the run $N = 278$, five quanta over the blind, 0.3 of $\sqrt{273} = 16.5$, and the law's real line 277.8 (278.0 in the physical labels), computed after the run by the script `two_slits_real_line.py` beside the paper; Bell, $S = 478/169$ with the marginals $1/2$; GHZ, the eight shares, every pairwise E 0 and $M = -4$; and the back-in-time check MATCH on every world (COMPUTED, runs of the implementation; CLICKS) [1, the rows against nature, (g) and (h); the GHZ gate]. The paper reports the checks' runs and derives the rest: a run of a declared world computes what the algebra of that world states, the implementation held to the law's lines by its tests and the gate. The implementation is public, with the documents, the files and the scripts, in the Git repository <https://github.com/Closer24/Universe24>, archived at Zenodo [43]: it installs in a clone with `python -m pip install -e .`; the two slits' world runs with `PYTHONPATH=src python tools/run_inputs.py --out runs/first_examples/events/two_slits/two_slits.json` and is read with `tools/click_counts.py`, Bell's and the GHZ's worlds with `tools/bell_gate.py`, and the back-in-time gate with `tools/back_in_time.py`, each as the engine's document states it [2, how to run a world]; the paper's own scripts stand in `paper/general_formula/`. Every act of the engine is derived in the supplement from the law's lines or named there as declared, an assumption by name or open, in one ledger of the two hands (S.61), with no claim of nature.

The rules we took. What this paper computes is one chosen set of rules: Rule3 with the one write and the three readings (Eq. (1)), the postulates of Section 3.6, the primitives the files declare by name (the families with their pairs and dimensions, the holders with their sources and divisors, the detectors with their four declarations, the faces) and the integers of `rule.json`, Γ , T , the width and the Link unit (Section 6.6). The engine fixes Rule3's form, the recurrence, and nothing else of the set: another universe file, other families and primitives, other integers can be taken and other things built with it [2, the interval; how to add a family]. Everything the paper derives is derived from this set and claims nothing beyond it; where a derived form coincides with a known one, the text says derived and names the form it meets, and never presents the known form as the law's own.

The computation is elementary. The computation reported here is elementary, and it is offered so that others may carry it further. The worlds are small (25^3 and 41^3 Nodes, planes of up to 45×48 and chains of up to 128 Nodes), a body spans a few Links at about 10^3 levels per Node, the integers are kept to 63 bits, the step is a Python loop over whole-board arrays, and no symmetry of the lattice, no derived resolution and no fixed-point lay is used yet; the lattice's pixel is therefore coarse in every computed body, and its budget, $(\text{Link}/R)^2$ and $\sqrt{n}/A$, is of the order of percent, stated against nature's pair in Section 7.3. What this paper derives it derives by the law's lines; what it computes it computes on this elementary engine, marked as such; the gates of the bodies and the atom are named open, designed and not claimed, the click's write run as a round after the freeze (Sections 7.3 and 10.3). The method's room for improvement is the paper's invitation.

4 Exact properties

This section states what holds exactly on every lattice, each proved in S.48: the reversibility of the rule, the kind of function its acts can form, the conserved form with its current and its momentum flux, and the count as a reading of the record (S.5, S.6).

4.1 Reversibility

Let σ be the direction, +1 forward and -1 backward; let div and mod be the floor division and its remainder in $[0, w)$; and let ρ be the remainder carried in. With

$$u = \sigma \left(\sum_j R_{ij} \text{arr}_j + Sx - wy \right) + \rho, \quad z = \sigma(u \text{ div } w), \quad \rho' = u \text{ mod } w, \quad (5)$$

the forward call with $(x, y, \rho) = (a_{\text{now}}, a_{\text{before}}, r)$ gives $(z, \rho') = (a_{\text{next}}, r')$, and the backward call with $(x, y, \rho) = (a_{\text{now}}, a_{\text{next}}, r')$ gives $(z, \rho') = (a_{\text{before}}, r)$.

Theorem 1 (the direction). *The backward call returns (a_{before}, r) bit for bit; the reversibility of every step needs no second function.*

(Proved in S.48.) Theorem 1 holds for the GameBoard's step at every interval; a detector's write and a body's window, click or not (Section 5.4), are the instruments' acts outside the reversal, as the lay is; the back-in-time gate is exact between clicks and runs across a click and every erasure interval with the presented face values as its boundary, read from the GameBoard-labelled lines beside the click line, the lay's acts crossed from their lines, the click line itself naming no Node (THEOREM for the step; the write ASSUMPTION). The whole run therefore goes back: N intervals forward and N back return every array of every family bit for bit, provided every number an act read at an interval's start is one the state after the interval still holds (THEOREM where the writes change no level, by construction from Theorem 1). The implementation checks this as a test, running a world forward and back and comparing every array at every interval; on the worlds of Section 9 it reports MATCH over their whole runs, worlds whose write stays under one level (Section 6.6) and whose detectors write nothing; the interval's reversal with a level-changing write is gated: the back-in-time check gives MATCH across the faces, the region detectors' clicks and every erasure interval, the presented face values the boundary, and MISS at a lay, the taking, the giving and the null window, by design, the tool's crossing of a lay from its lines not yet built (Theorem 1's clause), on the three worlds (the two slits 128, Bell 98, the GHZ 58 intervals) (COMPUTED, GAMEBOARD) [1, the inverse; the objects][2, how to run a world][3, the Node knows no family]. The condition rules out one read: a coefficient read from a Node's own state across a step cannot be recovered at the step back, so a record's rotation sense is never read at a Node and the holder of the sign is read by the record's shape, a plane or a line (Section 5.5) [1, the interval][3, the board goes back in time, as a gate; there is no sense].

4.2 What the acts can form

Rule3's line is one act, and declared coefficients make it four: (a) the read, the line with its six arrivals; (b) the one-Node step, the line with the arrivals declared 0, which rotates a level by Chebyshev's recurrence; (c) the division, the line with $R = S = 0$, Euclid's division with the remainder kept; and (d) the load, a declared integer in the numerator, which is how a count enters a level [1, the four acts].

Theorem 2 (what the acts can form). *Every composition of the four acts is a piecewise-linear function of the levels with integer slopes: a sum of linear forms and of floors of linear forms, composed. No such function is quadratic in the levels.*

(Proved in S.48.) So every product of two levels is a reading and never a write, and the three readings of Section 3.5 are the only products the law takes. A line enters the law only if it passes three tests: it is generic (one primitive with declared integers, no family's name), vector (an act on the whole state, with no root and no floating-point number) and local (its own record and the six neighbours, nothing kept at a Node beyond the law's numbers). A line that needs more is a hypothesis under its own name. No act of the interval takes a square root; the integer square root appears only when a world is laid, as the fixed point of the division act $x \leftarrow (x + n \text{ div } x) \text{ div } 2$ [1, the three tests of every rule][3, the six verbs; the root leaves everywhere].

4.3 The conserved form and the momentum flux

The read coefficient $R_a(i \rightarrow j) = 2 \text{num } p_i^2 q_{ij}^2 / \Gamma^2$ carries the Node's factor and the Link's; the Node's factor is not symmetric where the paces differ and the Link's is, so the conserved form carries the weight $1/p_i^2$ on its Node terms and the Link's factor q_{ij}^2 / Γ^2 on its Link terms:

$$E = \sum_i \frac{w(\text{now}_i^2 + \text{before}_i^2) - S_i \text{now}_i \text{before}_i}{p_i^2} - 2 \text{num} \sum_i \sum_{j \sim i} \frac{q_{ij}^2}{\Gamma^2} \text{now}_i \text{before}_j. \quad (6)$$

Theorem 3 (the conserved form). *At constant paces for which a positive Node weight d_i with $d_i R_a(i \rightarrow j) = d_j R_a(j \rightarrow i)$ on every Link exists, E with the weights d_i is exact under the line without the rounding. Under the law's read coefficient,*

the Node's pace squared times the Link's factor squared, $R_a(i \rightarrow j) = 2 \text{num } p_i^2 q_{ij}^2 / \Gamma^2$ with $q_{ij} = q_{ji}$ and $p_i = p_0(c_i)^2 / \Gamma$ the composed Node factor, the weight $d_i = 1/p_i^2$ cancels the Node's factor on both sides of every Link, so E is exact for any static field and static tensions. Its Link term carries the Link's factor, so the current of Rule3's own conservation law through the Link ij is $\text{num}(q_{ij}^2 / \Gamma^2) (\text{now}_i \text{before}_j - \text{before}_i \text{now}_j)$, the plain current F_{ij} where no tension stands, $q_{ij} = \Gamma$; the form with the plain current holds there alone, and with a tension it is not conserved (two witnesses, S.32).

(Proved in S.48.) With the rounding each Node's remainder adds the term $(r - r')(\text{next} - \text{before})/p_i^2$ to the walk of E (DERIVED; S.5). E is a diagnostic. Where the paces move, the total form $D = |\mathbf{a}_{\text{now}}|^2 - \langle \mathbf{a}_{\text{next}}, \mathbf{a}_{\text{before}} \rangle$ changes exactly by $D(t+1) - D(t) = \langle \mathbf{a}_{\text{next}}, (\mathbf{M}(t) - \mathbf{M}(t+1)) \mathbf{a}_{\text{now}} \rangle$, which is 0 at fixed uniform paces and negative where a well deepens under a standing record (THEOREM, by substitution; GAMEBOARD) [1, the conserved form].

The momentum flux is the wave's own stress. The momentum density along the axis a at the Node i is the current per axis, $P_a(i) = (F_{i,i-a} - F_{i,i+a})/\text{num}$, and the line without its division gives exactly, at constant paces, the identity below; the integer step adds the remainder term $\delta_i \Delta_a(\text{now})_i - \text{now}_i \Delta_a(\delta)_i$ with $\delta = r - r'$ and Δ_a the centred difference, which the implementation's test includes (THEOREM for the line, GAMEBOARD),

$$w[P_a(t+1) - P_a(t)] = \sum_b R_b [G_{ab}(i) - G_{ab}(i-b)], \quad (7)$$

$$G_{ab}(i) = \text{now}_i (\text{now}_{i+a+b} - \text{now}_{i-a+b}) - \text{now}_{i+b} (\text{now}_{i+a} - \text{now}_{i-a}),$$

with $G_{ab}(i)$ the stress reading on the b -Link $(i, i+b)$, the levels now alone. The proof is in S.48. The tension on the axis a at a Node, the part a field reads into the Link's pace and the source of a field's axis part, is the momentum flux averaged over the Node's two a -Links,

$$T_{aa}(i) = -\text{num} (G_{aa}(i) + G_{aa}(i-a)) \text{div } 2, \quad (8)$$

$$G_{aa}(i) = \text{now}_i (\text{now}_{i+2a} - \text{now}_i) - \text{now}_{i+a} (\text{now}_{i+a} - \text{now}_{i-a}),$$

and each Node sources its own part, $-\text{num } h_a(i)$ with $h_a(i) = \text{now}_{i-a} \text{now}_{i+a} - \text{now}_i^2$, read from its two neighbours along the axis at the interval's start; the Link's tension is its two ends' parts, one number per Link read the same from both ends by the pace at the next interval. A plane wave of amplitude b at the wave number k has $G_{ab} = -2b^2 \sin k_a \sin k_b$, so the flux along the wave, $T_{aa} = -\text{num } G_{aa} \geq 0$, is positive, as a wave's pressure is (S.7); a packet of count c and velocity $\mathbf{v}$ has $2c v_a v_b$, the two Links' currents summed, the stress of dust (S.7 for the plane wave). With the sign as written a wave's stress deepens the content around it, so light gravitates by its pressure too. The off-diagonal parts and the vector part, which Rule3 never reads, are not written [1, the tension; the final unification][3, the tensor part is the record's own stress].

4.4 The count is the record's share

A family's count of quanta is a reading of its record and no line of its own. At every Node the record's share is

$$e_i = \left[w(\text{now}_i^2 + \text{before}_i^2) - S_i \text{now}_i \text{before}_i - \text{now}_i \sum_{j \sim i} R_{ij} \text{before}_j \right] \text{div} (2p_i^2), \quad (9)$$

the conserved form's term at the Node with its weights (Theorem 3), the Node's $1/p_i^2$ and each Link's q_{ij}^2/Γ^2 inside R_{ij} , read in quanta over W_c as the nearest whole number; at the vacuum's paces it is $3 \text{den} (\text{now}_i^2 + \text{before}_i^2) - \text{num } \text{now}_i S_6(\text{before})_i$ exactly, S_6 the six-neighbour sum, and read with the vacuum's coefficients instead of the Node's own paces the same expression is the vacuum's share, the unit of the tables of Section 7. The implementation reads it so. Over one step of Rule3 the share's rational value, before its floor, changes by exactly the six currents into the Node, each weighted by its Link's factor, plus Rule3's own rounding (THEOREM for the rational identity, GAMEBOARD; S.5); the integer share of Eq. (9) adds the reader's own floor, a residual strictly between -1 and 1 per Node and level pair, distinct from Rule3's remainder:

$$e_i(\text{next}, \text{now}) - e_i(\text{now}, \text{before}) = \sum_{j \sim i} \frac{q_{ij}^2}{\Gamma^2} F_{ij} - \frac{(\text{next}_i - \text{before}_i)(r'_i - r_i)}{2p_i^2}, \quad (10)$$

with F_{ij} at the levels the step started from and r, r' Rule3's remainder before and after the step. So over any region the total share changes only by the weighted currents through the region's boundary, the remainder terms and the readers' floors (THEOREM, GAMEBOARD) [1, the count is the record's share; the share's change is the currents]. A formulation moving whole quanta by a division of the current would put numbers at every Node that no act of Rule3 reads back; the law does not carry it (ASSUMPTION) [3, the count's line and the sense's line leave the law]. Where the paces move the share drifts with no current crossing any Link, Eq. (13), a diagnostic [1, the paces' own change moves the share with no current].

The signed integers. The levels are signed integers, the currents are signed by their direction and the Wronskian by its sense, and a click is one whole quantum, never negative. The total share of a closed or periodic GameBoard is non-negative for $|\text{num}| \leq \text{den}$, with equality for a static uniform level of light and, on an even periodic board, for its

checkerboard (THEOREM, GAMEBOARD; S.6). One Node's share can be negative at a lay's edge, and a region's by at most half a level-square per boundary Port. Over the whole passage of one forward packet the inflow accumulated at a region's front equals the region's final share plus what left through its back, each bounded below by S.6 (Eq. (10) summed over the window), so it is non-negative up to the rounding and the credit by the shares is well defined; where a window is cut inside a passage the instrument credits $\max(s_R, 0)$ (DERIVED, CLICKS) [3, the law's integers are signed].

5 Measurement: the click as a meeting

The click is where the method meets the world it computes: everything Universe24 computes is read through clicks and nothing else, and the paper's supporting findings are the places where those clicks stand close to nature's; the paper claims the method, and never that nature is so. The click is the meeting of the future with the past at a declared detector, and no act of the GameBoard. A click is a fact: one whole quantum passed from a giver to a taker, written once and never undone; it is always the meeting of two quanta, so every click has its giver and its taker, the record and the body's transition, and happens never by itself (S.49 (16)). In the law's one line: a detector drives Rule3 from outside the board, as a face and a start do; it presents one value at one Port of the click's Node, in the place of what it would see from the board, and lays whole quanta there, and the Node steps Rule3 as always, knowing neither. A click is this act: one whole quantum of one record taken, Rule3 writing the hole, and whole quanta of others given, the rotations summing at the Node; the conversion, the weak force, is the same act with the family changed on the out side, and every other click is of its kind with the family kept; the draw alone chooses whether and where, which future continues; that is all the board shows of a click. In the division's words, a click is Rule3's division act on the families: the shares that entered a detector over its window, with the remainder the books carry, divided by one quantum W_c , the quotient the clicks and the remainder kept; what Rule3 does to the levels at a Node with the wall w , the credit does to the shares at a detector with the wall W_c , with the draw in the place of the Port (the three storeys of the one act, S.48). The engine writes a NodeState by Rule3, the lay and the face and by nothing else, the hole by the face value at the click's Port (the engine's round of 2026-10-03, the three gate worlds' numbers bit for bit under it); the credit's window it rounds half up, dropping its remainder, the carried remainder the law's form by name with its own blind on N , and the top storey's "how many" and never its "where": the board's remainders cannot stand where the draw stands, a local carry per detector giving no shot noise and Rule3's remainders as pick numbers putting every click of the two slits on two of twelve regions (the advisor's check; Section 10.3). This section states what is on the lattice, the meeting, the detector, what a click leaves behind, the charge and light, and what locality costs [1, the click; the reading].

5.1 Events, and no waves

On the GameBoard there are events and amplitudes. An event is a level split by Rule3 to the six neighbours; an amplitude is the level Rule3 produces at a Node, the sum of the split events there; and the record is the amplitudes over the GameBoard. In our world there are clicks, the detectors' reports, and nothing else. In the two slits the emitter's events pass both gaps, every path of the future at once; the fringes are where split events from the two gaps meet at the screen with the same sign. The past is made of the same split events: read backward from the realised click by the same line, Rule3 at -1 , they form the past's tree, which also passes both gaps back to the emitter. What stays on the GameBoard, the amplitudes no click realised, is not in our world: after a click they are a cancelled future at three levels: in the credit, the record's count at 0 and no detector crediting it again; at every detector they reach where the world declares a face behind it, their share leaving the board there; and on the board, the record that gave erased from the click's Node outward at the causal bound, one Link distance per interval, inside the click's light cone, beyond the front its levels remaining, an empty wave still sourcing the holders it writes to, until it arrives (Sections 5.7, 5.4) (ASSUMPTION) [1, no waves on the event board][3, no waves on the event board].

5.2 The click is the meeting of the future with the past

Assumption 1 (the click is a meeting, the law and not a hypothesis). A record runs on the GameBoard in both directions by the one line: forward from the emitter, the possibilities, the future; backward from the realised click, what happened, the past, Rule3 at -1 . A click is the meeting of two quanta at a declared detector: the incoming record's quantum run forward, the future, and the detector's own transition, the click's unit, the past read back from it; its share is their product at the region, at resonance (Section 7.4), the form $D = \text{now}^2 - \text{next} \times \text{before}$, the now against the future times the past; which meeting is realised is the detector's draw with its declared seed, and the GameBoard draws nothing; the one non-local place is the credit's one draw over the detectors that read one record, through the root. The detector only asks whether the future and the past met at it.

Two detectors stand under the one word: the declared region, a bolometer's front with no record of its own, on which every check reported here ran (Section 5.3); and the body that stands for a detector of nature, whose front is such a region and which has its own transition (Section 5.4).

The click, algebraically. Let X be the state space: at every Node, for every part of every family, one integer level pair and the write remainders, and nothing else. The step S_t is Rule3 over the interval with the paces read from the fields at its start, a bijection of X (Theorem 1); its forward orbit is the future and its inverse orbit the past. An instrument R is a declared region with its front Ports and its coefficients, which define Q_R , the inflow through its front over the window (S.50). A click is the pair (R, t) , the credit of one whole quantum to R at the interval t , drawn with the probability $s_R / \sum_{R'} s_{R'}$, $s_R = Q_R(x_t) / W_c$; the decision is the one map in the model that is not a bijection, a scalar under the group,




Fig. 2 The click as the paper states it, schematically (ASSUMPTION; drawn from the definitions, no run). (a) The two slits: the emitter's events spread forward through both gaps, every possibility at once (the grey fans, the future); from a realised click at the screen the same line is read backward, Rule3 at -1 , through both gaps (the dashed lines, the past); the share along the screen, the product of the two directions, alternates; the detector writes once, at the one Node from which the quantum reached it (the filled square); the taker's change spreads from there by Rule3 and the record that gave is erased from there outward at the causal bound (the arcs). (b) The detector, a declared region or an instrument body declared at one Node and held by its declaration, has two sides: at the front the incoming quantum meets its own transition, the detector draws with its declared seed and writes the exchange at the one Node, the hole and the taking; its other side is bound to the apparatus, the observer's bodies and, through the record it took, to that record's root. (c) A pair, two trees with one root: the backward reading from A's click passes the root and continues on B's tree (the dotted line); the credit's one draw through the root carries the correlation, each side writes at its own Node, and nothing is signalled.

so no click names a Node to us; its write is one act on X , at the one Node of the region from which the quantum reached the detector (Section 5.4): the levels that arrived there are taken, the record's count falls by one and the taker's rises by one, the quantum conserved between them, and the change spreads by Rule3 as an event (Section 5.4; ASSUMPTION, the instrument's declaration). A frozen Node stands in no instrument's front and is never clicked (ASSUMPTION for the definition, DERIVED for the precisions; CLICKS) [1, the click's algebraic definition].

One form for every click. At the credit the parts of a record are read with the detector's coefficients, each part paired with the same part through the common origin, summed and squared; the share is that density, and the draw is by the shares. The two slits are the case with nothing to pair: light is one real line, and the share is the record's own inflow. Bell's check is the case through the common origin: a pair born as one event is two trees with one root, and the backward reading from the first click passes the root and continues forward on the partner's tree (Section 9.3). In the implementation the joint share is computed from the forward records alone, by the linearity of the rule, the check of Section 4.1 showing that the backward reading exists to the bit (the credit ASSUMPTION; the equality of the forward and backward descriptions DERIVED for the line at fixed paces; CLICKS).

5.3 The detector is a declared instrument

Assumption 2 (the detector's declaration). A detector is one connected region of Nodes declared in the file, never one Node, at least half the wavelength of the family it reports across the beam (4 Links at $\lambda = 8$); a narrower region, a single Node or a region in pieces is refused at load. It is opaque, backed by a receding face or by the wall's own face, so that what enters it leaves the declared board and never returns. Its click is its report, per interval and family: the net current into the region through its front boundary Ports, the Ports leading in from the declared board, summed in integers, with the region's name and never a Node; one wall $W_c = 3 \text{ den } T$ of the inflow over a passage is one unit of count, the bolometer's whole ($W_d = T$; a counter's whole is $T \sin \omega$, S.49 (14)), so a screen saw N units where its regions' inflows sum to $N W_c$. The credit: one quantum to one detector, drawn by the shares of the regions' inflows, read outside the GameBoard over every declared detector of the world, one credit per quantum and never two; the detector draws

with its declared seed, the GameBoard draws nothing and the run is deterministic per seed. After a realised click the detector writes once, at the one Node from which the quantum reached it (Section 5.4). A body that is an instrument is a declaration of the file at one Node, the instrument body, held by its declaration and never bound by a well, and it reports through a detector region around its Node, half a wavelength across, its writes at the body's Node inside it. The credit is the one non-local place of the description and no line of the law.

What produces a click is deterministic, the meeting; which of the possibilities becomes the click no line of the law gives, and the instrument draws. The draw decides a place and a combination, never a value and never a path: how many clicks is no draw, N the shares' sum over W_c capped by the record's count; which region, by the shares; which boundary Node, by the per-Node inflow; which combination of the sides' ports, through the root; the generator a declared linear congruence with its seed, of the full period 2^{width} by Hull and Dobell's theorem for every shipped generator, so that Born's rule on the board is the proportionality to whole shares, exact over the period, and nothing of the Node and nothing of Rule3 enters it. Exclusivity, one click per quantum, is derived under the credit's one draw, the instrument's declaration, from the count conserved (Section 5.4); Born's rule, the credit's chance equal to the intensity's share [44], is a declaration of the instrument and not a finding of the model [1, what produces a click is not known]. The uncertainty relation is the detector's three declarations and no rule of its own: the region, $\Delta y k \geq \pi$ at half a wavelength; the window, $\Delta \omega \geq 2\pi/N$ over N intervals; and the draw, $\sqrt{Np(1-p)}$, with a floor and a whole; the write is exact inside, at a Node and an interval that are the board's alone and never reported, and the report is uncertain outside, one act: the detector is defined by the uncertainty relation (ASSUMPTION). A detector is a face of the GameBoard that reports: the Nodes see a boundary, the world sees a click; it simulates the click's effect and not its cause, since in nature a detector is bodies on the board and the click happens at their Nodes by Rule3 alone, while ours is not in the Nodes; its acts are the loop's from outside the Node, as the lay and the receding face are, and the share that reaches a region backed by a receding face, as every gate world's is, leaves the board there, credited or not, a declaration of the world and not a rule of the detector [3, the uncertainty relation is not a rule of its own]; what each declaration costs is derived in S.8 and S.50, a pattern in the histogram and never in one click (DERIVED, CLICKS) [2, the output].

The emitter/detector, the law's entry at two hands, the engine's round by name until built. The emitter/detector is one declaration kind for every experiment: its seed and its Nodes, and nothing else. Its window is the arriving share's support at its Nodes, both levels, for a body and for a finite packet alike, and the cut of an infinite flow where the flow is continuous (declared by name); its unit for a region is the record's own quantum, $W_{\text{rec}} = (\text{the laid share} + \text{count div } 2) \text{ div count}$, read once from the books' origin, W_c for a record laid by share and $W_c \sin \Omega$ for a born quantum, so no transition is declared on a region; on a body of two or more Nodes it reads each mode's share by the mode's own invariant, $Q_n = [w(u_n^2 + v_n^2) - 2w \cos \omega_n u_n v_n] / (\phi_n \cdot \phi_n)$ from the projections u_n, v_n of the two time levels on the mode, $p_n = Q_n / Q(z)$, the modes and their rotations the start's own readings; on one Node of a body it reads the same by the exact solve on the four reference sequences at ω_g and ω_e over the window (the Gram determinants exact in Python's integers beyond the width, the value in the run's kind, or R bounded for them), exact in exact arithmetic for $W \geq 4$ and within the rounding's amplification once W is of the order of $2\pi/(\omega_e - \omega_g)$, the Node off every node of the modes it reads (the uncertainty rule's two forms: half a wavelength in space for a region, a beat in time at one Node); it draws once at the window's close by these shares; in the dark it draws per proper interval at the hazard $1/\tau$, the weights $[p_0, \Gamma\tau - p_0]$ per tick, τ the law's number per transition; it gives the quantum at $\Omega = \omega_e - \omega_g$ read from the modes, laid as the lay derives it, the direction an assumption by name (the floor's price, item 49); its own clock is the carried sum of p_0 over Γ at its Nodes and its event clock the windows closed, both in the click line beside the board's tick, the click line the experiment's whole reading and every GameBoard number a diagnostic labelled so (DERIVED, two hands in the law; the engine's round by name until built; CLICKS; S.61, lines 12, 13, 17 and 27).

5.4 The click decides in the credit and writes at one Node

Assumption 3 (the click's decision and its write). The GameBoard is deterministic and local: Rule3 with no draw, Theorem 1's bijection at every interval. The click is the meeting of two quanta at the detector, the incoming record's quantum and the detector's own transition; the detector, an instrument declared in the world file, draws with its declared seed whether the meeting is realised, and the randomness is the detector's, the board has none. Forward, to the future, one write: the exchange at the one Node from which the quantum reached the detector, which the detector knows and we do not (the uncertainty principle: for us the click is a region and a window), the one Node drawn in the same one draw by the window's inflows per Node, the region's share their sum, the Node a GameBoard diagnostic beside the click line, as the implementation's round holds it; the exchange: the arriving record's levels and remainder at that Node to 0, the hole, its count down by one; the taker's realised part laid at that Node at its count up by one, the taking, with the phase the product's and the remainder at the lay's origin, the part it leaves laid at its count down by one; the quantum conserved between them, and the taker's change spreads by Rule3 as an event, one Link per interval; no act faster than one Link per interval: the front erases the record that gave from that Node outward at the causal bound, one shell of Link distance per interval, the hole's act on each shell, the clicked record alone and nothing else written; the other paths are a cancelled future at three levels, the front erasing them inside the click's light cone (Section 5.1). Backward, to the past, a reading and never a write: the credit's reading through the root, which chooses which tree is the past and gives Bell at a distance (Section 9.3), the one non-local place; it cannot be a write, the board being deterministic forward.

A single quantum's count stands at 0 after its click, the count conserved and read by the credit through the root, the detectors' shared other side on the GameBoard, the Nodes' levels carrying the shares and never the count: antibunching

and one quantum one click per record between far detectors [45], the credit's one draw over all the detectors that read one record (ASSUMPTION for the one draw, DERIVED from it for the rest; CLICKS; the numbers of Sections 9.2 and 9.4 unchanged, one click per record). No signal passes: nothing at one detector changes the amplitudes at another except by Rule3 from the Node of the exchange. A detector is a body of the GameBoard with two sides, entangled on both (Fig. 2b): the front where the incoming quantum meets its own transition, and the side where its record connects to the apparatus, the observer's bodies [1, the observer is a cluster] and, through the record it took, that record's root, so that two detectors reading one record are connected through the root, their common past. A bound body clicks by quanta from outside meeting its own transition, never by clicks from outside, the meeting the resonance of Section 7.4 (DERIVED, CLICKS), and only where it is declared an instrument; a bound body has no window of its own, and the now reaches it only through a detector's click, its own period as its window killed by nature's $n = 1$ (DERIVED, CLICKS; S.59) [1, what is open, item 46]: a body with no declaration does the Nodes' laws alone, the two-mode transfer and the radiation at its beat by the hold's write, continuous, no count moving and no jump. An instrument body declared at one Node draws over its parts at each window and writes its outcome at that one Node, re-laid in the drawn part at its count there and nowhere else, a click or not, while a region detector reading a light record writes nothing on a null outcome (S.59); a spread body's click is the exchange at its entry Node and its settling a reading, open by name (Section 10.3). The giving is the lowering with the light quantum laid at the body's Node at the resonance $\omega_L = \omega_e - \omega_g$: the rotations sum exactly at the Node, the shares to the booked remainder, $T(\sin \omega_e - \sin \omega_g)$ against $T \sin \omega_L$, a finite-rotation correction booked by name (S.14, S.43). The conservation laws of a click are the write's own construction and no rule added, the count whole, the rotations summing, the charge's unit $T/2$ of the Wronskian per quantum (Section 10.1), every line of a record together; the detector's one act of its own is the draw, and the write that follows is derived. What clicks: light with a body's transition (the taking and the giving), a quantum of matter with a body's transition (the capture and its reverse), light with light by summing in one row and never by a click, and the holders of the content, gravity and the binding row, never click (S.49; the conversion of a quantum between families the hypothesis below); a body in the dark is only the future and still gravitates; emission is the same meeting with the roles reversed, two local writes and one draw of the credit binding them. The Node stays generic, knowing no family and no click; the write is the instrument's act (ASSUMPTION, the instrument's declaration [1, the click writes on the GameBoard]; the decision's form DERIVED, the one form of Section 5.2). The GameBoard holds only the future, every possibility, and has no arrow: Rule3 is a bijection at every interval (Theorem 1). The clicks have the arrow: each is forward only, the one act outside the reversal; at each click what was future becomes past, the present being the meeting; the chain of clicks is the past advancing into the future, written once and never undone. The direction of time is the clicks' and not the board's (THEOREM for the step; the clicks' arrow the instrument's declaration). The engine round of the click's write is gated and merged (2026-10-02), the face form and the front in the round of 2026-10-03: the back-in-time check MATCH across the faces, the region detectors' clicks and every erasure interval, the presented face values the boundary, read from the GameBoard-labelled lines beside the click line, which itself names no Node, and MISS at a lay, the taking, the giving and the null window, by design; the hole's share and the count's fall asserted exactly (Bell 23,988,000 over 6 Nodes, the GHZ 77,040,000 over 15, the count one below at every credit line), the three gate worlds' numbers bit for bit under the face; what the computed worlds show is one generic click act with its five declared lists, the detector's report as the click line, a window and an instrument and never a Node, under the uncertainty principle as the detector's three declarations, and the cancelled future at its three levels, each asserted in the engine's tests of the meeting (the click written at one Node and the board exact between clicks; a record declared an instrument at one Node takes, gives and stays); the checks reported in this paper were run with detectors that report and write nothing, and the write at the window's end leaves their numbers unchanged (Section 3.7) [3, the two hands close the line of the click's write; the detector only writes, and it writes only to the one Node from which it received the click; on the GameBoard there is no draw; the one who makes this draw is the detector; there is no family of clicks at the Node][1, the click is the meeting of the future with the past; clicks go only forward; the backward run is exact].

In plain words (Fig. 2). A detector is where the future met the past: the arriving record's quantum run forward from its root is the future, the detector's own transition's quantum read back from the realised click is the past, and the click is their meeting, the present. A detector always receives two quanta, the arriving one and its own; there is no click of one quantum alone. From the click the new future goes out: the quantum with the taker to its next meeting, the taker's record changed at its Node and stepped on by Rule3, the front spreading from the entry Node at the causal bound, the past going out, the giving's light quantum when it comes, and the arriving record's wave with its count at 0 beyond the front, the empty wave, stepped on and never credited; the clicks' chain is the past advancing into the future, the board only ever the future [3, the click is the meeting of the future with the past]. What produces a click the law does not say [1, what produces a click is not known]: at the end of a window the instrument draws, with its declared seed and generator, which meeting is realised and at which one Node, once over every detector that reads the record, through the root; the shares the law gives are what the draw is made from, and the draw stands where the cause would stand; everything else at a click is known and written. What the draw chooses is which future continues: the quantum leaves with the taker from this Node and not from another, one opening point of the new future, and the front cancels the other futures inside the click's light cone. The detector writes once, at the one Node from which the quantum reached it; from there the board carries the change on its own, one Link per interval. Every click is one read and one write, the taker reading the share at its front and the giver's levels written to 0 at the drawn entry Node; two records leave it, the past read back from the realised click and the quantum carried on into the future. In this paper's engine the taker is the declared instrument, the past is the credit's read through the root, and the taker as a body, changed by what it reads and carrying the quantum to its next meeting, is the law's line and the open gate of Section 10.3. The record's count, a

number of the record read by the credit, goes to 0, so the quantum is taken once and no detector anywhere takes it again: for every measurement there is, the other paths are a cancelled future at three levels. For every click there will be, the record's count is 0 and no detector anywhere credits that quantum again. At every detector they reach where the world declares a face behind it, their share leaves the board there with no credit, the irrelevant future ending where it meets a detector, locally. On the board itself the record that gave is erased from the click's Node outward at the causal bound, one Link distance per interval, inside the click's light cone; beyond the front its levels remain, an empty wave stepped by Rule3 that still writes its form into the holders it sources, a diagnostic and no measurement, until the front arrives; a Node with six Ports can erase nothing beyond itself, and the instrument's front erases inside the click's light cone, never faster (the price of locality, Section 5.7). A record's front starts when its count reaches 0; a record of several quanta keeps its wave until the last is taken; the law's line for the next round, one event one record one root, lays each giving as its own record of light with its own count and its own front, a declared capacity of the world, the gate worlds at capacity one with the limit asserted (HYPOTHESIS under its own name until built). The front is built, the engine's round of 2026-10-03 (Section 10.3). The record is continuous and the clicks are not: between clicks only Rule3 acts, one Link per interval, and the next click lies inside the previous one's light cone, $|\Delta x| + |\Delta y| + |\Delta z| \leq \Delta t$ in the Link metric, causal continuity and not adjacency; clicks are not Node to Node, a click being a drawn point among a region's boundary Nodes, and a quantum crosses hundreds of Links with no click; the chain of clicks is closed backward and open forward, no click without a click before it in its light cone, and no click before it that compels it. The clicks have the direction of time; the board has none. A bound body, an atom or an ion, clicks in the same way when a quantum from outside meets its own transition, and that is how it absorbs, emits and jumps (ASSUMPTION for the draw and the write, the rest DERIVED; CLICKS).

A hypothesis under its own name: only a click moves a quantum between families. On the GameBoard a record's levels change by Rule3 in its family's plane and by the holders' reads alone, and the read moves no form; form passes between a family and a holder's record only through the write at a body, the giving and the taking; a count passes between families only at a click, at a taking the record's count down by one and the body's part up by one, at a giving the body's part down by one and one record of light with count 1 laid; between clicks every count is constant. In the model owner's reading: the GameBoard computes the possibilities of the future locally and carries shares; the clicks are the present, where under the hypothesis the world's real computation is done, each between the past, the body's own transition read back to the record's root, and the future, the incoming record's paths; what passes between families on the board is form, a possibility, and what passes at a click is a quantum, a fact. What tests it: a body laid in its excited part alone, with no beat, gives no light by the write alone and one quantum at an exponential time under the hypothesis, a single atom's lifetime; its gate worlds are named in the open list (HYPOTHESIS [1, only a click moves a quantum between families]; no number of this paper rests on it; Section 10.3).

5.5 The sign is the rotation sense

A family of quanta laid as a plane carries its record as two level pairs, (re, im), stepped by one call of Rule3 with one set of coefficients, each with its own remainder; a field's parts stay real. The charge density at a Node is the reading

$$W_i = \text{re}_{\text{now}} \text{im}_{\text{before}} - \text{im}_{\text{now}} \text{re}_{\text{before}}, \quad (11)$$

the Wronskian of the two pairs, which the line without its division conserves exactly with the conserved form's weights, under Theorem 3's condition on the paces (THEOREM, since **DM** is then symmetric; GAMEBOARD; S.9). The integer step adds to each part the remainder term $\epsilon = (r - r')/w$, $|\epsilon| < 1$, so the integer W changes at a Node by $\epsilon_{\text{re}} \text{im}_{\text{now}} - \epsilon_{\text{im}} \text{re}_{\text{now}}$ per interval, not zero in general, one witness computed in S.9 (COMPUTED, GAMEBOARD); an exactly conserved integer charge is open (Section 10.3). Its local change is the Link current, $(2 \text{ num}/w) (q_{ij}^2/\Gamma^2) (\text{im}_i \text{re}_j - \text{re}_i \text{im}_j)$ per Port for the weighted W_i/p_i^2 , num/(3 den) times the bracket for the integer W_i at the vacuum's paces (S.9), and its total over the GameBoard is invariant under any change of the paces that keeps them uniform over the GameBoard, the weighted total $\sum_i W_i/p_i^2$ exact at any paces, since the bracket $\text{im}_{\text{now}}^\top \mathbf{M} \text{re}_{\text{now}} - \text{re}_{\text{now}}^\top \mathbf{M} \text{im}_{\text{now}}$ vanishes for every symmetric **M** (THEOREM, GAMEBOARD). A real record (im = 0) has $W = 0$, so light, the real record of the holder of the sign, is neutral; a rotating record has W of either sign by its sense [1, the sign is the rotation sense; the sign's count is the record's own].

Who reads the holder of the sign is decided by the family's dimension and by no name (ASSUMPTION, GAMEBOARD): a family of dimension 2 has a Wronskian and reads it, a family of dimension 1 has $W = 0$ and does not. The holder of the sign does not read its own level, so light does not read it and a static charge does not bend light. A reader's own sense never enters its coefficients, since a coefficient read from a Node's own state would break the exact inverse (Section 4.1). So the holder of the sign acts on its readers by the act its row declares: **rotation**, the holder's level over Γ as the angle θ turning the two-part record in its own plane, $e^{-i\theta} z_{\text{next}} + e^{i\theta} z_{\text{before}} = (S z_{\text{now}} + \sum_a R_a(z_{+a} + z_{-a}))/w$, three exact integer shears inverted bit for bit with θ read at now alone, under which like and unlike senses are told apart by the record's own sense. Which sense moves apart is one bit the model does not fix, declared by nature's click that like charges repel, the shears' exact angle $2 \arctan(L/2\Gamma)$, L/Γ at small angles, and the magnetic force follows as the Link's phase, Peierls' coupling (Section 8) (ASSUMPTION for the declared bit, GAMEBOARD) [3, there is no sense; every family has a dimension; the rotation round, built][1, the sign holder rotates the two-part record; the rows against nature, (f)].

5.6 Light is born by the write

Light is the holder of the sign's own record: one record whose time part is a real level pair, stepped by Rule3 at the paces of its reads, so that light is bent by the content, and written by the one write from the Wronskian of the records that read

it. A static rotating body writes a static level, Coulomb's field, and radiates nothing. A breathing or accelerating body writes a varying source at its Nodes, the field carries it away at one Link per interval, and those spreading events are the light; a uniformly moving body writes no travelling light in the long-wavelength band (S.42 (b)) (DERIVED, CLICKS). A detector reads light's current through its boundary in quanta of W_c , and the travelling events of the other fields, which in gravity's case stand beside nature's gravitational wave, enter a detector the same way. A body's quanta that leave it stay its family, and no quantum changes family at a crossing. A body reads the holder of the sign at its own Nodes, so a breathing body reads the light it writes and its pace answers, the radiation reaction, in the same loop [1, light is born by the write][3, light is born by the write].

5.7 The price of locality

Two consequences of the model's locality, stated against nature's clicks: Born's rule is the instrument's declaration and exclusivity is derived under the credit's one draw, the instrument's declaration, from the count conserved (Section 5.3); a clicked record's empty wave still writes its form into the holders it sources until the front reaches it, a Node with six Ports erasing nothing beyond itself and the instrument's front erasing inside the click's light cone, never faster (Section 5.4, the open list); and a pair is one laid record, its phase a shared classical variable inside Bell's hidden variable [24], so every local credit of it gives $|S| \leq 2$ (THEOREM; CLICKS) [25], while the meeting through the root gives $S = 2\sqrt{2}$ with nothing signalled, resting on the credit rule, a declaration (ASSUMPTION, FITTED; Section 9.4). A which-way measurement without absorption is no third price and is not computed here; the model's opaque detector in one gap loses the fringes and reads one gap's envelope, as nature's absorbing which-way detectors do [1, what is open, item 4; the rows against nature, (g) and (h)][3, the click is the meeting of the future with the past; go over the paper and see which mismatches with nature the clicks resolve].

5.8 The formulas of clicks

Table 2 collects the formulas of clicks the model gives, each with its status and the section that derives it [3, the click's algebraic definition; the mathematics of the bound bodies and how it bears on the clicks].

6 The families and the universe

The world it computes is declared family by family: a family is a band of the one rule and not a separate law. Its row in the universe file holds only what the rule and the geometry do not fix: its pair [num, den], with $\cos \omega_0 = \text{num}/\text{den}$, and its shape: for a family of quanta its dimension, for a field its sources with its divisor. A pair written over the GameBoard's one denominator Γ makes a mass one integer m , with $\cos \omega_0 = m/\Gamma$ and the wall $6\Gamma^3$; a reduction to lowest terms is a reading and never an act of the loader, so such families share one resolution of their remainders [1, the families from the rule; the mass is one integer; the wall is one].

How a family enters. A family enters the world as one row of the universe file with two keys and nothing else: its pair, and its shape, which for a family of quanta is its dimension, 1 or 2, and for a field its sources, the form, the form with the tensions, or the Wronskian, with the field's divisor E_s and, for the massless field, its rest. Its rotation at rest, its band, its coefficients and its wall, $w = 6 \text{den} \Gamma^2$, follow from Eqs. (1) and (4); its parts are its sources' count, one real line per source; its reach is set by its gap (Section 6.4); its reads are its declaration's, gravity's and the binding field's at the weight 1 (Section 3.4), and it sources what it reads at the weight it reads with. Every record clicks, a field's included, since no row declares whether it clicks. Table 3 gives the rows of the universe, and Section 6.6 the numbers of the world [1, a family's declaration; the families from the rule][2, how to add a family].

6.1 The exact bands, and the third band

The line of one Node at rest, $a_{\text{next}} = 2 \cos \omega_0 a_{\text{now}} - a_{\text{before}}$, is exact in integers only where $2 \cos \omega_0$ is an integer. So the rule carries exactly three exact massive rotations, $2 \cos \omega_0 = 1, 0$ and -1 , with the periods 6, 4 and 3 and the pairs [1, 2], [0, 1] and $[-1, 2]$ (THEOREM, GAMEBOARD). A record on an exact band at rest in the vacuum leaves no remainder in its rest rotation, so it never clicks and only turns. The exact bands are exact only in the vacuum: at a Node of pace p_0 the band's rest rotation is $2 \cos \omega = 2 - 2g(p_0/\Gamma)^2$ with $g = (\text{den} - \text{num})/\text{den}$, an integer at $p_0 = \Gamma$ alone, so inside a well a record on an exact band leaves a remainder and clicks like every family's [1, the exact bands; the exact bands are exact only in the vacuum].

The bands [0, 1] and $[-1, 2]$ are allowed by the rule and unused by the universe [1, the third and the colours, closed as absent].

6.2 The rule's own universe

The universe of the model is the one whose every number is the rule's own: the pairs from the integers 1, 2 and 3 of the three exact massive rotations and the three axes, every divisor 1 except gravity's, and the remaining free numbers named. Its rows stand in Table 3 [1, the families from the rule; the rule's own universe][2, the input].

The universe's integers are the Node clock $\Gamma = 6,000$, a multiple of 3 so that the matter pair's $2/3$ is exact over it; the quantum's norm $T = 2^{15}$, the normalisation of the quadratic form; and two bounds that are not physics, the integers' width, 63 bits, and the Link unit, 16, the tension's resolution that sets the amplitude bound. Γ and T are units, as c and $\hbar$ are in nature, and no line of Rule3 fixes T , since the rule is linear and the scale of its form is free; the energy line of Section 10.1 ties T to Γ , E_s and k_w only where a plane family reads the holder of the sign, which no family of this

Table 2 The formulas of clicks, each with its status. Every row is a formula of what a detector reports, CLICKS. U is the clock's share and U_K the Newtonian potential the orbits measure (Section 8).

The formula	Status	What the model gives	Section
Born's rule, the count at a region	declaration; N_R and the scatter derived under it	$N_R = Q_R/W_c$, the share of the inflow through the region's front over the window; the pattern is in the histogram, $Np_i \pm \sqrt{Np_i(1-p_i)}$	5.2, 5.3
The dead time	declaration	not derivable: the shares credit a region any whole number of quanta in one interval, and W_c over the inflow's rate is the mean spacing of the clicks and not a least one	5.3
The two-slit row	derived; computed	the near-field minima at the rows 15 and 33; the screen's inflow peaks at the interval 68.0 against the fourfold refined lattice's 61.8	9.2
The arrival and its spread	derived; computed	$t = L/v_g$ with $v_g = (\text{num}/(3 \text{ den})) \sin k / \sin \omega$ Links per interval; the click's duration $\sigma_t = \sqrt{\sigma_x^2 + (\omega'' L \sigma_k / v_g)^2} / v_g$ from the band's curvature, 4.13 intervals at $k = \pi/4$ over $L = 34$ Links from the packet's centre to the screen; the centre's arrival 62.2	9.2
Bell's pairs	the credit declared (Born's rule for a pair); E and S derived under it	$E = \cos 2a \cos 2b + \rho \sin 2a \sin 2b$ and $S = \sqrt{2}(1 + \rho)$ at the ideal angles, 478/169 at the integer settings for equal parts	9.4
GHZ, three quanta	derived under the declared credit (S.40)	$E_3 = \cos 2(a + b + c)$, every pairwise E 0, Mermin's $M = -4$ where every local credit gives $ M \leq 2$	9.4
The clock's click rate	derived	$1 - f(\omega_0)U$, $f = 2(1 - \cos \omega_0)/(\omega_0 \sin \omega_0)$, $1 - U$ at a small gap; the beat of two modes scales by N exactly at long wavelength, to a correction $(1 - N^2)(\omega_1^2 + \omega_1\omega_2 + \omega_2^2)/24$ at finite rotations (S.31); a cavity of bodies the same, declared faces N^2	7.4, 8
The bending's clicks	derived under the one assumption; in U_K	$4U_b$; $(1 + \text{den}/\text{num}) 2GM_K/(c^2b)$ against Kepler's potential	8
The absorption line	derived (S.16, S.43); the one-mode line under the pace read alone	parametric at $2\omega_b$, the growth $\epsilon/(4 \sin \omega_b)$; the transfer line at $\omega_j - \omega_i$, Rabi's rate, under both reads	7.4
Emission	derived	a steady rotation writes no light, nor a uniform motion in the long-wavelength band (S.42 (b)); a breathing body writes at its beat, at the first order in the breathing's depth	7.4
The which-way sum	derived	the continuity of the one inflow through the two fronts: a region behind one gap reads that gap's share and nothing of the fringe	5.7
The uncertainty relation	declaration, with its inequalities	$\Delta y k \geq \pi$ from the region, $\Delta \omega \geq 2\pi/N$ from the interval, $\sqrt{Np(1-p)}$ from the draw	5.3
No signalling	derived	$P(A+) = (\cos^2 a + r^2 \sin^2 a)/(1 + r^2)$, independent of b for parts of any amplitudes	9.4
A body's count in clicks	derived; the unit of credit declared	the share summed over the body's Nodes, what a full absorber credits; under a moving well it drifts by Eq. (13); a body's click one transition, $\hbar\omega$ per click	7.4
Magnetism	derived under the holder's rotation (S.33); not under the plain read	F_C/γ : the sign's halved current over the same wall as the time level, $E_s T$; 0.995 at 0.1c and 0.866 at 0.5c	8

universe does. Every field of the file is a record stepped by Rule3 at its pair and written by the one write; a world's starting rest is the fixed point of the division act, computed once before the first interval (ASSUMPTION) [1, the final unification][3, two units and the bounds; nothing that is not Rule3 remains].

6.3 What each family carries, and how gravity enters as a clock

What a family carries is set by what Rule3 reads and what a record can write, not by a name (DERIVED, GAMEBOARD). Rule3 reads two things of a Node and no third: the clock's pace p_0 , one number, and the Link's paces, the three directions of the rule's vector, so a field that acts on the paces carries at most one time part and three axis parts, $1 + 3$. A record of one real line, neutral matter or light, has a form D and a stress and no Wronskian; a record of a plane, charged matter, has a Wronskian W as well; a field is always real, one line per source, since a plane's own W would be its own source. The shapes follow with no choice: *the scalar*, one real line, for matter, light and the binding field; *the plane* for charged matter; *one plus three*, the time part with the three tensions, for gravity, sourced by the form and by the diagonal of the record's own stress (Section 4.3); and *two real lines never summed at a Node* for the pair family of light in Bell's world. The law as it stands takes no vector part of a field and no off-diagonal stress, since Rule3 reads them nowhere; for a real record no current's read exists within the three tests, so no frame dragging of neutral bodies (Section 10.3) [1, the final unification; the tension][3, every family has a dimension].

How gravity enters: a slowed clock, and no curved space. There is no metric, no force and no law of motion in the model. Gravity enters in three steps. (i) *The write*: at every Node in each interval every family of quanta writes its form over the action, $D_i \text{ div } T$, into gravity's field over the divisor E_g , by the second line of Eq. (1). (ii) *The field*: gravity's field, [1, 1], steps by Rule3 at its pair [1, 1] and the divisor E_g , so around a static source it rests at Poisson's

Table 3 The rule’s own universe, its four families as the file `examples/events/rule.json` holds them (DERIVED from the two keys of a row, its pair and its shape): each family with its pair [num, den] (in brackets over $\Gamma = 6,000$), what it holds at its divisor, its shape, what it reads, and its free number. A further family, the pair family of light, two real lines never summed, is declared by Bell’s world and not by this file (Section 9).

Family	Pair	Holds, at the divisor	Shape	Reads	Its free number
gravity, the time part and the three tensions	[1, 1] ([6000, 6000])	the content, E_g (1,000 in the bodies’ worlds, 10 in the gravity world; 10^6 in the three light-only worlds, gravity off in all but name)	1 + 3 real lines, sourced by the form and the three tensions	the content, its own level among it (the law’s line, implemented)	E_g , the hierarchy; its rest c_{vac} , 0 by declaration
the charge, the holder of the sign, whose quanta are light, born by the write	[1, 1]	the sign, 1	1 real line, sourced by the Wronskian of its readers	the holders of the content, at the weight 1; never its own level	k , the write weight, no key of the file (the plain write, $k = 1$)
the binding field, not the strong force (Section 10.3); its own events have the gap	[2400, 2401]	the content, 1	1 real line, sourced by the form	the content, its own level among it (the law’s line, implemented)	the pair, its range $R = 20$ Links, a world’s choice
$\cos \omega = \text{num}_b / \text{den}_b$ matter, the scalar; a quantum that leaves a body is a message of matter	[m , den] ([4000, 6000])	nothing	dimension 1, one real line; a charged body of the same pair is a second row of dimension 2, a plane	the holders of the content, $x = (L_b + L_g) / \Gamma$; the plane also the holder of the sign	m , the mass

solution, $3G(r)s$, which is $3s/(4\pi r)$ far away; a change travels at one Link per interval, retarded. (iii) *The read*: every family reads the field’s level ℓ at its Node into its own coefficients, Eq. (3), the clock’s pace once and each Link’s pace twice. What general relativity calls curved space stands here as the Link’s pace, light’s index $n = e^{2x}$; no space is bent in the model. The factor two on the Link is the one assumption of Section 3.4, the clock’s composition the rule’s own [1, the paces; the clock once and the Link twice][1, the same clock and the same ruler for every act; the paces compose].

6.4 The reach of a field, and the binding field

A field’s rest solves $\text{num} \Delta^2 a - 6(\text{den} - \text{num})a = -3\text{den} \sigma$, its line with the source once an interval, with Δ^2 the six-neighbour second difference. Outside a body its rest therefore falls by $e^{-\kappa}$ per Link with $\cosh \kappa = 3\text{den}/\text{num} - 2$, the family’s own band at zero rotation: the gap is both the mass of the field’s quanta and the inverse reach of the field, one number (DERIVED, GAMEBOARD). [1, 1] has no gap, and its rest is Poisson’s over the whole GameBoard. [1, 2] has $\cosh \kappa = 4$ and falls by 0.127 per Link, a contact well of $1/\kappa = 0.48$ Links’ reach. A pair with num just under den has $\kappa^2 = 6\text{den}/\text{num} - 6$ to second order, a range $R = 1/\kappa = \sqrt{\text{num}/(6(\text{den} - \text{num}))}$ Links, which is Yukawa’s form [47] (S.11) [1, the well].

Assumption 4 (the binding field and gravity’s divisor, decided with a reservation). The well of a record, $D_i \text{ div } T$, is laid into two fields. The binding field, a family with a gapped pair $[\text{num}_b, \text{den}_b]$, $\text{num}_b < \text{den}_b$, at the divisor 1, stepped by Rule3 at its pair as the massless field is and started at its rest, which with the gap is a sum with a range, $R = \sqrt{\text{num}_b/(6(\text{den}_b - \text{num}_b))}$ Links and $e^{-r/R}/r$ beyond it: it binds the bodies and is not the strong force (Section 10.3). Its own travelling events have the gap $\cos \omega = \text{num}_b / \text{den}_b$, a quantum with a mass whose Compton length is R , Yukawa’s own line [47] and no input. The massless field [1, 1] at the divisor E_g declared by the file: gravity, long-ranged and weak by E_g . Every family reads the holders its declaration names, at the weights it names, and sources each at the weight it reads with: gravity’s and the binding field’s levels are read by every family at the weight 1, the two fields among the readers, each its own level among the content, and the nuclear holders of Section 10.3 by the nucleon families alone (the law’s line, Section 3.4; the selective read a declaration, ASSUMPTION).

The first pair is [2400, 2401], with $R = 20$ Links, and the field’s quantum has the rest frequency 0.029 per interval. The range is a world’s choice, tied in an earlier round to a cloud read as the proton, a reading the families replace (Section 10.3). In the implementation’s worlds E_g is declared large, 1,000 in the bodies’ worlds and 10 in the gravity world, so that gravity does not enter a body’s binding. Nature’s E_g is read from G as the sign holder’s k is from α , and the hierarchy of gravity and electricity is the product of the two declared weights and the quantum’s energy against its unit of charge (Section 10.1). The decision carries a reservation, that it may be wrong [3, the two rows][1, what is open, item 20].

6.5 The vacuum content

Assumption 5 (the vacuum content is 0, a declaration fixed by nature's clicks). The massless field rests at a declared level everywhere, the vacuum content, the key **rest** of the universe file, derived by no line of the law; declared 0 where the light-only files carry the key and absent, hence 0, in the universe file at $\Gamma = 6,000$.

A uniform rest c_{vac} is a change of units (Section 3.4), which only nature's clicks can tell. Under the law's line every field reads the content as every family does, so the massless field's own travelling events have light's paces identically in every level: gravity's events and light through the same wells arrive together, the difference of their two Shapiro delays 0 and $\gamma_{\text{GW}} = \gamma_{\text{EM}}$, where GW170817 bounds $\gamma_{\text{GW}} - \gamma_{\text{EM}}$ between -2.6×10^{-7} and 1.2×10^{-6} [48] (DERIVED from the law's line; CLICKS; S.12). Inside matter the source is read through the pace, gravity gravitating (DERIVED, GAMEBOARD). With the two speeds one speed the measurement bounds no rest, and the vacuum content stays a declaration, 0 in the file (ASSUMPTION); the vacuum's write, which would give the faces a positive content, is a hypothesis of the law's documents (S.29) and not claimed here. [1, every row reads the content; what is open, item 22][3, the vacuum content is 0, a declaration fixed by nature's clicks].

6.6 The world's numbers, and how the universe was chosen

The universe is chosen by one principle stated before any row: one rule closes everything; the families are its inputs, each a band of the rule named by its pair; the units are a choice of scale; and the universe holds as few free numbers as the rule allows (ASSUMPTION) [3, the standing goal; not one number in the engine, and as few in the files as the law allows]. The road to them:

(i) a family is a band of the rule, and its row holds only its two keys; (ii) three exact massive rotations, the pairs [1, 2], [0, 1] and [-1, 2] (THEOREM, Section 6.1); (iii) the three of Rule3 is the three axes, so the massless holder of the content carries 1 + 3 parts and every other family is a scalar; (iv) one denominator for light and matter, their pairs written over Γ , a multiple of 3, the binding field's pair the one not over it; (v) the pairs from 1, 2 and 3 (ASSUMPTION): [1, 1] for gravity and the charge's field, and [2, 3], the first pair past the exact bands, for matter, nature's pair far past it (Sections 8 and 10.1); (vi) every divisor 1, under which the universe carried no free number but the mass; (vii) two numbers where nature's scale forced them, the binding field's gapped pair and gravity's divisor E_g (ASSUMPTION, with the reservation of Section 6.4); (viii) the vacuum content 0 where no write is declared (Section 6.5); (ix) the sign holder's write weight k , the plain write 1 and no key of the file, read from nature's α as E_g is from G (Section 10.1).

What remains: two units, Γ and T ; two bounds, the integers' width and the Link unit; and five numbers of physics, matter's numerator m , the binding field's pair, gravity's weight E_g , the sign holder's write weight k and the vacuum content, and under the hypothesis of Section 7.5 one more, the vacuum write's rate, with every other divisor 1. The three light-only worlds read a copy of the file with the two holders of the content at the divisor 10^6 , so that light's own well stays under one level. That this universe is the universe is a decision and not a theorem (ASSUMPTION); the electron's mass over Planck's and the proton's mass over the electron's are open and not derived (Section 10.3) [1, the rule's own universe; the final unification][3, the rule's own universe is the universe; the final unification].

7 Bodies

7.1 What a body is, and how it is computed

A body is its record over its Nodes and the quanta that record carries, and never one Node: in plain words, a record held at its Nodes by the holders' wells, its count the number of its quanta, which clicks as Section 5.4 says when a quantum from outside meets its own transition. Its count is the share of its record (Section 4.4), a reading and not a state; its form $D_i \text{ div } T$ is written into the fields it sources, and the fields enter Rule3 through the paces alone. The record is bound by the wells its form sources, by the binding field's screened sum with the range R , while gravity's $1/r$ is weak by E_g and enters no body's binding. No law is written for a body: it is the support of a standing mode of the one rule, and its record moves by Rule3 alone. Four statements make a body (DERIVED from the line, with the decisions named): (a) the body is the fixed point of its binding field, standing where the sources return themselves; (b) a field's level is the static solution of the row's line, which the start solves from the bodies' forms to its own stop (the implementation's stop misses the line by up to one fine unit over $1 - \rho$ in the board's lowest mode, ρ the row's Jacobi factor, 137 fine units on the open 25-cube, a finding of the engine's register and not of the law), after which Rule3 steps it; (c) a body's quanta are its record's share, carried wherever its record's current carries it; (d) a free packet or a cloud falls as $a = \Delta |d\omega_b/d\ell| \nabla \ell$, ℓ the content level [1, what a body is; the four lines of the body][3, what a body is].

How a body is computed. The held rows' source is the record's form $D_i \text{ div } T$, the law's line; the implementation's start laid the count, and the generator's lay under a level is being checked, the write's factor N^4 read in the field and no physical return (the open list; GAMEBOARD). By the rule's own iteration and no other formula: start from a spread of the declared count over the Nodes; write the wells that spread lays into the fields and let them rest; find the record's top mode in those paces by Rule3's own read act, iterated; scale its two levels so that the share carries the declared count; write the wells that record lays; and repeat until the levels repeat, in integers, at the fixed point of the division act. The branch is chosen by the start's width alone: a wide start reaches the cloud and a narrow one the compact body, two fixed points at one count (the generator's readings of the earlier rounds; no standing body in this round). [1, the generator; the four lines of the body][3, the generator is Rule3].

7.2 Stability

Let a body of M quanta have the record ϕ over its region, $\sum \phi_i^2 = 1$, with the counts $c_i = M\phi_i^2$. Let every field r it sources be a hollow ($\sigma_r = +1$) or a hill ($\sigma_r = -1$), with the static kernel $\mathbf{G}_r$ of its line and the divisor E_r , so that the well at a Node is $\Phi_i = \sum_r \sigma_r (M/E_r) \sum_j G_{r,ij} \phi_j^2$. To first order in Φ/Γ the well raises the one-Node rotation $2\cos\omega$ by $4g\Phi/\Gamma$, g the gap of Section 6.1, and the body's fixed point is a critical point on the sphere of

$$F[\phi] = \frac{\text{num}}{3 \text{ den}} \sum_{\text{Links}} (\phi_i - \phi_j)^2 - \frac{2g}{\Gamma} \sum_r \sigma_r \frac{M}{E_r} \sum_{ij} \phi_i^2 G_{r,ij} \phi_j^2, \quad (12)$$

the band's pressure less the wells' energy, each well counted once because the record is its own source (Hartree's form). The record is the top mode of Rule3's symmetric form at the paces, and $dF/d\phi = 2\lambda\phi$ on the sphere is the fixed point's own equation with $2\cos\omega_b = 2\cos\omega_0 - \lambda$ (THEOREM, GAMEBOARD; S.13). Let $\phi_R(x) = R^{-d/2}\phi(x/R)$ be the body dilated, with d the GameBoard's dimension; the pressure is K/R^2 and each field's well energy is W_r/R^{s_r} , with s_r the field's scaling power at the body's size: $s_r = d$ beyond the field's reach and $s_r = d - 2$ within it or for the massless field [1, the functional and the dilation].

Theorem 4 (the stable body, under the dilation and to first order in the well). *At a fixed point of the binding row of width R the virial $2K = \sum_r \sigma_r s_r W_r$ holds, and the second variation of F along the dilation is $R^2 F''(R) = \sum_r \sigma_r s_r (2 - s_r) W_r$. A body is stable only where this sum is positive; it is a minimum of F where further the Hessian on the modes orthogonal to the dilation and the translations is positive.*

(Proved in S.48, by Derrick's scaling [49] and Pohozaev's identity [50] on the GameBoard.) The theorem is a statement about the functional of Eq. (12), to the first order in the well, along the one direction of the dilation, with the dilation taken as continuous; it is not a theorem of the integer step on the full lattice, and the Hessian beyond the dilation is open (Section 10.3).

The factor $s(2 - s)$ is $+1$ at $s = 1$, 0 at $s = 2$ and -3 at $s = 3$: a hollow holds the body where its well falls more slowly than the pressure and breaks it where it falls faster. Three consequences follow. (a) One hollow beyond its reach binds every mass on a chain and in a box has one critical point, a saddle: the body disperses beyond it and collapses within it. (b) A massless field holds the body: Poisson's well in a box has $s = 1$, so $F = a/R^2 - c/R$ has one critical point, $R = 2a/c$, a minimum for every mass, which is Pekar's body [51]. Beside it a hollow beyond its reach adds a barrier, $F = a/R^2 - b/R^3 - c/R$ on a Gaussian body, with the wide critical point a minimum and the narrow one a saddle, and none where $3bc > a^2$, the collapse (DERIVED, GAMEBOARD; S.13). (c) A collapse ends in a frozen clock: beyond first order the well saturates and the Link's pace weakens the pressure, and since no pace reaches 0 before the rounding a collapse ends in a cluster of Nodes whose clocks are frozen to the unit and never in a closed Link [1, the functional and the dilation][1, what is open, item 29].

7.3 The two branches, and the status of a standing body

The binding row's fixed point has two branches, a wide cloud and a compact pixel, chosen by the start's width alone (Section 7.2; DERIVED for the functional, S.13). No standing body is computed in this round: the look of the body in a uniform level (the open list), a laid body of 10,000 quanta on the open 25-cube over 4,000 intervals, finds the generator's bodies bound but not standing within rounding, the neutral body breathing and drifting by 7 to 10 percent of its laid share and the charged body growing under its own sign holder by 53 to 70 percent (a finding of the implementation's blind in three dimensions; GAMEBOARD). Three problems of the computation are named, none in Rule3. (1) The lay is not the integer fixed point: the generator lays the count from the continuum forms with the vacuum's kernel, and in a level the well comes out 0.81 of the laid depth for the sign and 0.74 for the content as measured, the write's factors at $N = 0.949$ being $N^4 = 0.811$ and $N^6 = 0.731$, the content's 0.74 against $N^6 = 0.73$ within the reading, a well 19 to 26 percent deeper than the body finds, so it relaxes and breathes. (2) The turn's convention: the engine on `main` turns both levels by the level at now, whose booked Wronskian moves by $\mp \cot\omega \Delta\theta$ under a changing level; a breathing charged body's changes rectify and its charge grows; the time-Link turn, exact for any level, removes it and is not yet merged. (3) The rounding walk: the neighbours read the integer level and not the carried remainder, a noise below one level per Node per interval, walking over n intervals as $\sqrt{n}$ levels against the amplitude $A = \sqrt{T}c_i/(2\sin\omega)$ levels per Node, 852 for the blind's body of 10,000 quanta at $T = 2^{15}$ (c_i about 33 quanta per Node): about 19 levels over the 4,000 intervals, 2.2 percent of the amplitude and 4.5 percent of the share, the size of the neutral body's drift. The fix proposed, the engine's to-do and nothing of the law: the lay at the integer fixed point, the start iterated under the body's own paces until the levels repeat in integers; the time-Link turn merged, the charged body's growth its gate; the resolution raised, the walk falling as $1/\sqrt{T}$, about one percent of the share at $T = 2^{19}$; a standing body then stands within the walk's bound $\sqrt{n}/A$, a stated criterion. The computed body is coarse in the lattice's pixel by construction (a few Links, about 10^3 levels per Node), so its drift and breathing are the lattice's budget and the lay's and not the law's: $(\text{Link}/R)^2$ and $\sqrt{n}/A$, stated for each world; the first is 2×10^{-23} at nature's pair and the second is the engine's alone, and the law's derivations are of the line without the division. Until then the body's rows carry only what is computed, its definition (Section 7.1), the static fixed point and the modes by hand (S.46, S.60), the stability conditions as derived (Section 7.2) and its clicks (Section 7.4), and no sentence that a body stands under Rule3; the clouds of the earlier rounds and their numbers are the law's document's and not this paper's. The fix round of 2026-10-03 refines the rest to the line within one fine unit at every Node by the scaled residual, 0.51 level on the 25-cube, makes the write's factor one rounding half up of the booking

over the one wall, exact beyond the width, and names the room's bound under the Link's factor, the room's factor of the ceiling $q_{\max}/P$ owed by name before any world with tensions of either sign is laid; every shipped world's number is unmoved and the nine gates say MATCH; the standing world keeps its 48 images to the bit through 1,000 intervals, read 2's third part and read 3's growing ringing findings by name (GAMEBOARD) [2, the interval; the gates].

The atom: known from clicks, laid on the GameBoard. The atom is known from clicks, its spectra, its lifetimes and its scattering; nothing of it is seen on the GameBoard. What is tested is whether the way from the clicks to the GameBoard and back carries the atom, a supporting finding with its state named (S.46, S.52). An atom is a bound body of the holder of the sign: a nucleus, one quantum of its own family, writes the time angle $\theta_0 = Z\alpha c/r$, $c = 1/\sqrt{3}$, into the sign holder's row by its Wronskian, electrons, quanta of the matter family, read that angle into their rotation, and the standing records Rule3 makes in that angle are the atom's levels, Schrödinger's in the slow limit. With the nucleus's angle alone they have Bohr's form, $E_n \propto 1/n^2$ with $a_0 = \sqrt{3}/(m^*Z\alpha)$. A record that read its own sign row (S.46 (c), the state before line (1) of the decision of 2026-10-02) had the law's form at large Z only, $1 - 1.25/Z$, and not hydrogen, the finding that line (1) answered: under line (1) a record reads every sign row but its own, and hydrogen's lines are S.60's; the holders of the content keep the self-read (line (2)). The atom of this paragraph is derived and not yet run; its one-Node image, the instrument body of Section 5.3 with two labelled parts and a declared resonance, declares what the derivation derives, and the click's lists below are the instrument's, the test by name on the atom world once it stands [1, what is open, item 46]; the atom world of the round, read as a finding by name: the turned top mode under the sign holder's angle is not the generator's act in this round, so the hydrogen worlds stand declared and refused at load, and the design's own arithmetic finds no admissible integer world at $\alpha_{\text{law}} = 1/28$ under the four constraints together (the energy line fixing $T = 9.33 \times 10^6$, the count-one electron's amplitude 26 levels with a 19 percent walk over 10^3 intervals against the gate's 1 to 4 percent, the many-quanta body breaking the count-one rule, the tail of 121 Links), the lines that yield being the gate's statistics over seeds (the walk the rounding's random error, 1.9 percent over 100 seeds) and the frozen-row nucleus, an engine constraint by name and not the law's, the atom round the one after the generic detector's (a finding by name; GAMEBOARD): the born light at the resonance $\omega_e - \omega_g$ and not at the energy-conserving frequency, the share's difference booked by name; absorption erasing the photon's empty wave inside the click's light cone; and no recoil, consistently, since the write conserves no momentum and the frozen proton has infinite inertia, nature's recoil shift outside the claim; Bohr's levels, the threshold, the lines and the two-mode binding unchanged by it, and the cause of a click outside the paper's claims, by name. The lines are beats of two levels and the mass defect the click layer's reading of a frequency; the orbital Zeeman splitting has $g = 1$ (supporting findings with their numbers in S.46; CLICKS for the levels' ratios, GAMEBOARD for the records). The electron and the nucleons are quanta of their families: an electron is one quantum of count $\sin \omega_e$, ten orders below the compact threshold, and nothing smaller than a quantum clicks; mass is the family's gap, $T \sin \omega_s$, bound or free; what decays is a body, a quantum parted from it by a click at its front, and a quantum never breaks, having no part the click credits (DERIVED; CLICKS). The criterion, one line, a rule of reading: what nature splits with energy is read as a body on the GameBoard, what no energy splits as a quantum of a family; the nucleus, the atom and the molecule are bodies by the one mechanism the law has for a body, a record standing in the well of a holder, the sign holder for the atom and the nuclear holder for the nucleus (ASSUMPTION) [1, the bound body is one Node; what nature splits is a body; the nucleus][3, the electron and the nucleons are quanta, not pixels; no mass without a bound body; a bound body that breaks up is an atom that breaks up]. A nuclear holder the electron reads is excluded by the spectrum, hydrogen's 1S and muonic hydrogen (DERIVED for the shift's form, the exclusion a comparison; one derivation; CLICKS; S.46); so the nuclear holders of Section 10.3 are read by the nucleon families and not by the electron, a selective read declared. S.60's table sets the atom's clicks, the lines and the thresholds, against nature's under the two lines decided for the law, with how each was derived, a supporting finding and no more; the atom's gate world of the engine (2026-10-03) adds its findings by name before the rest's fix: the toy's 1s laid as the turned top mode does not stand over 1,000 intervals under a one-Node nucleus that spreads, the records' shares grow under the time-varying turn, and the large world's lay was stopped by the clock, so that nothing of Bohr's numbers is claimed from a run; what the atom of the model does not give is listed with its roots in Section 10.3 and S.52 [1, the atom is a bound body of the holder of the sign].

7.4 A body's clicks

What a detector reads of a body follows from the body's record at its Nodes, the readings of Section 4.3 and the paces, with no further line; every formula below is a derivation with its status and its fence, and none is a run's result [3, the mathematics of the bound bodies and how it bears on the clicks].

A steady rotation writes no light. A body at rest with the plane record $\text{re} = A \cos \omega_b t$ and $\text{im} = eA \sin \omega_b t$, e its ellipticity, has the Wronskian $W = -eA^2 \sin \omega_b$ at every interval, so the holder of the sign's source is constant and its field stands at its rest: no travelling events, no click. Rule3 keeps a body's total Wronskian, and an isolated Node's exactly, so a one-Node source cannot breathe and a body's breathing moves W between its Nodes; its light is written by the second moment of its charge, the monopole constant by the continuity identity, so the light born carries the breathing's frequency and not the rotation, and a far detector's click rate is that current's share through its front (S.42). So a symmetric body at rest clicks nowhere, and a body is seen by what it absorbs and by what it writes when it breathes or moves (DERIVED; the Wronskian and the source GAMEBOARD, the far detector's rate CLICKS) [1, light is born by the write].

The invariant, and the count's drift. For one Node of a body, $a_{\text{next}} + a_{\text{before}} = 2 \cos \omega(t) a_{\text{now}}$ with ω changing slowly keeps $A^2 \sin \omega_b$ invariant (S.14), the discrete adiabatic invariant of Rule3's line, while the form $D = A^2 \sin^2 \omega_b$ and

the share are not; the recurrence stepped over 20,000 intervals keeps $D/\sin\omega$ to 4×10^{-5} . The share in quanta at a Node, $(\Gamma^2/p_i^2) A^2 \sin^2 \omega_b/T$ (Section 4.4), therefore moves under a moving well as

$$\frac{N(t_2)}{N(t_1)} = \frac{\sin \omega_b(t_2)}{\sin \omega_b(t_1)} \cdot \frac{p_i^2(t_1)}{p_i^2(t_2)}, \quad (13)$$

with no current through any Link: the first factor is the rotation's own change under the clock's pace, the second the Node's weight in the share (DERIVED for the invariant, to the first order in the slow variation, and for the drift; GAMEBOARD; S.14). The invariant stands in the model where nature's number of quanta, E/ω , stands, and the share where its energy stands; the same identity is Planck's relation on the lattice, share = $I \sin \omega$ with $I = A^2 \sin \omega/T$, so that $E = \hbar \omega$ holds with T for $\hbar$ and $\sin \omega$ in place of ω (DERIVED; CLICKS) [1, the count is the record's share; the paces' own change moves the share with no current].

The clock's click rate. A bound body's rotation reads the content once: at rest $\cos \omega_0(U) = \cos \omega_0 + 2gU$ to first order, so its rate falls by $f(\omega_0)U$ with $f(\omega_0) = 2(1 - \cos \omega_0)/(\omega_0 \sin \omega_0)$, 1.063 at [2, 3] and 1 as the gap closes, $f = 1 + \omega_0^2/12 + \dots$, the finite-rotation correction in ω of a rate that is exactly N in $2 \sin(\omega/2)$ (S.31). A light clock between two faces falls by $2U$, the Link's pace read twice (Section 10.2; S.15) (DERIVED, CLICKS).

The resonance. A bound record at the rotation ω_b reading a light level into its content is modulated by $\epsilon = 4g(1 - 2x_0)b_L/\Gamma$; the resonant part at $\omega_L = 2\omega_b$ grows the amplitude at $\mu = \epsilon/(4 \sin \omega_b)$ per interval inside the full width $\epsilon/\sin \omega_b$, and a body with two bound modes $\omega_i < \omega_j$ transfers between them at the difference $\omega_j - \omega_i$ at Rabi's rate $\Omega_R = \epsilon_{ij}/(4\sqrt{\sin \omega_i \sin \omega_j})$ (DERIVED, two derivations; S.16). Under light's declared read, the holder's rotation (Section 5.5), the Link phases couple the modes through the inter-mode current, resonant at the difference line for drives below $\omega_j + \omega_m$, Rabi's rate $\Omega_R = \theta_L \omega_L |d|/2$ for a small line, oscillatory at every detuning with the envelope $\Omega_R^2/(\Omega_R^2 + \Delta^2/4)$; at the sum $\omega_j + \omega_m$ the same coupling drives the two senses together, a pair line, outside this section's absorption and emission (the atom's lines at optical frequencies lie far below it); the one-mode line at $2\omega_b$ has no analogue there (DERIVED; S.43). The read's side is computed; the fraction absorbed, with the body's write back, is open (GAMEBOARD for the record, CLICKS for the body's share) [1, the rows against nature, (y)][1, the two-mode line].

A body's count in clicks. A body's count is its share summed over its Nodes, what a full absorber credits, and under a moving well it drifts by Eq. (13) (DERIVED, CLICKS). The implementation's declared region credits the share, a bolometer's reading, Millikan's slope 0. Nature's detector is a body, and the model declares its click as one quantum's change in the absorbing body, the detector's fourth declaration beside its window, its region and its floor (ASSUMPTION) [3, the whole of a click is the detector's own transition]: the absorber answers at its own rotation by the two-mode line above (S.43), one transition per click, taking the share $T(\sin \omega_j - \sin \omega_i)$, one photon's share $T \sin \omega_L$ to the order $\omega_i \omega_j$, below 10^{-18} at nature's gap. So a body counts photons and reads $\hbar \omega$ per click, Millikan's slope T (DERIVED; S.14); The share stays the conserved form and the draw's measure, so every ratio of the checks is unchanged (THEOREM); the implementation credits the share, the declared unit not yet implemented (CLICKS) [1, the count is the record's share].

7.5 Clusters: how they enter, and what each thing represents

How a cluster enters. The model writes no line for a cluster. One assumption names the universe it describes: every body is bound, no body is free, and a record that is in no body is a message between two clicks (ASSUMPTION). A cluster is bodies standing in one another's wells; between two bodies there is nothing but the click, the light of the holder of the sign and the two real fields [1, the bound body is one Node; the universe is bound; the algebra of clusters].

The clicks between bodies are clicks in the one sense. A body is a region of Nodes with a front, the Ports where its tail meets its neighbour's, so a body is an instrument in the meeting's form: the click between two bodies is the pair (R, t) , one whole quantum credited to the region of the taker at the interval t , drawn by the share Q_R/W_c of the inflow through its front on the forward orbit. A body's count is its share summed over its Nodes, and it moves only by the clicks at its front, up to the drift of Eq. (13) (DERIVED from the definitions; CLICKS) [3, the click's algebraic definition; the click is the meeting of the future with the past].

What each thing represents in a cluster. The three levels at a Node are the nesting: the binding field's level is the matter's tail, the sign holder's the charge's well and the massless field's gravity's well, three kinds of binding by rank, quanta into a body, bodies into a charged cluster, charged clusters into a gravitational cluster (DERIVED, GAMEBOARD); the couplings are at the edge, every divisor 1 but gravity's E_g , the universe of clusters carrying Γ , T and the two holders' weights and nothing else (ASSUMPTION for the divisors) [1, the levels at a Node are the nesting; three kinds of binding, not three levels; the hierarchy is recursive; the click is the pointer; the observer is a cluster; the couplings are at the edge][3, what a body is; the rule's own universe is the universe].

The clusters' cosmology. The universe of the model is a finite ball of bodies flying through the static lattice, every body pulled by the others' inverse square at Kepler's G_K , Newton's constant as the orbits read it (Eq. (20); Section 8, (j)). A shell of dust at the radius a feels the mass inside it, so $\ddot{a} = -(4\pi G_K/3)\rho a$ and $\dot{a}^2/a^2 = (8\pi G_K/3)\rho - K/a^2$, Friedmann's dust equations exactly for the ball's interior [52], $K > 0$ where the ball is bound; a receding emitter's redshift is $1 + z = 1 + \beta$ at first order, Doppler's and Hubble's known forms derived here, where the two derivations, the Doppler period of row (m) times the moving clock of row (e), agree exactly (DERIVED, two derivations; CLICKS; S.29). The paper's cosmology is claimed at $z \ll 1$ and not beyond; the second order, where the deceleration is read, is named among the findings of Section 10.3 [1, the clusters' cosmology].

8 The forms the rule arrives at, set beside nature's

Each form below follows from the rule's coefficients, read by the geometric optics of a packet's band, before any run; the form of nature beside it is never an input, the one assumption of Section 3.4 excepted. The coefficients contain no metric, no Lorentz transformation, no potential and no force, only the paces of Section 3.4, the clock composing by the rule and the Link the clock twice by the one assumption. $U = c/\Gamma$ denotes the model's potential at the point named, the clock's share per level, and U_b its value at the impact parameter b [1, the rows against nature].

Two potentials. The forms are stated in two potentials. The model's own potential is the clock's share, $U = c/\Gamma$, the content x that the paces read; no instrument reads it. Every test of gravity takes GM from Kepler's law of the orbits of matter and c from light, so it reads $U_K = GM_K/(c^2 r)$. In the model a free packet of matter of the pair [num, den] falls in a content gradient at $a = c^2 [2 \cos \omega_0 / (1 + \cos \omega_0)] |\nabla U|$, exactly from its band, Eq. (4) (S.18), so the orbits of matter measure

$$U_K = \frac{2 \cos \omega_0}{1 + \cos \omega_0} U, \quad 0.800 \text{ at } [2, 3], \quad 1 \text{ as the gap closes} \quad (14)$$

Each form below, lettered as the law's rows are, is written first in U , where the composed paces give $\gamma = 1$ exactly and $\beta = 1$ at the small gap in the post-Newtonian words, the metric $N^2 = e^{-2U}$ and $h^2 = e^{2U}$, and the redshift's factor $f(\omega_0) = 1 + \alpha_U$, $\alpha_U = 0.063$ at [2, 3], and then in U_K , where the same algebra gives $\gamma_K = \text{den}/\text{num}$, $\beta_K = (\text{den} + \text{num})/(2\text{num})$ and $1 + \alpha_K = \tan \omega_0 / \omega_0$: 1.5, 1.25 (the small-gap closed form under the quadratic band; the lattice band's advance in (d)) and 1.329 at [2, 3], and 1 as the gap closes. The two columns are one algebra, and nature's tests read the second (DERIVED, CLICKS; S.18, S.19) [1, the rows against nature][3, general relativity in the law].

- (a) *The redshift* (DERIVED, CLICKS). The clock's pace is $p_0/\Gamma = (1 - 1/\Gamma)^\ell = e^{-U}$ exactly with $U = -\ell \ln(1 - 1/\Gamma)$, ℓ/Γ to the first order in $1/\Gamma$, so two Nodes' clocks tick in the ratio $e^{-(U_1 - U_2)}$, $1 - (U_1 - U_2)$ to first order; the rest rotation of a bound record, the clock this row names, shifts by $f(\omega_0)U$ (Section 7.4), 1.063 U at [2, 3] and U as the gap closes. Against the Newtonian potential the orbits measure it is $z = (1 + \alpha_K)U_K$, 1.329 at [2, 3], where nature's clocks give $|\alpha| < 10^{-4}$ [38]. Beside it: Pound and Rebka's line [56][38].
- (b) *The bending of light* (DERIVED, CLICKS). At a Node whose clock's share is $U = \ell/\Gamma$ (the content level over Γ , Section 3.4) light's index is $n = e^{2U}$, $1 + 2U$ to first order, because the Link's pace reads the content twice. Far from a body its field is the massless field's rest, $L(r) = 3\sigma_{\text{tot}}/(4\pi r)$, with σ_{tot} the body's wells per interval over the field's divisor E_g , and a beam passing at the closest distance b turns by the transverse gradient of the index integrated along the path (S.20):

$$\alpha = \int_{-\infty}^{\infty} \frac{\partial n}{\partial b} dl = 4U_b, \quad U_b = \frac{3\sigma_{\text{tot}}}{4\pi\Gamma b}, \quad (15)$$

twice the angle $2U_b$ that a Newtonian pull of the same potential gives. The factor two is the ruler going with the clock, $hN = 1$, the one assumption of Section 3.4. Against the Newtonian potential the orbits measure the bending is $(1 + \gamma_K) 2GM_K/(c^2 b)$ with $\gamma_K = \text{den}/\text{num}$, 1.5 at [2, 3], where Cassini's tracking gives $\gamma - 1 = (2.1 \pm 2.3) \times 10^{-5}$ [38][57]. Beside it: Einstein's $4GM/(c^2 b)$ [38]. The bending is the $\beta = 1$ case of the push on a moving record:

$$\mathbf{F} = \frac{E^2 + P^2}{E} \nabla U = E(1 + \beta^2) \nabla U, \quad \beta = \frac{P}{E} = \frac{v}{c_{\text{local}}} \quad (16)$$

with $E = \omega$, $P = cN^2 k$ the momentum at the composed paces and β the record's speed over the local light speed cN^2 : at rest $E \nabla U$, for light $2E \nabla U$, Eq. (15) its $\beta = 1$ case, its bending exact in the gap, while the orbit's second order at the computed pair carries the band's k^4 term (S.19) (DERIVED from Eqs. (3) and (4) under the one assumption, fitted; S.58) [1, the push on a moving record]. The paper's momentum is the wave number $\mathbf{k}$, so the lattice form is $(E^2 + c^2 \mathbf{k} \cdot \mathbf{k})/E$ with $c^2 = 1/3$; written with the velocity $\mathbf{v}$ in Links per interval, $\mathbf{p} = E\mathbf{v}$, it is $E(1 + 3v^2)$ at $N = 1$, since $\beta^2 = v^2/c^2 = 3v^2$, and the post-Newtonian factor $1 + \gamma\beta^2$ has $\gamma = 1$ here, derived; at the computed pair the coefficient of β^2 is $\gamma_K - \alpha_K/2 = 1.335$ and the rest push $f(\omega_0)E$. As physics it is derived here and coincides with the known post-Newtonian deflection factor $1 + \gamma\beta^2$ at $\gamma = 1$, derived and not declared; nature is met by its click formula, the deflection angle's ratio $1 + \beta^2$ to Newton's (CLICKS).

- (c) *The delay of light* (DERIVED, CLICKS; S.20). Light's coordinate speed at the content U is $e^{-2U}/\sqrt{3}$, so its index is $1 + 2U$ to first order, and a signal grazing a body at the impact parameter b from x_1 to x_2 , with $U = \mu/r$, $\mu = GM/c^2$ in Links and b , x_1 , x_2 in Links, is late by $2\sqrt{3}\mu \ln(4x_1 x_2 / b^2)$ intervals: Shapiro's delay $(1 + \gamma)(GM/c^3) \ln(4x_1 x_2 / b^2)$ at $\gamma = 1$. Beside it: Shapiro's delay [58].
- (d) *The perihelion* (DERIVED, CLICKS). A slow body's orbit in the composed clock's metric, $N^2 = e^{-2U}$ and $h^2 = e^{2U}$, is the post-Newtonian orbit with $\gamma = 1$ exactly and $\beta = 1$ in U for the quadratic band, the small-gap limit, so the periapsis advances by $6\pi\mu/(a(1 - e^2))$ per orbit with $U = \mu/r$, μ in Links, a the semi-major axis in Links and e the eccentricity, Einstein's value, which at nature's pair is Mercury's 43 arcseconds per century (a comparison); at the computed pair the band's k^4 term, of the same order as the relativistic one, adds of the order of ten percent to the advance, orientation dependent, vanishing as $\tan^2 \omega_0$ (DERIVED at the small gap; the quadratic band an ASSUMPTION at the computed pair; S.19, S.34). Against the Newtonian potential the orbits measure the advance is $(2 - \beta_K + 2\gamma_K)/3$ of Einstein's, $\beta_K = (\text{den} + \text{num})/(2\text{num})$, 1.25 at [2, 3], the small-gap closed form under the quadratic band (with the lattice band the advance gains of the order of ten percent, orientation dependent, and no

single β_K stands for it), where the planets' and the Moon's orbits give $|\beta - 1| < 10^{-4}$ [38]. Beside it: Einstein's $6\pi GM/(c^2 a(1 - e^2))$ [38].

- (e) *The moving clock: the band's kinetic scale and the fourth order* (DERIVED, CLICKS; S.21). The tick's factor of a packet moving at the velocity v is $f = \Omega(k)/\omega_0$, $\Omega(k) = \omega(k) - k\omega'(k)$ the rotation at the moving centre; from Rule3's exact band, $f = 1 - v^2/(2c_m^2) - (2\omega_0/\sin 2\omega_0)v^4/(8c_m^4) + O(v^6)$ with $c_m^2 = \omega_0/(3\tan\omega_0)$ the band's kinetic scale, the fourth order's coefficient 1.6926 at [2, 3] and 1 as the gap closes. The kinetic scale $c_m^2/c^2 = \omega_0/\tan\omega_0$ ($1 - \omega_0^2/3$ at a small gap) is 0.752 at [2, 3], so c_m is 13 percent below light's, and the band's largest group speed, along the cube's diagonal at $\mathbf{k} = (\pi/2, \pi/2, \pi/2)$, is $c \cos \omega_0$, $2/3$ of light's at [2, 3] (S.21), along an axis $1/4$ Link per interval, $\sqrt{3}/4$ of light's; at nature's matter pair c_m lies below light's by $\omega_e^2/6$, 2.2×10^{-20} , and the diagonal's largest group speed by $1 - \cos \omega_e = \omega_e^2/2$, 6.7×10^{-20} , at the LHAASO bound, 8×10^{-29} and 2.4×10^{-28} at the axis bound (Section 10.1), the electron subluminal, where nature bounds the difference of matter's and light's limiting speeds with its sign: the subluminal case at about 10^{-20} by the Crab's synchrotron [61], the superluminal at 5×10^{-21} [62], the earlier bounds 10^{-15} to 10^{-20} [59]; the subluminal bound, where it holds, binds ω_e near 10^{-10} . Beside it: Lorentz's factor, reached as $c_m \rightarrow c$ [3, the click].
- (h) *De Broglie's relation* (DERIVED; GAMEBOARD for the band, CLICKS for the fringe spacing that reads it; S.22). A free record of a matter family has the band $\cos \omega_b = (\text{num}/(3 \text{ den}))(2 + \cos k)$, the group velocity $v = (\text{num}/(3 \text{ den})) \sin k / \sin \omega_b$, and to second order $k = \omega_b v / c_m^2$ with c_m the band's kinetic scale of (e). Beside it: $\lambda = h/p$ with the rest rotation as the mass.
- (i) *The fall* (DERIVED, CLICKS). In a pace gradient a free packet or a cloud accelerates at $a = \Delta |d\omega_0/d\ell| (\ell_+ - \ell_-)/D$ Links per interval squared toward the well, Δ its mode's top velocity in Links per interval and $\ell_{\pm}$ the content level at its two faces D Links apart. So bodies with the same $\Delta d\omega_0/d\ell$ fall alike. Beside it: Galileo's fall [38]; the binding by the holders of the content gravitates as in nature, two bodies of one count and different binding falling alike, while the seat of the electromagnetic binding energy is open (DERIVED; CLICKS; S.38). Between families: a free packet of the pair [num, den] falls at $c^2(1 - \tan^2(\omega_s/2)) \nabla U$ exactly, so two families of different gaps fall apart by $(\omega_n^2 - \omega_p^2)/4$ at small gaps; with the proton and the neutron two families, beryllium against titanium gives $\eta = 32.3\omega_e^2$, below 4.4×10^{-18} at the LHAASO bound, under nature's 10^{-13} for that pair [38] and 10^{-15} for titanium against platinum [37] (DERIVED, CLICKS; S.47) [1, the rows against nature, (i)].
- (j) *Newton's pull and orbits* (DERIVED, CLICKS). The massless field rests at Poisson's solution with the sources and at Laplace's outside a body, the content level $\ell(r) = 3s/(4\pi r)$ levels at r Links, s the body's write per interval over the field's divisor, so the acceleration falls as $1/r^2$ and a circular orbit's v^2 as $1/r$. Beside it: Newton's pull and Kepler's fall-off.
- (m) *A free record keeps its wave number* (THEOREM, GAMEBOARD). Rule3 is invariant under translation, so a free record keeps its wave number and rotation exactly, and a radiating body's period is read unchanged at every distance. Beside it: Hubble's law as Doppler clicks of matter flying apart through the static lattice, with no stretching of space (Section 7.5).
- (p) *The lens: a content bends light and matter alike, by one formula* (DERIVED, two derivations; GAMEBOARD for the index, CLICKS for the focus and the clicks; S.28). A stationary boundary conserves the rotation, so for every family a record of wave number k entering a content U takes the wave number k_{in} given by

$$1 - \cos k_{\text{in}} = \frac{1 - \cos k + 3(\text{den} - \text{num})(1 - N^2)/\text{num}}{N^4}, \quad N = e^{-U} \quad (17)$$

light's index $k_{\text{in}}/k \rightarrow e^{2U}$ at long wavelength (nature's $n = 1 + 2\Phi/c^2$), exact in the law's own variable as $\sin(k_{\text{in}}/2) = \sin(k/2)/N^2$, with the lattice's chromatic term $k^2(e^{6U} - e^{2U})/24$ at finite k ; slow matter's $n_m^2 = [1 + 6(\text{den} - \text{num})(1 - N^2)/(\text{num} k^2)]/N^4$, growing as $1/k^2$ (nature's $n^2 = 1 + 2\Phi/v^2$, with the Kepler column's ratio at the computed pair, Eq. (14)). *What it does:* a slab of content bends every record toward its thick side, light a little and slow matter much; the fall of a body is the refraction of its own record; and a window of content thick in the middle is a lens, gathering the record's share at a focus. *One quantum through it* (Section 5.4): the whole record passes the lens and its share gathers at the focal spot; the one quantum clicks once, at one Node of the spot drawn by the detector with its seed over the spot's shares and written there, the levels that arrived taken, the count down by one; the next quantum draws again; the spot is the clicks' accumulation, one per quantum, the image built click by click, as nature's single-photon images are (the formula derived from Eq. (4) at the composed paces; the one click per quantum the credit's declaration; the write at the one Node the instrument's declaration, its engine round pending) [1, the content's index for every family; the rows against nature, (p)][3, one quantum through a lens, a beam splitter and an interferometer is the law's own].

What goes in and what comes out. The model puts in one rule, the paces' read under the one assumption of Section 3.4 and the run files' numbers. In the model's own potential the bending (b) and the delay (c) are Einstein's exactly and the perihelion (d) Einstein's at the small gap, $\gamma = \beta = 1$ in that column as the gap closes, light's ray metric; the post-Newtonian column at the computed pair departs with the gap. At the rule's own matter pair the model therefore does not describe the gravity of the solar system; the closing gap is nature's pair, where $\gamma_K - 1$ is below 10^{-19} at the LHAASO bound and 2.4×10^{-28} at the axis bound (Section 10.1), and whether the model's bodies stand at that pair is not shown. Read as a metric, the composed clock gives $N^2 = e^{-2U}$ and the ruler $h^2 = e^{2U}$, against the isotropic Schwarzschild chart's $1 - 2U + 2U^2$ and $1 + 2U + 1.5U^2$, the spatial second order 2 against 1.5. One click of the strong field reads the difference: light's index e^{2U} places the photon sphere at $r = 2m$ with $U = m/r$ (S.30), so the capture

radius of a black hole's shadow is $b = 2e\,m = 5.44\,m$ against Schwarzschild's $3\sqrt{3}\,m = 5.20\,m$, 4.6 percent larger, an explicit prediction (DERIVED under the one assumption, which is fitted; CLICKS; S.30). Beside it: the Event Horizon Telescope's shadows, Sgr A*'s fractional deviation from Schwarzschild -0.08 ± 0.09 [63], 1.4 standard deviations from the prediction under the VLTI prior, and M87*'s -0.01 ± 0.17 within 0.3 [64]. Rule3's step times the record's conjugate gives an exact continuity identity: the sign's density and its halved Link current are one conserved four-current, and the time turn with the three Link phases is one covector by minimal coupling; so the odd lines are sourced by the halved current over the same wall as the time level, no number matched, and a co-moving reader feels Coulomb's force over γ (DERIVED; CLICKS; S.33). A source and a reader of one family see one light speed, the band's own ($c_s^2 = \text{num}_s / (3 \text{den}_s)$ in the variable $2 \sin(\omega/2)$ and c_m^2 in ω , one as the gap closes; $1/\gamma_s$ uses c_s), light's c the same to 10^{-20} in nature at the LHAASO bound [1, the odd line's source is the sign's own current; the rows against nature, (b2)].

9 The two slits and Bell: the one computed world and the check, derived and read by the implementation's checks

The paper carries no experiment against nature: the worlds below are the world it computes, their results derived from the rule and read by the implementation's checks (Section 3.7). The two slits is the one computed world set against a blind written before its run; Bell's world is a check of the declared credit and not a test of it: its number is fixed by the credit and the parts' determinism. Nothing in a world's lay, geometry or detectors is built to bring the right result; the credit of Bell's reader is the declared and fitted exception, stated as such in Section 9.4 [3, the paper; one experiment and one gate; nothing in an experiment brings the right result by construction].

9.1 The two slits: the world

The emitter is a declared packet of light. Its wavelength is 8 Links along $+x$, $k = \pi/4$. Its levels are a raised-cosine packet of about ten quanta per Node, $b = 1,328$, over $x = 4$ to 16, flat across $y = 4$ to 44. The wall is the inner face at $x = 20$ with two gaps of three Nodes, $y = 17$ to 19 and 29 to 31, $d = 12$ Links apart. The GameBoard is flat, $45 \times 48 \times 1$ with the third axis folded, its y faces open and its x faces receding; the screen is the last column, $x = 44$, $L = 24$ Links from the wall. The screen is twelve declared detectors of four rows each; the run is 130 intervals, read over the intervals 45 to 130. A record uniform along the folded axis has the three-dimensional band at $k_z = 0$, so the flat GameBoard carries the world's band exactly (DERIVED, GAMEBOARD). On this world the law's line gives 278.0 quanta through the screen in the physical labels (277.8 in the implementation's labels), the peak of the screen's inflow at the interval 68.0 against 61.8 on the same world with the lattice refined fourfold (COMPUTED, CLICKS) [1, the rows against nature, (g)][3, the two slits; one experiment and one gate].

9.2 The two slits: what the model says it must give

Three readings of the one world: the known forms' prediction, Huygens's sum and Young's spacing applied to the declared world's geometry and written before the run, and the law's real line computed beside it. (a) *The fringe*. The far field's spacing is $\lambda L/d = 16$ Links; at $L = 2d$ the fringe is the near field's, with the minima near the rows 15.3 and 32.7, the screen's regions 4 and 8 by the regions' sums (DERIVED, CLICKS; S.23). Light's line at the vacuum's paces, stepped in real arithmetic on the declared world, gives 278.0 quanta through the screen (Section 9.1), per region as the script's table lists (COMPUTED, CLICKS; the script of Section 3.7); the Huygens sum of the two gaps gives 273 with the same central fringe; the run's 278 is five quanta over it, 0.3 of $\sqrt{273} = 16.5$, the shares' deviation from the blind 0.041 and the extrema at the blind's regions, a comparison and not a statistical test, the blind being Huygens's sum and not a draw. (b) *The clicks*. The screen's shares rounded to whole quanta are the expectation, and the row drawn by the shares at the declared seed is the clicks, with the draw's scatter $\sqrt{Np(1-p)}$ per region; on the Huygens row at $N = 273$ the central maximum stands above its two minima by 5.7 times its scatter. (c) *The lattice's own number*, the inflow peak's 68.0 against 61.8 (Section 9.1), which the click line resolves (COMPUTED, CLICKS). [1, the rows against nature, (g)][3, the click is the meeting of the future with the past].

9.3 Bell: the world

The entanglement the model computes is one event with two trees: a pair is two records from one root; each is read in two directions, forward the future and backward the past; a click is where one record's two readings meet, and the pair's correlation is the partner's record read through the same root, re-weighted by what was realised. The pair is laid as the pair family, two real lines of light never summed at a Node, with equal parts. Each side's detector, a region at least half a wavelength across, reports the two parts' signed level sums over its region and knows nothing of angles; the ports enter at the credit. The reader applies the declared setting, a pair of integers (p, q) , with the port coefficients $e(+) = (p, q)$ and $e(-) = (-q, p)$, exactly orthogonal, so each side's marginal is one half for any setting. The settings of the Clauser-Horne-Shimony-Holt test are $(1, 0)$, $(1, 1)$, $(12, 5)$ and $(5, 12)$, at 0, 45, 22.62 and 67.38 degrees. The credit is the one form of the click: the joint share pairs the parts by their label across the two sides through the root,

$$J(p_A, p_B) = \sum_{\text{window}} \left| \sum_k c_k e_k(p_A) \alpha_k(p_A) e_k(p_B) \beta_k(p_B) \right|^2, \quad c = (1, 1), \quad (18)$$

with α_k and β_k the part k 's amplitude at the port on each side and $e_k(p)$ the port's integer coefficient on the part k , the window's sum outside the square as the implementation's gate computes it, on both members of the level pair. The joint share is never the square of a local sum, which one detector could form alone and which gives S at most 2. One draw is made per pair, the detectors' draw with the declared seed, the GameBoard drawing nothing: the first side from its marginal and the partner from the conditional; each side's write at the Node of its exchange spreads by Rule3 and changes no number of the row, one click per record (Section 5.4) (ASSUMPTION, CLICKS) [3, Bell in nature's own layout].

9.4 Bell: what the model says it must give

(1) Rule3 gives each part's amplitudes at the ports: the two parts of one beam, laid equal, are two records of one family stepped by the same line along the same path, identical bit for bit (THEOREM, GAMEBOARD). (2) The meeting with the linearity of Rule3 gives the joint amplitude: the realised click at A's port weights the parts by A's analyser, is read back to the root where the two parts were one event and forward to B, where B's analyser weights them, and the root sums the two branches, $\sum_k c_k e_k(a) e_k(b) = \cos(a - b)$ with c the parts' laid weights, (1, 1) for the symmetric lay (DERIVED, CLICKS). (3) That the share is the density of the meeting, its square, is Born's rule for a pair [44]: nothing in Rule3 forces it; everything after it, the fractions, S , GHZ's M , is derived in the algebra (ASSUMPTION, FITTED; CLICKS). From the three, with the pair's common phase θ uniform over the pairs and A's + port at a and B's at b ,

$$\begin{aligned} \text{the meeting:} & P(++) = \frac{1}{2} \cos^2(a - b), \quad E(a, b) = \cos 2(a - b), \quad S = 2\sqrt{2}; \\ \text{a local credit by the shares:} & P(++) = \frac{1}{4} + \frac{1}{8} \cos 2(a - b), \quad E = \frac{1}{2} \cos 2(a - b), \quad S = \sqrt{2}; \\ \text{a local credit by the sign:} & E = 1 - 4|a - b|/\pi \quad (|a - b| \leq \pi/2), \quad S = 2; \\ \text{the contrast credit, one side weighted:} & E = \cos 2(a - b) \text{ at one side's efficiency } 2/\pi, \quad S = 2\sqrt{2}, \end{aligned} \quad (19)$$

The second, third and fourth lines follow by averaging over the pair's phase θ (DERIVED, CLICKS; S.10); the fourth counts one side weighted by its contrast and the other side's sign always, by $\langle \cos x \operatorname{sgn} \cos(x - 2\delta) \rangle = (2/\pi) \cos 2\delta$, the symmetric readings giving no cosine (S.10). So $E(a, b) = \cos 2(a - b)$ under the meeting. For the declared pairs it is exact, by Lagrange's identity of the reader on equal parts (S.10), so at the four settings $E = 119/169, -119/169, 120/169$ and $120/169$ and $S = 478/169 = 2.8284$ exactly, an efficiency of 1 by construction and the marginal one half on each side whatever the partner's setting (COMPUTED, CLICKS; S.10). For unequal parts, r their products' ratio at the ports, the same credit gives $E = \cos 2a \cos 2b + \rho \sin 2a \sin 2b$ with $\rho = 2r/(1 + r^2)$ and $S = \sqrt{2}(1 + \rho)$ at the ideal angles (DERIVED; CLICKS). The maximum of S over the four settings is $2\sqrt{1 + \rho^2}$, Tsirelson's bound [78] at $\rho = 1$ and never the algebraic 4; the declared pairs' 478/169 sits below $2\sqrt{2}$ by the rational angles (DERIVED, CLICKS).

What the GameBoard gives without the declaration is the second and third lines of Eq. (19), two results on local credits on the same world (DERIVED under the uniform phase, CLICKS): a credit of each side by the shares of its ports gives $S = \sqrt{2}$, and a credit by the sign of its larger port gives the sawtooth, whose sum is exactly 2, Bell's bound. Bell's value therefore sits in the credit rule, a declaration, and is no independent evidence that the rule accounts for entanglement. The same credit on four lines gives the three-quantum GHZ correlation [77] $E_3 = \cos 2(a + b + c)$, every pairwise E 0 and Mermin's $M = -4$ where every local credit gives at most 2 (DERIVED under the declared credit, CLICKS; S.40) [1, the GHZ gate]. No other entanglement than the pair's and the swap's is named as met (S.51). Between separately prepared bodies joined by a coupling or by a transferred quantum the law's credits give at most 2, where nature's gate-joined ions [32] and transmons with a transferred photon [34] exceed it: a finding of the first rank against the law as written (S.56 (14)). No signal passes between the sides, each side's marginal being one half; no settings are chosen by the GameBoard's own past, so a superdeterministic world [65] is not this one [1, the rows against nature, (h)][3, the click is the meeting of the future with the past; Bell in nature's own layout].

10 Discussion: the constants, the calibration and the findings

10.1 The constants

In the world it computes the quantum of action is one click, whose energy is the quantum's norm T . Newton's constant is not declared: a body whose wells are s quanta per interval makes the massless field's rest $3G(r)s$ at r Links over the field's divisor, $3s/(4\pi r)$ far away, and the level slows the clock by the potential $\Phi = -\ell/\Gamma = -U$, Newton's sign, so (DERIVED, GAMEBOARD; S.25)

$$\boxed{\frac{G_{\text{clock}}}{c^2} = \frac{3}{4\pi \Gamma E_g}, \text{ that is } G_{\text{clock}} = \frac{1}{4\pi \Gamma E_g} \text{ per quantum of well, in Links and intervals}}, \quad (20)$$

a reading of Γ , the file's E_g and the lattice. Kepler's G , read from the orbits of matter as clicks, is $[2 \cos \omega_0 / (1 + \cos \omega_0)] G_{\text{clock}}$ by Eq. (14), 0.8 of it at [2, 3] (DERIVED, CLICKS). The vacuum content is 0 in the file, a declaration no click bounds (Section 6.5), and a cosmological constant, if the law has one, would be the vacuum write's rate, a hypothesis not claimed here (S.29), not this rest [1, the constants].

The fine-structure constant, a coefficient of the file; the units. Under the holder's rotation (Section 5.5) the quantum of a family is one unit of the invariant, $2A^2 \sin \omega_s = T$, its energy $T \sin \omega_s$ and its Wronskian $A^2 \sin \omega_s = T/2$

for every family, the unit of charge, so charge universality is derived from the writes, $|q_p| = |q_e|$ with nothing declared, nature's to 10^{-21} (DERIVED; CLICKS; S.26). The holder of the sign carries one declared integer weight k in its write, the written level k times the plain one and the turn the level over Γ , as gravity's row carries E_g , and the law's coupling between two quanta is $\alpha_{\text{law}} = (3\sqrt{3}/8\pi)k/(\Gamma E_s)$, independent of the family's gap (DERIVED under the rotation, k ASSUMPTION; CLICKS; S.26). The force on a body of n quanta and sense $\pm$ is $\pm n\nabla\theta$, Coulomb's q_1q_2 with $q = \pm ne$, e one quantum's Wronskian $T/2$; the reader sources the holder it reads, so the pair is reciprocal (DERIVED; S.26, S.43). Nature's $\alpha = 1/137.036$ fixes $k/(\Gamma E_s) = 1/28.33$ and nothing else: α is a coefficient of the file, read from one click as G is, neither derived nor a finding. A charged body and its light conserve by a line of the law, $E_s T \cos \omega_s = k_w \Gamma$, the body's loss under the turn and the holder's gain under the write agreeing if and only if it holds (DERIVED for the identity under the implementation's present convention of the turn; the line ASSUMPTION; S.26); under it $\alpha_{\text{law}} = (3\sqrt{3}/8\pi) T \cos \omega_s / \Gamma^2$, at nature's gap $T = \Gamma^2/28.33$ (a calibration from α), E_s a unit of the level and the file one integer fewer. The line binds the plane families that read the holder of the sign and not light or a real-line family; the rule's own universe has no plane family, so its $T = 2^{15}$ stands, and the implementation's charged worlds were laid before the line and do not satisfy it, their checks reading the static force and the sense alone (one derivation; S.26). The two held rows are one kind of row with one kernel, the sign holder reading a quantum's Wronskian $T/2$ and the content holder its form $\sin \omega_s$, so gravity's coupling between two quanta of the family s is $\alpha_g(s) = (3\sqrt{3}/4\pi) \sin^2 \omega_s / (\Gamma E_g)$, and the ratio of the two forces at that family is $F_e/F_g = k E_g / (2E_s \sin^2 \omega_s)$; between two families the weights cancel, $(F_e/F_g)_e / (F_e/F_g)_p = (m_p/m_e)^2$ with no number, nature's $4.17 \times 10^{42} / 1.24 \times 10^{36} = 3.37 \times 10^6 = 1836.15^2$ to the inputs' three digits, an identity forced by charge universality and $F_g \propto m^2$ and no test (DERIVED; CLICKS; S.44). On the board there is no 10^{42} : the number appears when a detector compares the two forces on one quantum, most of it the smallness of the electron's energy against its unit of charge (S.44). The units are the electron's: one interval is $\omega_e \hbar / (m_e c^2) = 1.288 \times 10^{-21} \text{ s} \times \omega_e$ and one Link $\sqrt{3} \omega_e \bar{\lambda}_e = 6.69 \times 10^{-13} \text{ m} \times \omega_e$. What a click reads of a quantum of frequency ω is its share, $T \sin \omega$ (S.14), at most T , against the electron's rest energy $T \sin \omega_e$; LHAASO's photons of 1.4 PeV [66], read by a calorimeter as a sum of such shares, give $\omega_e < 3.7 \times 10^{-10}$, $\text{den} > 1.5 \times 10^{19}$ and $\gamma_K - 1 = \text{den}/\text{num} - 1 = \omega_e^2/2$ below 6.7×10^{-20} for every orientation of the lattice (the band's top, $\omega = \pi$ along the diagonal, is a GameBoard statement and no click's energy) [1, what a click reads of a quantum], and the Link's bound of Section 10.2 for a beam along an axis, the Link over the unit, $\omega_e < 2.2 \times 10^{-14}$ and $\gamma_K - 1 < 2.4 \times 10^{-28}$ (DERIVED, two derivations; CLICKS; S.24, S.27). Γ reads nothing of ω_e or of α and is bounded by nothing of the clocks, which read the mean of the write's dithered sub-unit level, the exact rest, and not Γ (an argument on the mean, the dynamics under a dithered level open; S.26); Γ is bounded by no click of the clocks; the gap bound binds the matter family's own denominator, $\text{den} > 1.5 \times 10^{19}$ for the least pair, and Γ only in a file that writes that pair over Γ , as the shipped file does; the energy line ties it to T , E_s and k_w (CLICKS) [1, a body and its light keep one energy; the law's alpha is a coefficient of the file; the units are the electron's and the band's top is the highest photon energy; what is open, item 19][3, the strong force's kernel derived: the colour coupling at the Link is the charge's alpha, no running, not the strong force].

10.2 Nature's numbers enter only as clicks

What the lattice fixes with no number. Before any file the lattice fixes the geometry with its group of 48, hence one preferred frame and $\alpha_1 = -8$; the dynamics, reversible to the bit with no loops, hence no running of α and no Lamb shift; the conservations per family; the band, light at $1/\sqrt{3}$ Link per interval under the causal bound 1; the paces, the exponential metric with the finest level $1/\Gamma$; the holders' kernel $3/(4\pi r)$; the click layer's bilinear credit; and one scale Γ with pure numbers of order one, every large number a power of Γ or a declaration, each with its status in S.54. In one sentence: the lattice is a machine of forms; it fixes every form and every ratio of order one, conserves, reverses and makes no noise; it fixes no strength, no scale and no large number; those are the file's [1, the properties of the lattice].

The calibration series. Every measured number of an experiment is first written as a click pattern on a declared detector against a declared clock; the families' pairs and the units Γ and T are fixed by that match and by nothing read off the GameBoard, the two ratios the model fixes without it being light's speed of $1/\sqrt{3}$ Links per interval and the causal bound of 1 (ASSUMPTION, CLICKS) [1, the reading; nature's numbers enter the board only as clicks]. No coefficient of the file is computed from the lattice: each is read by one click of nature on a bound body, the lattice fixing the form of the reading and the file holding the integer, Table 4 (S.54); no number comes from the lattice itself (HYPOTHESIS for any such number, S.54) [1, the calibration series]. One check beside the table, the two clocks: a cavity of bodies and an atom's beat shift alike by N at long wavelength, as nature's clocks do, atom against atom and cavity against maser [38], a cavity of declared faces at N^2 (DERIVED; CLICKS; S.31).

One prediction, untested, one check and one open question. One number follows from the law's lines where general relativity and quantum theory do not meet, entered as an explicitly named hypothesis, read by no click yet (DERIVED, HYPOTHESIS; S.41): *the gravity of light* (CLICKS, untested), a light packet pulling at $1 \times E/c^2$, where general relativity's pencil pulls at $2 \times E/c^2$ [69]. The check: a bound body laid as one record on two paths at two heights has its beat scale as $N = 1 - U$, so the fringes' visibility falls as $|\cos(\Omega \Delta U T/2)|$, 0.989 for a strontium clock at one metre for one second, the semiclassical expectation's magnitude [68], unmeasured (CLICKS; S.41). The open question: a collapse ends in frozen clocks that read nothing, are read, and are dark by the share's declaration (Section 7.2); whether such a region radiates, Hawking's temperature [73] and its entropy are open, the argument for $T_H = 0$ withdrawn after the stencil's reading (S.41, Section 10.3).

Table 4 The calibration series: each coefficient of the universe’s file, the one click of nature that reads it, and the layer it lives in (DERIVED for every form of reading, the integer the file’s). The lattice reads none of them.

The coefficient	The one click that reads it	The layer
T , the unit of action	Planck’s constant: the counter’s unit of credit and Millikan’s slope (Section 7.4)	the click
The Link and the interval	ω_e ’s bounds from the highest photon, LHAASO’s 1.4 PeV, and light’s dispersion, MAGIC’s bound [67] (S.24, S.27)	the board, through the electron’s family
Γ , the board’s clock	bounded by no click of the clocks (Section 10.1); the energy line ties it to T , E_s and k_w (S.26)	the board
The gaps, one per family	the masses: ω_e by the electron’s mass, $g_p/g_e = (m_p/m_e)^2$ under one denominator, read as click masses $T \sin \omega_s$	the board, through bound bodies
E_g , gravity’s weight	Newton’s G , the fall and the orbits, Eq. (20)	the board, through the fall
k , the sign holder’s weight	Coulomb’s force between two quanta, $k/(\Gamma E_s) = 1/28.33$ (S.26)	the board, through two free quanta
c_{vac} , the vacuum content	declared 0; no click reads it, every row reading the content; GW170817 bounds $\gamma_{\text{GW}} - \gamma_{\text{EM}}$	the board
The nuclear holders’ ranges and weights	the nuclear binding and the nuclei’s sizes, if the holders are admitted (Section 10.3; HYPOTHESIS)	the board, through the nucleus

10.3 Findings against nature and open questions

GameBoard readings, not findings. The rule’s own universe at [2, 3] is no finding against nature, which measures at its own pair (GAMEBOARD; Section 8, (e)). The masses are families: nature’s mass ratios are not whole numbers ($m_p/m_e = 1836.153$), so no particle of nature can be read as a cluster of the electron’s quanta, and the proton is one quantum of its own family, read by hydrogen’s clicks as one unit of W over 0.84 fm (a comparison for the ratios, ASSUMPTION for the families; CLICKS; S.53); what the click’s structure derives of the masses, the rest energy $m^*c_m^2$ exactly, the ratio of two declared rotations, the ceiling at LHAASO’s bound and the kinetic excess of a conversion, and no cause for 1,836, is S.53’s (DERIVED, two hands); charge universality and the equivalence between families follow from the writes (DERIVED); if the families share one denominator, the masses are the square roots of the gaps (HYPOTHESIS). [3, the proton’s two readings]

The declarations by name. What the model declares and does not derive, each with what is derived once it is declared, the law’s own list (ASSUMPTION for every declaration): (1) a family: its row’s name, pair, reads and dimension, and the integers Γ , T and the width (derived: its band, its tensions, its clicks’ forms); (2) a detector: the region of two Nodes or more and half a wavelength, the window, the seed and generator, the floor and the whole (derived: the share, Born’s form, one quantum one click per record, the uncertainty relation as these three); (3) an instrument body at one Node: its record there, its parts the record’s parts, the modes, its Link factors 0, held by its declaration and reporting through a region (derived: the exchange, the taking, the null window’s write, Zeno’s and the telegraph’s blinds); (4) the giving’s rate: the beat’s current over W_c derived, the floor declared; (5) the conversion’s table and rate, a hypothesis under its own name, declared to happen and derived in what it does; (6) the lay; (7) the receding face, a declaration of the world; (8) the credit’s one draw through the root, the one declared non-local element; (9) the erasing front, the law’s line by two hands and the owner’s word, built in the engine’s round of 2026-10-03. The marks of this paper agree with the list one to one: nothing in it is marked derived, and what each gives is marked derived under it [1, the declarations by name; what produces a click is not known][3, the receding face; a detector as nature’s instrument]. *The four forces, as declared.* On the board there are only records stepped by Rule3 and holders written by the hold; the weak force is nothing on the board but the conversion click, a change of family at a click, and the strong force inside a baryon nothing but one record of three lines read whole, both appearing only in clicks and after them; the nuclear binding is a bound body in the binding holder’s well, and electromagnetism and gravity are the holders’ continuous reads and writes, which a body’s standing reads between clicks. The paper’s account of the forces stands by name and claims nothing beyond its marks: the weak force is the conversion click (HYPOTHESIS under its own name), a click that takes a quantum of one family and gives it as quanta of others, the rotations adding, one Node’s act with no field and no range but the Node, the neutron’s end such a click, its table and rate declared and read from nature as the lifetimes are (Section 5.4; item 5); the strong force inside a baryon is one record and neither a force nor a body, the baryon the quantum of a family of dimension 3 and the quarks its three lines, no quark family and none needed, no count per line and no click of one line, confinement the record’s indivisibility under the click (DERIVED from its declared row; S.37), the three lines three real lines stepped by the one rule, rotated among themselves only by the colour holder’s phases on each Link (S.37), as the plane’s two are by the sign holder’s, and never by the lattice’s rotations; the testable consequence the three fractions of a hard click summing to one and no line reported alone; the baryon number derived with them, the flavours, the quark masses and the fractional charges not derived and not claimed; the mesons open by name; the strong force between nucleons is a bound body in the gapped binding holder’s well, the row [2400, 2401] declared, the range $R = 20$ Links and Yukawa’s form derived from its declared row, the gap, the nucleus a bound body in that holder as the atom is in the sign holder’s, the proton three planes and the neutron three real lines, two families with the conversion the change between them, the full nuclear holders open by name (Section 6.4); electromagnetism is the sign holder, Poisson’s rest and the rotation with k declared, and gravity the massless holder, the content and the paces with E_g declared, the forms derived from their declared rows, continuous reads and writes of the Nodes’ laws (Section 3); only the weak force is a click, which is why it alone changes a family [1, the forces as the law holds them; the strong force; the nuclear holder].

Findings against nature. The massless field’s travelling events carry the breathing polarisation and the lattice-aligned + and no $\times$, where nature’s gravitational waves carry + and $\times$ at every orientation (CLICKS) [1, what is open, item 23].

Gravity's readers are real records with no current's read, so a gyroscope precesses by 0 from a rotating body's motion, where Gravity Probe B measured 37.2 ± 7.2 milliarcseconds per year against general relativity's 39.2 [74] (DERIVED, CLICKS) [3, general relativity in the law; the current's read]. A metric with no g_{0i} in its preferred frame has $4\gamma + 4 + \alpha_1 = 0$, so $\alpha_1 = -8$ at $\gamma = 1$ against nature's $|\alpha_1| < 4 \times 10^{-5}$ from the binary pulsar PSR J1738+0333 [75], a finding (DERIVED, CLICKS; S.35) [1, what is open, item 15]. With $g_{0j} = 0$ in the lattice frame, $g_{00} = -e^{-2U}$ and g_{ij} isotropic, the standard post-Newtonian gauge, the two g_{0j} coefficients vanish separately and give $\alpha_1 = -8$ and $\alpha_2 = -1$ together, their sum the gauge-invariant statement above, against $|\alpha_2| < 4 \times 10^{-7}$ from the Sun's spin [60] and $< 1.6 \times 10^{-9}$ from solitary pulsars [76], conditional on the metric read for a static source, like α_1 (named, not claimed). At the second order in z the ball of dust alone decelerates, $q_0 = \Omega_m/2 > 0$, where the supernovae read $q_0 \approx -0.5$, flat Λ CDM's $\Omega_m/2 - \Omega_\Lambda$ [53][54][55]; the paper claims nothing beyond $z \ll 1$ there, and the law's documents carry by name the hypothesis that would close it [1, the vacuum writes], which is not this paper's claim (CLICKS).

The lattice's frame, and its mend as a hypothesis. At long wavelength every record's band is a Lorentz form, $\omega^2 = \omega_0^2 N^2 + c_m^2 k^2$, so the moving clock's γ follows and no Michelson-Morley shift appears at nature's pair, to 10^{-19} (at the computed pair c and c_m differ, and a matter-armed interferometer would shift at order v^2), while the content's Poisson rest in the lattice's frame gives a moving mass no g_{0a} and no g_{ab} (DERIVED; CLICKS) [1, the lattice's frame is read by gravity alone, and its carrier is a pair of Links; what is open, item 15]. The mend, an explicitly named hypothesis with no line written (HYPOTHESIS): a carrier on a pair of Links sourced by the mass current; against it, no real, local, explicit, bijective lattice line on Rule3's clock carries g_{0a} among the five forms tried (DERIVED for the five forms, no theorem over every form; S.36). [3, nothing that is not Rule3 remains]

The strong force, by derivation. The strong force is two things (the declarations above): confinement, with no coupling; and the nuclear binding under the declared holders, read by the nucleon families alone, under which the nucleus's size, binding and its light are derived in form and its shells are not. Confinement is not a force (the declarations above): a hard click reads three fractions summing to one, the lines' shares, unchanged over the momentum transfer, Bjorken scaling exact, where nature reads its logarithmic violations, an explicit finding (DERIVED from the declared row; CLICKS; S.37, S.56). The nuclear binding is reached by no derived body of the law (CLICKS): a body's binding per quantum is bounded by $0.76 CW/(\Gamma E)$ at one Node and is about $0.36 CW/(\Gamma E r)$ for a uniform ball of r Links, E the holder's divisor (DERIVED, a bound; GAMEBOARD; S.38), and under the families' reading the nucleon is one quantum whose binding is the nuclear holder's well, $W \geq 2.35 \Gamma \kappa / \omega_p^3$ (S.45). The nucleus is therefore a hypothesis under its own name: a bound body of nucleon quanta in the well of a nuclear holder, Yukawa's kernel (S.39) with its range and weight declared, read by the nucleon families alone (Section 7), and a core holder of shorter range and negative weight, four declared integers per nucleus (HYPOTHESIS). Under it the threshold, the binding at a body's size, fusion and fission with the shape of Bethe and Peierls [46], and the size law are computed in form (one derivation; S.45). The findings: one well gives $R \propto 1/A$ where nature's nuclei grow as $A^{1/3}$ and saturate, the core holder the saturating declaration; the shells and the magic numbers (Pauli's exclusion) and the neutron's lifetime are explicit findings (CLICKS). [1, the strong force; the nuclear holder; the nucleus; what is open, item 1][3, is the strong force not events that do not split].

The weak force. The model has no electroweak theory; its weak interaction is the conversion click (the declarations above). Every rotation holder, massive or not, couples at α at the Link, its gap its range and never its strength (DERIVED; GAMEBOARD; S.39); no G_F follows. A three-line record read as (ν, e) under one $O(3)$ has no fourth rotation, so no Z , where nature has the neutral current [79] and the Z [80]; parity is conserved, where nature's weak interaction violates it [81]; and the law has no spontaneous click, so the conversion has no rate and the neutron's 880 s no source: three explicit findings (CLICKS). What decays in the model is a body and never a quantum (Section 7), so the neutron's end is the conversion [3, the weak-force reading]. The conversion is built and run as the fifth list of the one click act, a record converted whole at its Node at the weights [window, rate – window], the records out laid by the count at the massless pair: in the neutron's world (the neutron $[-4800, 6000]$ of three real lines, the proton $[0, 6000]$ of three planes, the electron $[4000, 6000]$ and the antineutrino $[6000, 6000]$, the rate 30 declared) 43 of 64 seeds convert against the blind's 42.4 within 3.78, the share 1 per quantum at the Node beside the counts, the booking identity and the back-in-time gate MATCH before, after and across the conversion; three findings by name: the rotations' sum is not readable at the Node from a lay by the count (0 against the neutron's 2.498, the energies out 0 against 0.600 T in, a packet's reading a later round's), a lay by the count lays no sense so no charge is written at the conversion, and the cut body's credit count reads 0 against the instrument's 1; the table and the rate are nature's numbers, and nothing of the neutron's mass or its excess is claimed (COMPUTED, a run of the implementation; CLICKS; S.56 (3)) [1, the click writes on the GameBoard; what the law declares and does not derive][2, the input].

The gaps in two columns. The first column is the world's, and the method invites another world: α through k , G through E_g , the Link and the masses, the hierarchy of the two weights, the spin holder and the click's unit. The second is the rule's, each gap with its root in the findings above, none a number's fault [3, why the gaps]: no loops (α 's running [80], the Lamb shift, $g - 2$), no spontaneous click (the lifetimes), no vector for the exclusion, no line for g_{0a} , and a step that commutes with the cube's reflections (the Z and parity).

The record's parts are its particles. A hypothesis by name beside the families' reading (S.56 (7)) and the forces' account, not the law, which the engine's gate decides (HYPOTHESIS; CLICKS): nature's quanta the parts of the matter records and the records of the three holders, the baryons the parts of the three-line record (S.37), the charged leptons families of the plane record and the neutrino a real-line family, neutral by the law's own line, converted into each other only at the conversion click by a declared table at a declared rate, read from nature as the lifetimes are; the neutrino's

record meets no transition of the bodies that stand for nature's detectors except through the conversion, and a declared detector of its family would click it; postulate 2 holds. Its test is the neutron's end, the conversion of one part at a declared rate, built and run in the neutron's world as the weak force's paragraph states; it gives neither the rates nor the mixing nor parity's violation, and this section's findings stand [1, the hypotheses under their own names].

Open. The hypothesis that only a click moves a quantum between families (Section 5.4; HYPOTHESIS), with its gate worlds below. No standing body is computed in this round, the three problems of its computation and the fix named (Section 7.3); the black hole's quanta (S.41). The shelved ion's telegraph [70], bimodal counts with exponential dark periods, which the law without the instruments' writes fails (Poisson at half the rate) and the body's own clicks at its one Node meet: the shelving the taking click of the weak drive's quantum at the Zeno-limited rate Ω_w^2/R [72], the return the giving click at a declared rate, the bright periods' mean R/Ω_w^2 and the dark the declared τ_D , the statistics' shape derived from the rate equations' known form [71] (DERIVED under a declaration; the rate itself a HYPOTHESIS under its own name; S.56 (15)); a finding by name of the engine's round: the giving as first built laid light with the body's own pair, a massive quantum at 325 times the share, the likely cause of the telegraph's amplitude refusals; it is laid now as a source in time at the body's Node over the lifetime at the transition's declared resonance Ω , the energy one root of the whole product, $S = T/(2 \sin \Omega)$, and the lay per interval carried, inside a guide, the detector's wall from its declared transition, $W_d = W_c \sin \Omega_d$, and the credit in the detector's own units, every shipped number unmoved; the resonance world reads the giving 100 of 100 at $\tau = W$, the degenerate corner, the far Node's $\cos \Omega$ 0.6682 against 2/3 on the plateau and the count 1 in both units, while the resonant and the detuned taker both take 39 of 100 against the blind's below one taking in a thousand, since the engine's two-mode act reads no resonance, the turn's absolute value, findings by name; the law's form of the resonant act, two reference records in quadrature at the declared pair by Rule3's own recurrence with the carry and the window's turn read once from the plane's size with R derived from the file, resonant $AW/2$ at every phase and detuned $\text{sinc}(\delta W/2)$, is two hands and not built, the Zeno column standing with its declared k rescaled once by $4/\pi$, a file number by name [1, what is open, item 50]; on the integer board a single quantum laid at one Node cannot travel as a spherical wave beyond about 0.28 A Links, the one-level floor, and travels as a beam, which is how every shipped world carries its light, so the open board's giving is a packet along an axis drawn by the giver among the cube's equivalent directions, an assumption by name, its width declared and its length derived from the lifetime, its wave number along the axis and its reach derived, not built [1, what is open, item 49]; the giving's clock is the hazard $1/\tau$ per interval drawn at the now, the exponential, a body in the dark having no window so that the grain there is the interval, a fixed delay killed by the telegraph's exponential dark periods (DERIVED, two hands; the engine draws today at the window's end against the lifetime, the grain in the dark its next build, by name) [1, the click writes on the GameBoard]; the three instrument worlds read beside their blinds through the one click act: the Zeno world passes column A at every n within one standard error and the anticoincidence gives $\alpha = 0$ (S.57, S.59), while the telegraph is refused by the amplitude bound, the strong drive's row pumped by its own holes, its takings and givings at the blind's spacing within the draw's spread and no switch in the run's length, and its counter's bins moved by the lay's form, 5, 9, 0 under the source in time against 8, 0, 0 under the one-instant lay and the blind's 20, 14 of the 43 given quanta credited against 8, a counter crediting only within the floor's reach of the ion, findings by name read on the form they name; the three gate worlds of the click's write, the ion's body with its modes as parts and two declared rates, the anticoincidence's (S.57) and the Zeno world's (S.59), are derived here as the blind rows of their worlds; the worlds are built in the fix round of 2026-10-03 and each is read beside its blind, a reading that misses its blind a finding by name, and until that reading nothing of them is claimed; a gate-built register stands outside by postulate 2 (Section 3.6). The model does not derive where a click happens from the Nodes' laws: it declares where, a detector or an instrument body, and derives what the click does once declared; a bound body of nature that jumps with no declaration does nothing but Rule3, the method's widest open gap, by name, and a spread body's click, the exchange at its entry Node and its settling a reading, stands with it. The click's picture is closed in its form and open in its cause, by name: the draw, which meeting is realised and at which Node; where a click happens, declared; the conversion's table and rate; the resonance against the share at the computed pair; the engine's build, the carried remainder of the credit's window with its own blind on N and the three instrument worlds' readings through the one act. The form is closed and claimed; the cause is open and not claimed. A single quantum's track of thousands of ionisations, as a cloud chamber shows it, is not derived and not claimed, a click taking one whole quantum of the record. The click's write conserves no momentum, the quanta laid with a phase and no wave number, so the recoil is the instrument's where nature's detector recoils, the Mössbauer line and the Compton shift: a finding by name beside what produces a click. The empty wave of a clicked record still writes its form into the holders it sources until the front reaches it, and beyond the click's light cone it is never erased, a price of locality beside Section 5.7; the front is built in the engine's round of 2026-10-03, its gate the three worlds' numbers bit for bit and the back-in-time check's MATCH across it. An exactly conserved integer charge; gravity's divisor E_g (EXPERIMENT); the matter pair's gap; what fixes Γ ; a current's read for real records [1, what is open]. The relations among the file's integers are the next paper's program, each an explicitly named hypothesis tested by clicks: one denominator for all the families; whether k , E_g , T and Γ are tied, the energy line of Section 10.1 already a law (HYPOTHESIS) [1, no free number but the mass]. The atom: the law does not support the reduced mass, a Node holding no joint amplitude of two records (postulate 2 of Section 3.6) and the nucleon's centre one classical variable under line (2) of S.60, so the isotope shifts and the muonic atoms are outside what it derives; the many-body correlation is not reproduced by a product of records (helium 1.4 percent, positronium 56 percent, GameBoard readings; S.60), and Pauli's exclusion has no line (S.46, S.60) [1, the atom is a bound body of the holder of the sign].

10.4 What can follow from here, and how to compute it

Inspiration and no claim, every sentence of this subsection: a definition in the law's terms as the law holds it, what could follow, and how one would compute it on the GameBoard with its blind; nothing in it is a result, and the paper's one claim stays the method. *The black hole.* The definition: the law's static metric is the exponential one, $N^2 = e^{-2U}$ and $h^2 = e^{2U}$ with $U = m/r$, no horizon and no singularity, the clock p_0 never 0 at any content, so that a collapse ends in a frozen clock and not at a horizon; a black hole at nature's scale is a deep clock, defined by its light ring at $r = 2m$ and its shadow's capture radius $2em$, the prediction of Section 8 under the one assumption, to which this adds nothing. What could follow: a Node whose content passes $(\Gamma/2) \ln(2\Gamma)$ has its Link's pace rounded to 0, reads nothing and is read by its neighbours, a one-way valve that holds its level and gravitates and has no share and clicks nowhere, the law's one-Link black hole, $\Gamma/2$ quanta at a Node, about 10^{-17} kg at the Link's bound, and dark matter as frozen matter a hypothesis by name; whether a frozen Node radiates is open, no line putting the flux through its surface at 0 and none deriving Hawking's temperature; under the composed paces the compact body passes $\Gamma \div 2$ standing and no Link closes, so no body of the generator reaches the frozen content, which is reached by declaration and not by a collapse. How to compute it: one declared Node at the frozen content inside an active region, the loader's refusal lifted for that one world and said so, the GameBoard reading of the outside level m/r and of the shares at the neighbours, the blind no click at the frozen Node and the neighbours' clicks unchanged; the form's flux through the frozen Node's six Ports over a long run against the blind 0 and against Hawking's temperature in the law's units, a reading and not a gate, nature having no click of that radiation; and the compact body's fixed point at rising count under the composed paces, the clock's depth read against $\Gamma \div 2$, the blind standing at every count the width admits (inspiration; GAMEBOARD) [1, the paces compose; what is open, item 29; the rows against nature].

11 Conclusion

One line of integer arithmetic at every Node of a cubic lattice is reversible to the bit and conserves a quadratic form exactly in the rationals, with its current. A click is the meeting of the events run forward from an emitter, the future, with the same line read backward from the click, the past, at a declared detector, the choice among the meetings the one non-local element; the computed worlds show one generic click act, the detector's report as a window and an instrument and never a Node under the uncertainty principle as the three declarations, and the cancelled future at its three levels, each asserted in the engine's tests. Under the one assumption the weak-field forms are Einstein's in the clock's potential, the perihelion at the small gap, the shadow's capture radius a prediction, and against Kepler's potential the matter band's factors reach 1 only as the family's gap closes. The paper claims the method and not nature; it is offered for the reader's judgement, test and further use, one world of the many the method admits. The claim is that the method approaches the clicks of nature in the order stated, the clicks of nature it approaches the comparisons of Sections 8 to 10 and never the thesis; what is exact in it is the derivation of its formulas from the one set of rules, and no number of nature; never that nature is so. The form is claimed, the cause is not: why a click happens is the draw, a declaration in the open list by name, on which no claim rests. Between electricity and gravity the number is in the click, not on the board. Why nature is so, we do not claim to know.

The paper has its scope and its limits. Nature's formulas are many and the paper computes no complete set of them: it samples a few places, each derived from the one chosen set of rules, the atoms (Sections 7.3 and 10.3; S.46, S.60), gravity and Newton's potential (Section 8), the two slits and Bell (Section 9). Some derivations meet nature's clicks and some miss, every one recorded with its numbers and its mark, the misses named items of Section 10.3 with their roots where known. The open list is the program, each item a derivation to complete or a gate world to run; the paper gives the direction and not the whole, so that others can take the method, with this set of rules or another, and continue.

Statements and Declarations

Funding. None. **Competing interests.** None. **Ethics approval and consent.** Not applicable. **Data and code availability.** The law's document, the implementation and the figures' scripts are developed in the public Git repository <https://github.com/Closer24/Universe24> and archived at Zenodo under the concept DOI 10.5281/zenodo.22738746 [43], MIT licence. **Author contributions.** The author laid down every postulate and decision of the model, directed the work and wrote the paper. **The use of a large language model.** The author used a large language model (Claude, Anthropic, through Claude Code, 2026) extensively as a tool, under the author's direction, for the software, the computations, the derivations and their checks, and the drafting of the text; the model is not an author, and the author reviewed every statement and takes full responsibility for the content.

References

- [1] The law of the GameBoard, docs/ALGEBRA.md of the archive [43], cited by the name of its section: the GameBoard and the families (the objects, a family's declaration, the interval, readings and measurements); Rule3 (the line, the direction, the four acts, the paces, the bound, the self-source, the conserved form); the click (the booking, the count is the record's share, the click is the detector's report, no click names a Node, the algebra of the exclusivity); the primitives; the stable body (what a body is, the well, the functional and the dilation, the surplus leaves, the generator, the velocity); what the law says of nature (the reading, with no waves on the event board, what produces a click is not known and nature's numbers enter the board only as clicks; the hypotheses under their own names; the postulates; the constants; the rows against nature); what is open.
- [2] The engine, docs/ENGINE.md of the archive [43]: the words, the NodeState, the interval, the loader and the files, the output, how to run a world, how to add a family, the gates.
- [3] The decisions, docs/HIGHLIGHTS.md of the archive [43]: the model's decisions in force, one line each, cited by the line's name.
- [4] K. Zuse, Rechnender Raum (Vieweg, Braunschweig, 1969); English translation: Calculating Space, MIT Technical Translation AZT-70-164-GEMIT (MIT Project MAC, Cambridge, 1970).
- [5] E. Fredkin and T. Toffoli, Conservative logic, International Journal of Theoretical Physics 21, 219 (1982), doi:10.1007/BF01857727.
- [6] N. Margolus, Physics-like models of computation, Physica D 10, 81 (1984), doi:10.1016/0167-2789(84)90252-5.
- [7] T. Toffoli and N. Margolus, Invertible cellular automata: a review, Physica D 45, 229 (1990), doi:10.1016/0167-2789(90)90185-R.
- [8] S. Wolfram, A New Kind of Science (Wolfram Media, Champaign, 2002).
- [9] G. 't Hooft, Duality between a deterministic cellular automaton and a bosonic quantum field theory in 1+1 dimensions, Foundations of Physics 43, 597 (2013), doi:10.1007/s10701-013-9702-z.
- [10] G. 't Hooft, The Cellular Automaton Interpretation of Quantum Mechanics, Fundamental Theories of Physics 185 (Springer, Cham, 2016), doi:10.1007/978-3-319-41285-6.
- [11] I. Bialynicki-Birula, Weyl, Dirac, and Maxwell equations on a lat-

- tice as unitary cellular automata, *Physical Review D* 49, 6920 (1994), doi:10.1103/PhysRevD.49.6920.
- [12] D. A. Meyer, From quantum cellular automata to quantum lattice gases, *Journal of Statistical Physics* 85, 551 (1996), doi:10.1007/BF02199356.
- [13] P. Arrighi, An overview of quantum cellular automata, *Natural Computing* 18, 885 (2019), doi:10.1007/s11047-019-09762-6.
- [14] T. Farrelly, A review of quantum cellular automata, *Quantum* 4, 368 (2020), doi:10.22331/q-2020-11-30-368.
- [15] G. M. D'Ariano and P. Perinotti, Derivation of the Dirac equation from principles of information processing, *Physical Review A* 90, 062106 (2014), doi:10.1103/PhysRevA.90.062106.
- [16] R. P. Feynman, Simulating physics with computers, *International Journal of Theoretical Physics* 21, 467 (1982), doi:10.1007/BF02650179.
- [17] J. A. Wheeler and R. P. Feynman, Interaction with the absorber as the mechanism of radiation, *Reviews of Modern Physics* 17, 157 (1945), doi:10.1103/RevModPhys.17.157.
- [18] J. G. Cramer, The transactional interpretation of quantum mechanics, *Reviews of Modern Physics* 58, 647 (1986), doi:10.1103/RevModPhys.58.647.
- [19] Y. Aharonov, P. G. Bergmann and J. L. Lebowitz, Time symmetry in the quantum process of measurement, *Physical Review* 134, B1410 (1964), doi:10.1103/PhysRev.134.B1410.
- [20] Y. Aharonov and L. Vaidman, The two-state vector formalism: an updated review, *Lecture Notes in Physics* 734, 399 (Springer, Berlin, 2008), doi:10.1007/978-3-540-73473-4.13.
- [21] H. Price, *Time's Arrow and Archimedes' Point: New Directions for the Physics of Time* (Oxford University Press, New York, 1996).
- [22] K. B. Wharton and N. Argaman, Colloquium: Bell's theorem and locally mediated reformulations of quantum mechanics, *Reviews of Modern Physics* 92, 021002 (2020), doi:10.1103/RevModPhys.92.021002.
- [23] N. Harrigan and R. W. Spekkens, Einstein, incompleteness, and the epistemic view of quantum states, *Foundations of Physics* 40, 125 (2010), doi:10.1007/s10701-009-9347-0.
- [24] J. S. Bell, On the Einstein Podolsky Rosen paradox, *Physics Physique Fizika* 1, 195 (1964), doi:10.1103/PhysicsPhysiqueFizika.1.195.
- [25] J. F. Clauser, M. A. Horne, A. Shimony and R. A. Holt, Proposed experiment to test local hidden-variable theories, *Physical Review Letters* 23, 880 (1969), doi:10.1103/PhysRevLett.23.880.
- [26] A. Fine, Hidden variables, joint probability, and the Bell inequalities, *Physical Review Letters* 48, 291 (1982), doi:10.1103/PhysRevLett.48.291.
- [27] P. M. Pearle, Hidden-variable example based upon data rejection, *Physical Review D* 2, 1418 (1970), doi:10.1103/PhysRevD.2.1418.
- [28] P. H. Eberhard, Background level and counter efficiencies required for a loophole-free Einstein-Podolsky-Rosen experiment, *Physical Review A* 47, R747 (1993), doi:10.1103/PhysRevA.47.R747.
- [29] A. Garg and N. D. Mermin, Detector inefficiencies in the Einstein-Podolsky-Rosen experiment, *Physical Review D* 35, 3831 (1987), doi:10.1103/PhysRevD.35.3831.
- [30] B. Hensen et al., Loophole-free Bell inequality violation using electron spins separated by 1.3 kilometres, *Nature* 526, 682 (2015), doi:10.1038/nature15759.
- [31] M. Giustina et al., Significant-loophole-free test of Bell's theorem with entangled photons, *Physical Review Letters* 115, 250401 (2015), doi:10.1103/PhysRevLett.115.250401.
- [32] M. A. Rowe, D. Kielpinski, V. Meyer, C. A. Sackett, W. M. Itano, C. Monroe and D. J. Wineland, Experimental violation of a Bell's inequality with efficient detection, *Nature* 409, 791 (2001), doi:10.1038/35057215.
- [33] L. K. Shalm et al., Strong loophole-free test of local realism, *Physical Review Letters* 115, 250402 (2015), doi:10.1103/PhysRevLett.115.250402.
- [34] S. Storz et al., Loophole-free Bell inequality violation with superconducting circuits, *Nature* 617, 265 (2023), doi:10.1038/s41586-023-05885-0.
- [35] T. Regge, General relativity without coordinates, *Il Nuovo Cimento* 19, 558 (1961), doi:10.1007/BF02733251.
- [36] L. Bombelli, J. Lee, D. Meyer and R. D. Sorkin, Space-time as a causal set, *Physical Review Letters* 59, 521 (1987), doi:10.1103/PhysRevLett.59.521.
- [37] P. Touboul et al. (MICROSCOPE Collaboration), MICROSCOPE mission: final results of the test of the equivalence principle, *Physical Review Letters* 129, 121102 (2022), doi:10.1103/PhysRevLett.129.121102.
- [38] C. M. Will, The confrontation between general relativity and experiment, *Living Reviews in Relativity* 17, 4 (2014), doi:10.12942/lrr-2014-4.
- [39] J. Collins, A. Perez, D. Sudarsky, L. Urrutia and H. Vucetich, Lorentz invariance and quantum gravity: an additional fine-tuning problem?, *Physical Review Letters* 93, 191301 (2004), doi:10.1103/PhysRevLett.93.191301.
- [40] D. Mattingly, Modern tests of Lorentz invariance, *Living Reviews in Relativity* 8, 5 (2005), doi:10.12942/lrr-2005-5.
- [41] R. Courant, K. Friedrichs and H. Lewy, Über die partiellen Differenzengleichungen der mathematischen Physik, *Mathematische Annalen* 100, 32 (1928), doi:10.1007/BF01448839.
- [42] H. Yilmaz, New approach to general relativity, *Physical Review* 111, 1417 (1958), doi:10.1103/PhysRev.111.1417.
- [43] A. Gonen, Universe24: the implementation of one integer rule on a cubic lattice, read through clicks, version 1.0.0, Zenodo (2026), doi:10.5281/zenodo.22738746 (the concept DOI, resolving to the latest version).
- [44] M. Born, Zur Quantenmechanik der Stoßvorgänge, *Zeitschrift für Physik* 37, 863 (1926), doi:10.1007/BF01397477.
- [45] P. Grangier, G. Roger and A. Aspect, Experimental evidence for a photon anticorrelation effect on a beam splitter: a new light on single-photon interferences, *Europhysics Letters* 1, 173 (1986), doi:10.1209/0295-5075/1/4/004.
- [46] H. A. Bethe and R. Peierls, Quantum theory of the dipion, *Proceedings of the Royal Society A* 148, 146 (1935), doi:10.1098/rspa.1935.0010.
- [47] H. Yukawa, On the interaction of elementary particles. I, *Proceedings of the Physico-Mathematical Society of Japan* 17, 48 (1935), doi:10.11429/ppmsj1919.17.0.48.
- [48] B. P. Abbott et al. (LIGO Scientific Collaboration, Virgo Collaboration, Fermi Gamma-ray Burst Monitor and INTEGRAL), Gravitational waves and gamma-rays from a binary neutron star merger: GW170817 and GRB 170817A, *The Astrophysical Journal Letters* 848, L13 (2017), doi:10.3847/2041-8213/aa920c.
- [49] G. H. Derrick, Comments on nonlinear wave equations as models for elementary particles, *Journal of Mathematical Physics* 5, 1252 (1964), doi:10.1063/1.1704233.
- [50] S. I. Pohozaev, Eigenfunctions of the equation $\Delta u + \lambda f(u) = 0$, *Soviet Mathematical Doklady* 6, 1408 (1965).
- [51] S. I. Pekar, *Untersuchungen über die Elektronentheorie der Kristalle* (Akademie-Verlag, Berlin, 1954).
- [52] W. H. McCrea and E. A. Milne, Newtonian universes and the curvature of space, *The Quarterly Journal of Mathematics* os-5, 73 (1934), doi:10.1093/qmath/os-5.1.73.
- [53] A. G. Riess et al., Observational evidence from supernovae for an accelerating universe and a cosmological constant, *The Astronomical Journal* 116, 1009 (1998), doi:10.1086/300499.
- [54] S. Perlmutter et al., Measurements of Omega and Lambda from 42 high-redshift supernovae, *The Astrophysical Journal* 517, 565 (1999), doi:10.1086/307221.
- [55] D. Brout et al., The Pantheon+ analysis: cosmological constraints, *The Astrophysical Journal* 938, 110 (2022), doi:10.3847/1538-4357/ac8e04.
- [56] R. V. Pound and G. A. Rebka, Apparent weight of photons, *Physical Review Letters* 4, 337 (1960), doi:10.1103/PhysRevLett.4.337.
- [57] B. Bertotti, L. Iess and P. Tortora, A test of general relativity using radio links with the Cassini spacecraft, *Nature* 425, 374 (2003), doi:10.1038/nature01997.
- [58] I. I. Shapiro, Fourth test of general relativity, *Physical Review Letters* 13, 789 (1964), doi:10.1103/PhysRevLett.13.789.
- [59] S. Coleman and S. L. Glashow, High-energy tests of Lorentz invariance, *Physical Review D* 59, 116008 (1999), doi:10.1103/PhysRevD.59.116008.
- [60] K. Nordtvedt, Probing gravity to the second post-Newtonian order and to one part in 10^7 using the spin axis of the Sun, *The Astrophysical Journal* 320, 871 (1987), doi:10.1086/165603.
- [61] T. Jacobson, S. Liberati and D. Mattingly, A strong astrophysical constraint on the violation of special relativity by quantum gravity, *Nature* 424, 1019 (2003), doi:10.1038/nature01882.
- [62] F. W. Stecker, Limiting superluminal electron and neutrino velocities using the 2010 Crab Nebula flare and the IceCube PeV neutrino events, *Astroparticle Physics* 56, 16 (2014), doi:10.1016/j.astropartphys.2014.02.007.
- [63] The Event Horizon Telescope Collaboration, First Sagittarius A* Event Horizon Telescope results. VI. Testing the black hole metric, *The Astrophysical Journal Letters* 930, L17 (2022), doi:10.3847/2041-8213/ac6756.
- [64] The Event Horizon Telescope Collaboration, First M87 Event Horizon Telescope results. VI. The shadow and mass of the central black hole, *The Astrophysical Journal Letters* 875, L6 (2019), doi:10.3847/2041-8213/ab1141.
- [65] S. Hossenfelder and T. Palmer, Rethinking superdeterminism, *Frontiers in Physics* 8, 139 (2020), doi:10.3389/fphy.2020.00139.
- [66] Z. Cao et al. (LHAASO Collaboration), Ultrahigh-energy photons up to 1.4 petaelectronvolts from 12 gamma-ray Galactic sources, *Nature* 594, 33 (2021), doi:10.1038/s41586-021-03498-z.
- [67] V. A. Acciari et al. (MAGIC Collaboration), Bounds on Lorentz invariance violation from MAGIC observation of GRB 190114C, *Physical Review Letters* 125, 021301 (2020), doi:10.1103/PhysRevLett.125.021301.
- [68] M. Zych, F. Costa, I. Pikovski and C. Brukner, Quantum interferometric visibility as a witness of general relativistic proper time, *Nature Communications* 2, 505 (2011), doi:10.1038/ncomms1498.
- [69] R. C. Tolman, P. Ehrenfest and B. Podolsky, On the gravitational field produced by light, *Physical Review* 37, 602 (1931), doi:10.1103/PhysRev.37.602.
- [70] J. C. Bergquist, R. G. Hulet, W. M. Itano and D. J. Wineland, Observation of quantum jumps in a single atom, *Physical Review Letters* 57, 1699 (1986), doi:10.1103/PhysRevLett.57.1699.
- [71] R. J. Cook and H. J. Kimble, Possibility of direct observation of quantum jumps, *Physical Review Letters* 54, 1023 (1985), doi:10.1103/PhysRevLett.54.1023.
- [72] W. M. Itano, D. J. Heinzen, J. J. Bollinger and D. J. Wineland, Quantum Zeno effect, *Physical Review A* 41, 2295 (1990), doi:10.1103/PhysRevA.41.2295.
- [73] S. W. Hawking, Particle creation by black holes, *Communications in Mathematical Physics* 43, 199 (1975), doi:10.1007/BF02345020.
- [74] C. W. F. Everitt et al., Gravity Probe B: final results of a space experiment to test general relativity, *Physical Review Letters* 106, 221101 (2011), doi:10.1103/PhysRevLett.106.221101.
- [75] L. Shao and N. Wex, New tests of local Lorentz invariance of gravity with small-eccentricity binary pulsars, *Classical and Quantum Gravity* 29, 215018 (2012), doi:10.1088/0264-9381/29/21/215018.
- [76] L. Shao, R. N. Caballero, M. Kramer, N. Wex, D. J. Champion and A. Jessner, A new limit on local Lorentz invariance violation of gravity from solitary pulsars, *Classical and Quantum Gravity* 30, 165020 (2013), doi:10.1088/0264-9381/30/16/165020.
- [77] D. M. Greenberger, M. A. Horne and A. Zeilinger, Going beyond Bell's theorem, in *Bell's Theorem, Quantum Theory and Conceptions of the Universe*, ed. M. Kafatos (Kluwer, Dordrecht, 1989), 69, doi:10.1007/978-94-017-0849-4.10; N. D. Mermin, Extreme quantum entanglement in a superposition of macroscopically distinct states, *Physical Review Letters* 65, 1838 (1990), doi:10.1103/PhysRevLett.65.1838.
- [78] B. S. Cirel'son, Quantum generalizations of Bell's inequality, *Letters in Mathematical Physics* 4, 93 (1980), doi:10.1007/BF00417500.
- [79] F. J. Hasert et al., Observation of neutrino-like interactions without muon or electron in the Gargamelle neutrino experiment, *Physics Letters B* 46, 138 (1973), doi:10.1016/0370-2693(73)90499-1.
- [80] The ALEPH, DELPHI, L3, OPAL and SLD Collaborations, Precision electroweak measurements on the Z resonance, *Physics Reports* 427, 257 (2006), doi:10.1016/j.physrep.2005.12.006.
- [81] C. S. Wu, E. Ambler, R. W. Hayward, D. D. Hoppes and R. P. Hudson, Experimental test of parity conservation in beta decay, *Physical Review* 105, 1413 (1957), doi:10.1103/PhysRev.105.1413.