

Como Gerar Token de Acesso Pessoal no GitHub

Passo a Passo para Criar o Token

1. Acessar as Configurações do GitHub

1. Entre na sua conta do GitHub
2. Clique na sua foto de perfil no canto superior direito
3. Selecione Settings

2. Navegar até a Seção de Tokens

1. No menu lateral esquerdo, clique em "Developer settings"
2. Selecione "Personal access tokens"
3. Clique em "Tokens (classic)"
4. Botão "Generate new token" → "Generate new token (classic)"

3. Configurar o Token

Detalhes do token:

- Note: "VS Code" ou um nome descritivo
- Expiration: Recomendo 90 dias ou 1 ano
- Scopes (permissões): Marque pelo menos:
 - ☒ repo (acesso completo aos repositórios)
 - ☒ workflow (se usar GitHub Actions)
 - ☒ write:packages (se publicar pacotes)
 - ☒ delete_repo (se precisar excluir repositórios)


4. Permissões Recomendadas para VS Code

text

- ✓ repo (todas as permissões)
- ✓ workflow
- ✓ write:packages
- ✓ read:org
- ✓ user (todas as permissões)
- ✓ delete_repo

5. Gerar e Salvar o Token

1. Clique em "Generate token"
2. ⚠️ **IMPORTANTE:** Copie o token imediatamente!
3. Cole em um local seguro (gerenciador de senhas)



The screenshot shows the GitHub Developer Settings page for creating a new personal access token (classic). The left sidebar contains the navigation menu with options: GitHub Apps, OAuth Apps, Personal access tokens (selected), Fine-grained tokens, and Tokens (classic). The main content area is titled "New personal access token (classic)". It includes a note about the token's function, a "Note" section with a "VS Code" button, and a "What's this token for?" field. The "Expiration" section shows a "Custom" dropdown and a date selector set to "14/11/2026". Below this, the "Select scopes" section explains that scopes define access for personal tokens. A table lists various scopes with checkboxes and descriptions:

Scope	Description
☒ repo	Full control of private repositories
☒ repo:status	Access commit status
☒ repo_deployment	Access deployment status
☒ public_repo	Access public repositories
☒ repo:invite	Access repository invitations
☒ security_events	Read and write security events
☒ workflow	Update GitHub Action workflows
☒ write:packages	Upload packages to GitHub Package Registry
☒ read:packages	Download packages from GitHub Package Registry
☐ delete:packages	Delete packages from GitHub Package Registry
☐ admin:org	Full control of orgs and teams, read and write org projects
☐ write:org	Read and write org and team membership, read and write org projects
☒ read:org	Read org and team membership, read org projects
☐ manage_runners:org	Manage org runners and runner groups
☐ admin:public_key	Full control of user public keys
☐ write:public_key	Write user public keys

☐ read:public_key	Read user public keys
☐ admin:repo_hook	Full control of repository hooks
☐ write:repo_hook	Write repository hooks
☐ read:repo_hook	Read repository hooks
☐ admin:org_hook	Full control of organization hooks
☐ gist	Create gists
☐ notifications	Access notifications
☒ user	Update ALL user data
☒ read:user	Read ALL user profile data
☒ user:email	Access user email addresses (read-only)
☒ user:follow	Follow and unfollow users
☒ delete_repo	Delete repositories
☐ write:discussion	Read and write team discussions
☐ read:discussion	Read team discussions
☐ admin:enterprise	Full control of enterprises
☐ manage_runners:enterprise	Manage enterprise runners and runner groups
☐ manage_billing:enterprise	Read and write enterprise billing data
☐ read:enterprise	Read enterprise profile data
☐ scim:enterprise	Provisioning of users and groups via SCIM
☐ audit_log	Full control of audit log
☐ read:audit_log	Read access of audit log
☐ codespace	Full control of codespaces
☐ codespace:secrets	Ability to create, read, update, and delete codespace secrets
☐ copilot	Full control of GitHub Copilot settings and seat assignments
☐ manage_billing:copilot	View and edit Copilot Business seat assignments
☐ write:network_configurations	Write org hosted compute network configurations
☐ read:network_configurations	Read org hosted compute network configurations
☐ project	Full control of projects
☐ read:project	Read access of projects