



Tokenbasierte Authentifizierung und Angriffe in Microsoft Entra

Thomas Naunheim

Cyber Security Architect, @glueckkanja AG



Thomas Naunheim

Cyber Security Architect @glueckkanja AG
Microsoft MVP (Identity & Access, Cloud Security)

Live in Koblenz/Lahnstein, Germany



cloud-architekt.net



Naunheim.cloud



thomasnaunheim



Thomas_Live



Vielen Dank an unsere Sponsoren!

Diamond



Platinum



Gold






Agenda

1. Introduction on token-based authentication
2. Attack scenarios and mitigations on token theft
3. Detection and hunting of token replay/theft



Introduction on token-based authentication

Security Tokens in Microsoft Entra



Payload Claims in Security Token

Issuer (Entra ID Tenant),
audience (resource)
and scopes (App Roles)
to determine authorization,
Token lifetime

```
.{  
  "iss": "https://sts.windows.net/<TenantId>/",  
  "aud": "https://management.core.windows.net/",  
  "scp": "user_impersonation",  
  "iat": 1720340188,  
  "nbf": 1720340188,  
  "exp": 1720344461,  
  "acr": "1",  
  "aio": "AXQAI/8XAAAA...",  
  "rh": "0.AYEAqV6VNo7JSUe2A__v5(...)",  
  "uti": "YZP7nqZGVkG6Vqm4j_NvAA",  
  "ver": "1.0",  
  "amr": [  
    "fido",  
    "mfa"  
  ],  
  "deviceid": <EntraIdDeviceId>,  
}
```

Payload Claims in Security Token

Token identifier
and internal claims

```
.{  
  "iss": "https://sts.windows.net/<TenantId>/",  
  "aud": "https://management.core.windows.net/",  
  "scp": "user_impersonation",  
  "iat": 1720340188,  
  "nbf": 1720340188,  
  "exp": 1720344461,  
  "acr": "1",  
  "aio": "AXQAI/8XAAAA...",  
  "rh": "0.AYEAqV6VNo7JSUe2A__v5(...)",  
  "uti": "YZP7nqZGVkG6Vqm4j_NvAA",  
  "ver": "1.0",  
  "amr": [  
    "fido",  
    "mfa"  
  ],  
  "deviceid": <EntraIdDeviceId>,  
}
```



Payload Claims in Security Token

Identifies the method and DeviceId which has been used for authentication

```
.{  
  "iss": "https://sts.windows.net/<TenantId>/",  
  "aud": "https://management.core.windows.net/",  
  "scp": "user_impersonation",  
  "iat": 1720340188,  
  "nbf": 1720340188,  
  "exp": 1720344461,  
  "acr": "1",  
  "aio": "AXQAI/8XAAAA...",  
  "rh": "0.AYEAqV6VNo7JSUe2A__v5(...)",  
  "uti": "YZP7nqZGVkG6Vqm4j_NvAA",  
  "ver": "1.0",  
  "amr": [  
    "fido",  
    "mfa"  
  ],  
  "deviceid": <EntraIdDeviceId>,  
}
```




Payload Claims in Security Token

Group Memberships and
Entra ID Role Definition
Template Ids

```
"idtyp": "user",  
"family_name": "Naunheim",  
"given_name": "Thomas",  
"ipaddr": "91.16.141.22",  
"oid": "0e1e6c34-9d5c-4b24-bba6-aafb0995a6e0",  
"puid": "10032000E0AADE98",  
"sub": "9YdwW5_2ub(...)",  
"tid": "36955ea9-c98e-4749-b603-ffefe652dd90",  
"unique_name": "thomas@cloud-architekt.net",  
"upn": "thomas@cloud-architekt.net",  
"groups": [  
    <GroupId>  
],  
"wids": [  
    <RoleDefinitionTemplateId>  
],
```


Overview of Token Artifacts






Attack scenarios and mitigations on token theft


Token-relevante Angriffsszenarien




Primary Refresh Token & Windows 11



Primary Refresh Token & Windows 11



Exfiltrierung von PRT aus CloudAP



by @DrAzureAD (Nestori Syynimaa)

WARNING: Transport key stored to TPM, exporting not possible!

Exception: C:\Program Files\WindowsPowerShell\Modules\AADInternals\0.8.0\Device_utils.ps1:54

```
Line |
  54 |          Throw "Unable to get SoftwareTransportKeyName from $regis ...
      |          ~~~~~
      | Unable to get SoftwareTransportKeyName from
```

```
HKLM:\SYSTEM\CurrentControlSet\Control\Cryptography\Ngc\KeyTransportKey\PerDeviceKeyTransportKey\335f83adcbc
fc0f173f2be88f14d73677df7beedb055130fea2519b8dc8ab573\0b9cc3031aa7d77d175035b79369c29acfb1661953b9629071aa5d
6becd0621d
```

PRT cookie und Browser SSO/WAM

x-ms-refreshtokencredential:

```
refresh_token      : 0.AYEAqV6VNo7JSUe2A__v5lLdkIc7qjhto
                   : D7HMRxB_kBlHCppSHPcMXePdR2R7FXwOvhP
                   : bAdFB1YhlDEIa12r--(...)
is_primary         : true
win_ver            : 10.0.22621.3672
windows_api_version : 2.0.1
x_client_platform  : windows
iat               : 1723276238
IssuedAt           : 10/08/2024 07:50:38
NotBefore          : 01/01/1970 00:00:00
ExpirationDate     : 01/01/1970 00:00:00
ValidForHours      : -478687,843888889
```

RefreshTo-MSGraphToken ` -RefreshToken \$PRT_Cookie

```
{
  "error": "invalid_grant",
  "error_description": "
    AADSTS7000016:
    Primary refresh token is not signed with session key.
    Trace ID: 8a2c4be9-c5d9-4afa-9710-edd1925bae00
    Correlation ID: bddc6095-5c5c-446a-80de-3f0216c3f817
    Timestamp: 2024-08-14 07:06:07Z"
}
```

WAM support in Microsoft Pwsh / CLI

```
[PS /Users/thomas.naunheim> Get-MgGraphOption
```

```
EnableWAMForMSGraph
```

```
False
```

```
[PS /Users/thomas.naunheim> Get-AzConfig | ? {$_.key -eq "EnableLoginByWAM"} | fl
```

```
Key           : EnableLoginByWam
```

```
Value          : True
```

```
Scope          : Default
```


```
AppliesTo      : Az
```

```
HelpMessage    : When enabled, Web Account Manager (WAM) will be the default  
interactive login experience. It will fall back to using the browser  
if the platform does not support WAM. For more details please refer  
to https://go.microsoft.com/fwlink/?linkid=2272007
```

```
DefaultValue   : True
```


Token Binding (proof-of-possession)

Prevent token replay by enforcing cryptographically secure tie between the token and the device



Token Binding (proof-of-possession)

Prevent token replay by enforcing cryptographically secure tie between the token and the device



Token Protection Enforced for Outlook/ExO

Session

Control access based on session controls to enable limited experiences within specific cloud applications. [Learn more](#)

☐ Use app enforced restrictions

☐ Use Conditional Access App Control

☐ Sign-in frequency

☐ Persistent browser session

☐ Customize continuous access evaluation

☐ Disable resilience defaults

☒ Require token protection for sign-in sessions (Preview)

The control "Require token protection for sign-in sessions" only works with supported devices and applications. Unsupported devices and client applications will be blocked. [Learn more](#)

Assignments

User

Montgomery Scott

✓ Matched

▼

Application

Office 365 Exchange Online

✓ Matched

▼

Conditions

Sign-in risk

None

● Not configured

Device platform

Windows

✓ Matched

▼

Access controls

Session Controls

✓ Enforced

▲

Require token protection for sign-in sessions (Preview)

Experts Live Germany

Blocked Token acquisition

Activity Details: Sign-ins

Basic info

Location

Device info

Authentication Details

Conditional Access

Report-only

Date	8/5/2024, 9:06:46 PM
Request ID	7ccd491d-7526-4642-85aa-0df14e6b0200
Correlation ID	c8f8ec7f-fd9f-41fc-a987-62ba6ccdc331
Authentication requirement	Multifactor authentication
Status	Failure
Continuous access evaluation	No
Sign-in error code	53003
Failure reason	Access has been blocked by Conditional Access policies. The access policy does not allow token issuance.

Access controls

Session Controls

✖ Not satisfied

Require token protection for sign-in sessions (Preview)



scotty@corp.cloud-architekt.net

Sorry, a security policy is preventing access


An organization security policy requiring token protection is preventing this application from accessing the resource. You may be able to use a different application.

[More details](#)

OK


Continuous Access Evaluation (CAE)

Enforce re-evaluation of Conditional Access in response to policy violations or security issues




Continuous Access Evaluation (CAE)

Enforce re-evaluation of Conditional Access in response to policy violations or security issues




Compliant Network with Global Secure Access

Provide network condition with identity-awareness in Conditional Access



Compliant Network with Global Secure Access

Provide network condition with identity-awareness in Conditional Access



Azure Cloud Shell on Windows 11 Enterprise Device (connected to Global Secure Access)

Work

Home - Microsoft Azure

https://portal.azure.com/#home

My AccessMy AccountMy rolesAzDevOpsAzure PortalOutlookOneDriveSharePointStarfleet Command...Microsoft TeamsSharePoint Worklab

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

scotty@corp.cloud-arch...
CLOUDLAB (CLOUD-ARCHITEKT...

Azure services


Create a resource


Microsoft Entra Privileged...


Virtual machines


Microsoft Entra ID


Storage accounts


Subscriptions


Microsoft Defender for...


Resource Graph Explorer


Resource groups


More services

Resources

RecentFavorite

Name	Type	Last Viewed
 bapp-vm	Virtual machine	4 minutes ago
 cloudshellscottyst	Storage account	4 weeks ago
 Landing Zone - Endpoint	Subscription	2 months ago

See all

Navigate

Remote Desktop



12:45 PM
9/21/2024



Authentication Context

Step-up authentication or enforce re-authentication on sensitive actions

Dashboard > Privileged Identity Management | Azure resources > Landing Zone - Mod

Edit role setting - Virtual Machine Contributor

Privileged Identity Management | Azure resources

Activation Assignment Notification

Activation maximum duration (hours)

On activation, require

☐ None

☐ Azure MFA

☒ Microsoft Entra Conditional Access authentication context

[Learn more](#)

Require Reauthentication

☒ Require justification on activation

☐ Require ticket information on activation

☐ Require approval to activate

Select approver(s)

... >

Authentication Context - PI

Conditional Access policy

Delete View policy information

Assignments

Users or workload identities

All users included and specific users excluded

Target resources

3 authentication contexts included

Network **NEW**

Not configured

Conditions

0 conditions selected

Access controls

Grant

1 control selected

Session

Sign-in frequency - Every time

Session

Control access based on session controls to enable limited experiences within specific cloud applications. [Learn more](#)

☐ Use app enforced restrictions

i This control only works with supported apps. Currently, Office 365, Exchange Online, and SharePoint Online are the only cloud apps that support app enforced restrictions. [Learn more](#)

☐ Use Conditional Access App Control

☒ Sign-in frequency

Periodic reauthentication

☒ Every time

☐ Persistent browser session

☐ Customize continuous access evaluation

☐ Disable resilience defaults

Activate - Virtual Machine Contributor

Privileged Identity Management | Azure resources

A Conditional Access policy is enabled and may require additional verification. Click to continue

Roles Activate Scope Status

☐ Custom activation start time

Duration (hours)

Reason (max 500 characters) *

Activate Cancel

Comparision of mitigation options

	Device Compliance + Block Device Code	Token Protection	Compliant Network + Universal CAE	Continuous Access Evaluation	Authentication Context
Device Platform	All	Windows	Windows	All	All
Client Type	All	Desktop apps	All	Supported Client apps	Supported apps to handle claim challenge
Client Apps/ Resource Provider	All	Exchange Online and SharePoint Online	All, Private Access not supported (GSA)	Supported RP	Need implementation of Auth Context
Protection Level	Enforces to use PRT to satisfy Device Identity and blocks „ phishing “ PRT by Device Code Flow	Enforces to use Token Broker and binding session key from (hardware) cryptographic provider on RT	Blocks to use RT to gain/renew AT outside of network , CAE trigger to block GSA access	Trigger allows to enforce user to re-evaluate Conditional Access for issued AT	Enforce CA policy (e.g., re-authenticate user) on sensitive actions or requests for AT
Requirements	Microsoft Intune	Device Registration, Hybrid Joined- or Entra-Joined Device, P2 License	Global Secure Access, GSA Client >v1.8.239.0	Support of client and resource provider by implementing MSAL	Implementation on client-side and resource provider



Detection and hunting of token replay/theft

Richness of token details in sign-in logs

☐ TimeGenerated [UTC] ↑↓	SessionId	IncomingTokenType	TokenProtection...	AppDisplayName	ResourceDisplayName	ClientAppUsed
☐ > 3/8/2025, 1:41:55.676 PM	001eb379-5b08...	primaryRefreshToken	bound	Windows Sign In	Windows Azure Active Directory	Mobile Apps and Desktop
☐ > 3/8/2025, 1:41:55.692 PM	001eb379-5b08...	refreshToken	bound	Microsoft Application Comman...	Microsoft Device Directory Serv...	Mobile Apps and Desktop
☐ > 3/8/2025, 1:41:56.608 PM	001eb379-5b08...	primaryRefreshToken	bound	Microsoft Authentication Broker	Microsoft Graph	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:06.291 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	IrisSelectionFrontDoor	Browser
☐ > 3/8/2025, 1:42:06.613 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	Microsoft Graph	Browser
☐ > 3/8/2025, 1:42:07.830 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	Marketplace Extensions Runtime	Browser
☐ > 3/8/2025, 1:42:10.192 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	Marketplace Extensions Runtime	Browser
☐ > 3/8/2025, 1:42:15.205 PM	001eb379-5b08...	primaryRefreshToken	bound	Microsoft Teams	Skype Presence Service	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:16.049 PM	001eb379-5b08...	primaryRefreshToken	bound	Microsoft Teams	Office 365 SharePoint Online	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:26.497 PM	001eb379-5b08...	primaryRefreshToken	bound	Microsoft Edge	Edge Sync	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:28.614 PM	001eb379-5b08...	primaryRefreshToken	bound	Microsoft Teams	IC3 Gateway	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:33.741 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	Office 365 Exchange Online	Browser
☐ > 3/8/2025, 1:42:34.200 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	Office 365 Exchange Online	Browser
☐ > 3/8/2025, 1:42:38.264 PM	001eb379-5b08...	primaryRefreshToken	bound	Windows Insider Program	Windows Azure Active Directory	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:38.809 PM	001eb379-5b08...	none	unbound	Microsoft Teams Services	Microsoft 365 App Catalog Ser...	Browser
☐ > 3/8/2025, 1:42:40.788 PM	001eb379-5b08...	primaryRefreshToken	bound	Microsoft Teams	Microsoft Teams Services	Mobile Apps and Desktop
☐ > 3/8/2025, 1:42:43.226 PM	001eb379-5b08...	primaryRefreshToken	bound	ZTNA Network Access Client -- ...	Privileged Quick Access	Mobile Apps and Desktop

Signals in Microsoft Entra ID Protection

Risk Detection Details

 User's risk report  User's sign-ins  User's risky sign-ins  Linked risky sign-in

Detection type	Suspicious inbox manipulation rules ⓘ
Risk state	Remediated
Risk level	High
Risk detail	User performed secured password reset
Attack type(s)	Email Collection/Hide Artifacts, Email Collection/Hide Artifacts
Source	Microsoft Defender for Cloud Apps
Detection timing	Offline
Activity	Sign-in
Detection time	3/4/2025, 7:43 AM
Detection last updated	3/5/2025, 6:07 AM
Token issuer type	Microsoft Entra ID
Additional info	Click here for more details ⓘ
Sign-in time	3/4/2025, 7:28 AM
IP address	20.174.35.176
Sign-in location	Dubayy, Dubayy, AE
Sign-in client	
Sign-in request id	556c919f-ec53-4c2f-b40e-84c9cfb00500
Sign-in correlation id	482087a1-00b1-b000-ebfb-cf1868f2895d

Risk Detections:

- Anomalous token (offline detection)
- Attempted access of PRT (by MDE)
- Unfamiliar sign-in properties
- Unfamiliar sign-in
- Post-Authentication activity from MDA

Automated Response:

Risk-based CA policies to enforce re-authentication of affected users, Trigger for CAE

Source: [Detecting token theft in real-time and post-breach](#)



Signals in Microsoft Entra ID Protection

Token theft related detections

With a recent update to our detection architecture we no longer autoremediate sessions with MFA claims when a token theft related or the Microsoft Threat Intelligence Center (MSTIC) Nation State IP detection triggers during sign-in.

The following ID Protection detections that identify suspicious token activity or the MSTIC Nation State IP detection are no longer auto-remediated:

- Microsoft Entra threat intelligence
- Anomalous token
- Attacker in the Middle
- MSTIC Nation State IP
- Token issuer anomaly

Resolve RequestId to Session ID

```
union SigninLogs, AADNonInteractiveUserSignInLogs
| where TimeGenerated >ago(365d)
| where SessionId == "002e6ae9-7103-62ef-69ef-abbf8777c103"
| project CreatedDateTime, SessionId, AppDisplayName, ResourceDisplayName, OriginalRequestId, ResultType, ResultDescription, UniqueTokenIdentifier
```

CreatedDateTim... ↑↓	SessionId	AppDisplayName	ResourceDisplayName	OriginalRequestId ...	Result...	UniqueTokenIdentifier
> 3/4/2025, 6:25:28....	002e6ae9-7103-6...	OfficeHome	OfficeHome	fc4ca712-5b6c-4564...	0	EqdM_GxbZEWp5JHx7-0FAA
> 3/4/2025, 6:25:29....	002e6ae9-7103-6...	OfficeHome	OfficeHome	f2a40bf0-e0ab-4cce...	0	8Auk8qvgzkyazXb6_moGAA
> 3/4/2025, 6:25:29....	002e6ae9-7103-6...	OfficeHome	O365 Suite UX	0bfdd39b-6aca-4f60...	0	m9P9C8pqYE-heHw_cPcEAA
> 3/4/2025, 6:25:29....	002e6ae9-7103-6...	OfficeHome	Olympus	59e82d86-cfe8-491...	0	hi3oWejPF0mtUnvitpY8AA
> 3/4/2025, 6:25:30....	002e6ae9-7103-6...	Olympus	OCaaS Client Interaction Service	00a4b17a-6978-45e...	0	erGkAHhp5UWtvf8a7zoHAA
> 3/4/2025, 6:25:36....	002e6ae9-7103-6...	OfficeHome	OfficeHome	aea775af-3889-4957...	0	r3Wnrok4V0mylbl4cElGAA
> 3/4/2025, 6:25:38....	002e6ae9-7103-6...	OfficeHome	Microsoft 365 App Catalog Ser...	f4dd18f4-2925-4bfe...	0	9Bjd9CUUp_kuHMB0D6iAHAA
> 3/4/2025, 6:28:22....	002e6ae9-7103-6...	SharePoint Online Web Client E...	OCaaS Client Interaction Service	b8a418a2-f857-4e8...	0	ohikuFf4jU6GyhSDvtYGAA
> 3/4/2025, 6:28:23....	002e6ae9-7103-6...	SharePoint Online Web Client E...	OCaaS Client Interaction Service	610a1f42-d3c2-418f...	0	Qh8KYcLTj0GMLUVrwp4GAA
> 3/4/2025, 6:28:24....	002e6ae9-7103-6...	Office365 Shell WCSS-Client	Office365 Shell WCSS-Server	70bfa5ec-05eb-4b1...	0	7KW_cOsFE0uXAQv3Kz8_AA
> 3/4/2025, 6:28:25....	002e6ae9-7103-6...	Office365 Shell WCSS-Client	Microsoft Graph	71cab544-1e92-4e8...	0	RLXKcZlejE6v9cJP-rsFAA
> 3/4/2025, 6:28:46....	002e6ae9-7103-6...	Office 365 SharePoint Online	Media Analysis and Transforma...	556c919f-ec53-4c2f...	0	n5FsVVPsL0y0DoTJz7AFAA

Sign-in, alert and activity log mapping

Correlation XDR/SIEM Incident to suspicious sign-in

SecurityAlert

cloud-logon-request
cloud-logon-session

SignInLogs
AADNonInteractive
UserSignInLogs

Correlation of token/session to activity

UserId
DeviceId
URL,
UniqueTokenId*

UniqueToken
Identifier

NetworkAccessTraffic

AzureActivity

EnrichedMicrosoft365AuditLogs

MicrosoftGraphActivityLogs

CloudAppEvents

Microsoft Azure

Microsoft Exchange Online

Microsoft SharePoint, OneDrive & Teams**

SessionId

* limited to traffic for Entra ID token endpoint

** limited to specific ActionTypes of M365 workloads

Hunting of activity outside of GSA/CloudShell


```
98 // sensitive Operations outside of GSA
99 | where OutsideOfGsa == true
100 | mv-expand parse_json(Operations) | where Operations.IsSensitive == "true" | project-reorder Operations
101 | project Operations.TimeGenerated, OutsideOfGsa, IsTokenCAE, AppDisplayName, Operations.OperationNameValue, IsSensitive = Operations.IsSensitive, GsaCaStatus,
    SignInIpAddress, ActivityIpAddress
102 | sort by tostring(Operations_TimeGenerated)
```

Results									
Add bookmark									
☐	Operations_TimeGenerated	OutsideOfGsa	IsTokenCAE	AppDisplayName	Operations_OperationNameValue	IsSensitive	GsaCaStatus	SignInIp...	Act
☐	> 2024-09-21T11:25:19.0180000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:25:15.0950000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:52.7260000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:52.5070000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:52.4120000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:52.1780000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:52.1240000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:51.8900000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:51.8110000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:51.5610000Z	true	False	AzurePortal Console App	Microsoft.Storage/storageAccounts/listKeys/action	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:45.8760000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:24:33.4380000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:17:09.1900000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:17:04.5970000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5
☐	> 2024-09-21T11:03:14.3910000Z	true	False	AzurePortal Console App	Microsoft.Authorization/roleAssignmentScheduleRequests/write	true	notApplied	93.236.130.38	5

7s 771ms | Display time (UTC+00:00) ▾

Query details | 1 - 15 of 16

Detection and mitigation capabilities





Bitte gebt uns euer Feedback!

Feedback geben und Geschenk mitnehmen

Vielen Dank!