
[LAB_03]

SEV-2: Find the Error in the Logs

AWS Day 2 Operations & Troubleshooting · NorthBank



NotebookLM

INC-8492: Intermittent Transfer Failures

Priority: SEV-2 | Reporter: Marco (App Team) | Component: Application | Status: OPEN

Description


Some transfers fail intermittently. All we have is application logs.

NotebookLM


```
$ cd labs/03-logs-insights
# Note: no exports needed
$ ./break.sh
> Generating log traffic...
> Success: Seeding ~60 log lines.
> Injecting faults: ~9 failures registered on
/transfer endpoint.
> Environment ready.
```

Simulates the exact conditions of the SEV-2 ticket.

NotebookLM


Log Group
(The App)
Log Stream
(Individual Instances)
Log Stream
(Individual Instances)
Log Stream
(Individual Instances)
Logs Insights
The Engine: SQL-like queries capable of scanning millions of lines across all streams simultaneously.

NotebookLM


Data Reduction
Query Millions of Lines (Baseline)
Count by Status (Identify Anomalies)
Filter & Group by Endpoint
(Isolate the Fault)
Read the Error Field
(Root Cause)


NotebookLM

Step 1: Identify Anomalies

Query Editor

```
fields @timestamp, status
| stats count() by status
```

Query Results: Status Distribution



NotebookLM

Steps 2 & 3: Isolate the Fault


Query Editor

```
filter status >= 500
| stats count() by endpoint
```

Query Results: Isolated Faults

Endpoint	Count
/transfer	9

NotebookLM



Root Cause Identified: Database connection timeouts on the transfer endpoint.

NotebookLM

Day-2 Operations: Automate the Fix



NotebookLM

	CloudWatch Alarms	CloudWatch Logs (Insights)
Primary Function	Tells you **THAT** it broke.	Tells you **WHY** it broke.
Output	Instant trigger / Notification	Deep-dive querying / Funnel analysis
Analogy	The “Check Engine Light”	The “Mechanic’s Diagnostic Tool”

NotebookLM

Once you know the pattern, make it self-reporting.

AWS Day 2 Operations · Lab 03 Complete

NotebookLM