## Scan Report (150 issues)

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/D ockerfile#L11	Ensure use 'USER' before 'CMD' or 'ENTRYP OINT' your application	1 day	high	c2e1809633b39ebd 450294a326d7172 bdf43e86c6cbde72f 775b50f6b632d0a8
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/D ockerfile#L1	Ensure 'HEA LTHCHECK' is set	1 day	informational	cda506e7f4790386 0de3b5483c971e58 f0f850a6ac3536871 aff8cc2a015ce46
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L89	Ensure Kubernetes Secrets are encrypted using Customer Master Keys (CMKs) managed in AWS KMS	1 day	high	80b509ad1627262 2cdce55d2bd6d834 805a56bc8be2ecd3 7f00ae65316b68eb f
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L52	Remove Unused Security Groups	1 day	low	a13e65df59dffb0ef a2a1fdd213510441 52b58130fec5e381 a06acb7251e3c2d
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L67	Remove Unused Security Groups	1 day	low	71ef340cb6d6a4cb 0a3a1af6a3419e76 051f7eb40b074784 b0b335c465fc220f
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L5	Ensure a support role has been created to manage incidents with AWS Support	1 day	low	507804c3c1e2a344 8c1749cb300d7922 448b70988bf39ee6 a9a9fa57063f18f2

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L5	Ensure VPC Flow Logging is Enabled in all Applicable Regions	1 day	low	1b4ba788fe019550 0a06d736b6cb43ec b706aac0623ae741 3a9e70477b6f96b7
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L89	EksCluster should not be publicly access	1 day	critical	8248ca95d61b1346 8c2f5d265494d8a1 77a38f70cf72f6a6c b1f8867d69ad87c
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L89	EksCluster should not be publicly access	1 day	critical	8248ca95d61b1346 8c2f5d265494d8a1 77a38f70cf72f6a6c b1f8867d69ad87c
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L18	Ensure AWS VPC subnets have automatic public IP assignment disabled	1 day	critical	3858811fd2d4352c b8ad7146f548d093 8e23c6df12b9c49d 0510eca207be3c91
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L5	Ensure VPC flow logging is enabled in all VPCs	1 day	low	cb001c3b1c0f6b82 d4ecf1e20c3c6951 e279f10611bea427 d5aa7ab89bb587ec
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L74	Restrict outbound traffic to that which is necessary, and specifically deny all other traffic	1 day	medium	f68fd33cfd86ce8b6 53ed77d3362b7cb5 5ced199f051b0d31 3d891f7a8662761
github.com	github.com/s wastik7777/fu	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c	Security group ingress	1 day	high	7ab2a38814a16fd8 50573111b765d13

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
	llstack-bloggi ng-app			157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L74	expose an unknown port to the entire internet			90f3b684b7a20969 780c84e084ea8408 3
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	A sensitive port exposed for high network range	1 day	high	368fcfd1fa3720b8b 72e23479baa4b60 8fedea37ec6d1f850 1d96f45e388b8aa
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L52	Missing description for Security Group rules	1 day	informational	6de5859a259e893f f1b300708ecedb2e d8b4adf1394e6040 cc35205588c11c07
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L67	Missing description for Security Group rules	1 day	informational	8b0c596509b182ef 3e762cc49f1d7f2ba 4bba4e8f03364f89c 3001abd7ea51b0
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L77	Missing description for Security Group rules	1 day	informational	ff4e08e6553566a5 353bb69bf8daa700 5ee1384fcd8dfd3ec 8e43ca99f75a436
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L55	Missing description for Security Group rules	1 day	informational	5edbec2d24a7bd79 e8966283f60b9fbec 2f94284975c9382a a1072614450a859
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L70	Missing description for Security Group rules	1 day	informational	1a615a11dd45ae4 bbb1d6398420650 58cab30fa718416f1 46c9ef9070731ea6 a
github.com	github.com/s wastik7777/fu llstack-bloggi	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E		1 day	informational	fcbfb9b5a619a5629 67a494d427c225b2 6560068d9a9e06c6

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
	ng-app			KS_Terraform/main.tf#L84				533f12abb11e154
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L41		1 day	informational	ac80787e0f48d892 c76bab3d2e7e8f7a 189ee63b7777d7d a748e078d58d4b1 24
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L28	Missing tags for resource	1 day	informational	a3d26b929151343 d1751dfe744bcf1b4 3008ec8e308fe655 344dcc24c90ad0c2
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L62		1 day	informational	f9b009fc57c6bf0d5 c41a81be2be2a39e 544cb3802d3db0ae 2f12600d6946d9a
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L8		1 day	informational	2bb3203488712c1a cf23b08e52b1c043 74b6b093e449a0cb 94e89b7a6f57faa5
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L20		1 day	informational	0963a53dccd68c35 e5402d282598d7df 8f960375356aecc7 ef56c6c7be4ad003
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L89		1 day	informational	f1d7c7e2846fdc39a 2897e269f455a800 6cbc368d80723dfd 0be73c163dd3d12
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L99	Missing tags for resource	1 day	informational	649bfcbd8e6c8660 1d86c3d3de16b80c 5e7c429986917c05 3aa1dd9500c782e2
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L119		1 day	informational	82263df7b8d51c4e 8149d182743f246d e541b7a93f49546b 0e28f7570d06249a

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L143	Missing tags for resource	1 day	informational	f0abe45057fb5bbb aadc20c8c90af673 3d41bbde2c31176a a8bdb0fee5141cd8
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/E KS_Terraform/main.tf#L89	Ensure that AWS EKS Cluster control plane logging is enabled	1 day	low	342075d6b5509cf5f 3beeac28040243f3 c45626b02e51f75cf 6af4ab23c5715f
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L5	Ensure Object Have An Owner Label	1 day	informational	e4f4ef4bd2798616 a011de84610922fd 62e13449de98890 940223e18058ac99 b
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L5	Ensure that the default namespace is not used	1 day	informational	3b149e9a8835f9c3 81de6ccb300dea92 5b0bd55ef5e3e603 ab951a49aea7651 8
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L15	Ensure that Service Account Tokens are only mounted where necessary (RBAC)	1 day	low	8f4cf7b138685e8bc eb032224d1be241 0a05e64bc5b04e16 b960344b8a4bd0c7
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L12	Policy - Seccomp profile missing	1 day	medium	f8800c45ccba85fa7 8ffa04cdc63d6436d eb1b43353dcd1218 248697d21db898
github.com	github.com/s wastik7777/fu llstack-bloggi	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k	Pod / Container - no security	1 day	informational	52ba01108971928 53778e780e2bf123 ae9a3812576d1d3c

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
	ng-app			8s/deployment-service.yaml#L17	context			a568212a9018fcb7
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L17	Container - no drop capabilities in security context	1 day	informational	f77aa24cc6fd37161 473d9db560f6d087 a6ea64b2bad154f9 6ee63a0fa37eb51
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L17	Pod - liveness probe not set	1 day	medium	5331e411af2ba151 b17d8274932d261f 851947206ae6c87f 47d1998577dd9dc2
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L8	Deployment - missing Pod DisruptionBu dget	1 day	informational	9e7a671392dee06 3f86b48f1e229465 ddf6d34e61ff5ac3c 1707511c5a796f1b
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L17	Should set CPU requests	1 day	medium	52ba01108971928 53778e780e2bf123 ae9a3812576d1d3c a568212a9018fcb7 8
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/deployment-service.yaml#L17	Should set CPU limits	1 day	medium	52ba01108971928 53778e780e2bf123 ae9a3812576d1d3c a568212a9018fcb7 8
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/service.yaml#L4	Ensure Object Have An Owner Label	1 day	informational	7b3f0c680c4a8e46 8cfa7f7c333d00a44 04c006f4d4cb5c70 5eee11765eba604
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/service.yaml#L12	Ensure Services not use NodePort or LoadBalan cer as type	1 day	high	e1b7c8cda0173975 87b190bffd381743 853aaa65147c3114 7acb12a5ba978f10

Source	Asset	Team	Asset Type	URI	Description	Exposure window	Severity	Fingerprint
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/service.yaml#L4	Ensure that the default namespace is not used	1 day	informational	793b9fc242abf41fc 08e4b4151950248 59265d56b427fc7bf a5fb323147618f4
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/service.yaml#L4	Service - has external load balancer attached	1 day	medium	793b9fc242abf41fc 08e4b4151950248 59265d56b427fc7bf a5fb323147618f4
github.com	github.com/s wastik7777/fu llstack-bloggi ng-app	student	git	https://github.com/swastik7777/FullSt ack-Blogging-App/blob/b0505af3182c 157ece93bbb7a303627d7894b8bb/k 8s/service.yaml#L6	Service - not targeting a pod	1 day	informational	9275c0624131edc8 9fa255d5f10b95ff8 d39f318037d1ce4cf bc10ded899f5c6