

SAILOR MOON [PUBLIC and ADMIN] WEBSITE

Ilaw, Kurt Ivan D. | BSCS 2nd Year

System Documentation
Final Submission

Subject: CS / IT ELECT 1
Academic Year: 2025 – 2026

Sailor Moon © Naoko Takeuchi

Table of Contents

1	System Overview	3
1.1	Project Folder Structure	3
2	Database Schema	4
2.1	Table Descriptions	4–8
3	CRUD Implementation	9
3.1	Image Path Convention	10
3.2	Code Sample — Insert Character	10
4	Search Feature	11
4.1	Admin Search	11
4.2	Public Search	11
5	Login System	12
5.1	Admin Login Flow	12
5.2	Session Guard	12
5.3	Admin Account Management	13
6	Dynamic Content Display	13
6.1	How Admin Edits Flow to Public Pages	14
7	Dynamic Features Summary	14
8	Screenshots Placeholder	15

1. System Overview

Website Topic	Sailor Moon — Magical Girl Anime Fan Website
Purpose	A dynamic fan website that stores and displays information about the Sailor Moon anime series, including character profiles, story highlights, a media gallery, and a contact system.
Target Audience	Sailor Moon fans worldwide — both new viewers and longtime followers of the series.
Tech Stack	HTML, CSS3, JavaScript (Frontend) PHP 8 (Backend) MySQL / phpMyAdmin (Database) XAMPP (Local Server)
Admin Access	Secured admin panel with login authentication for full CRUD management of all website content.
Public Access	Fan-facing public pages that dynamically display database content — no static HTML files.

1.1 Project Folder Structure

The project lives inside `htdocs/sailormoon_organize/`. Below is the complete directory layout as deployed:

Folder / File	Purpose
<code>sailormoon_organize/</code>	Root project folder inside <code>htdocs/</code>
<code>sailormoon_organize/admin/</code>	All admin backend PHP pages (add, edit, delete, highlights, media, messages, search, admin_management, logout)
<code>sailormoon_organize/public/</code>	All public-facing PHP pages (login, register, public_home, public_overview, public_highlights, public_media, public_contact)
<code>sailormoon_organize/includes/</code>	Shared PHP files: <code>conn.php</code> , <code>session.php</code> , <code>header.php</code>
<code>sailormoon_organize/css/</code>	Separated CSS files: <code>admin.css</code> , <code>login.css</code> , <code>public-shared.css</code> , <code>public-home.css</code> , <code>public-overview.css</code> , <code>public-highlights.css</code> , <code>public-media.css</code> , <code>public-contact.css</code>
<code>sailormoon_organize/assets/profiles/</code>	Character profile images (<code>moon.png</code> , <code>mercury.png</code> , <code>mars.png</code> , etc.)
<code>sailormoon_organize/assets/highlights/</code>	Highlight images and GIFs (<code>firstTransformation.gif</code> , <code>meeting.jpg</code> , <code>princess.jpeg</code> , etc.)
<code>sailormoon_organize/assets/media/</code>	Gallery GIFs (<code>transformation.gif</code> , <code>group.gif</code> , <code>chibiusa.gif</code> , <code>outer_senshi.gif</code> , etc.)
<code>includes/conn.php</code>	Database connection — shared by all pages. Defines <code>\$conn</code> and all table name variables.

Folder / File	Purpose
<code>includes/session.php</code>	Session guard — blocks non-admin access, redirects to login.php.
<code>includes/header.php</code>	Shared admin header with sticky nav, loads admin.css, Bootstrap, Font Awesome.

2. Database Schema

Database Name: sailormoon_db | **Engine:** InnoDB | **Charset:** utf8mb4 | **Total Tables:** 8

Table 1: admin_users — Admin backend login credentials

Field Name	Data Type	Constraint	Description
admin_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique admin ID
username	VARCHAR(100)	NOT NULL, UNIQUE	Admin login username
email	VARCHAR(255)	NOT NULL, UNIQUE	Admin email address
password_hash	VARCHAR(255)	NOT NULL	SHA-256 hashed password
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Account creation date
last_login	DATETIME	DEFAULT NULL	Timestamp of last login

Table 2: users — Public fan user accounts

Field Name	Data Type	Constraint	Description
user_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique user ID
username	VARCHAR(100)	NOT NULL, UNIQUE	Fan login username
email	VARCHAR(255)	NOT NULL, UNIQUE	Fan email address
password_hash	VARCHAR(255)	NOT NULL	SHA-256 hashed password
first_name	VARCHAR(100)		User first name
last_name	VARCHAR(100)		User last name
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Registration date
last_login	DATETIME	DEFAULT NULL	Last login timestamp
is_active	TINYINT(1)	DEFAULT 1	1=active, 0=disabled

Table 3: characters — Sailor Scout profile data

Field Name	Data Type	Constraint	Description
character_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique character ID
slug	VARCHAR(50)	NOT NULL, UNIQUE	Short key e.g. "moon", "mars"
name	VARCHAR(100)	NOT NULL	Full Sailor Scout name
origin_text	TEXT		Background / origin paragraph
planet	VARCHAR(100)		Guardian planet
weapon	VARCHAR(150)		Primary weapon or tool
element	VARCHAR(100)		Element / power type
color	VARCHAR(100)		Signature color scheme
image_path	VARCHAR(255)		Path to character image file (e.g. ../assets/profiles/moon.png)
display_order	INT	DEFAULT 0	Sort order on Overview page
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Record creation timestamp

Table 4: character_abilities — One-to-many with characters

Field Name	Data Type	Constraint	Description
ability_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique ability ID
character_id	INT	FOREIGN KEY → characters (CASCADE DELETE)	Links ability to a character
ability_name	VARCHAR(255)	NOT NULL	Name of the ability / attack
display_order	INT	DEFAULT 0	Order listed in profile

Table 5: highlights — Highlight cards on Highlights page

Field Name	Data Type	Constraint	Description
highlight_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique highlight ID
title	VARCHAR(255)	NOT NULL	Highlight card title
description	TEXT		Card description text
image_path	VARCHAR(255)		Path to image / GIF (e.g. ../assets/highlights/meeting.jpg)
display_order	INT	DEFAULT 0	Display order on page
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Record creation timestamp

Table 6: gallery_media — Media gallery images

Field Name	Data Type	Constraint	Description
media_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique media ID
caption	VARCHAR(255)		Image caption text
image_path	VARCHAR(255)	NOT NULL	Path to image / GIF (e.g. ../assets/media/transformation.gif)
display_order	INT	DEFAULT 0	Display order in gallery
created_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Record creation timestamp

Table 7: contact_messages — Contact form submissions

Field Name	Data Type	Constraint	Description
message_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique message ID
name	VARCHAR(150)	NOT NULL	Sender full name
email	VARCHAR(255)	NOT NULL	Sender email address
subject	VARCHAR(255)	NOT NULL	Message subject
message	TEXT	NOT NULL	Full message body
submitted_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Submission timestamp
is_read	TINYINT(1)	DEFAULT 0	0=unread, 1=read by admin

Table 8: newsletter_subscribers — Newsletter email list

Field Name	Data Type	Constraint	Description
subscriber_id	INT	PRIMARY KEY, AUTO_INCREMENT	Unique subscriber ID
email	VARCHAR(255)	NOT NULL, UNIQUE	Subscriber email address
subscribed_at	DATETIME	DEFAULT CURRENT_TIMESTAMP	Date and time subscribed
is_active	TINYINT(1)	DEFAULT 1	1=active, 0=unsubscribed

3. CRUD Implementation

The system implements full CRUD (Create, Read, Update, Delete) operations on the **characters**, **highlights**, and **gallery_media** tables. All operations are performed through the admin panel after a successful login and are immediately reflected on the public-facing website.

Operation	Admin File	SQL Action	Description
CREATE	admin/add.php	INSERT INTO characters	Admin fills a form with name, planet, element, weapon, color, origin, abilities, and image path. Record is inserted into characters; abilities go into character_abilities.
READ	admin/index.php	SELECT * FROM characters	Dashboard fetches all characters and displays them in a styled table with Edit and Delete buttons.
UPDATE	admin/edit.php	UPDATE characters SET ...	Edit page pre-fills a form with existing values. On submit it runs UPDATE and replaces all character_abilities for that character.
DELETE	admin/delete.php	DELETE FROM characters	Confirmation prompt shown. On confirm, character is deleted. FOREIGN KEY CASCADE automatically deletes all related abilities.
CREATE	admin/highlights.php	INSERT INTO highlights	Admin adds a new highlight card with title, description, image path, and display order.
UPDATE	admin/highlights.php	UPDATE highlights SET ...	Inline edit form on same page. Admin clicks Edit, form pre-fills, submits to update.
DELETE	admin/highlights.php	DELETE FROM highlights	Delete button with confirm prompt removes the highlight record.
CREATE	admin/media.php	INSERT INTO gallery_media	Admin adds new gallery item with caption, image path, and display order.
UPDATE	admin/media.php	UPDATE gallery_media SET ..	Inline edit on same page updates caption, image path, and order.
DELETE	admin/media.php	DELETE FROM gallery_media	Removes the media record from the database.

3.1 Image Path Convention

Since all public PHP pages live in the **public/** subfolder and admin pages in **admin/**, image paths stored in the database use a **../assets/** prefix to navigate up one level to the project root. The correct path format for each table is:

- Characters: `../assets/profiles/moon.png`
- Highlights: `../assets/highlights/firstTransformation.gif`
- Gallery Media: `../assets/media/transformation.gif`

3.2 Code Sample — Insert Character (admin/add.php)

```
$sql = "INSERT INTO characters
(slug, name, origin_text, planet, weapon, element, color, image_path, display_order)
VALUES
('$slug','$name','$origin','$planet','$weapon','$element','$color','$image',$ order)
";

if (mysqli_query($conn, $sql)) {
    $char_id = mysqli_insert_id($conn);
    $abilities = array_filter(array_map('trim', explode("\n", $_POST['abilities'])));
    foreach ($abilities as $i => $ab) {
        $ab = mysqli_real_escape_string($conn, $ab);
        mysqli_query($conn, "INSERT INTO character_abilities
(character_id, ability_name, display_order)
VALUES ($char_id, '$ab', ".$i+1.")");
    }
    $_SESSION['status'] = "Character added successfully!";
    header('Location: index.php'); exit;
}
```

4. Search Feature

The search feature allows both admin users and public visitors to search for Sailor Scout characters using keywords. Queries run across multiple fields simultaneously using SQL LIKE operators.

4.1 Admin Search (admin/search.php)

The admin search page queries all character fields and returns results with Edit and Delete action buttons.

```
$key = mysqli_real_escape_string($conn, trim($_POST['key']));  
$query = mysqli_query($conn, "  
SELECT * FROM characters  
WHERE name LIKE '%$key%'  
OR planet LIKE '%$key%'  
OR element LIKE '%$key%'  
OR weapon LIKE '%$key%'  
OR color LIKE '%$key%'  
OR origin_text LIKE '%$key%'  
ORDER BY display_order ASC  
");
```

4.2 Public Search (public/public_overview.php)

The public Overview page includes a search bar that fans can use to find characters. Results display in a clean table below the search bar.

Feature	Detail
Search Input	Text input field accepting any keyword
Fields Searched	name, planet, element, weapon (via LIKE %keyword%)
SQL Method	LIKE operator with % wildcards on both sides
Result Display	Table showing Name, Planet, Element, Weapon
No Results	Friendly "No characters found" message displayed
Clear Search	Navigating away or submitting empty resets results
Security	Input sanitized with mysqli_real_escape_string() before query

5. Login System

The system has a dedicated admin login. Admins access the backend via **public/login.php** which checks the **admin_users** table. Public users (stored in the **users** table) are registered in the database but the public user login page is separate from the admin panel.

Feature	Admin Login	Public User
Login File	public/login.php	public/user_login.php (separate)
Database Table	admin_users	users
Redirects To	admin/index.php	public/public_home.php
Session Key	\$_SESSION['admin_username']	\$_SESSION['user_username']
Can Access	Full admin dashboard + CRUD	Public pages only
Register Page	public/register.php — BLOCKED (shows Access Denied)	Separate registration page
Password Method	hash('sha256', \password)	hash('sha256', \password)

5.1 Admin Login Flow

- Admin visits **public/login.php** and enters username and password.
- PHP hashes the password using SHA-256 and queries the **admin_users** table.
- If a matching record is found, `$_SESSION['admin_username']` and `admin_id` are stored.
- Admin is redirected to **admin/index.php** (dashboard).
- `last_login` timestamp is updated in the database on successful login.
- On logout, `session_unset()` and `session_destroy()` are called, redirecting to login.php.

5.2 Session Guard (includes/session.php)

Every admin page includes session.php at the top to block unauthorized access:

```
<?php
session_start();
if (!isset($_SESSION['admin_username']))
{ header("Location: ../public/login.php");
  exit();
}
?>
```

5.3 Admin Account Management ([admin/admin_management.php](#))

New admin accounts can only be created from inside the dashboard. This page provides:

- **Add New Admin** — form with username, email, password, and confirm password.
- **Change Password** — dropdown to select any admin and set a new SHA-256-hashed password.
- **View All Admins** — table showing all accounts, created date, and last login.
- **Remove Admin** — delete button (protected: cannot delete your own active session account).
- **Public register.php is blocked** — shows an Access Denied page to anyone who visits it directly.

6. Dynamic Content Display

All public-facing pages are fully dynamic — they read content from the MySQL database on every page load. When an admin edits, adds, or deletes content, the public pages reflect the change instantly without any manual HTML file editing.

Public Page	Table(s) Used	Dynamic Content
public/public_home.php	characters, highlights, gallery_media	Live stat counts (total scouts, highlights, media items) and quick-link cards
public/public_overview.php	characters, character_abilities	Character selector buttons from DB, profile card data, abilities list, stats grid
public/public_highlights.php	highlights	All highlight cards with title, description, and image from DB
public/public_media.php	gallery_media	Full gallery grid with captions and images, click-to-enlarge lightbox
public/public_contact.php	contact_messages, newsletter_subscribers	Saves contact form submissions and newsletter signups to DB

6.1 How Admin Edits Flow to Public Pages

Step	Action	Result
1	Admin logs in at public/login.php	Session started, redirected to dashboard
2	Admin clicks "Edit" on a character	edit.php loads pre-filled form from DB
3	Admin changes name/image/abilities and submits	UPDATE SQL runs, character_abilities replaced
4	Public User visits public/public_overview.php	PHP queries SELECT from characters + character_abilities
5	Page renders	Public user sees the updated character instantly — no file editing needed

7. Dynamic Features Summary

Feature	Description	File(s)
Admin Login	Secure login checking admin_users table, SHA-256 password hashing, session storage, last_login update	public/login.php
Admin Registration	New admin accounts only from inside dashboard. Public register.php is blocked with Access Denied page.	admin/admin_management.php
Add Content	Admin can add characters (with abilities), highlights, and gallery media	admin/add.php, highlights.php, media.php
Display Content	All public pages pull live data from DB — no hardcoded HTML content anywhere	public/*.php
Edit Content	Admin can update any character, highlight, or media item	admin/edit.php, highlights.php, media.php
Delete Content	Admin can delete characters (CASCADE removes abilities), highlights, and media items	admin/delete.php, highlights.php, media.php
Search (Admin)	Search across all character fields: name, planet, element, weapon, color, origin_text	admin/search.php
Search (Public)	Public Overview page search bar for fans — queries name, planet, element, weapon	public/public_overview.php
Contact Form	Fan submits message → saved to contact_messages → admin reads and marks as read or deletes	public/public_contact.php, admin/messages.php
Newsletter	Fan submits email → saved to newsletter_subscribers with duplicate check	public/public_contact.php, public/public_home.php
Admin Management	View all admins, add new admin, change any password, remove admin accounts (cannot delete own account)	admin/admin_management.php
Session Protection	All admin pages protected by includes/session.php — redirects to login if not authenticated	includes/session.php
Image Paths	Images stored in assets/profiles/, assets/highlights/, assets/media/ — DB paths use ../assets/ prefix	conn.php, all admin forms


8. Screenshots of System Features

The following section documents each key screen of the Sailor Moon Fan Website system.

Screenshot 1: Login Page

<public/login.php>


Shows the pink-themed login card with moon logo, username/password fields, and Login button. Floating sparkle emojis animate in the background.



Screenshot 2: Admin Dashboard

<admin/index.php>

Shows stat cards (Characters, Highlights, Media, Unread Messages), the full characters table with Edit/Delete buttons, and the sticky navigation header.



Screenshot 3: Add Character

<admin/add.php>

Shows the Add Character form with all fields: Name, Slug, Planet, Element, Weapon, Color, Image Path, Origin textarea, and Abilities textarea (one per line).



Screenshot 4: Edit Character<admin/edit.php>

Shows the Edit Character form pre-filled with existing data. All fields editable including image path.

	NAME & PLANET	PLANET	ELEMENT & WEAPON	WEAPON & COLOR	ACTION	
2	Sailor Mercury	Mercury	Water & Ice	Mini Computer	Blue & Light Blue	Edit Delete
3	Sailor Mars	Mars	Fire & Passion	Ofuda Scrolls	Red & Purple	Edit Delete
4	Sailor Jupiter	Jupiter	Lightning & Wood	Physical Strength & Thunder	Green & Pink	Edit Delete
5	Sailor Venus	Venus	Love & Light	Love Chain	Orange & Yellow	Edit Delete

Screenshot 5: Search Characters<admin/search.php>

Shows the search bar and results table. Demonstrates searching by name, planet, element, weapon, color, or origin text.

Search Characters

[Search](#)
[X Clear](#)

Screenshot 6: Highlights Management<admin/highlights.php>

Shows the Add Highlight form at top and the All Highlights table below with image path, title, and Edit/Delete buttons.

Add Highlight

[Add Highlight](#)

All Highlights

ID	Title	Image Path	Order	Action
1	Planet Prison Planet	/assets/highlights/planet-prison.png	1	Edit Delete
2	Healing the Heartbreak	/assets/highlights/healing-the-heartbreak.png	2	Edit Delete
3	Protecting the Planet	/assets/highlights/protecting-the-planet.png	3	Edit Delete
4	Defending the Planet	/assets/highlights/defending-the-planet.png	4	Edit Delete
5	Unleashing the Power	/assets/highlights/unleashing-the-power.png	5	Edit Delete

Screenshot 7: Media Management<admin/media.php>

Shows the Add Media form and the gallery media table with captions, image paths, and Edit/Delete buttons.

Add Media

[Add Media](#)

Gallery Media

ID	Caption	Image Path	Order	Action
1	Sailor Moon Transformation	/assets/media/transformation.gif	1	Edit Delete

Screenshot 8: Messages & Subscribers

<admin/messages.php>

Shows the Newsletter Subscribers table and Contact Messages table — unread messages highlighted in pink.

Newsletter Subscribers		
Email	Subscribed	Status
test_newsletter@hotmail.com	May 25, 2026	Active
superfan@example.com	May 24, 2026	Active
moonfan123@example.com	May 24, 2026	Active
sailormoonlover@example.com	May 24, 2026	Active

Name	Email	Subject	Date	Status	Action
Test_contact1	Test_contact@gmail.com	Testing	May 25, 2026	Unread	Mark Read Delete

Screenshot 9: Admin Management

admin/admin_management.php

Shows Add New Admin form, Change Password form, and All Admin Accounts table with YOU badge on current user.

Add New Admin

Username:

Email:

Password:

Confirm Password:

Create Admin Account

Change Admin Password

Select Admin:

New Password:

Confirm New Password:

Update Password

Username	Email	Created	Last Login	Action
admin	admin@sailormoon.com	May 24, 2026	Never	Remove

Screenshot 10: Public Home Page

public/public_home.php

Shows the hero banner with moon icon and quote, live stat cards from DB, quick-link cards, and footer with newsletter signup.

Sailor Moon

"In the name of the moon, I will punish you!"

Welcome to the Sailor Moon Website

Sailor Moon is a classic mecha girl anime series created by Naoko Takeuchi that follows Usagi Tsukino, an ordinary teenage girl who transforms into Sailor Moon to protect the world from evil forces. Blending action, friendship, romance, and fantasy, the series has become a global icon known for its empowering themes and memorable characters.

11

7

13

5

Screenshot 11: Public Overview

public/public_overview.php

Shows character selector buttons from DB, search bar, and profile card with image, origin, abilities list, and stats grid.

Sailor Moon

Sailor Mercury

Sailor Mars

Sailor Jupiter

Sailor Venus

Sailor Chibi Moon

Sailor Uranus

Sailor Neptune

Sailor Pluto

Sailor Saturn

CHARACTER PROFILE

Origin & Background


Makoto Kino is a tall, strong girl who loves cooking and plants. As Sailor Jupiter, she controls lightning and plant-based attacks.

Character Abilities

Jupiter Power transformation

Screenshot 12: Public Highlightspublic/public_highlights.php


Shows the dynamic highlights grid with cards from database — each with image, title, and description.

**Screenshot 13: Public Media Gallery**public/public_media.php

Shows the gallery grid with images from DB. Clicking an image opens the lightbox overlay.

**Screenshot 14: Public Contact Page**public/public_contact.php

Shows the contact form with Name, Email, Subject, Message fields; info cards; and newsletter signup below.



Sailor Moon CRUD Website

System Documentation — Final Submission

Ilaw, Kurt Ivan D. | BSCS - 2nd Year

Built with PHP 8 + CSS + JavaScript + MySQL + XAMPP

Sailor Moon © Naoko Takeuchi | *Fan Website* © 2026