




IMPLEMENTATION ARCHITECTURE AND BUILD BOOK

Azure Monitor and Microsoft Purview Monitoring for Power Platform

Full IT Operations Version

Author: Frederick Pearson, Platform Engineering

Audience: IT Operations, Power Platform, Identity, Purview

Version: 1.0

Table of Contents

Azure Monitor and Microsoft Purview Monitoring for Power Platform

Document Control

Implementation Summary

Monitoring Requirements

- Azure Monitor operational requirements

- Microsoft Purview evidence requirements

- Entra External ID operational requirements

Target Architecture

- Logical architecture

- Data flow

Resource Naming and Placeholder Standards

Roles and Responsibilities

Azure Monitor Alert Catalogue

Azure Monitor Dashboard and Workbook Requirements

Appendix A - Azure Monitor Operational Build Book

- Prerequisites

- Create or validate the Azure resource group

- Create or validate the Log Analytics workspace

- Create or validate Application Insights

- Configure Power Platform export to Application Insights

- Configure an Azure Monitor action group

- Configure Azure Monitor alert rules

- Create the IT Operations workbook

Appendix B - Entra External ID Operational Monitoring Build Book

- Prerequisites

- Configure External ID diagnostics

Appendix C - Microsoft Purview Audit and Compliance Evidence Build Book

- Prerequisites

- Validate Purview audit access

- Enable Power Platform environment audit visibility in Purview

- Validate Power Platform admin logs in Purview

- Validate Power Apps and Dataverse audit records in Purview

- Define the evidence procedure

Appendix D - Operational Support Runbooks

- Power Pages availability failure

- Power Automate cloud flow failure spike

- Dataverse exception spike

- Entra External ID failed sign-in spike

- Telemetry ingestion gap

Appendix E - Validation Checklist

References

Azure Monitor and Microsoft Purview Monitoring for Power Platform

Document Control


Field	Value
Organization	Elections Canada
Document owner	Platform Engineering
Author	Frederick Pearson
Target implementation teams	IT Operations, Power Platform Administrators, Identity Operations, Purview/Compliance Administrators
Primary technologies	Azure Monitor, Log Analytics, Application Insights, Microsoft Purview, Entra External ID diagnostic settings
Primary workload scope	Power Pages, Power Apps, Dataverse, Power Automate, external user sign-in and registration telemetry

Implementation Summary

Elections Canada will use Azure Monitor as the operational monitoring layer for Power Platform environments and external-facing Power Pages sites. Azure Monitor will collect telemetry through Application Insights, store telemetry in Log Analytics, execute operational alert rules, notify IT Operations through action groups, and support IT Operations dashboards and support runbooks.

Elections Canada will use Microsoft Purview as the audit and compliance evidence layer for Power Platform. Purview will provide audit records for Power Platform admin activity, Power Apps activity, Dataverse/model-driven app activity, and compliance investigation support. Purview evidence will support operational investigations, compliance reviews, eDiscovery support, and evidence packages for incidents or service tickets.

Elections Canada will route Entra External ID diagnostics to Azure Monitor because Power Pages sites use Entra External ID for external user sign-in and registration. This will allow IT Operations and Identity Operations to validate the health and reliability of sign-in, registration, and identity diagnostics for external users.



Monitoring Requirements

Azure Monitor operational requirements

Elections Canada will implement Azure Monitor to monitor operational health and reliability for the following Power Platform workload areas:

- Power Pages availability and response behaviour.
- Power Automate cloud flow run failures.
- Power Automate trigger and action dependency failures.
- Dataverse and model-driven app diagnostics and performance telemetry.
- Canvas app client-side errors and application traces where telemetry is exported.
- Custom connector, API, gateway, and Azure dependency failures where those dependencies are visible in Application Insights.
- Telemetry ingestion health for Power Platform telemetry exports.
- Entra External ID sign-in and registration diagnostic log flow to Log Analytics.

Microsoft Purview evidence requirements

Elections Canada will implement Microsoft Purview audit and compliance evidence procedures for the following Power Platform workload areas:

- Power Platform tenant and environment administration activity.
- Power Apps activity and maker/user activity available in Purview audit.
- Dataverse and model-driven app activity where auditing is enabled and Purview can access the activity logs.
- DLP, compliance, retention, and eDiscovery support records where applicable.
- Evidence export, screenshot capture, and audit-search result preservation for support and investigation tickets.

Entra External ID operational requirements

Elections Canada will collect Entra External ID diagnostic logs into Log Analytics to support Power Pages external authentication monitoring. The operational monitoring implementation will include:

- Diagnostic settings in the external tenant.
- Log Analytics routing for sign-in and audit activity categories available in the tenant.
- Operational alerts for external authentication failure spikes.
- Operational alerts for registration-related issues and high-volume failure patterns where captured in available logs.
- Operational alerts for diagnostic ingestion gaps.

Target Architecture

Logical architecture

Power Platform operational telemetry will be exported into Application Insights. Application Insights will be connected to a Log Analytics workspace so IT Operations can use Azure Monitor Logs, KQL, alert rules, action groups, workbooks, and dashboard queries. Entra External ID diagnostic settings will route external identity diagnostics to the same or a dedicated Log Analytics workspace, depending on Elections Canada workspace segmentation policy.

Microsoft Purview will remain the audit and compliance evidence source for Power Platform activities that are captured by Purview audit. Purview will not be used as the operational telemetry platform. Azure Monitor will own operational alerts and dashboards. Purview will own audit search, compliance evidence, and retention/eDiscovery support.

Data flow

- Power Pages, Dataverse, Power Apps, and Power Automate telemetry flows to Application Insights through the Power Platform data export capability.
- Application Insights telemetry is queryable through Azure Monitor Logs / Log Analytics.
- Azure Monitor alert rules execute KQL or metric-based alerting logic against the Application Insights or workspace data.
- Azure Monitor action groups notify IT Operations destinations such as email distribution lists, Teams/webhook endpoints, ITSM integrations, or automation endpoints.

- Entra External ID diagnostic settings send identity diagnostics to Log Analytics.
- Power Platform audit records are made available in Microsoft Purview after environment auditing and Purview audit access settings are configured.
- Purview search and export results are attached as evidence to investigation records or operational tickets when audit evidence is required.

Resource Naming and Placeholder Standards

Resource names in the build book use placeholders. Implementers must replace placeholder values with approved Elections Canada names before deployment.

Artifact	Placeholder	Suggested production naming pattern
Azure subscription	<AZURE_SUBSCRIPTION_ID>	Existing approved Elections Canada Azure subscription
Azure resource group	<RESOURCE_GROUP_NAME>	rg-ec-pp-monitoring-prod-cac
Azure region	<AZURE_REGION>	canadacentral
Log Analytics workspace	<LOG_ANALYTICS_WORKSPACE_NAME>	law-ec-pp-monitoring-prod-cac
Application Insights resource	<APPLICATION_INSIGHTS_NAME>	appi-ec-pp-prod-cac
Azure Monitor action group	<ACTION_GROUP_NAME>	ag-ec-pp-itops-prod
Action group short name	<ACTION_GROUP_SHORT_NAME>	EC-PP-OPS
Power Platform production environment	<POWER_PLATFORM_ENVIRONMENT_NAME>	EC-PP-PROD
Power Platform environment ID	<POWER_PLATFORM_ENVIRONMENT_ID>	Environment GUID from Power Platform admin center
Power Platform export package	<POWER_PLATFORM_EXPORT_PACKAGE_NAME>	export-ec-pp-prod-to-appi
Entra External ID tenant	<EXTERNAL_ID_TENANT_ID>	External tenant GUID
Entra diagnostic setting	<ENTRA_DIAGNOSTIC_SETTING_NAME>	diag-ec-extid-to-law-prod
Evidence folder	<EVIDENCE_REPOSITORY_URL>	Approved SharePoint/records repository location

Roles and Responsibilities

Team	Implementation responsibility	Operational responsibility
IT Operations	Create or validate Log Analytics, Application Insights, Azure Monitor action groups, alert rules, workbooks, and operational validation.	Triage operational alerts, maintain thresholds, attach evidence to tickets, manage operational runbooks.
Power Platform Administrators	Configure Power Platform data export to Application Insights and validate environment-level telemetry.	Validate Power Platform environment telemetry and assist with flow/app/environment triage.
Identity Operations	Configure Entra External ID diagnostic routing to Log Analytics.	Triage external identity operational alerts and validate sign-in/registration flows.
Purview/Compliance Administrators	Configure Purview audit access, validate audit search, and define evidence export procedures.	Support audit/eDiscovery/compliance evidence requests and maintain role-based access to Purview evidence.
Security/SOC	Consume relevant telemetry from operational or audit sources when needed by security workflows.	Correlate with SIEM tooling under the separate security monitoring build books.

Azure Monitor Alert Catalogue

The following operational alerts are implemented for Power Platform monitoring. Thresholds are starting values and must be tuned through change control after baselining production activity.

Alert name	Severity	Workload	Purpose	Initial threshold
<ALERT_PP_POWERPAGE_AVAILABILITY_FAILURE>	Sev 2	Power Pages	Detect repeated availability test failures for external-facing sites.	Failed availability count >= 3 in 15 minutes
<ALERT_PP_POWERPAGE_RESPONSE_TIME_HIGH>	Sev 3	Power Pages	Detect sustained high page response time.	95th percentile duration > 5 seconds over 15 minutes
<ALERT_PP_FLOW_RUN_FAILURE_SPIKE>	Sev 2	Power Automate	Detect elevated failed cloud flow runs.	Failed requests >= 5 in 15 minutes
<ALERT_PP_FLOW_DEPENDENCY_FAILURE_SPIKE>	Sev 3	Power Automate	Detect trigger/action connector or dependency failures.	Failed dependencies >= 10 in 15 minutes
<ALERT_PP_DATAVERSE_EXCEPTION_SPIKE>	Sev 2	Dataverse / model-driven apps	Detect application exception spikes.	Exceptions >= 5 in 15 minutes
<ALERT_PP_CONNECTOR_DEPENDENCY_FAILURE>	Sev 3	Connectors / APIs	Detect failed downstream calls or gateway/API dependencies.	Failed dependencies >= 10 in 15 minutes
<ALERT_PP_TELEMETRY_INGESTION_GAP>	Sev 2	Monitoring pipeline	Detect missing telemetry from the production environment.	No telemetry for 60 minutes during expected production hours
<ALERT_EXTID_FAILED_SIGNIN_SPIKE>	Sev 2	Entra External ID	Detect spikes in external user authentication failures.	Failed sign-ins >= 20 in 15 minutes
<ALERT_EXTID_AUDIT_ACTIVITY_SPIKE>	Sev 3	Entra External ID	Detect unusual spikes in external identity audit activity.	Audit events >= 50 in 15 minutes
<ALERT_EXTID_DIAGNOSTIC_INGESTION_GAP>	Sev 2	External identity monitoring	Detect missing external tenant diagnostic logs.	No sign-in/audit logs for 60 minutes during expected activity window

Azure Monitor Dashboard and Workbook Requirements

Elections Canada will implement an Azure Monitor workbook for IT Operations. The workbook will include:

- Power Platform environment selection by <POWER_PLATFORM_ENVIRONMENT_ID> .
- Power Pages availability and response time trend.
- Power Automate failed request trend.
- Power Automate dependency failure trend.
- Dataverse/model-driven app exception trend.
- Connector/API dependency failure trend.
- Entra External ID failed sign-in trend.
- Telemetry ingestion status.
- Links to support runbooks and evidence folder locations.

Appendix A - Azure Monitor Operational Build Book

Prerequisites

- An approved Azure subscription <AZURE_SUBSCRIPTION_ID> is required for the monitoring resources.
- An approved Azure resource group <RESOURCE_GROUP_NAME> is required in <AZURE_REGION> .

- A Log Analytics workspace <LOG_ANALYTICS_WORKSPACE_NAME> is required for Azure Monitor Logs.
- A workspace-based Application Insights resource <APPLICATION_INSIGHTS_NAME> is required for Power Platform telemetry.
- A Power Platform production environment <POWER_PLATFORM_ENVIRONMENT_NAME> is required in scope for monitoring.
- The implementer requires Global Administrator or appropriate delegated roles, plus Power Platform Administrator and Azure Owner/Contributor access for the target subscription/resource group.
- The implementer requires access to the Power Platform admin center, Azure portal, Entra admin center, and evidence repository <EVIDENCE_REPOSITORY_URL> .
- A notification destination for IT Operations is required before action group configuration. Use placeholder <IT_OPERATIONS_NOTIFICATION_DESTINATION> .

Create or validate the Azure resource group

Portal implementation:

- Sign in to the Azure portal as a Global Administrator or an account with delegated Azure permissions.
- Open Subscriptions .
- Select subscription <AZURE_SUBSCRIPTION_ID> .
- Select Resource groups .
- Select Create .
- Enter resource group name <RESOURCE_GROUP_NAME> .
- Select region <AZURE_REGION> .
- Select Review + create .
- Select Create .

Optional Azure PowerShell:

```
Connect-AzAccount
-
Tenant
"<TENANT_ID>"

Set-AzContext
-
SubscriptionId
"<AZURE_SUBSCRIPTION_ID>"

New-AzResourceGroup
-
Name
"<RESOURCE_GROUP_NAME>"

-
Location
"<AZURE_REGION>"
```

Evidence capture:

- Take a screenshot of the resource group Overview page showing resource group name, subscription, and region.
- Save the screenshot as EV-AZMON-001-ResourceGroup.png in <EVIDENCE_REPOSITORY_URL> .

Create or validate the Log Analytics workspace

Portal implementation:

- In the Azure portal, search for Log Analytics workspaces .
- Select Create .
- Select subscription <AZURE_SUBSCRIPTION_ID> .
- Select resource group <RESOURCE_GROUP_NAME> .
- Enter workspace name <LOG_ANALYTICS_WORKSPACE_NAME> .
- Select region <AZURE_REGION> .
- Select Review + create .

- Select Create .
- Open the new workspace.
- Select Usage and estimated costs .
- Set the daily cap according to Elections Canada cost-management requirements.
- Select Data retention and set operational retention according to Elections Canada operational support policy. Use 90 days as a starting operational value unless the approved policy states otherwise.

Optional Azure PowerShell:

```
New-AzOperationalInsightsWorkspace `

-
ResourceGroupName
"<RESOURCE_GROUP_NAME>"
`

-
Name
"<LOG_ANALYTICS_WORKSPACE_NAME>"
`

-
Location
"<AZURE_REGION>"
`

-
Sku
"PerGB2018"
```

Evidence capture:

- Take a screenshot of the workspace Overview page.
- Take a screenshot of Usage and estimated costs showing retention and cost controls.
- Save evidence as EV-AZMON-002-LogAnalyticsOverview.png and EV-AZMON-003-LogAnalyticsRetention.png .

Create or validate Application Insights

Portal implementation:

- In the Azure portal, search for Application Insights .
- Select Create .
- Select subscription <AZURE_SUBSCRIPTION_ID> .
- Select resource group <RESOURCE_GROUP_NAME> .
- Enter name <APPLICATION_INSIGHTS_NAME> .
- Select region <AZURE_REGION> .
- Set Resource Mode to Workspace-based .
- Select Log Analytics workspace <LOG_ANALYTICS_WORKSPACE_NAME> .
- Select Review + create .
- Select Create .
- Open the Application Insights resource.
- Select Properties and record the Application ID, Connection string, and linked workspace name in the implementation record.

Optional Azure PowerShell:

```
$workspace
=
Get-AzOperationalInsightsWorkspace
-
ResourceGroupName
```

```

"<RESOURCE_GROUP_NAME>"
-
Name
"<LOG_ANALYTICS_WORKSPACE_NAME>"

New-AzApplicationInsights `

-
ResourceGroupName
"<RESOURCE_GROUP_NAME>"
\

-
Name
"<APPLICATION_INSIGHTS_NAME>"
\

-
Location
"<AZURE_REGION>"
\

-
WorkspaceResourceId
$workspace
\
ResourceId

```

Evidence capture:

- Take a screenshot of the Application Insights Overview page.
- Take a screenshot of Properties showing the linked workspace.
- Save evidence as EV-AZMON-004-AppInsightsOverview.png and EV-AZMON-005-AppInsightsProperties.png .

Configure Power Platform export to Application Insights

Portal implementation:

- Sign in to the Power Platform admin center.
- Select Manage .
- Select Data export .
- Select the App Insights tab.
- Select New data export .
- Enter export package name <POWER_PLATFORM_EXPORT_PACKAGE_NAME> .
- Select the data types required for the workload: Dataverse diagnostics and performance. Power Automate cloud flow runs. Power Automate triggers and actions.
- Select filters for environment <POWER_PLATFORM_ENVIRONMENT_NAME> and environment ID <POWER_PLATFORM_ENVIRONMENT_ID> .
- Select Next .
- Select Azure subscription <AZURE_SUBSCRIPTION_ID> .
- Select resource group <RESOURCE_GROUP_NAME> .
- Select Application Insights resource <APPLICATION_INSIGHTS_NAME> .
- Select Next .
- Review the package details.
- Select Create .
- Record the export package name and creation timestamp in the implementation record.

Validation:

- Wait for telemetry to begin. Microsoft states that data starts being exported to Application Insights within 24 hours after setup.
- Open Application Insights <APPLICATION_INSIGHTS_NAME> .
- Select Logs .
- Run the validation query:

```
union isfuzzy=true requests, dependencies, exceptions, traces, AppRequests, AppDependencies, AppExceptions, AppTraces
| where TimeGenerated >= ago(24h) or timestamp >= ago(24h)
| summarize Records=count() by Type
```

Evidence capture:

- Take a screenshot of the Power Platform data export package summary.
- Take a screenshot of the Application Insights Logs query result showing records.
- Save evidence as EV-AZMON-006-PPEExportPackage.png and EV-AZMON-007-TelemetryValidation.png .

Configure an Azure Monitor action group

Portal implementation:

- In the Azure portal, open Monitor .
- Select Alerts .
- Select Action groups .
- Select Create .
- Select subscription <AZURE_SUBSCRIPTION_ID> and resource group <RESOURCE_GROUP_NAME> .
- Enter action group name <ACTION_GROUP_NAME> .
- Enter display name <ACTION_GROUP_SHORT_NAME> .
- Open the Notifications tab.
- Add notification type <IT_OPERATIONS_NOTIFICATION_TYPE> .
- Enter destination <IT_OPERATIONS_NOTIFICATION_DESTINATION> .
- Open the Actions tab.
- Add webhook, Logic App, ITSM, or automation action only if approved by Elections Canada operational process.
- Select Review + create .
- Select Create .

Optional Azure PowerShell:

```
$email
=
New-AzActionGroupReceiver
-
Name
"IT Operations"
-
EmailReceiver
-
EmailAddress
"<IT_OPERATIONS_EMAIL>"

Set-AzActionGroup `

-
ResourceGroupName
"<RESOURCE_GROUP_NAME>"
-
Name
"<ACTION_GROUP_NAME>"
-
ShortName
"<ACTION_GROUP_SHORT_NAME>"
```

-
Receiver
\$email

Evidence capture:

- Take a screenshot of the action group Overview page.
- Take a screenshot of the configured notification destination, masking personal addresses if required by privacy process.
- Save evidence as EV-AZMON-008-ActionGroup.png .

Configure Azure Monitor alert rules

For each alert rule in the alert catalogue:

- In the Azure portal, open Monitor .
- Select Alerts .
- Select Create .
- Select Alert rule .
- On Scope , select Application Insights <APPLICATION_INSIGHTS_NAME> or Log Analytics workspace <LOG_ANALYTICS_WORKSPACE_NAME> based on the alert query source.
- Select Condition .
- Select Custom log search .
- Paste the KQL query for the alert.
- Select Run to validate that the query executes.
- Configure measurement using the documented threshold.
- Configure evaluation frequency and lookback period.
- Select Actions .
- Select action group <ACTION_GROUP_NAME> .
- Select Details .
- Enter the alert rule name from the alert catalogue.
- Set severity as defined in the alert catalogue.
- Enter a description that includes environment, workload, threshold, triage owner, and runbook link.
- Select Review + create .
- Select Create .

Power Pages availability failure query:

```
AppAvailabilityResults
| where TimeGenerated >= ago(15m)
| where Name contains "<POWER_PAGES_SITE_NAME>" or Location has "<POWER_PAGES_SITE_URL>"
| where Success == false
| summarize FailedChecks=count()
```

Power Automate failed flow run query:

```
AppRequests
| where TimeGenerated >= ago(15m)
| where Properties["environmentId"] == "<POWER_PLATFORM_ENVIRONMENT_ID>" or tostring(Properties.environmentId) == "<POWER_PLATFORM_ENVIRONMENT_ID>"
| where Success == false
| summarize FailedRuns=count() by tostring(OperationName)
```

Power Automate dependency failure query:

```
AppDependencies
| where TimeGenerated >= ago(15m)
| where Properties["environmentId"] == "<POWER_PLATFORM_ENVIRONMENT_ID>" or tostring(Properties.environmentId) == "<POWER_PLATFORM_ENVIRONMENT_ID>"
| where Success == false
| summarize FailedDependencies=count() by tostring(Name), tostring(Target)
```

Dataverse/model-driven app exception query:

```

AppExceptions
| where TimeGenerated >= ago(15m)
| where Properties["environmentId"] == "<POWER_PLATFORM_ENVIRONMENT_ID>" or tostring(Properties.environmentId) == "<POWER_PLATFORM_ENVIRONMENT_ID>"
| summarize ExceptionCount=count() by tostring(ProblemId), tostring(OuterMessage)

```

Telemetry ingestion gap query:

```

union isfuzzy=true AppRequests, AppDependencies, AppExceptions, AppTraces
| where TimeGenerated >= ago(60m)
| where Properties["environmentId"] == "<POWER_PLATFORM_ENVIRONMENT_ID>" or tostring(Properties.environmentId) == "<POWER_PLATFORM_ENVIRONMENT_ID>"
| summarize TelemetryRecords=count()

```

Evidence capture:

- For each alert rule, take a screenshot of the Condition tab showing the query and threshold.
- Take a screenshot of the Actions tab showing <ACTION_GROUP_NAME> .
- Take a screenshot of the created alert rule Overview page.
- Save evidence with the pattern EV-AZMON-ALERT-<ALERT_NAME>.png .

Create the IT Operations workbook

Portal implementation:

- In the Azure portal, open Monitor .
- Select Workbooks .
- Select New .
- Add a text block with the workbook title Elections Canada - Power Platform Operational Monitoring .
- Add a parameter for <POWER_PLATFORM_ENVIRONMENT_ID> .
- Add query tiles for: Power Pages availability failures. Power Pages response duration. Power Automate failed runs. Power Automate dependency failures. Dataverse exception count. Entra External ID failed sign-ins. Telemetry ingestion status.
- Save the workbook as <WORKBOOK_NAME> using suggested name wb-ec-pp-ops-monitoring-prod .
- Set workbook permissions according to Elections Canada least-privilege requirements.

Evidence capture:

- Take a screenshot of the saved workbook overview.
- Take screenshots of each workbook section after queries return data.
- Save evidence as EV-AZMON-009-WorkbookOverview.png and related section screenshots.

Appendix B - Entra External ID Operational Monitoring Build Book

Prerequisites

- The Entra External ID tenant <EXTERNAL_ID_TENANT_ID> is required for external Power Pages authentication.
- A Log Analytics workspace <LOG_ANALYTICS_WORKSPACE_NAME> is required as the diagnostic destination.
- The implementer requires Global Administrator or Security Administrator access to configure tenant diagnostic settings.
- The implementer requires access to switch into the external tenant in the Entra admin center.

Configure External ID diagnostics

Portal implementation:

- Sign in to the Microsoft Entra admin center.
- Use the directory switcher to switch to external tenant <EXTERNAL_ID_TENANT_ID> .
- Browse to Entra ID .
- Select Monitoring & health .
- Select Diagnostic settings .

- Select Add diagnostic setting or Start set up if the setup wizard is shown.
- Enter diagnostic setting name <ENTRA_DIAGNOSTIC_SETTING_NAME> .
- Select the available sign-in and audit log categories required by Elections Canada policy. At minimum, select available categories for sign-in activity and audit activity.
- Select Send to Log Analytics workspace .
- Select subscription <AZURE_SUBSCRIPTION_ID> .
- Select workspace <LOG_ANALYTICS_WORKSPACE_NAME> .
- Select Save .

Validation query:

```
union isfuzzy=true SigninLogs, AADNonInteractiveUserSignInLogs, AuditLogs
| where TimeGenerated >= ago(24h)
| summarize Records=count() by Type
```

Failed external sign-in alert query:

```
SigninLogs
| where TimeGenerated >= ago(15m)
| where ResultType != 0
| summarize FailedSignIns=count() by AppDisplayName, ResultDescription
```

External ID audit activity spike query:

```
AuditLogs
| where TimeGenerated >= ago(15m)
| summarize AuditEvents=count() by OperationName, Result
```

External ID diagnostic ingestion gap query:

```
union isfuzzy=true SigninLogs, AuditLogs
| where TimeGenerated >= ago(60m)
| summarize DiagnosticRecords=count()
```

Evidence capture:

- Take a screenshot of the external tenant diagnostic setting page showing the destination workspace.
- Take a screenshot of the validation query results in Log Analytics.
- Take screenshots of each External ID alert rule after creation.
- Save evidence as EV-EXTID-001-DiagnosticSettings.png , EV-EXTID-002-ValidationQuery.png , and EV-EXTID-ALERT-<ALERT_NAME>.png .

Appendix C - Microsoft Purview Audit and Compliance Evidence Build Book

Prerequisites

- Microsoft Purview audit access is required for authorized compliance and security staff.
- A Compliance Administrator, Security Administrator, or role with equivalent Purview permissions is required to validate audit search and evidence export.
- Power Platform production environments must have environment auditing configured.
- The Power Platform environment setting Enable SAS Logging in Purview must be enabled for each production environment in scope.
- The domain https://*.api.powerplatformusercontent.com must be allowed where the environment requires SAS functionality, in accordance with Microsoft guidance.
- Evidence exports must be saved to approved repository <EVIDENCE_REPOSITORY_URL> .

Validate Purview audit access

Portal implementation:

- Sign in to the Microsoft Purview portal.
- Open Solutions .

- Select Audit .
- Confirm that the implementer can access audit search.
- Confirm that authorized staff are assigned either Audit Logs or View-Only Audit Logs roles as appropriate.

Optional PowerShell validation:

```
Connect-ExchangeOnline
-
UserPrincipalName
"<ADMIN_UPN>"

Get-ManagementRoleAssignment
-
Role
"Audit Logs"

|

Format-Table
RoleAssigneeName
,
Role

Get-ManagementRoleAssignment
-
Role
"View-Only Audit Logs"

|

Format-Table
RoleAssigneeName
,
Role
```

Evidence capture:

- Take a screenshot of the Purview Audit page.
- Take a screenshot or export of the role assignment validation, with privileged identities handled according to Elections Canada evidence-handling rules.
- Save evidence as EV-PURVIEW-001-AuditAccess.png .

Enable Power Platform environment audit visibility in Purview

Portal implementation:

- Sign in to the Power Platform admin center as a Power Platform administrator or system administrator.
- Select Manage .
- Select Environments .
- Select production environment <POWER_PLATFORM_ENVIRONMENT_NAME> .
- Select Settings .
- Expand Product .
- Select Privacy and Security .
- Under Storage Shared Access Signature (SAS) Security Settings , set Enable SAS Logging in Purview to On .
- Select Save .
- Repeat for each production environment in scope.

Evidence capture:

- Take a screenshot of the environment Privacy and Security page showing Enable SAS Logging in Purview set to On .
- Save evidence as EV-PURVIEW-002-SASLogging-<ENVIRONMENT_NAME>.png .

Validate Power Platform admin logs in Purview

Portal implementation:

- In Microsoft Purview, open Solutions .

- Select Audit .
- Create a new search for Power Platform administrative activity.
- Set the date range to the implementation window.
- Filter activities for Power Platform administration where available.
- Run the search.
- Validate that environment administration events are returned.
- Export the results if required by the RFC evidence process.

Evidence capture:

- Take a screenshot of the audit search query criteria.
- Take a screenshot of the returned result count.
- Save the export as EV-PURVIEW-003-PowerPlatformAdminAudit.csv if export is required.

Validate Power Apps and Dataverse audit records in Purview

Portal implementation:

- In Microsoft Purview, open Audit .
- Search for Power Apps and Dataverse/model-driven app activities for production environment <POWER_PLATFORM_ENVIRONMENT_NAME> .
- Validate that records return for the selected timeframe.
- Capture search criteria, result count, and export reference.

Evidence capture:

- Take a screenshot of the audit search filters.
- Take a screenshot of result count and sample event details.
- Save evidence as EV-PURVIEW-004-PowerAppsDataverseAudit.png .

Define the evidence procedure

The evidence package for operational monitoring must include:

- Screenshot of Log Analytics workspace configuration.
- Screenshot of Application Insights workspace linkage.
- Screenshot of Power Platform data export package.
- Screenshot of action group notification destination.
- Screenshot of every alert rule condition and action group assignment.
- Screenshot of workbook overview and critical tiles.
- Screenshot of Entra External ID diagnostic settings and validation query.
- Screenshot of Purview audit access and environment audit visibility.
- Exported Purview audit search files when required by an incident or compliance investigation.

Appendix D - Operational Support Runbooks

Power Pages availability failure

Field	Runbook value
Alert name	<ALERT_PP_POWERPAGES_AVAILABILITY_FAILURE>
Severity	Sev 2

Field	Runbook value
Environment and workload affected	<POWER_PLATFORM_ENVIRONMENT_NAME> / <POWER_PAGES_SITE_NAME>
Query or metric used	AppAvailabilityResults failed checks
Expected first response	IT Operations validates whether the external-facing site is reachable from approved networks and public endpoints.
Initial triage steps	Review availability results, test site URL, check recent deployment/change tickets, validate authentication redirect to Entra External ID, review Power Platform service health.
Escalation owner	Power Platform support owner and web/application operations owner.
Closure criteria	Availability tests succeed for two consecutive evaluation windows and user-impacting incident record is updated.
False positives and tuning notes	Tune synthetic test locations and thresholds if transient regional network conditions create repeated non-actionable alerts.

Power Automate cloud flow failure spike

Field	Runbook value
Alert name	<ALERT_PP_FLOW_RUN_FAILURE_SPIKE>
Severity	Sev 2
Environment and workload affected	<POWER_PLATFORM_ENVIRONMENT_NAME> / production cloud flows
Query or metric used	AppRequests failed cloud flow runs
Expected first response	IT Operations identifies affected flow IDs and validates whether business process execution is impacted.
Initial triage steps	Review failed flow operation names, open Power Automate run history for affected flow, check connector status, validate service account authentication, review recent solution deployments.
Escalation owner	Power Platform application owner or flow owner.
Closure criteria	Failed run rate returns to baseline and affected business process owner confirms recovery.
False positives and tuning notes	Exclude known non-production flows and tune thresholds by production environment and critical flow grouping.

Dataverse exception spike

Field	Runbook value
Alert name	<ALERT_PP_DATAVERSE_EXCEPTION_SPIKE>
Severity	Sev 2
Environment and workload affected	<POWER_PLATFORM_ENVIRONMENT_NAME> / Dataverse and model-driven apps
Query or metric used	AppExceptions exception count
Expected first response	IT Operations identifies exception type, affected users, and affected app/module.
Initial triage steps	Review exception messages, correlate with recent plugin/workflow/app releases, check Dataverse service health, review integration failure patterns.
Escalation owner	Dataverse application support team.
Closure criteria	Exception count returns to baseline and root cause is documented in the ticket.

Field	Runbook value
False positives and tuning notes	Suppress known benign exceptions only after approval and evidence of non-impact.

Entra External ID failed sign-in spike

Field	Runbook value
Alert name	<ALERT_EXTID_FAILED_SIGNIN_SPIKE>
Severity	Sev 2
Environment and workload affected	<EXTERNAL_ID_TENANT_ID> / Power Pages external authentication
Query or metric used	SignInLogs failures
Expected first response	Identity Operations validates whether external users are blocked from sign-in or registration.
Initial triage steps	Review result codes, app display name, conditional access impact, identity provider configuration, registration flow changes, and user reports.
Escalation owner	Identity Operations and Power Pages support owner.
Closure criteria	Failed sign-ins return to baseline and successful external sign-ins are observed.
False positives and tuning notes	Tune thresholds for expected campaign or registration peaks. Separate brute-force/security patterns are handled by the SIEM/security build books.

Telemetry ingestion gap

Field	Runbook value
Alert name	<ALERT_PP_TELEMETRY_INGESTION_GAP>
Severity	Sev 2
Environment and workload affected	Monitoring pipeline for <POWER_PLATFORM_ENVIRONMENT_NAME>
Query or metric used	Count of recent Application Insights telemetry records
Expected first response	IT Operations validates whether telemetry export is still functioning.
Initial triage steps	Check Power Platform data export configuration, Application Insights availability, Log Analytics ingestion, Azure service health, and recent permission changes.
Escalation owner	IT Operations monitoring owner and Power Platform administrator.
Closure criteria	Telemetry resumes and monitoring gap is documented with timeframe.
False positives and tuning notes	Apply business-hours logic for low-activity workloads if 24x7 telemetry volume is not expected.

Appendix E - Validation Checklist

- Log Analytics workspace <LOG_ANALYTICS_WORKSPACE_NAME> exists and is in the approved subscription and region.
- Application Insights <APPLICATION_INSIGHTS_NAME> exists and is workspace-based.
- Power Platform data export package <POWER_PLATFORM_EXPORT_PACKAGE_NAME> exists and points to the correct Application Insights resource.
- Application Insights telemetry records are visible in Logs.

- Azure Monitor action group <ACTION_GROUP_NAME> exists and sends test notifications to <IT_OPERATIONS_NOTIFICATION_DESTINATION> .
- All alert rules in the alert catalogue are created, enabled, named consistently, and mapped to the action group.
- The IT Operations workbook exists and returns data for the production environment.
- Entra External ID diagnostic setting <ENTRA_DIAGNOSTIC_SETTING_NAME> sends available sign-in and audit logs to Log Analytics.
- Purview audit access is validated for authorized personnel.
- Power Platform production environments have Enable SAS Logging in Purview turned on.
- Evidence screenshots and exports are saved in <EVIDENCE_REPOSITORY_URL> .

References

- Export data to Application Insights - Power Platform
- Set up Application Insights with Power Automate
- Create or edit a log search alert rule - Azure Monitor
- Create and manage action groups in Azure Monitor
- Overview of Azure Monitor alerts
- Azure Monitor in external tenants - Microsoft Entra External ID
- Integrate Microsoft Entra logs with Azure Monitor logs
- Power Platform activity logging and auditing in Microsoft Purview
- View Power Platform admin logs in Microsoft Purview
- View Power Apps activity logs in Microsoft Purview
- Manage Dataverse auditing