

AZURE MONITOR

Power Platform Azure Monitor Operational Monitoring Build Book

Standalone step-by-step implementation guide for IT Operations

Audience: IT Operations / Azure Administrators / Power Platform Administrators

Author: Frederick Pearson, Platform Engineering

Document type: Standalone IM/IT ticket build book

Status: Draft for implementation

Date: 2026-05-20

Table of contents

1 Document control

4

2 Implementation objective

4

3 Execution rules for the administrator

4

4 Placeholder convention

5

5 Required evidence capture standard

5

6 Prerequisites

6

6.1 Administrator access

6

6.2 Resource and licensing prerequisites

6

7 Build steps

7

Create the monitoring resource group

7

Create the Log Analytics workspace

8

Assign least-privilege access to the workspace

9

Create workspace-based Application Insights

10

Configure Power Platform export to Application Insights

11

Validate initial Power Platform telemetry in Application Insights

12

	Create Power Pages availability monitoring	13
	Configure Entra External ID diagnostic settings to Log Analytics	14
	Create the IT Operations action group	15
	Create Azure Monitor operational alerts	15
	Create the Azure Monitor workbook	22
8	Support runbooks for Azure Monitor alerts	23
9	Final validation checklist	25
10	Official references	26

Elections Canada Azure Monitor Operational Monitoring Build Book

Document control

Field	Value
Organization	Elections Canada
Author	Frederick Pearson, Platform Engineering
Primary implementation team	IT Operations / Azure administrators / Power Platform administrators
Implementer role	Global Administrator or delegated administrator with the specified Azure, Power Platform, Entra, Sentinel, or QRadar permissions
Environment scope	Production Power Platform environments, production Dataverse environments, external-facing Power Pages sites, and Entra External ID tenants or applications used for external registration and sign-in
Evidence requirement	Every implementation step that changes configuration must be captured with a screenshot and saved to the evidence folder named in this build book

Implementation objective

Elections Canada will implement Azure Monitor as the operational monitoring layer for Power Platform, Power Pages, Power Automate, Dataverse, and Entra External ID sign-in/registration flows. The implementation will create Log Analytics, Application Insights, Power Platform telemetry export, External ID diagnostic log routing, IT Operations action groups, operational alert rules, and evidence-ready support runbooks.

Execution rules for the administrator

- Use the placeholders exactly as written when reading the procedure; replace them with approved Elections Canada values in the RFC/ticket before implementation.
- Use the Azure portal, Power Platform admin center, Microsoft Defender portal, Microsoft Entra admin center, Microsoft Purview portal, or QRadar Console as specified for each step.

- Run optional Azure PowerShell commands only from an administrative workstation approved for tenant administration.
- Save command output and screenshots in the evidence folder for the ticket.
- Do not close the ticket until every validation query, alert test, and evidence screenshot in the final checklist has been completed.

Placeholder convention

Placeholder	Meaning	Suggested Elections Canada value pattern
<EC-TENANT-ID>	Microsoft Entra tenant ID	<tenant-guid>
<EC-SUBSCRIPTION-ID>	Azure subscription ID used for monitoring resources	<subscription-guid>
<EC-LOCATION>	Azure region for monitoring resources	canadacentral
<EC-RG-MONITORING>	Resource group for monitoring resources	rg-ec-pp-monitoring-prod-cca-001
<EC-LAW-NAME>	Log Analytics workspace name	law-ec-pp-monitoring-prod-cca-001
<EC-APPINSIGHTS-NAME>	Application Insights resource name	appi-ec-pp-operational-prod-cca-001
<EC-ENVIRONMENT-NAME>	Power Platform environment display name	EC-PowerPlatform-Prod
<EC-ENVIRONMENT-ID>	Power Platform environment GUID	<environment-guid>
<EC-POWERPAGES-URL>	Production Power Pages URL	https://<portal-name>.powerappsportals.com or approved custom domain
<EC-EXTERNALID-TENANT-ID>	Entra External ID tenant ID	<external-tenant-guid>
<EC-EXTERNALID-APP-ID>	App registration/client ID used by Power Pages sign-in/registration	<application-client-id>
<EC-EVIDENCE-FOLDER>	Evidence folder for implementation screenshots	EC-PP-Monitoring-RFC-<ticket-number>

Required evidence capture standard

- Capture the full browser page or the relevant configuration pane after every configuration save.
- Ensure the screenshot shows the artifact name, tenant/subscription context, and final state.

- Name screenshots using the pattern `<step-number>-<short-description>-<yyyy-mm-dd>.png`.
- Capture command output by saving the PowerShell transcript to `<EC-EVIDENCE-FOLDER>/powershell-transcript.txt`.
- Store exported CSV/JSON results from validation queries in `<EC-EVIDENCE-FOLDER>/validation-results/`.

Prerequisites

Administrator access

Requirement	Required value
Microsoft Entra role	Global Administrator, Security Administrator, or delegated roles that can configure diagnostic settings for Entra logs
Azure RBAC	Owner or Contributor on <code><EC-SUBSCRIPTION-ID></code> and Monitoring Contributor / Log Analytics Contributor for monitoring resources
Power Platform role	Power Platform Administrator or Dynamics 365 Administrator at tenant level, plus Environment Administrator or System Administrator in each Dataverse environment
Power Pages access	Access to the production Power Pages URL and an approved synthetic monitoring account or anonymous health-check URL
Evidence access	Write access to <code><EC-EVIDENCE-FOLDER></code>

Resource and licensing prerequisites

- An Azure subscription `<EC-SUBSCRIPTION-ID>` is required to host Log Analytics, Application Insights, action groups, alert rules, and optional Event Hubs resources.
- A production Power Platform managed environment is required for Power Platform telemetry export to Application Insights.
- An Application Insights resource is required for Power Platform telemetry export.
- A unique Application Insights resource is required for each monitored production environment or tenant-level export package so out-of-box reports remain accurate.
- Power Platform telemetry export can take up to 24 hours before data appears in Application Insights.
- Entra External ID monitoring requires a destination Log Analytics workspace in the workforce tenant when the external tenant is separate.

Build steps

Create the monitoring resource group

Portal procedure

- Sign in to the Azure portal.
- Search for **Resource groups**.
- Select **Create**.
- Select subscription `<EC-SUBSCRIPTION-ID>`.
- Enter resource group name `<EC-RG-MONITORING>`.
- Select region `<EC-LOCATION>`.
- Select **Review + create**.
- Select **Create**.
- Open the new resource group and confirm the **Overview** page displays the correct subscription, location, and resource group name.

Optional Azure PowerShell

```
New-AzResourceGroup -Name "<EC-RG-MONITORING>" -Location "<EC-LOCATION>" -Tag @{Workload="PowerPlatformMonitoring"; Environment="Prod"; Owner="IT Operations"; Organization="Elections Canada"}
```

EVIDENCE SCREENSHOT REQUIRED

Capture `02-resource-group-overview.png` showing `<EC-RG-MONITORING>`, subscription, location, and tags.

Create the Log Analytics workspace

Portal procedure

- In the Azure portal, search for **Log Analytics workspaces**.
- Select **Create**.
- Select subscription `<EC-SUBSCRIPTION-ID>`.
- Select resource group `<EC-RG-MONITORING>`.
- Enter workspace name `<EC-LAW-NAME>`.
- Select region `<EC-LOCATION>`.
- Select **Review + create**.
- Select **Create**.
- After deployment, open `<EC-LAW-NAME>` and select **Overview**.
- Select **Usage and estimated costs**.
- Select **Data retention**.
- Set retention to the approved Elections Canada operational retention value, represented here as `<EC-LAW-RETENTION-DAYS>`.
- Select **OK** or **Save**.

Optional Azure PowerShell

```
New-AzOperationalInsightsWorkspace -ResourceGroupName "<EC-RG-MONITORING>" -Name "<EC-LAW-NAME>" -Location "<EC-LOCATION>" -Sku "PerGB2018" -RetentionInDays <EC-LAW-RETENTION-DAYS>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `03-log-analytics-overview.png` and `03-log-analytics-retention.png`.

Assign least-privilege access to the workspace

Portal procedure

- Open `<EC-LAW-NAME>`.
- Select **Access control (IAM)**.
- Select **Add > Add role assignment**.
- Assign **Log Analytics Reader** to the approved IT Operations support group `<EC-GRP-ITOPS-MONITORING-READERS>`.
- Assign **Monitoring Contributor** to the approved IT Operations monitoring administration group `<EC-GRP-ITOPS-MONITORING-ADMINS>`.
- Assign **Reader** to the approved Power Platform support group `<EC-GRP-PP-SUPPORT-READERS>`.
- Select **Review + assign**.

Optional Azure PowerShell

```
$Workspace = Get-AzOperationalInsightsWorkspace -ResourceGroupName "<EC-RG-MONITORING>" -Name "<EC-LAW-NAME>"
New-AzRoleAssignment -ObjectId "<EC-GRP-ITOPS-MONITORING-READERS-OBJECTID>" -RoleDefinitionName "Log Analytics Reader" -Scope $Workspace.ResourceId
New-AzRoleAssignment -ObjectId "<EC-GRP-ITOPS-MONITORING-ADMINS-OBJECTID>" -RoleDefinitionName "Monitoring Contributor" -Scope $Workspace.ResourceId
New-AzRoleAssignment -ObjectId "<EC-GRP-PP-SUPPORT-READERS-OBJECTID>" -RoleDefinitionName "Reader" -Scope $Workspace.ResourceId
```

EVIDENCE SCREENSHOT REQUIRED

Capture `04-workspace-iam-role-assignments.png` showing the assigned groups and roles.

Create workspace-based Application Insights

Portal procedure

- In the Azure portal, search for **Application Insights**.
- Select **Create**.
- Select subscription `<EC-SUBSCRIPTION-ID>`.
- Select resource group `<EC-RG-MONITORING>`.
- Enter name `<EC-APPINSIGHTS-NAME>`.
- Select region `<EC-LOCATION>`.
- For **Resource Mode**, select **Workspace-based**.
- Select Log Analytics workspace `<EC-LAW-NAME>`.
- Select **Review + create**.
- Select **Create**.
- Open the Application Insights resource and confirm it is linked to `<EC-LAW-NAME>`.

Optional Azure PowerShell

```
$Workspace = Get-AzOperationalInsightsWorkspace -ResourceGroupName "<EC-RG-MONITORING>" -Name "<EC-LAW-NAME>"
New-AzApplicationInsights -ResourceGroupName "<EC-RG-MONITORING>" -Name "<EC-APPINSIGHTS-NAME>" -Location "<EC-LOCATION>" -WorkspaceResourceId $Workspace.ResourceId -ApplicationType "web"
```

EVIDENCE SCREENSHOT REQUIRED

Capture `05-application-insights-overview.png` showing `<EC-APPINSIGHTS-NAME>` and the workspace link.

Configure Power Platform export to Application Insights

Portal procedure

- Sign in to the Power Platform admin center.
- Select **Manage** in the left navigation.
- Select **Data export**.
- Select the **App Insights** tab.
- Select **New data export**.
- Enter export package name `<EC-PP-APPINSIGHTS-EXPORT-NAME>`.
- Select the data types required for the environment:
 - **Dataverse diagnostics and performance**.
 - **Power Automate** for cloud flow runs, triggers, and actions when available for the tenant and environment.
- Select filters for environment `<EC-ENVIRONMENT-NAME> / <EC-ENVIRONMENT-ID>`.
- Select Azure subscription `<EC-SUBSCRIPTION-ID>`.
- Select Application Insights resource `<EC-APPINSIGHTS-NAME>`.
- Review the configuration.
- Select **Create**.
- Return to **Data export > App Insights** and verify the export package status.

Optional automation note

- This step is performed in the Power Platform admin center because the data export package is a Power Platform administrative configuration. Keep the Azure PowerShell transcript open, but capture this as portal evidence.

EVIDENCE SCREENSHOT REQUIRED

Capture `06-power-platform-data-export-created.png` showing export name, data types, environment, and Application Insights target.

Validate initial Power Platform telemetry in Application Insights

Portal procedure

- Open Application Insights resource `<EC-APPINSIGHTS-NAME>`.
- Select **Logs**.
- Set time range to **Last 24 hours** after telemetry has had time to arrive.
- Run the following validation queries.
- Export each result set to CSV and save it to `<EC-EVIDENCE-FOLDER>/validation-results/`.

Validation queries

```
requests | where timestamp > ago(24h) | summarize RequestCount=count(),  
FailedRequests=countif(success == false) by operation_Name | order by FailedRequests desc
```

```
dependencies | where timestamp > ago(24h) | summarize DependencyCount=count(),  
FailedDependencies=countif(success == false) by target, type | order by FailedDependencies  
desc
```

```
exceptions | where timestamp > ago(24h) | summarize ExceptionCount=count() by type,  
outerMessage | order by ExceptionCount desc
```

EVIDENCE SCREENSHOT REQUIRED

Capture `07-appinsights-logs-validation.png` showing query results from requests, dependencies, and exceptions.

Create Power Pages availability monitoring

Portal procedure

- Open Application Insights resource `<EC-APPINSIGHTS-NAME>`.
- Select **Availability**.
- Select **Add Classic test** or **Add Standard test**, depending on the tenant UI.
- Enter test name `<EC-PPAGES-AVAILABILITY-TEST-NAME>`.
- Set URL to `<EC-POWERPAGES-URL>` or approved health-check URL `<EC-POWERPAGES-HEALTHCHECK-URL>`.
- Set test frequency to **5 minutes**.
- Select at least three test locations approved by Elections Canada for external availability checks.
- Enable retry logic if offered by the portal.
- Set success criteria to HTTP 200 or the approved success condition for the page.
- Select **Create**.
- Open the created test and verify that the first test run begins.

Optional Azure PowerShell

```
# Availability web tests can be deployed as Azure resources. Use this pattern when the
Az.ApplicationInsights module in the admin environment supports web-test deployment. #
Replace the properties with approved values and validate in non-production first. $AppInsig
hts = Get-AzApplicationInsights -ResourceGroupName "<EC-RG-MONITORING>" -Name "<EC-
APPINSIGHTS-NAME>" # If New-AzApplicationInsightsWebTest is not available in the installed
module, deploy the equivalent Microsoft.Insights/webtests ARM/Bicep template with New-
AzResourceGroupDeployment.
```

EVIDENCE SCREENSHOT REQUIRED

Capture `08-power-pages-availability-test.png` showing the test URL, frequency, locations, and current status.

Configure Entra External ID diagnostic settings to Log Analytics

Portal procedure

- Sign in to the Microsoft Entra admin center with the tenant context required for Entra External ID monitoring.
- Browse to **Entra ID > Monitoring & health > Diagnostic settings**.
- Select **Add diagnostic setting**.
- Enter diagnostic setting name `<EC-DIAG-EXTID-LAW-NAME>`.
- Select the required log categories:
 - **AuditLogs**.
 - **SignInLogs**.
 - **NonInteractiveUserSignInLogs** when available.
 - **ServicePrincipalSignInLogs** when available.
 - **ManagedIdentitySignInLogs** when available.
 - **ProvisioningLogs** when registration, provisioning, or lifecycle investigation is required.
- Select **Send to Log Analytics workspace**.
- Select subscription `<EC-SUBSCRIPTION-ID>`.
- Select workspace `<EC-LAW-NAME>`.
- Select **Save**.

Optional Azure PowerShell

```
# The Microsoft Entra tenant diagnostic setting is a tenant-level diagnostic setting. Use the Azure Monitor diagnostic settings cmdlets when the tenant supports the scope. $TenantScope = "/providers/Microsoft.aad/tenantSettings/<EC-DIAG-EXTID-LAW-NAME>" # Portal configuration is the required method when the current Az module does not expose the tenant diagnostic setting scope in the admin environment.
```

EVIDENCE SCREENSHOT REQUIRED

Capture `09-entra-external-id-diagnostic-setting.png` showing selected log categories and destination `<EC-LAW-NAME>`.

Create the IT Operations action group

Portal procedure

- In the Azure portal, search for **Monitor**.
- Select **Alerts**.
- Select **Action groups**.
- Select **Create**.
- Select subscription `<EC-SUBSCRIPTION-ID>` and resource group `<EC-RG-MONITORING>`.
- Enter action group name `<EC-ACTIONGROUP-ITOPS-NAME>`.
- Enter display name `<EC-ACTIONGROUP-ITOPS-SHORTNAME>`.
- On **Notifications**, add the approved notification channels:
 - Email/SMS/Push/Voice: `<EC-ITOPS-DISTRIBUTION-LIST>`.
 - Email/SMS/Push/Voice: `<EC-POWERPLATFORM-SUPPORT-DL>`.
- On **Actions**, add ITSM webhook, Logic App, or secure automation endpoint `<EC-ITSM-WEBHOOK-URI>` if approved.
- Select **Review + create**.
- Select **Create**.
- Use **Test action group** and verify receipt.

Optional Azure PowerShell

```
$EmailReceiver = New-AzActionGroupEmailReceiverObject -Name "ITOpsEmail" -EmailAddress "<EC-ITOPS-DISTRIBUTION-LIST>" New-AzActionGroup -ResourceGroupName "<EC-RG-MONITORING>" -Name "<EC-ACTIONGROUP-ITOPS-NAME>" -ShortName "<EC-ACTIONGROUP-ITOPS-SHORTNAME>" -Receiver $EmailReceiver
```

EVIDENCE SCREENSHOT REQUIRED

Capture `10-action-group-created.png` and `10-action-group-test-notification.png`.

Create Azure Monitor operational alerts

Create the following alert rules. Each alert uses action group `<EC-ACTIONGROUP-ITOPS-NAME>` and stores the alert in resource group `<EC-RG-MONITORING>` unless the RFC specifies otherwise.

Alert AM-01 - Power Pages availability failure

Field	Configuration
Alert name	<EC-ALERT-PPAGES-AVAILABILITY-CRITICAL>
Severity	1 - Critical
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Signal	Availability test failure or log search over <code>availabilityResults</code>
Evaluation frequency	5 minutes
Lookback window	10 minutes
Trigger	Failed availability result count greater than or equal to 2
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

Portal procedure

- Open **Monitor** > **Alerts**.
- Select **Create** > **Alert rule**.
- Select scope <EC-APPINSIGHTS-NAME>.
- Select condition **Availability** / **Failed locations** if using the availability signal, or select **Custom log search** if using the KQL below.
- Enter the threshold above.
- Select action group <EC-ACTIONGROUP-ITOPS-NAME>.
- Enter alert name <EC-ALERT-PPAGES-AVAILABILITY-CRITICAL>.
- Set severity **1**.
- Select **Review + create** and **Create**.

```
availabilityResults | where timestamp > ago(10m) | where name == "<EC-PPAGES-AVAILABILITY-TEST-NAME>" | where success == false | summarize FailedCount=count()
```

Optional Azure PowerShell

```
# Use New-AzScheduledQueryRule for the custom log search variant after validating the query in Application Insights Logs. # Store the query in a .kql file and deploy with approved scheduled-query-rule cmdlets or ARM/Bicep template.
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am01-ppages-availability-alert.png` showing scope, condition, severity, and action group.

Alert AM-02 - Power Pages response time degradation

Field	Configuration
Alert name	<EC-ALERT-PPAGES-P95-LATENCY-WARNING>
Severity	2 - Warning
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Evaluation frequency	5 minutes
Lookback window	15 minutes
Trigger	p95 duration greater than <EC-PPAGES-P95-MS> milliseconds
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
requests | where timestamp > ago(15m) | where url startswith "<EC-POWERPAGES-URL>" | summarize  
P95DurationMs=percentile(duration, 95) | where P95DurationMs > <EC-PPAGES-P95-MS>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am02-ppages-latency-alert.png`.

Alert AM-03 - Power Automate cloud flow run failures

Field	Configuration
Alert name	<EC-ALERT-FLOW-RUN-FAILURES-ERROR>
Severity	2 - Error
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Evaluation frequency	5 minutes
Lookback window	15 minutes
Trigger	Failed request count greater than or equal to <EC-FLOW-FAILURE-THRESHOLD>
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
requests | where timestamp > ago(15m) | where success == false | summarize FailedRuns=count() by  
operation_Name | where FailedRuns >= <EC-FLOW-FAILURE-THRESHOLD>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am03-flow-run-failure-alert.png`.

Alert AM-04 - Power Automate action or trigger dependency failures

Field	Configuration
Alert name	<EC-ALERT-FLOW-DEPENDENCY-FAILURES-ERROR>
Severity	2 - Error
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Evaluation frequency	5 minutes
Lookback window	15 minutes
Trigger	Failed dependency count greater than or equal to <EC-DEPENDENCY-FAILURE-THRESHOLD>
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
dependencies | where timestamp > ago(15m) | where success == false | summarize  
FailedDependencies=count() by target, type, operation_Name | where FailedDependencies >= <EC-  
DEPENDENCY-FAILURE-THRESHOLD>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am04-flow-dependency-failure-alert.png`.

Alert AM-05 - Dataverse exception spike

Field	Configuration
Alert name	<EC-ALERT-DATAVERSE-EXCEPTION-SPIKE-ERROR>
Severity	2 - Error
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Evaluation frequency	5 minutes
Lookback window	15 minutes
Trigger	Exception count greater than or equal to <EC-DATAVERSE-EXCEPTION-THRESHOLD>
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
exceptions | where timestamp > ago(15m) | summarize ExceptionCount=count() by type, outerMessage  
| where ExceptionCount >= <EC-DATAVERSE-EXCEPTION-THRESHOLD>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am05-dataverse-exception-alert.png`.

Alert AM-06 - Connector or API dependency failure spike

Field	Configuration
Alert name	<EC-ALERT-CONNECTOR-API-FAILURES-ERROR>
Severity	2 - Error
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Evaluation frequency	5 minutes
Lookback window	15 minutes
Trigger	Failed dependencies for a target greater than or equal to <EC-CONNECTOR-FAILURE-THRESHOLD>
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
dependencies | where timestamp > ago(15m) | where success == false | summarize  
FailedCalls=count() by target | where FailedCalls >= <EC-CONNECTOR-FAILURE-THRESHOLD>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am06-connector-api-failure-alert.png`.

Alert AM-07 - Entra External ID sign-in failure spike for Power Pages

Field	Configuration
Alert name	<EC-ALERT-EXTID-SIGNIN-FAILURE-SPIKE-ERROR>
Severity	2 - Error
Scope	Log Analytics workspace <EC-LAW-NAME>
Evaluation frequency	5 minutes
Lookback window	15 minutes
Trigger	Failed sign-ins for <EC-EXTERNALID-APP-ID> greater than or equal to <EC-EXTID-FAILURE-THRESHOLD>
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
SignInLogs | where TimeGenerated > ago(15m) | where AppId == "<EC-EXTERNALID-APP-ID>" or  
AppDisplayName has "<EC-POWERPAGES-APP-DISPLAY-NAME>" | where ResultType != 0 | summarize  
FailedSignIns=count() by AppDisplayName, ResultType, ResultDescription | where FailedSignIns >=  
<EC-EXTID-FAILURE-THRESHOLD>
```

EVIDENCE SCREENSHOT REQUIRED

Capture `11-am07-entra-external-id-failure-alert.png`.

Alert AM-08 - Monitoring pipeline silence

Field	Configuration
Alert name	<EC-ALERT-PP-TELEMETRY-SILENCE-WARNING>
Severity	3 - Warning
Scope	Application Insights resource <EC-APPINSIGHTS-NAME>
Evaluation frequency	30 minutes
Lookback window	24 hours
Trigger	No requests or dependencies for the monitored environment in 24 hours
Action group	<EC-ACTIONGROUP-ITOPS-NAME>

```
union requests, dependencies | where timestamp > ago(24h) | summarize TelemetryCount=count() |
where TelemetryCount == 0
```

EVIDENCE SCREENSHOT REQUIRED

Capture 11-am08-telemetry-silence-alert.png.

Create the Azure Monitor workbook

Portal procedure

- Open **Azure Monitor**.
- Select **Workbooks**.
- Select **New**.
- Name the workbook `<EC-WORKBOOK-ITOPS-PP-MONITORING>`.
- Add a text section named **Scope** listing `<EC-ENVIRONMENT-NAME>`, `<EC-POWERPAGES-URL>`, and `<EC-EXTERNALID-APP-ID>`.
- Add query tiles for:
 - Power Pages availability failures.
 - Power Pages p95 duration.
 - Power Automate failed runs.
 - Flow action and trigger dependency failures.
 - Dataverse exceptions.
 - Connector/API failures.
 - Entra External ID sign-in failure spike.
- Select **Save**.
- Save the workbook in resource group `<EC-RG-MONITORING>`.

EVIDENCE SCREENSHOT REQUIRED

Capture `12-azure-monitor-workbook-overview.png` and `12-workbook-save-confirmation.png`.

Support runbooks for Azure Monitor alerts

Alert	First response	Initial triage	Escalation owner	Closure criteria	Tuning notes
<EC-ALERT - PPAGES - AVAILABILITY - CRITICAL>	Acknowledge alert in Azure Monitor and create/update the IT Ops incident.	Open Availability test results, confirm failed locations, test <EC- POWERPAGES - URL> from approved admin network, check Power Pages admin center health, check DNS/custom domain/ certificate status.	IT Operations web/platform support; escalate to Power Platform administrator if site is reachable but authentication/ app behavior fails.	Availability test passes from approved locations for two consecutive evaluation periods and user-impact statement is documented.	Suppress known maintenance windows using alert processing rules; tune if only one external location fails.
<EC-ALERT - PPAGES - P95 - LATENCY - WARNING>	Acknowledge and review workbook latency tile.	Compare p95 duration against baseline, inspect slow requests, review Dataverse/API dependency failures, validate external ID sign-in latency if login pages are affected.	IT Operations; escalate to Power Platform app owner for app-specific latency.	p95 returns below <EC- PPAGES - P95 - MS> for two consecutive periods.	Use separate thresholds for anonymous public pages and authenticated pages if needed.
<EC-ALERT - FLOW - RUN - FAILURES - ERROR>	Acknowledge and identify affected flow from <code>operation_Name</code> .	Open Power Automate run history, identify failed action, validate connector status and dependent service availability.	Power Platform support team; escalate to system owner for business process impact.	Flow succeeds or failed runs are explained by approved change/known outage.	Tune threshold per critical flow; create critical-flow-specific alerts for election-critical automations.
<EC-ALERT - FLOW - DEPENDENCY - FAILURES - ERROR>	Acknowledge and identify failed dependency target.	Review dependency target, connector, API status, authentication errors, and retry behavior.	IT Operations integration/API owner.	Dependency calls return to normal and retries succeed.	Exclude known transient targets only with documented approval.

Alert	First response	Initial triage	Escalation owner	Closure criteria	Tuning notes
<EC-ALERT-DATAVERSE-EXCEPTION-SPIKE-ERROR>	Acknowledge and review exception type and message.	Correlate exceptions with recent solution import, plugin changes, API deployment, or data operations.	Power Platform administrator and Dataverse solution owner.	Exception count returns below threshold and root cause is logged.	Tune by exception type if a noisy benign exception is identified.
<EC-ALERT-CONNECTOR-API-FAILURES-ERROR>	Acknowledge and identify connector/API target.	Validate connector connection references, secret expiry, API availability, throttling, and network dependencies.	Integration/API owner.	Connector/API calls are succeeding and affected flows/apps recover.	Maintain approved target allowlist for expected failure-prone noncritical endpoints.
<EC-ALERT-EXTID-SIGNIN-FAILURE-SPIKE-ERROR>	Acknowledge and check if Power Pages sign-in or registration is affected.	Review SigninLogs result codes, affected app, IP/country patterns, conditional access result, and identity provider status.	Identity team; escalate to IT Security if suspicious patterns appear.	Sign-in failure rate returns to baseline and any configuration issue is remediated.	Separate brute-force/security rules must remain in SIEM; this Azure Monitor alert is for operational sign-in failure visibility.
<EC-ALERT-PP-TELEMETRY-SILENCE-WARNING>	Acknowledge and verify that telemetry export still exists.	Check Power Platform data export status, Application Insights ingestion, workspace ingestion, and recent platform activity.	IT Operations; escalate to Power Platform administrator.	Telemetry resumes or a documented no-activity explanation is attached.	Tune during extended shutdown periods or approved non-use windows.

Final validation checklist

- <EC-RG-MONITORING> exists in <EC-SUBSCRIPTION-ID>.
- <EC-LAW-NAME> exists, has approved retention, and has correct RBAC.
- <EC-APPINSIGHTS-NAME> exists and is workspace-based.
- Power Platform data export package <EC-PP-APPINSIGHTS-EXPORT-NAME> is active.

- Application Insights validation queries return records or a documented 24-hour wait has been recorded.
- Entra External ID diagnostic setting `<EC-DIAG-EXTID-LAW-NAME>` sends logs to `<EC-LAW-NAME>`.
- Action group `<EC-ACTIONGROUP-ITOPS-NAME>` sends a test notification to the approved recipients.
- All AM-01 through AM-08 alert rules exist and use `<EC-ACTIONGROUP-ITOPS-NAME>`.
- Workbook `<EC-WORKBOOK-ITOPS-PP-MONITORING>` is saved and visible to IT Operations.
- Screenshots are saved for every evidence checkpoint.
- PowerShell transcript is stopped and saved.

Stop-Transcript

Official references

- Microsoft Learn - Export data to Application Insights: <https://learn.microsoft.com/en-us/power-platform/admin/set-up-export-application-insights>
- Microsoft Learn - Overview of integration with Application Insights: <https://learn.microsoft.com/en-us/power-platform/admin/overview-integration-application-insights>
- Microsoft Learn - Set up Application Insights with Power Automate: <https://learn.microsoft.com/en-us/power-platform/admin/app-insights-cloud-flow>
- Microsoft Learn - Configure Microsoft Entra diagnostic settings: <https://learn.microsoft.com/en-us/entra/identity/monitoring-health/howto-configure-diagnostic-settings>
- Microsoft Learn - Set up Azure Monitor in external tenants: <https://learn.microsoft.com/en-us/entra/external-id/customers/how-to-azure-monitor>
- Microsoft Learn - Create Azure Monitor log search alert rules: <https://learn.microsoft.com/en-us/azure/azure-monitor/alerts/alerts-create-log-alert-rule>
- Microsoft Learn - Action groups in Azure Monitor: <https://learn.microsoft.com/en-us/azure/azure-monitor/alerts/action-groups>