

# CS551Q Database-Driven Django Application Design and Development Group Report

A database-driven Django web application with an assigned carbon dioxide (CO2) emission dataset[1] is developed. There are five steps in the web development process assessing, planning, developing, testing and deploying[2]. In the assessing and planning stages, we worked as a group on requirements studying and model designing with a two-week limit for the whole project. Requirements from the professor were frequently revisited. Model and front-end sketches (Appendices 1.1-1.4) were done together to start with shared understanding.

With limited developing time, Agile Development Methodology[3] with continuous integration (CI) and continuous deployment (CD) were used to implement iterative and incremental development and delivery[4]. We searched for websites using similar datasets[5] and took inspiration from their data visualisation methods. Plan Do Check Act[4] cycle is used for continuous improvement. The project is split into small tasks with expected outcomes during Plan. After coding during Do, we compared the results obtained with the desired output in Check. After getting the desired result, we push the code to GitHub for version control and repeat with the next feature.

The developing stage is separated into two major parts which are the design and implementation of the database and frontend pages respectively. There are three versions of the database. To satisfy the 2000-7000 data rows requirement, 6032 rows of CO2 emission data for 235 countries for 26 years (1996-2021) in each Comma-Separated Values (CSV) file are chosen. These data are stored in 2 separate CSV files in the data folder for ease of data parsing. The country field also has a separate CSV file to save every unique country value from the other CSV files. In the first version, four models are designed where the country is a separate model which acts as the foreign key linking other models: total emission, per capita emission and source. In the second version, id is added to every model and country\_id becomes the foreign key. In the third version, a year model storing numbers from 1996-2021 is added for filtering. Four Class objects are defined: Year, Country, TotalEmission and PerCapitaEmission. Year class is the year included with range 1996-2021. Country shows the countries, incidents or global with produced CO2 emissions. TotalEmission gives the total CO2 emissions by different sources (such as coal, gas, and oil) from different countries annually. PerCapitaEmission gives the per capita CO2 emissions by different sources (such as coal, gas, and oil) for different countries. parse\_csv.py is written for parsing the data from CSV into the database after removing all data in the original tables. Pair programming[6] is used when writing models.py. Simple HTML & CSS templates are created to verify items parsed into the database (Appendix 2.1).

There are three versions for the front end. The website's basic layout is developed in the first version (Appendix 2.2) with a basic landing page, total and per capita CO2 emission page showing all the data in tables using pagination, with map and graph tabs. The second version (Appendix 2.3) was obtained after adding all the developed features such as filtering and graph display functions. The third version (Appendix 2.4) is obtained after changing the background image and solving some pagination issues from the search function, also removing the unused part like the map page and adding a data visualization part for showing both graphs together. The landing page composes of a navigation bar with a title. Data visualization was presented in form of tables, line graphs and bar charts. All forms are available for both total and per capita CO2 emission datasets. The table displays the CO2 emissions by different countries from 1996 to 2021; with a search button for year or country. The line graph and bar chart displays the total and per capita CO2 emissions by country over time. It is switched with a button toggle. By selecting a specific country and material, graphic historical CO2 data over time can be seen.

Group collaboration is done explicitly in the front-end development, especially in the final development stages. Pair programming[6] during the development of the filter function (Appendix 1.5) at a faster pace[7] referencing some online reference materials[8].

Model-template-view(MTV) pattern, the Django version of the model-view-controller(MVC) pattern, is applied in the implementation.

Model is the database of 5 tables, templates (frontend HTML) are created in the templates/emission folder in the emission application following the Django convention and view is the controller (views.py) controlling all functions implemented[9].

For the implementation stage, we created a Django project (mysite) and application (emission), configured Django settings to include Chart.js library, created models for emissions in countries and years with Django ORM, created views for line graph and bar chart using Chart.js library, created templates and URLs for the table, line graph and bar chart using HTML and Chart.js.

For the testing stage, unit tests that come with Django are mainly used. Five test types (model testing, index testing, graph testing and web views testing) and eleven test items are implemented. Five test types are separately stored in the tests folder. First, the index test tests whether different pages can be accessed and connected. The main method uses response.status\_code=200[10] to verify the page connectivity. Second, model testing is for five models: Year, Country, TotalEmission, PerCapitaEmission and Source. Models are tested with different data inputs, with importing models at the beginning. Third, the web view test focuses on the successful loading of the form and checking the form content, by creating test data and using assertContains to determine whether the form contains the test data.

For the deployment stage, Render is used to deploy the Django application; a cloud platform that offers a simple way for web application deployments. Render deployment was done in the first week of website development for CD by solving some errors earlier(Appendix 5). GitHub is used throughout the development process and everything is pushed to GitHub when finishing a version of the current feature we are working on, implementing CI. A separate master branch is created for storing the workable copy of the code that everyone agreed on (Appendix 3.3-3.4). However, we still encountered a major Git clash in the final development stage which is solved with the help of other classmates by deleting some messed up commits which are caused by pushing all code (git add .) to GitHub before pulling the latest version (git pull). We have learnt to only push the required or amended files to GitHub after this incident and always git pull before git add any files. In conclusion, we have learnt everything from assessing to deploying a database-driven Django web application with a filtering function and showing visual graphs. Group collaboration and pair programming are practised during the development process. Data filtering and visualisation are studied and applied. The importance and practices of version control are reintroduced. Unit tests are applied and Render is used for website deployment.

# Website Links

CS511Q group delta submission folder in Pok Nga Ho's Team Assignment: cs551\_delta

Render deployed website: <https://delta-emission.onrender.com>


## Reference

- [1] The Devastator, "Emissions by Country," Kaggle.  
[https://www.kaggle.com/datasets/thedevastator/global-fossil-co2-emissions-by-country-2002-2022?select=GCB2022v27\\_sources\\_flat.csv](https://www.kaggle.com/datasets/thedevastator/global-fossil-co2-emissions-by-country-2002-2022?select=GCB2022v27_sources_flat.csv) (accessed Mar. 31, 2023).
- [2] N. Beacham and K. Musa (2023). CS551S - Web Development Lecture day 1 - Introduction to the Module & How the Internet Works [PowerPoint slides]. Available:  
[https://abdn.blackboard.com/ultra/courses/\\_56779\\_1/outline/edit/document/\\_3587470\\_1?courseld=\\_56779\\_1&view=content](https://abdn.blackboard.com/ultra/courses/_56779_1/outline/edit/document/_3587470_1?courseld=_56779_1&view=content)
- [3] A. Ahmed, S. Ahmad, N. Ehsan, E. Mirza, and S. Z. Sarwar, "Agile software development: Impact on productivity and quality," in 2010 IEEE International Conference on Management of Innovation & Technology, 2010. Accessed: Feb. 10, 2023. [Online]. Available:  
<http://dx.doi.org/10.1109/icmit.2010.5492703>
- [4] B. Scharlau (2022). CS551A - Software Engineering Week 1 Lecture 4 - Scrum and XP for Your Team [PowerPoint slides]. Available:  
[https://abdn.blackboard.com/ultra/courses/\\_56808\\_1/outline/edit/document/\\_3570484\\_1?courseld=\\_56808\\_1&view=content](https://abdn.blackboard.com/ultra/courses/_56808_1/outline/edit/document/_3570484_1?courseld=_56808_1&view=content)
- [5] H. Ritchie, M. Roser, and P. Rosado, "CO2 emissions," Our World in Data.  
<https://ourworldindata.org/co2-emissions> (accessed Mar. 31, 2023).
- [6] H. Hulkko and P. Abrahamsson, "A multiple case study on the impact of pair programming on product quality," in Proceedings. 27th International Conference on Software Engineering, 2005. ICSE 2005. Accessed: Mar. 31, 2023. [Online]. Available: <http://dx.doi.org/10.1109/icse.2005.1553595>
- [7] J. E. Hannay, T. Dybå, E. Arisholm, and D. I. K. Sjøberg, "The effectiveness of pair programming: A meta-analysis," Information and Software Technology, vol. 51, no. 7, pp. 1110–1122, Jul. 2009, doi: 10.1016/j.infsof.2009.02.001.
- [8] B. Kumar, "Python Django Search With Dropdown Filter," Python Guides, Jan. 03, 2023.  
<https://pythonguides.com/python-django-search-with-dropdown-filter/> (accessed Mar. 31, 2023).
- [9] B. Scharlau (2021). CS551Q - Enterprise Software Development Week 2 Lecture 6 - MVC with Django [PowerPoint slides]. Available:  
[https://abdn.blackboard.com/ultra/courses/\\_56777\\_1/outline/file/\\_3572168\\_1](https://abdn.blackboard.com/ultra/courses/_56777_1/outline/file/_3572168_1)
- [10] B. Scharlau(2023). CS551Q - Enterprise Software Development Week 2 Lecture 7 - Testing Models in Django[PowerPoint slides]. Available:  
[https://abdn.blackboard.com/ultra/courses/\\_56777\\_1/outline/file/\\_3574334\\_1](https://abdn.blackboard.com/ultra/courses/_56777_1/outline/file/_3574334_1)


# Appendix

## 1. Sketches


### 1.1. Project tasks splitting




### 1.2. Database model sketch




### 1.3. HTML template sketch



### 1.4. Navigation path sketch



## 1.5.Filter bar design sketch



## 2.Templates

### 2.1.Database verification pages

#### 2.1.1.Country table

DB verification	
Afghanistan	
Albania	
Algeria	
Anorra	
Angola	
Anguilla	
Antactica	
Anguilla and Barbuda	
Argentina	
Armenia	
Aruba	
Australia	
Austria	
Austria	
Azerbaijan	
Bahamas	
Bahrain	
Bangladesh	
Barbados	
Rwanda	

#### 2.1.2.TotalEmission table

DB verification	
Afghanistan   1996   1.370104   0.007328   0.985616   0.307776   0.0474   0.021984	
Afghanistan   1997   1.304152   0.003664   0.948976   0.282128   0.0474   0.021984	
Afghanistan   1998   1.278504   0.003664   0.911648   0.263808   0.0474   0.021984	
Afghanistan   1999   1.09164   0.003664   0.776768   0.241824   0.0474   0.021984	
Afghanistan   2000   1.047128   0.003664   0.787776   0.223504   0.010116   0.021984	
Afghanistan   2001   1.069998   0.69616   0.762112   0.208848   0.005538   0.021984	
Afghanistan   2002   1.340995   0.055199   0.727438   0.547416   0.011033   0.0	
Afghanistan   2003   1.559602   0.091813   0.991575   0.466408   0.009807   0.0	
Afghanistan   2004   1.237247   0.0916   0.906872   0.227168   0.098907   0.0	
Afghanistan   2005   1.889507   0.082561   1.44728   0.32976   0.006211   0.0	
Afghanistan   2006   2.159318   0.169944   1.656993   0.329204   0.012177   0.0	
Afghanistan   2007   2.799909   0.747456   1.733072   0.307776   0.011605   0.0	
Afghanistan   2008   4.254477   1.078145   2.864051   0.29704   0.015242   0.0	
Afghanistan   2009   6.391888   1.5141   4.593624   0.271291   0.012872   0.0	
Afghanistan   2010   8.364803   2.246032   5.833088   0.271136   0.014547   0.0	
Afghanistan   2011   11.838316   4.180624   7.353528   0.307776   0.014588   0.0	
Afghanistan   2012   10.035314   3.125392   6.573216   0.307776   0.003893   0.0	
Afghanistan   2013   9.25051   3.326912   5.591264   0.296784   0.035551   0.0	
Afghanistan   7914   9.170409   3.795783   5.164638   0.271244   0.079444   0.0	

#### 2.1.3.PerCapitaEmission table

DB verification	
Afghanistan   1996   0.080692   0.000428   0.057616   0.017992   0.002771   0.001285	
Afghanistan   1997   0.073113   0.000006   0.053347   0.01586   0.002665   0.001136	
Afghanistan   1998   0.069134   0.000198   0.059919   0.014265   0.002563   0.001189	
Afghanistan   1999   0.056671   0.00019   0.049325   0.012554   0.002461   0.001141	
Afghanistan   2000   0.053581   0.000187   0.040409   0.011437   0.000532   0.001125	
Afghanistan   2001   0.0543   0.003536   0.038708   0.010608   0.000332   0.001117	
Afghanistan   2002   0.063656   0.002624   0.044639   0.026067   0.000525   0.0	
Afghanistan   2003   0.068371   0.004054   0.043788   0.020596   0.000433   0.0	
Afghanistan   2004   0.05229   0.003889   0.038579   0.009645   0.000416   0.0	
Afghanistan   2005   0.077403   0.004453   0.059288   0.01359   0.000254   0.0	
Afghanistan   2006   0.084869   0.006326   0.065126   0.012939   0.000479   0.0	
Afghanistan   2007   0.080991   0.028856   0.066905   0.01182   0.000448   0.0	
Afghanistan   2008   0.160989   0.04097   0.108375   0.01124   0.000577   0.0	
Afghanistan   2009   0.233406   0.055289   0.16774   0.009906   0.000447   0.0	
Afghanistan   2010   0.296733   0.079876   0.206923   0.009618   0.000516   0.0	
Afghanistan   2011   0.40474   0.142931   0.250783   0.010523   0.000499   0.0	
Afghanistan   2012   0.393889   0.102585   0.215752   0.010102   0.00695   0.0	
Afghanistan   2013   0.293283   0.105478   0.177269   0.009409   0.001127   0.0	
Afghanistan   2014   0.280299   0.113371   0.157862   0.008791   0.000876   0.0	

## 2.1.4.Source table

DB verification							
Afghanistan   1996   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   1997   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   1998   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   1999   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2000   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2001   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2002   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2003   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2004   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2005   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2006   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2007   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2008   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2009   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2010   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2011   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2012   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2013   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							
Afghanistan   2014   CDIAC 2022   CDIAC 2022   CDIAC 2022   Andrew cement   CDIAC 2022							

## 2.2.Version 1

### Global CO2 emissions from fossil fuels

Per capita By.country By.sector


Carbon dioxide emissions are the primary driver of global climate change. It's widely recognised that to avoid the worst impacts of climate change, the world needs to urgently reduce emissions. But, how this responsibility is shared between regions, countries, and individuals has been an endless point of contention in international discussions. This debate arises from the various ways in which emissions are compared: as annual emissions by country; emissions per person; historical contributions; and whether they adjust for traded goods and services. These metrics can tell very different stories. We teamed up with the YouTube channel, Kurzgesagt, to produce a video which explored these different metrics in detail: "Who is responsible for climate change? – Who needs to fix it?". All of the data and research featured in this video is contained in this article; below we look in detail at the many ways emissions are broken down. Co2 kurzgesagt "Who is responsible for climate change? – Who needs to fix it? We teamed up with YouTube channel Kurzgesagt to make a video on comparisons of CO2 emissions. This page is just one in our collection of work on CO2 and Greenhouse Gas Emissions. The rest can be explored via the navigation menu at the top of this page. There you can explore emissions of other greenhouse gases; where our emissions come from; what trajectories of future emissions look like; and what is driving emissions across the world. In the navigation menu you also find Country Profiles, so you can see how your country is doing in reducing emissions, and our CO2 Data Explorer where you can browse all of these metrics in one place.

Annual CO2 emissions

Chart Map Table

## 2.3.Version 2

### 2.3.1.Landing page with search bar



### 2.3.2.Table page

CO2 Emissions Home Per Capita Emission Total Emission

### Understanding CO2 Emissions

Carbon dioxide emissions are the primary driver of global climate change. To avoid the worst impacts of climate change, the world needs to urgently reduce emissions. However, determining how this responsibility should be shared among regions, countries, and individuals is a complex issue that depends on various factors.

In our collaboration with the YouTube channel Kurzgesagt, we produced a video that delves into the different metrics used to compare emissions, such as annual emissions by country, emissions per person, historical contributions, and adjustments for traded goods and services. The video, titled "Who is responsible for climate change? – Who needs to fix it?", can be accessed via the navigation menu at the top of this page.

This page is part of our collection of work on CO2 and Greenhouse Gas Emissions. We invite you to explore the menu for more information on other greenhouse gases, emission sources, future trajectories, and global drivers. You can also access country profiles to see how your country is doing in reducing emissions and use our CO2 Data Explorer to browse all of these metrics in one place.

Annual CO2 emissions

Chart Map Table

Country	Year	Total	Coal	Oil	Gas	Ceme
Afghanistan	1996	1.370104	0.007328	0.986616	0.307776	0.047
Afghanistan	1997	1.304152	0.003664	0.948979	0.282128	0.047
Afghanistan	1998	1.278504	0.003664	0.941648	0.253808	0.047
Afghanistan	1999	1.09166	0.003664	0.776768	0.241824	0.047
Afghanistan	2000	1.047128	0.003664	0.787776	0.223504	0.010
Afghanistan	2001	1.069098	0.069616	0.762112	0.208848	0.006
Afghanistan	2002	1.340995	0.05109	0.727438	0.547416	0.011
Afghanistan	2003	1.559602	0.091813	0.991575	0.466408	0.009
Afghanistan	2004	1.237247	0.0916	0.908672	0.227168	0.009
Afghanistan	2005	1.889507	0.106256	1.44728	0.32976	0.006

< First < Previous 1 (current) 2 3 Next > Last >

### 2.3.3.Map page

## Understanding CO2 Emissions

Carbon dioxide emissions are the primary driver of global climate change. To avoid the worst impacts of climate change, the world needs to urgently reduce emissions. However, determining how this responsibility should be shared among regions, countries, and individuals is a complex issue that depends on various factors.

In our collaboration with the YouTube channel Kurzgesagt, we produced a video that delves into the different metrics used to compare emissions, such as annual emissions by country, emissions per person, historical contributions, and adjustments for traded goods and services. The video, titled "Who is responsible for climate change? Who needs to fix it?", can be accessed via the navigation menu at the top of this page.

This page is part of our collection of work on CO2 and Greenhouse Gas Emissions. We invite you to explore the menu for more information on other greenhouse gases, emission sources, future trajectories, and global drivers. You can also access country profiles to see how your country is doing in reducing emissions, and use our CO2 Data Explorer to browse all these metrics in one place.

### Annual CO2 emissions

[Chart](#) [Map](#) [Table](#)

Search by year:  [Search](#)



[Leaflet](#) | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

### 2.3.4. Map page locating in UK

## Understanding CO2 Emissions

Carbon dioxide emissions are the primary driver of global climate change. To avoid the worst impacts of climate change, the world needs to urgently reduce emissions. However, determining how this responsibility should be shared among regions, countries, and individuals is a complex issue that depends on various factors.

In our collaboration with the YouTube channel Kurzgesagt, we produced a video that delves into the different metrics used to compare emissions, such as annual emissions by country, emissions per person, historical contributions, and adjustments for traded goods and services. The video, titled "Who is responsible for climate change? Who needs to fix it?", can be accessed via the navigation menu at the top of this page.

This page is part of our collection of work on CO2 and Greenhouse Gas Emissions. We invite you to explore the menu for more information on other greenhouse gases, emission sources, future trajectories, and global drivers. You can also access country profiles to see how your country is doing in reducing emissions, and use our CO2 Data Explorer to browse all these metrics in one place.

### Annual CO2 emissions

[Chart](#) [Map](#)


Search by year:  [Search](#)




[Leaflet](#) | Map data © OpenStreetMap contributors, CC-BY-SA, Imagery © Mapbox

### 2.4. Version 3

#### 2.4.1.Landing page



#### 2.4.2.TotalEmission page table



#### 2.4.3.TotalEmission page filter year

**Understanding Total Carbon Dioxide Emissions**

Carbon dioxide (CO<sub>2</sub>) emissions are a major contributor to climate change, and understanding their impact and trends is crucial for addressing the issue. This chart shows the growth of global CO<sub>2</sub> emissions from the mid-18th century to today.

Before the Industrial Revolution, emissions were very low. However, emissions began to increase rapidly in the mid-19th century, coinciding with global emissions reaching 3 billion tonnes of CO<sub>2</sub> in 1850. By 1950, emissions had almost quadrupled, reaching more than 22 billion tonnes. Today, we emit over 34 billion tonnes of CO<sub>2</sub> each year.

Although emissions growth has slowed in recent years, they have yet to reach their peak. It is crucial that we take action to reduce carbon emissions in order to mitigate the effects of climate change and protect our planet.

**Annual CO2 emissions**

Country	Year	Total	Coal	Oil	Gas	Cement	Flaring
Afghanistan	2012	10.035314	3.125392	6.573216	0.307776	0.02893	0.0
Albania	2012	4.85506	0.626544	3.154704	0.028132	1.0395	0.0
Algeria	2012	135.674294	1.036882	48.539278	64.114493	7.696658	14.289658
Andorra	2012	0.487312	0.0	0.487312	0.0	0.0	0.0
Angola	2012	25.535967	0.0	17.268432	1.421632	1.147056	5.702867
Anguilla	2012	0.142696	0.0	0.142696	0.0	0.0	0.0
Antarctica	2012	0.0	0.0	0.0	0.0	0.0	0.0
Antigua and Barbuda	2012	0.458	0.0	0.458	0.0	0.0	0.0
Argentina	2012	191.292113	5.008668	85.587376	95.381248	4.184	1.130801
Armenia	2012	5.748252	0.007328	0.89768	4.565344	0.2779	0.0

#### 2.4.4.TotalEmission page filter country

**Understanding Total Carbon Dioxide Emissions**

Carbon dioxide (CO<sub>2</sub>) emissions are a major contributor to climate change, and understanding their impact and trends is crucial for addressing the issue. This chart shows the growth of global CO<sub>2</sub> emissions from the mid-18th century to today.

Before the Industrial Revolution, emissions were very low. However, emissions began to increase rapidly in the mid-19th century, coinciding with global emissions reaching 3 billion tonnes of CO<sub>2</sub> in 1850. By 1950, emissions had almost quadrupled, reaching more than 22 billion tonnes. Today, we emit over 34 billion tonnes of CO<sub>2</sub> each year.

Although emissions growth has slowed in recent years, they have yet to reach their peak. It is crucial that we take action to reduce carbon emissions in order to mitigate the effects of climate change and protect our planet.

**Annual CO2 emissions**

Country	Year	Total	Coal	Oil	Gas	Cement	Flaring
Côte d'Ivoire	1996	7.335328	0.0	6.477952	0.857376	0.0	0.0
Côte d'Ivoire	1997	7.012656	0.0	5.608659	1.403998	0.0	0.0
Côte d'Ivoire	1998	6.584208	0.0	4.9844	1.637803	0.0	0.0
Côte d'Ivoire	1999	5.935912	0.0	3.548328	2.391185	0.0	0.0
Côte d'Ivoire	2000	6.465296	0.0	4.045056	2.41824	0.0	0.0
Côte d'Ivoire	2001	7.307916	0.0	4.774182	2.623424	0.0	0.0
Côte d'Ivoire	2002	6.957936	0.0	4.283216	2.67472	0.0	0.0
Côte d'Ivoire	2003	5.133073	0.0	2.762859	2.350214	0.0	0.0
Côte d'Ivoire	2004	7.335328	0.0	4.349168	2.88616	0.0	0.0
Côte d'Ivoire	2005	7.490544	0.0	4.162304	3.33424	0.0	0.0

#### 2.4.5.TotalEmission page filter country and year

**Understanding Total Carbon Dioxide Emissions**

Carbon dioxide (CO<sub>2</sub>) emissions are a major contributor to climate change, and understanding their impact and trends is crucial for addressing the issue. This chart shows the growth of global CO<sub>2</sub> emissions from the mid-18th century to today.

Before the Industrial Revolution, emissions were very low. However, emissions began to increase rapidly in the mid-19th century, coinciding with global emissions reaching 3 billion tonnes of CO<sub>2</sub> in 1850. By 1950, emissions had almost quadrupled, reaching more than 22 billion tonnes. Today, we emit over 34 billion tonnes of CO<sub>2</sub> each year.

Although emissions growth has slowed in recent years, they have yet to reach their peak. It is crucial that we take action to reduce carbon emissions in order to mitigate the effects of climate change and protect our planet.

**Annual CO2 emissions**

Country	Year	Total	Coal	Oil	Gas	Cement	Flaring
Oman	2000	21.535572	0.0	8.163392	11.02864	0.478564	1.864976

#### 2.4.6.PerCapitaEmission page table

**Per Capita CO2 Emissions Across the World**

Pier capita CO<sub>2</sub> emissions are the CO<sub>2</sub> emissions produced by the average citizen of a particular country. To calculate per capita emissions, the total emissions of a country are divided by its population. By examining per capita emissions across the world, we can gain insight into the level of inequality in carbon emissions that exists.

The disparity in per capita emissions across the globe is substantial. The major oil-producing countries tend to be the largest per capita CO<sub>2</sub> emitters, due to their relatively low populations. For instance, in 2017, Qatar had the highest emissions at 49 tonnes (t) per person, followed by Trinidad and Tobago (30), Kuwait (25), United Arab Emirates (25), Brunei (24),

**Per capita CO2 emissions**

Country	Year	Per Capita	Coal	Oil	Gas	Cement	Flaring
Afghanistan	1996	0.080092	0.000428	0.057616	0.017992	0.002771	0.001285
Afghanistan	1997	0.0737313	0.000206	0.053347	0.01598	0.002665	0.001236
Afghanistan	1998	0.069134	0.000198	0.050919	0.014265	0.002563	0.001189
Afghanistan	1999	0.056671	0.000199	0.040325	0.012554	0.002461	0.001141
Afghanistan	2000	0.053581	0.000187	0.040309	0.011437	0.002523	0.001125
Afghanistan	2001	0.0543	0.000536	0.038708	0.010008	0.000332	0.001117
Afghanistan	2002	0.063856	0.002624	0.034639	0.020867	0.000525	0.0
Afghanistan	2003	0.068871	0.004054	0.043788	0.020596	0.000433	0.0

#### 2.4.7.PerCapitaEmission page filter year

**Per Capita CO2 Emissions Across the World**

Per capita CO2 emissions are the CO2 emissions produced by the average citizen of a particular country. To calculate per capita emissions, the total emissions of a country are divided by its population. By examining per capita emissions across the world, we can gain insight into the level of inequality in carbon emissions that exists.

The disparity in per capita emissions across the globe is substantial. The major oil-producing countries tend to be the largest per capita CO2 emitters, particularly those with relatively low populations. For instance, in 2017, Qatar had the highest emissions at 49 tonnes (t) per person, followed by Trinidad and Tobago (30), Kuwait (25), United Arab Emirates (25), Brunei (24),...

Country	Year	Per Capita	Coal	Oil	Gas	Cement	Flaring
Afghanistan	2011	0.40474	0.142931	0.250788	0.010523	0.000499	0.0
Albania	2011	1.632234	0.184422	1.301058	0.010105	0.336648	0.0
Algeria	2011	3.278487	0.028675	1.283941	1.552138	0.22404	0.189894
Andorra	2011	6.957586	0.0	0.957586	0.0	0.0	0.0
Angola	2011	1.250241	0.0	0.591308	0.057847	0.031531	0.569557
Anguilla	2011	10.711041	0.0	10.711041	0.0	0.0	0.0
Antarctica	2011	0.0	0.0	0.0	0.0	0.0	0.0
Antigua and Barbuda	2011	5.111831	0.0	5.111831	0.0	0.0	0.0

#### 2.4.8.PerCapitaEmission page filter country

**Per Capita CO2 Emissions Across the World**

Per capita CO2 emissions are the CO2 emissions produced by the average citizen of a particular country. To calculate per capita emissions, the total emissions of a country are divided by its population. By examining per capita emissions across the world, we can gain insight into the level of inequality in carbon emissions that exists.

The disparity in per capita emissions across the globe is substantial. The major oil-producing countries tend to be the largest per capita CO2 emitters, particularly those with relatively low populations. For instance, in 2017, Qatar had the highest emissions at 49 tonnes (t) per person, followed by Trinidad and Tobago (30), Kuwait (25), United Arab Emirates (25), Brunei (24),...

Country	Year	Per Capita	Coal	Oil	Gas	Cement	Flaring
Guatemala	1996	0.618034	0.0	0.572053	0.002068	0.043913	0.0
Guatemala	1997	0.687904	0.0	0.635676	0.002016	0.050213	0.0
Guatemala	1998	0.772476	0.0	0.715172	0.0	0.057304	0.0
Guatemala	1999	0.768162	0.003516	0.705084	0.0	0.059557	0.0
Guatemala	2000	0.832042	0.048686	0.712183	0.0	0.071173	0.0
Guatemala	2001	0.852119	0.044239	0.737426	0.0	0.070454	0.0
Guatemala	2002	0.872399	0.084073	0.719889	0.0	0.068337	0.0
Guatemala	2003	0.831148	0.077824	0.687009	0.0	0.066315	0.0

#### 2.4.9.PerCapitaEmission page filter country and year


**Per Capita CO2 Emissions Across the World**

Per capita CO2 emissions are the CO2 emissions produced by the average citizen of a particular country. To calculate per capita emissions, the total emissions of a country are divided by its population. By examining per capita emissions across the world, we can gain insight into the level of inequality in carbon emissions that exists.


The disparity in per capita emissions across the globe is substantial. The major oil-producing countries tend to be the largest per capita CO2 emitters, particularly those with relatively low populations. For instance, in 2017, Qatar had the highest emissions at 49 tonnes (t) per person, followed by Trinidad and Tobago (30), Kuwait (25), United Arab Emirates (25), Brunei (24),...

Country	Year	Per Capita	Coal	Oil	Gas	Cement	Flaring
Norway	2013	8.775618	0.648104	4.827751	2.736254	0.143879	0.297402


#### 2.4.10.TotalEmission bar graph




#### 2.4.11.TotalEmission line graph



#### 2.4.12.PerCapitaEmission bar graph



#### 2.4.13.PerCapitaEmission line graph



### 3.Coding excerpts

#### 3.1.pyenv update

```
codio@questdenmark-machinerepair:~/workspace/cs511_delta$ pyenv update
updating /home/codio/.pyenv...
remote: Enumerating objects: 22711, done.
remote: Counting objects: 100% (22708/22708), done.
remote: Compressing objects: 100% (5950/5950), done.
remote: Total 22147 (delta 15327), reused 21691 (delta 14916), pack-reused 0
Receiving objects: 100% (22147/22147), 4.16 MiB | 5.43 MiB/s, done.
Resolving deltas: 100% (15327/15327), completed with 299 local objects.
From https://github.com/pyenv/pyenv
 * branch            master    -> FETCH_HEAD
   943015eb..4ef81b5c master      -> origin/master
Updating 943015eb..4ef81b5c
Fast-forward
```

#### 3.2.pyenv install 3.10.7

```
codio@questdenmark-machinerepair:~/workspace/cs511_delta$ pyenv install 3.10.7
Downloading Python-3.10.7.tar.xz...
-> https://www.python.org/ftp/python/3.10.7/Python-3.10.7.tar.xz
Installing Python-3.10.7...
```

#### 3.3.Git push to master branch 1

```
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git checkout main
M   git-log.txt
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git pull
Already up to date.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git checkout master
M   git-log.txt
Switched to branch 'master'
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git add git-log.txt
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git commit -m "update git log"
[master ba41657] update git log
1 file changed, 16 insertions(+)
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git push
fatal: The current branch master has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin master

(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git push --set-upstream origin master
Counting objects: 3, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 966 bytes | 966.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:Cloudy038/cs511_delta.git
    ba41657..ba41657 master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ []
```

### 3.4.Git push to master branch 2

```
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git merge main
Auto-merging git-log.txt
CONFLICT (content): Merge conflict in git-log.txt
Automatic merge failed; fix conflicts and then commit the result.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git pull origin master
error: Pulling is not possible because you have unmerged files.
hint: Fix them up in the work tree, and then use 'git add/rm <file>'.
hint: as appropriate to mark resolution and make a commit.
fatal: Exiting because of an unresolved conflict.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git branch
* master
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ ls
commands.txt  db.sqlite3  git-log.txt  manage.py  README.md
data          emission    LICENSE    mysite
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git add git-log.txt
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git commit -m "test merge branch"
[master f43c37e] test merge branch
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git merge origin main
Already up to date.
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git push
Counting objects: 3, done.
Delta compression using up to 4 threads.
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 346 bytes | 346.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To github.com:Cloudy038/cs511_delta.git
    f43c37e..f43c37e master -> master
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ []
```

### 3.5.Git reset --hard

```
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git reset --hard
HEAD is now at 32bc4f2 country.csv
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ git pull
Updating 32bc4f2..f45435d
Fast-forward
    .../__pycache__/_init_.cpython-310.pyc      | Bin 7593 -> 7593 bytes
    .../asgiref/__pycache__/_init_.cpython-310.pyc | Bin 202 -> 202 bytes
    .../current_thread_executor.cpython-310.pyc   | Bin 2715 -> 2715 bytes
    .../asgiref/__pycache__/_sync.cpython-310.pyc | Bin 4134 -> 4134 bytes
    .../django/__pycache__/_init_.cpython-310.pyc | Bin 12662 -> 12662 bytes
    .../django/__pycache__/_shortcuts.cpython-310.pyc | Bin 1000 -> 1000 bytes
    .../django/__pycache__/_shortcuts.cpython-310.pyc | Bin 4411 -> 4411 bytes
    .../apps/__pycache__/_init_.cpython-310.pyc    | Bin 291 -> 291 bytes
    .../apps/__pycache__/_config.cpython-310.pyc   | Bin 6317 -> 6317 bytes
    .../apps/__pycache__/_registry.cpython-310.pyc | Bin 13074 -> 13074 bytes
    .../conf/__pycache__/_init_.cpython-310.pyc    | Bin 10332 -> 10332 bytes
```

### 3.6.python3 manage.py dbshell

```
(.venv) codio@questdenmark-machinerepair:~/workspace/cs511_delta$ python3 manage.py dbshell
SQLite version 3.22.0 2018-01-22 18:45:57
Enter ".help" for usage hints.
sqlite> .table
auth_group           django_content_type
auth_group_permissions  django_migrations
auth_permission       django_session
auth_user             emission_country
auth_user_groups     emission_percapitaemission
auth_user_user_permissions  emission_source
django_admin_log      emission_totalemission
sqlite> []
```

## 4. Error pages getting EOF when first deployed to Render

