BIOLOGY SECTION I

69 Questions

Time — 90 minutes

Directions: Each of the questions or incomplete statements below is followed by four suggested answers or completions. Select the one that is best in each case and then fill in the corresponding oval on the answer sheet.

- 1. The resting membrane potential depends on which of the following?
 - I. Active transport
 - II. Selective permeability
 - III. Differential distribution of ions across the axonal membrane
 - (A) III only
 - (B) I and II only
 - (C) II and III only
 - (D) I, II, and III
- 2. The Krebs cycle in humans releases
 - (A) carbon dioxide
 - (B) pyruvate
 - (C) glucose
 - (D) lactic acid
- 3. A heterotroph
 - (A) obtains its energy from sunlight, harnessed by pigments
 - (B) obtains its energy by catabolizing organic molecules
 - (C) makes organic molecules from CO,
 - (D) obtains its energy by consuming exclusively autotrophs
- 4. Regarding meiosis and mitosis, one difference between the two forms of cellular reproduction is that in meiosis
 - (A) there is one round of cell division, whereas in mitosis there are two rounds of cell division
 - (B) separation of sister chromatids occurs during the second division, whereas in mitosis separation of sister chromatids occurs during the first division
 - (C) chromosomes are replicated during interphase, whereas in mitosis chromosomes are replicated during the first phase of mitosis
 - (D) spindle fibers form during interphase, whereas in mitosis the spindle fibers form during mitosis

- 5. A feature of amino acids that is NOT found in carbohydrates is the presence of
 - (A) carbon atoms
 - (B) oxygen atoms
 - (C) nitrogen atoms
 - (D) hydrogen atoms
- 6. Which of the following is NOT a characteristic of bacteria?
 - (A) Circular double-stranded DNA
 - (B) Membrane-bound cellular organelles
 - (C) Plasma membrane consisting of lipids and proteins
 - (D) Ribosomes that synthesize polypeptides
- 7. Which of the following best explains why a population is described as the evolutionary unit?
 - (A) Genetic changes can occur only at the population
 - (B) The gene pool in a population remains fixed over time.
 - (C) Natural selection affects individuals, not populations.
 - (D) Individuals cannot evolve, but populations can.
- 8. The endocrine system maintains homeostasis using many feedback mechanisms. Which of the following is an example of positive feedback?
 - (A) Infant suckling causes a mother's brain to release oxytocin, which in turn stimulates milk production.
 - (B) An enzyme is allosterically inhibited by the product of the reaction it catalyzes.
 - (C) When ATP is abundant, the rate of glycolysis decreases.
 - (D) When blood sugar levels decrease to normal after a meal, insulin is no longer secreted.

- 9. A scientist carries out a cross between two guinea pigs, both of which have black coats. Black hair coat is dominant over white hair coat. Three quarters of the offspring have black coats, and one quarter have white coats. The genotypes of the parents were most likely
 - (A) bb bb
 - (B) Bb Bb
 - (C) Bb bb
 - (D) BB Bb
- 10. A large island is devastated by a volcanic eruption. Most of the horses die except for the heaviest males and heaviest females of the group. They survive, reproduce, and perpetuate the population. If weight is a highly heritable trait, which graph represents the change in population before and after the eruption?
 - (A) A higher mean weight compared with their parents
 - (B) A lower mean weight compared with their parents
 - (C) The same mean weight as members of the original population
 - (D) A higher mean weight compared with members of the original population
- 11. All of the following play a role in morphogenesis **EXCEPT**
 - (A) apoptosis
 - (B) homeotic genes
 - (C) operons
 - (D) differentiation
- 12. During the period when life is believed to have begun, the atmosphere on primitive Earth contained abundant amounts of all the following gases EXCEPT
 - (A) oxygen
 - (B) hydrogen
 - (C) ammonia
 - (D) methane

Questions 13–14 refer to the following passage.

The digestive system in humans can be divided into two parts: the alimentary canal and the accessory organs. The canal comprised of the esophagus, stomach, and intestines is where the food actually passes during its transition into waste. The accessory organs are any organs that aid in the digestion by supplying the organs in the alimentary canal with digestive hormones and enzymes.


- 13. The small intestine is the main site of absorption. It can accomplish it so efficiently because of villi and microvilli that sculpt the membrane into hair-like projections. They likely aid in reabsorption by
 - (A) increasing the surface area of the small intestine
 - (B) decreasing the surface area of the small intestine
 - (C) making the small intestine more hydrophilic
 - (D) making the small intestine more hydrophobic
- 14. The pancreas is a major accessory organ in the digestive system. Which of the following would destroy the function of the digestive products produced by the pancreas?
 - (A) A decrease in absorption rates within the alimentary
 - (B) Removing the excess water from the food waste
 - (C) Increased acidity due to the inability to neutralize stomach acid
 - (D) An increase in peristalsis and subsequent diarrhea
- 15. In animal cells, which of the following represents the most likely pathway that a secreted protein takes as it is synthesized in a cell?
 - (A) Plasma membrane-Golgi apparatus-ribosomesecretory vesicle-rough ER
 - (B) Ribosome-Golgi apparatus-rough ER-secretory vesicle-plasma membrane
 - (C) Plasma membrane-Golgi apparatus-ribosomesecretory vesicle-rough ER
 - (D) Ribosome-rough ER-Golgi apparatus-secretory vesicle-plasma membrane
- 16. All of the following statements are correct regarding alleles EXCEPT
 - (A) alleles are alternative forms of the same gene
 - (B) alleles are found on corresponding loci of homologous chromosomes
 - (C) a gene can have more than two alleles
 - (D) an individual with two identical alleles is said to be heterozygous with respect to that gene

- 17. Once specific genes, such as the gene coding for ampicillin, have been incorporated into a plasmid, the plasmid may be used to carry out a transformation, which is
 - (A) inserting it into a bacteriophage
 - (B) treating it with a restriction enzyme
 - (C) inserting it into a suitable bacterium
 - (D) running a gel electrophoresis
- 18. Although mutations occur at a regular and predictable rate, which of the following statements is the LEAST likely reason the frequency of mutation often *appears* to be low?
 - (A) Some mutations produce alleles that are recessive and may not be expressed.
 - (B) Some undesirable phenotypic traits may be prevented from reproducing.
 - (C) Some mutations cause such drastic phenotypic changes that they are soon removed from the gene pool.
 - (D) The predictable rate of mutation results in ongoing variability in a gene pool.
- 19. A scientist wants to test the effect of temperature on seed germination. Which of the following should be part of the experimental design?
 - (A) Use temperature as the dependent variable and alter the germination times
 - (B) Use temperature as the independent variable and measure the rate of germination
 - (C) Use temperature as the controlled variable and keep everything identical between groups
 - (D) Use the variable natural outside temperature as a control group
- 20. An autoimmune condition is identified that results in the destruction of Schwann cells. How does this condition impact the lives of patients?
 - (A) They are unable to regulate their cell cycle and they develop cancer at a high rate.
 - (B) They are unable to myelinate their neuronal axons and nerve signaling is slow and inconsistent.
 - (C) They cannot produce helper T-cells and are unable to mount an immune response to even a simple infection.
 - (D) Their gametes cannot undergo recombination and their offspring will be less genetically variant than they could be.

- 21. Which of the following is most correct concerning cell differentiation in vertebrates?
 - (A) Cells in different tissues contain different sets of genes, leading to structural and functional differences.
 - (B) Differences in the timing and expression levels of different genes lead to structural and functional differences.
 - (C) Differences in the reading frame of mRNA lead to structural and functional differences.
 - (D) Differences between tissues result from spontaneous morphogenesis.

Questions 22-23 refer to the following passage.

Pumping blood through the human heart must be carefully organized for maximal efficiency and to prevent backflow. In the figure below, the blood enters the heart through the vena cava (1), passes through the right atrium and right ventricle and then goes through the pulmonary artery toward the lungs. After the lungs, the blood returns through the pulmonary vein and then passes into the left atrium and the left ventricle before leaving the heart via the aorta.



- 22. Which of the following chambers or vessels carry deoxygenated blood in the human heart?
 - (A) 1 only
 - (B) 2 and 3
 - (C) 1, 2, 3, 4
 - (D) 4 and 5
- 23. Blood is pumped via heart contractions triggered by action potentials spreading through the heart muscle. If there is a sudden increase in blood in chamber 3, which chamber of the heart received an increased number of action potentials?
 - (A) Left atrium
 - (B) Left ventricle
 - (C) Right atrium
 - (D) Right ventricle

- 24. Some strains of viruses can change normal mammalian cells into cancer cells in vitro. Which of the following is the best explanation for this impact on the mammalian cell?
 - (A) A pilus is formed between the mammalian cell and the virus.
 - (B) The viral genome incorporates into the mammalian cell's nuclear DNA.
 - (C) The host's genome is converted into the viral DNA.
 - (D) There is a viral release of spores into the mammalian cell.
- 25. All of the following correctly describe meiosis EXCEPT
 - (A) meiosis produces four haploid gametes
 - (B) homologous chromosomes join during synapsis
 - (C) sister chromatids separate during meiosis I
 - (D) crossing-over increases genetic variation in gametes
- 26. All of the following are examples of events that can prevent interspecies breeding EXCEPT
 - (A) the potential mates experience geographic isolation
 - (B) the potential mates experience behavioral isolation
 - (C) the potential mates have different courtship rituals
 - (D) the potential mates have different alleles
- 27. Which of the following is NOT a characteristic of asexual reproduction in animals?
 - (A) Progeny cells have the same number of chromosomes as the parent cell.
 - (B) Progeny cells are identical to the parent cell.
 - (C) The parent cell produces diploid cells.
 - (D) The progeny cells fuse to form a zygote.
- 28. Transpiration is a result of special properties of water. The special properties of water include all of the following EXCEPT
 - (A) cohesion
 - (B) adhesion
 - (C) capillary action
 - (D) hydrophobicity

Questions 29–32 refer to the following passage.

An experiment was performed to assess the growth of two species of plants when they were grown in different pHs, given different volumes of water, and watered at different times of day over 6 weeks. Two plants were grown of each species and the average heights (in cm) are shown in the table.

		Species A	Species B
	2	3.2	4.1
	4	37.6	20.6
pН	7	62.3	22.4
	10	48.4	31.5
	13	4.1	2.7
	10	4.9	12.4
Vol-	20	19.2	38.9
ume (mL)	40	56.2	45.6
	80	65.1	21.5
	160	2.6	1.8
	12:00 а.м.	62.3	20.3
Time	7:00 а.м.	61.1	21.8
	12:00 р.м.	66.7	18.4
	7:00 р.м.	65.3	19.3

- 29. For which conditions do the species have different preferences?
 - (A) pH
 - (B) Volume
 - (C) Volume and watering time
 - (D) pH and volume and watering time
- 30. What are the preferred growth conditions for Species B?
 - (A) pH 7, 40 mL, any time of day
 - (B) pH 10, 40 mL, 7:00 a.m.
 - (C) pH 7, 80 mL, any time of day
 - (D) pH 10, 80 mL, 12:00 P.M.
- 31. Which pH and volume were likely used for the watering time experiment?
 - (A) pH 4 and 40 mL
 - (B) pH 7 and 40 mL
 - (C) pH 4 and 80 mL
 - (D) pH 7 and 80 mL


- 32. Which of the following would most improve the statistical significance of the results?
 - (A) Let the plants grow for a longer period of time.
 - (B) Add more conditions to test, such as amount of light and amount of soil.
 - (C) Test the same plants with more pHs and more volumes and times of day.
 - (D) Increase the number of plants in each group.
- 33. Photoperiodism in plants can be best compared to which of the following phenomena in animals?
 - (A) Viral infection
 - (B) Increased appetite
 - (C) Meiotic cell divison
 - (D) Circadian rhythms
- 34. In most ecosystems, net primary productivity is important because it represents the
 - (A) energy available to producers
 - (B) total solar energy converted to chemical energy by producers
 - (C) biomass of all producers
 - (D) energy available to heterotrophs
- 35. Hawkmoths are insects that are similar in appearance and behavior to hummingbirds. Which of the following is LEAST valid?
 - (A) These organisms are examples of convergent evolution.
 - (B) These organisms were subjected to similar environmental conditions.
 - (C) These organisms are genetically related to each other.
 - (D) These organisms have analogous structures.
- 36. Which of the following describes a mutualistic relationship?
 - (A) A tapeworm feeds off of its host's nutrients causing the host to lose large amounts of weight.
 - (B) Certain plants grow on trees in order to gain access to sunlight, not affecting the tree.
 - (C) Remora fish eat parasites off sharks. The sharks stay free of parasites, and the remora fish are protected from predators.
 - (D) Meerkats sound alarm calls to warn other meerkats of predators.

- 37. The pancreas is an organ that makes insulin and glucagon in its beta and alpha cells, respectively. Insulin is released when blood glucose is high and glucagon is released when blood glucose is low. Anti-beta cell antibodies will cause which of the following to occur?
 - (A) Glucagon secretion will stop, and blood glucose levels will not decrease.
 - (B) Glucagon secretion will stop, and blood glucose levels will decrease.
 - (C) Glucagon secretion will stop, and digestive enzymes will be secreted.
 - (D) Insulin secretion will stop, and blood glucose levels will not decrease.

Questions 38-40 refer to the following passage.

The rainfall and biomass of several trophic levels in an ecosystem were measured over several years. The results are shown in the graph below.

Rainfall and Biomass 2005-2011




Producers
Primary Consumers
Rainfall

- 38. Which of the following concepts is best demonstrated by this experiment?
 - (A) Populations with higher genetic variation can withstand droughts better.
 - (B) Meteorological impacts will affect the evolution of populations.
 - (C) Environmental changes can affect all the levels of the ecosystem.
 - (D) Unoccupied biological niches are dangerous because they attract invasive species.


- 39. If it rained 120 inches, what would you project the primary consumer biomass to be?
 - (A) 150-200
 - (B) 60
 - (C) 45
 - (D) 20
- 40. Which of the following graphs best depicts the projected biomass of secondary consumers if they were measured?

(A) Rainfall and Biomass 2005-2011




 Producers • • Primary Consumers Secondary Consumers - Rainfall

(B) Rainfall and Biomass 2005-2011




 Producers • • • • Primary Consumers Secondary Consumers — — Rainfall

(C) Rainfall and Biomass 2005–2011



Rainfall and Biomass 2005-2011



- 41. The calypso orchid, Calypso bulbosa, grows in close association with mycorrhizae fungi. The fungi penetrate the roots of the flower and take advantage of the plant's food resources. The fungi concentrate rare minerals, such as phosphates, in the roots and make them readily accessible to the orchid. This situation is an example of
 - (A) parasitism
 - (B) commensalism
 - (C) mutualism
 - (D) endosymbiosis

- 42. Which of the following are characteristics of both bacteria and fungi?
 - (A) Cell wall, DNA, and plasma membrane
 - (B) Nucleus, organelles, and unicellularity
 - (C) Plasma membrane, multicellularity, and Golgi apparatus
 - (D) Cell wall, unicellularity, and mitochondria
- 43. The synthesis of new proteins necessary for lactose utilization by the bacterium *E. coli* using the *lac* operon is regulated by the ability of RNA polymerase to bind and advance. This regulation can best be described as
 - (A) bacterial regulation
 - (B) pre-transcriptional regulation
 - (C) pre-translational regulation
 - (D) post-translational regulation
- 44. Trypsin is a digestive enzyme. It cleaves polypeptides after lysine and arginine amino acid residues. Which of the following statements about trypsin is NOT true?
 - (A) It is an organic compound made of proteins.
 - (B) It is a catalyst that alters the rate of a reaction.
 - (C) It is operative over a wide pH range.
 - (D) The rate of catalysis is affected by the concentration of substrate.
- 45. In DNA replication, which of the following does NOT occur?
 - (A) Helicase unwinds the double helix.
 - (B) DNA ligase links the Okazaki fragments.
 - (C) RNA polymerase is used to elongate both chains of the helix.
 - (D) DNA strands grow in the 5' to 3' direction.
- 46. A change in a neuron membrane potential from +50 millivolts to −70 millivolts is considered
 - (A) depolarization
 - (B) repolarization
 - (C) hyperpolarization
 - (D) an action potential
- 47. The energy given up by electrons as they move through the electron transport chain is used to
 - (A) break down glucose
 - (B) make glucose
 - (C) produce ATP
 - (D) make NADH

- 48. If a plant undergoing the light-dependent reactions of photosynthesis began to release ¹⁸O₂ instead of normal oxygen, one could most reasonably conclude that the plant had been supplied with
 - (A) H₂O containing radioactive oxygen
 - (B) CO₂ containing radioactive oxygen
 - (C) C₆H₁₂O₆ containing radioactive oxygen
 - (D) NO containing radioactive oxygen
- 49. Chemical substances released by organisms that elicit a physiological or behavioral response in other members of the same species are known as
 - (A) auxins
 - (B) hormones
 - (C) pheromones
 - (D) enzymes
- 50. Homologous structures are often cited as evidence for the process of natural selection. All of the following are examples of homologous structures EXCEPT
 - (A) the forearms of a cat and the wings of a bat
 - (B) the flippers of a whale and the arms of a man
 - (C) the pectoral fins of a porpoise and the flippers of a seal
 - (D) the forelegs of an insect and the forelimbs of a dog
- 51. Certain populations of finches have long been isolated on the Galapagos Islands off the western coast of South America. Compared with the larger stock population of mainland finches, these separate populations exhibit far greater variation over a wider range of species. The variation among these numerous finch species is the result of
 - (A) convergent evolution
 - (B) divergent evolution
 - (C) disruptive selection
 - (D) stabilizing selection
- 52. Which of the following contributes the MOST to genetic variability in a population?
 - (A) Sporulation
 - (B) Binary fission
 - (C) Vegetative propagation
 - (D) Mutation

Questions 53–55 refer to the following information and table.

A marine ecosystem was sampled in order to determine its food chain. The results of the study are shown below.


Type of Organism	Number of Organisms		
Shark	2		
Small crustaceans	400		
Mackerel	20		
Phytoplankton	1,000		
Herring	100		

- 53. Which of the following organisms in this population are secondary consumers?
 - (A) Sharks
 - (B) Phytoplankton
 - (C) Herrings
 - (D) Small crustaceans
- 54. Which of the following organisms has the largest biomass in this food chain?
 - (A) Phytoplanktons
 - (B) Mackerels
 - (C) Herrings
 - (D) Sharks

- 55. If the herring population is reduced by predation, which of the following would most likely be a secondary effect on the ecosystem?
 - (A) The mackerels will be the largest predator in the ecosystem.
 - (B) The small crustacean population will be greatly reduced.
 - (C) The phytoplankton population will be reduced over the next year.
 - (D) The small crustaceans will become extinct.


Questions 56–58 refer to the following information and diagram.

To understand the workings of neurons, an experiment was conducted to study the neural pathway of a reflex arc in frogs. A diagram of a reflex arc is given below.



- 56. Which of the following represents the correct pathway taken by a nerve impulse as it travels from the spinal cord to effector cells?
 - (A) 1-2-3-4
 - (B) 6-5-4-3
 - (C) 2-3-4-5
 - (D) 4-5-6-7
- 57. The brain of the frog is destroyed. A piece of acid-soaked paper is applied to the frog's skin. Every time the piece of paper is placed on its skin, one leg moves upward. Which of the following conclusions is best supported by the experiment?
 - (A) Reflex actions are not automatic.
 - (B) Some reflex actions can be inhibited.
 - (C) All behaviors in frogs are primarily reflex responses.
 - (D) This reflex action does not require the brain.

- 58. A nerve impulse requires the release of neurotransmitters at the axonal bulb of a presynaptic neuron. Which of the following best explains the purpose of neurotransmitters, such as acetylcholine?
 - (A) They speed up the nerve conduction in a neuron.
 - (B) They open the sodium channels in the axonal membrane.
 - (C) They excite or inhibit the postsynaptic neuron.
 - (D) They open the potassium channels in the axonal membrane.



Formation of a Protein


The Genetic Code: Codons of mRNA that Specify a Given Amino Acid							
First			Third Position (3' end)				
Position (5' end)	Second Position	U	С	A	G		
U	U	UUU	UUC	UUA	UUG		
		Pheny	lalanine	Lu	cine		
	C	UCU	UCC	UCA	UCG		
			Ser	ine			
	A	UAU Tytros	UAC ine	UAA	UAG		
	G	UGU	UGC	UGA	UGG		
		Cystei	ne		Tryptophan		
С	U	CUU	CUC Leu	CUA	CUG		
	С	CCU	CCC Pro	CCA	CCG		
	A	CAU Histidi	CAC	CAA	CAG utamine		
	G	CGU	CGC	CGA	CGG		
				ginine	CGG		
A	U	AUU	AUC Isol	AUA eucine	AUG		
	С	ACU	ACC Thr	ACA	ACG		
	A	AAU	AAC	AAA	AAG		
		Aspara	agine	Ly	sine		
	G	AGU	AGC	AGA	AGG		
		Serine		Ar	ginine		
G	U	GUU	GUC	GUA	GUG		
			Vali	ine			
	С	GCU	GCC	GCA	GCG		
	A	GAU	GAC	GAA	GAG		
		Aspar	tic Acid	Gli	utamic acid		
	G	GGU	GGC	GGA	GGG		
			Glycine				

- 59. Which of the following DNA strands is the template strand that led to the amino acid sequence shown above?
 - (A) 3'-ATGCGACCAGCACGT-5'
 - (B) 3'-AUGCCACUAGCACGU-5'
 - (C) 3'-TACGGTGATCGTGCA-5'
 - (D) 3'-UACGGUGAUCGUGCA-5'
- 60. Immediately after the translation of methionine, a chemical is added which deletes all remaining uracil nucleotides in the mRNA. Which of the following represents the resulting amino acid sequence?
 - (A) Serine-histidine-serine-threonine
 - (B) Methionine-proline-glutamine-histidine
 - (C) Methionine-proline-leucine-alanine-arginine
 - (D) Methionine-proline-alanine-arginine-arginine
- 61. The mRNA above was found to be much smaller than the original mRNA synthesized in the nucleus. This is due to
 - (A) addition of a poly(A) tail to the mRNA molecule
 - (B) addition of a cap to the mRNA molecule
 - (C) excision of exons from the mRNA molecule
 - (D) excision of introns from the mRNA molecule

Questions 62 and 63 refer to the following information.


A scientist studies the storage and distribution of oxygen in humans and Weddell seals to examine the physiological adaptations that permit seals to descend to great depths and stay submerged for extended periods. The figure below depicts the oxygen storage in both organisms.

Human (70 kilograms)



Total oxygen store: 1.95 liters

Weddell seal (450 kilograms)




Total oxygen store: 25.9 liters

- 62. Compared with humans, approximately how many liters of oxygen does the Weddell seal store per kilogram of body weight?
 - (A) The same amount of oxygen
 - (B) Twice the amount of oxygen
 - (C) Three times the amount of oxygen
 - (D) Five times the amount of oxygen

- 63. During a dive, a Weddell seal's blood flow to the abdominal organs is shut off, and oxygen-rich blood is diverted to the eyes, brain, and spinal cord. Which of the following is the most likely reason for this adaptation?
 - (A) To increase the number of red blood cells in the nervous system
 - (B) To increase the amount of oxygen reaching the skeletomuscular system
 - (C) To increase the amount of oxygen reaching the central nervous system
 - (D) To increase the oxygen concentration in the lungs

Directions: Part B consists of questions requiring numeric answers. Calculate the correct answer for each question.

64. An experiment was conducted to observe the lightabsorbing properties of chlorophylls and carotenoids using a spectrophotometer. The pigments were first extracted and dissolved in a solution. They were then illuminated with pure light of different wavelengths to detect which wavelengths were absorbed by the solution. The results are presented in the absorption spectrum below.



Absorption Spectrum for Green Plants

 Chlorophyll	а
 Chlorophyll	b
 Carotenoids	

At approximately what wavelength does chlorophyll a maximally absorb light?

\odot	\odot	\odot	\odot	\odot	\odot
	0	0	0	0	0
	1	1	1	1	1
	2	2	2	2	2
	3	(3)	3	3	3
	4	4	4	4	4
	5	(5)	5	(5)	(5)
	6	6	6	6	6
	7	7	7	7	7
	8	8	8	8	8
	9	9	9	9	9

65. A woman with blood genotype IAi and a man with blood genotype I^Bi have two children, both type AB. What is the probability that a third child will be blood type AB?

\bigcirc	\odot	\odot	\odot	\odot	\odot
	0	0	0	0	0
	1	1	1	1	1
	2	2	2	2	2
	3	3	3	3	3
	4	4	4	4	4
	5	(5)	5	5	5
	6	6	6	6	6
	7	7	7	7	7
	8	(8)	8	8	8
	9	9	9	9	9


66. The trophic level efficiency of large herbivores such as elks is frequently only about 5 percent. In tons, what volume of plants would be required to maintain 24,000 lbs of elk?

\bigcirc	\odot	\odot	\odot	\odot	\odot
	0	0	0	0	0
	1	1	1	1	1
	2	2	2	2	2
	3	3	3	3	3
	4	4	4	4	4
	(5)	(5)	(5)	(5)	5
	6	6	6	6	6
	7	7	7	7	7
	8	8	8	8	8
	9	9	9	9	9

67. If the genotype frequencies of an insect population are AA = 0.49, Aa = 0.42, and aa = 0.09, what is the gene frequency of the recessive allele?


<u> </u>	\odot	\odot	\odot	\odot	\odot
	0	0	0	0	0
	1	1	1	1	1
	2	2	2	2	2
	3	3	3	3	3
	4	4	4	4	4
	5	5	5	5	5
	6	6	6	6	6
	7	7	7	7	7
	8	8	8	8	8
	9	9	9	9	9

Question 68 refers to the diagram below.




Family Tree for Color Blindness: squares represent males and circles represent females. Shading in a shape represents the allele for color blindness. Each half of a shape represents one of the two copies of the gene.

68. Based on the pedigree above, what is the probability that a male child born to individuals 6 and 7 will be colorblind?




69. The loss of water by evaporation from the leaf openings is known as transpiration. The transpiration rates of various plants are shown below.



Transpiration Rates for Plants

How many liters of water per week are lost by a coconut palm?



STOP

END OF SECTION I

IF YOU FINISH BEFORE TIME IS CALLED, YOU MAY CHECK YOUR WORK ON THIS SECTION. DO NOT GO ON TO SECTION II UNTIL YOU ARE TOLD TO DO SO.