




CONFIGURED PRIMARY TUMOR	CUPPA CANCER TYPE	QC
cancer (DOID 162)	Bone/Soft tissue: Other (39%)	WARN_HIGH_COPY_NU MBER_NOISE

Purity:	65% (59%-83%)	
Ploidy:	3.25 (1.54-3.55)	
Somatic variant drivers:	2 (H1-2)	
Germline variant drivers:	None	
Somatic copy number drivers:	None	
Germline copy number drivers:	None	
Somatic disruption drivers:	None	
Germline disruption drivers:	None	
Fusion drivers:	None	
Viral presence:	None	
Whole genome duplicated:	Yes	
Microsatellite indels per Mb:	0.0 (Stable)	
Tumor mutations per Mb:	1.3 (Low)	
Tumor mutational load:	17 (Low)	
HR deficiency score:	0.0 (Proficient)	
DPYD status:	*1 HOM (Normal Function)	
UGT1A1 status:	NA	
Number of SVs:	91 (Pan 0.25)	
Max complex cluster size:	8	
Telomeric SGLs:	0	
Number of LINE insertions:	2	





Somatic Findings


Driver variants (2)

VARIANT	VCN	CN	MACN	BIALLELIC	HOTSPOT	DL	CL	PHASE ID	RNA DEPTH
H1-2 p.A197_K201del	1.0	5.8	2.9	2%	No	100%	100%		0/270 (0%)
ALB p.L262V	0.5	4.2	2.0	2%	No	79%	100%		0/0

Other potentially relevant variants (0)

NONE

Kataegis plot



Driver amplifications and homozygous deletions (0)

NONE

Potentially interesting near-driver amplifications (2)

LOCATION	GENE	TYPE	CN	TPM	PERC (TYPE)	FC (TYPE)	PERC (DB)	FC (DB)
chr12q14.1	CDK4	full gain	8.4	490.8	NA	NA	0.99	7.5
chr3p22.1	CTNNB1	full gain	9.0	1277.0	NA	NA	1.00	7.6

Other regions with amplifications (0)

NONE

Regions with deletions in genes in other autosomal regions (0)

NONE



Potentially interesting chromosomal rearrangements

CHROMOSOMAL REARRANGEMENT	DETECTED?
1q trisomy	No
1p19q co-deletion	No

Driver fusions (0)

NONE

Other potentially interesting fusions (0)

NONE

Potentially interesting in-frame fusions in case no high drivers detected

High driver likelihood events are detected in this sample, therefore this section is empty
--

Driver viruses (0)

NONE

Other viral presence (0)

NONE

Homozygous disruptions (0)

NONE

Driver gene disruptions (1)

LOCATION	GENE	RANGE	TYPE	CLUSTER ID	JUNCTION CN	UNDISRUPTED CN
chr9p21.3	CDKN2B	Intron 1 Upstream	BND	2391	2.1	5.1

Other potentially interesting gene disruptions (0)

NONE

Potentially interesting LOH events (0)

NONE

Signature allocations (17)

SIGNATURE	ETIOLOGY	ALLOCATION	PERCENT
Sig8	Unknown	1167.5	34%
Sig3	Defective HR	777.5	23%

THE TABLE CONTINUES ON THE NEXT PAGE




Signature allocations (17)

CONTINUED FROM THE PREVIOUS PAGE

SIGNATURE	ETIOLOGY	ALLOCATION	PERCENT
Sig30	Defective DNA base excision repair due to NTHL1 mutations	274.9	8%
Sig18	Reactive oxygen species	256.8	7%
Sig9	Polymerase eta somatic hypermutation activity	223.4	6%
Sig13	APOBEC activity	154.2	4%
Sig2	APOBEC activity	138.0	4%
Sig16	Unknown	126.3	4%
Sig25	Chemotherapy treatment	98.3	3%
Sig21	Defective DNA mismatch repair	72.5	2%
Sig20	Unknown	53.5	2%
Sig10	Recurrent POLE somatic mutations	47.1	1%
Sig11	Temozolomide treatment	31.9	1%
Sig28	Unknown	19.2	1%
Sig14	Unknown	3.2	0%
Sig27	Unknown	1.7	0%
MISALLOC	-	294.3	9%

Structural driver plots (1)





Germline Findings

Driver variants (0)

NONE

Other potentially relevant variants (2)

VARIANT	VCN	CN	MACN	RNA DEPTH	BIALLELIC	HOTSPOT	GENOTYPE
CYP3A4 upstream	3.8	3.8	1.5	0/0	Yes	Yes	HOM
CYP3A5 c.219-237A>G	3.8	3.8	1.5	0/0	Yes	Yes	HOM

Potentially pathogenic germline deletions (0)

NONE

Potentially pathogenic germline LOH events (0)

NONE

Potentially pathogenic germline homozygous disruptions (0)

NONE

Potentially pathogenic germline gene disruptions (0)

NONE

Genes with missed variant likelihood > 1% (2)

GENE	MVLH	GENE	MVLH	GENE	MVLH	GENE	MVLH
GTF2I	46.0%	PMS2	1.4%				

Germline CN aberrations (0)

NONE

Pharmacogenetics (1)

GENE	HAPLOTYPE	GENOTYPE	FUNCTION	LINKED DRUGS	SOURCE
DPYD	*1	HOM	Normal Function	5-Fluorouracil;Capecitabine;Tegafur	PHARMGKB



Immunology

HLA QC

QC Status: PASS

HLA Alleles (6)

ALLELE	REF FRAGS	TUMOR FRAGS	RNA FRAGS	TUMOR CN	SOMATIC #MUTATIONS
A*01:01	235	343	3845	2.2	NONE
A*01:01	236	343	3845	1.5	NONE
B*08:01	219	146	4833	2.1	NONE
B*27:05	224	117	4527	1.5	NONE
C*01:02	217	161	7372	2.1	NONE
C*07:01	210	144	2748	1.5	NONE

Genetic Immune Escape

ESCAPE MECHANISM	DETECTED?
HLA-1 loss-of-function	No
Antigen presentation pathway inactivation	No
IFN gamma pathway inactivation	No
(Potential) PD-L1 overexpression	No
CD58 inactivation	No
Epigenetics driven immune escape via SETDB1	No



RNA Findings

QC	TOTAL FRAGMENTS	NON-DUPLICATE FRAGMENTS	DUPLICATE RATE
PASS	90560544	53649510	41%

Genes with high expression (106)

GENE	TUMOR CN	TPM	PERC (TYPE)	FC (TYPE)	PERC (DB)	FC (DB)
XPO1	4.3	1345.0	NA	NA	1.00	15.8
SF3B1	2.1	2340.0	NA	NA	1.00	17.4
MYD88	7.0	122.6	NA	NA	1.00	4.6
CTNNB1	9.0	1277.0	NA	NA	1.00	7.6
PIK3CB	3.0	135.6	NA	NA	1.00	8.7
MECOM	3.0	518.5	NA	NA	1.00	48.1
MTOR	1.7	421.3	NA	NA	1.00	11.5
MCL1	3.6	1393.0	NA	NA	1.00	6.8
SMO	4.1	179.8	NA	NA	1.00	20.5
BRAF	5.0	555.1	NA	NA	1.00	22.0
EZH2	4.2	235.9	NA	NA	1.00	12.8
RAD21	4.1	731.7	NA	NA	1.00	10.3
SMC3	3.3	390.0	NA	NA	1.00	16.4
WEE1	2.6	467.0	NA	NA	1.00	20.9
KMT2A	3.0	552.1	NA	NA	1.00	7.6
CBL	2.9	169.0	NA	NA	1.00	9.7
PTPN11	1.5	378.9	NA	NA	1.00	6.0
U2AF1	1.7	680.9	NA	NA	1.00	15.4
CALR	2.8	2674.0	NA	NA	1.00	5.2
ARAF	2.4	167.1	NA	NA	1.00	4.3
GNAQ	5.1	128.6	NA	NA	1.00	5.9
NPM1	3.5	3332.0	NA	NA	1.00	8.5
CXCR4	2.1	368.8	NA	NA	1.00	17.5
PIK3CA	3.2	152.2	NA	NA	1.00	12.3
GNAS	3.3	12100.0	NA	NA	1.00	22.4
PTK2	3.6	687.6	NA	NA	1.00	6.3
FGFR1	2.3	2432.0	NA	NA	1.00	59.8
SRSF2	2.8	510.0	NA	NA	1.00	3.2
NFE2L2	2.7	913.1	NA	NA	1.00	15.1
MDM4	2.9	1496.0	NA	NA	1.00	13.6
XRCC1	1.7	128.2	NA	NA	1.00	4.3
ARID5B	5.2	220.0	NA	NA	1.00	5.9
NT5C2	3.0	163.4	NA	NA	0.99	5.3
ABL1	2.5	161.7	NA	NA	0.99	3.8
PRKACA	2.5	247.1	NA	NA	0.99	4.9

THE TABLE CONTINUES ON THE NEXT PAGE



Genes with high expression (106)

CONTINUED FROM THE PREVIOUS PAGE

GENE	TUMOR CN	TPM	PERC (TYPE)	FC (TYPE)	PERC (DB)	FC (DB)
KLF5	2.2	574.3	NA	NA	0.99	20.3
DKK1	3.2	340.5	NA	NA	0.99	448.8
RAF1	4.3	289.6	NA	NA	0.99	3.5
BCL2	3.5	134.1	NA	NA	0.99	19.7
ZMIZ1	3.6	336.9	NA	NA	0.99	6.3
AKT2	1.6	493.5	NA	NA	0.99	5.3
GNA11	2.0	144.9	NA	NA	0.99	4.3
MDM2	7.4	997.2	NA	NA	0.99	16.4
STAT3	2.8	349.0	NA	NA	0.99	3.4
MAP2K2	1.9	235.6	NA	NA	0.99	2.7
AKT1	2.7	468.6	NA	NA	0.99	4.3
IGF1R	3.8	735.7	NA	NA	0.99	13.8
JAK2	1.9	54.5	NA	NA	0.99	6.3
CDK4	8.4	490.8	NA	NA	0.99	7.5
FGFR2	3.1	755.8	NA	NA	0.99	49.1
CCND1	1.5	1508.0	NA	NA	0.99	9.4
KRAS	3.7	162.7	NA	NA	0.99	10.3
MPL	1.7	3.7	NA	NA	0.99	11.4
MYCN	3.2	69.8	NA	NA	0.99	63.8
DDR2	5.0	141.9	NA	NA	0.99	14.5
SETBP1	3.0	106.3	NA	NA	0.99	6.7
NTRK1	3.8	11.1	NA	NA	0.99	29.2
H3-3A	2.1	955.7	NA	NA	0.99	3.4
ACVR1	2.9	62.4	NA	NA	0.99	3.2
PREX2	3.8	68.4	NA	NA	0.99	21.9
IDH1	2.2	374.0	NA	NA	0.99	5.2
MAP2K1	3.9	86.1	NA	NA	0.99	2.4
IDH2	4.1	285.1	NA	NA	0.98	4.1
NECTIN4	3.8	156.6	NA	NA	0.98	12.1
PLCG1	3.6	370.5	NA	NA	0.98	3.9
PDGFRA	4.6	157.7	NA	NA	0.98	11.2
NCOA2	4.4	122.9	NA	NA	0.98	3.0
FUBP1	2.7	138.4	NA	NA	0.98	2.0
CCNE1	1.5	51.7	NA	NA	0.98	8.9
SETDB1	3.6	82.4	NA	NA	0.98	2.3
NT5E	3.5	111.7	NA	NA	0.98	9.6
VEGFA	4.0	1408.0	NA	NA	0.97	7.0
ZBTB10	4.2	66.5	NA	NA	0.97	4.7
GTF2I	3.9	469.3	NA	NA	0.97	1.9

THE TABLE CONTINUES ON THE NEXT PAGE



Genes with high expression (106)

CONTINUED FROM THE PREVIOUS PAGE

GENE	TUMOR CN	TPM	PERC (TYPE)	FC (TYPE)	PERC (DB)	FC (DB)
ALK	3.3	13.0	NA	NA	0.97	25.2
HRAS	1.8	73.3	NA	NA	0.97	2.8
AURKA	2.7	54.2	NA	NA	0.97	3.6
ERBB2	2.8	851.7	NA	NA	0.96	10.0
ERBB3	4.6	369.9	NA	NA	0.96	3.1
EGFR	2.8	296.5	NA	NA	0.96	7.0
USP8	4.5	86.5	NA	NA	0.96	1.6
NRAS	2.3	48.4	NA	NA	0.96	2.4
MYOD1	2.0	1.7	NA	NA	0.95	NA
FGF19	1.1	8.0	NA	NA	0.95	>1000
KIT	3.6	75.0	NA	NA	0.95	23.0
GPNMB	3.2	579.0	NA	NA	0.95	8.3
FOXL2	2.4	3.3	NA	NA	0.94	52.4
KDR	3.6	33.2	NA	NA	0.94	3.7
LRIG2	1.8	20.1	NA	NA	0.94	1.8
CD274	2.4	12.1	NA	NA	0.94	6.0
CHD4	4.1	176.7	NA	NA	0.94	1.6
MYCL	2.0	17.0	NA	NA	0.93	4.6
GATA2	2.1	61.4	NA	NA	0.93	11.9
PPM1D	3.1	23.9	NA	NA	0.93	2.0
RAC1	3.0	362.8	NA	NA	0.93	1.8
HIF1A	6.2	192.6	NA	NA	0.93	2.5
SRC	2.4	123.9	NA	NA	0.93	3.1
NSD2	3.2	159.3	NA	NA	0.93	2.2
H3C3	5.8	511.0	NA	NA	0.93	5.4
H3C13	5.2	168.2	NA	NA	0.92	3.9
PDGFRB	3.5	144.5	NA	NA	0.92	3.0
PPP1R15A	1.6	117.5	NA	NA	0.91	2.7
RSF1	2.0	89.0	NA	NA	0.91	1.8
FLT4	2.9	18.2	NA	NA	0.91	3.0
IL6ST	4.0	116.0	NA	NA	0.90	3.1
SLC34A2	3.3	105.3	NA	NA	0.90	108.2

Genes with low expression (9)

GENE	TUMOR CN	TPM	PERC (TYPE)	FC (TYPE)	PERC (DB)	FC (DB)
PTPRN2	2.3	0.1	NA	NA	0.01	0.0
NFKBIE	6.4	1.6	NA	NA	0.01	0.2
GMDS	4.0	5.0	NA	NA	0.01	0.3

THE TABLE CONTINUES ON THE NEXT PAGE



Genes with low expression (9)

CONTINUED FROM THE PREVIOUS PAGE

GENE	TUMOR CN	TPM	PERC (TYPE)	FC (TYPE)	PERC (DB)	FC (DB)
MAX	4.1	67.0	NA	NA	0.01	0.4
TNFRSF14	1.7	10.4	NA	NA	0.03	0.2
CEBPA	1.5	1.4	NA	NA	0.03	0.1
DPYD	2.4	2.3	NA	NA	0.04	0.2
SH2B3	3.1	4.6	NA	NA	0.05	0.3
WWC3	1.3	7.8	NA	NA	0.05	0.4

Known fusions detected in RNA and not in DNA (0)

NONE

Promiscuous fusions detected in RNA and not in DNA (0)

NONE

Potentially interesting novel splice junctions - Skipped exons (0)

NONE

Potentially interesting novel splice junctions - Novel exon/intron (33)

GENE	CHR.	JUNC (START)	JUNC (END)	TYPE	DEPTH S/E	REGION S/E	FRAG COUNT	COHORT FREQ
MTOR	chr1	11213490	11216171	NOVEL_INTRON	1759/1678	EXONIC/EXONIC	9	1
NOTCH2	chr1	119996731	119996736	NOVEL_INTRON	437/458	EXONIC/EXONIC	308	1
PTEN	chr10	87894110	87925515	NOVEL_INTRON	426/5556	EXONIC/EXONIC	8	1
USP22	chr17	21004988	21006897	NOVEL_INTRON	987/941	EXONIC/EXONIC	12	1
RAD51C	chr17	58709974	58724073	NOVEL_INTRON	654/552	EXONIC/EXONIC	14	1
SMARCA4	chr19	10994904	10996303	NOVEL_INTRON	4859/2681	EXONIC/EXONIC	8	1
NFE2L2	chr2	177231930	177234254	NOVEL_INTRON	3002/2761	EXONIC/EXONIC	43	1
GNAS	chr20	58840054	58840208	NOVEL_INTRON	2291/6104	EXONIC/EXONIC	10	6
GNAS	chr20	58840055	58840201	NOVEL_INTRON	2273/5901	EXONIC/EXONIC	10	3
GNAS	chr20	58840426	58840475	NOVEL_INTRON	10514/10822	EXONIC/EXONIC	7	1
GNAS	chr20	58840432	58840481	NOVEL_INTRON	10644/11111	EXONIC/EXONIC	15	1
GNAS	chr20	58840432	58840469	NOVEL_INTRON	10644/10527	EXONIC/EXONIC	12	1
GNAS	chr20	58840433	58840494	NOVEL_INTRON	10705/11310	EXONIC/EXONIC	13	1
GNAS	chr20	58840444	58840469	NOVEL_INTRON	10710/10527	EXONIC/EXONIC	15	1
GNAS	chr20	58840444	58840481	NOVEL_INTRON	10710/11111	EXONIC/EXONIC	26	1
GNAS	chr20	58854541	58854578	NOVEL_INTRON	3803/3497	EXONIC/EXONIC	10	2
GNAS	chr20	58854564	58854601	NOVEL_INTRON	3397/3187	EXONIC/EXONIC	151	4
GNAS	chr20	58854680	58854750	NOVEL_INTRON	1561/1494	EXONIC/EXONIC	23	6
GNAS	chr20	58891534	58891716	NOVEL_INTRON	180/2874	EXONIC/EXONIC	7	1

THE TABLE CONTINUES ON THE NEXT PAGE



Potentially interesting novel splice junctions - Novel exon/intron (33)

CONTINUED FROM THE PREVIOUS PAGE

GENE	CHR.	JUNC (START)	JUNC (END)	TYPE	DEPTH S/E	REGION S/E	FRAG COUNT	COHORT FREQ
GNAS	chr20	58891549	58891727	NOVEL_INTRON	103/3959	EXONIC/EXONIC	7	4
GNAS	chr20	58891615	58891716	NOVEL_INTRON	78/2874	EXONIC/EXONIC	6	1
GNAS	chr20	58891663	58891716	NOVEL_INTRON	336/2874	EXONIC/EXONIC	7	2
GNAS	chr20	58891672	58891716	NOVEL_INTRON	488/2874	EXONIC/EXONIC	6	1
GNAS	chr20	58903567	58903696	NOVEL_INTRON	25103/22310	EXONIC/EXONIC	13	1
GNAS	chr20	58903771	58905433	NOVEL_INTRON	20469/18021	EXONIC/EXONIC	22	1
GNAS	chr20	58910074	58910351	NOVEL_INTRON	19978/19433	EXONIC/EXONIC	17	1
GNAS	chr20	58910857	58911015	NOVEL_INTRON	13885/4800	EXONIC/EXONIC	9	1
ZNRF3	chr22	29049428	29049540	NOVEL_INTRON	1931/743	EXONIC/EXONIC	6	1
EP300	chr22	41131487	41131511	NOVEL_INTRON	2722/2788	EXONIC/EXONIC	22	1
PIK3R1	chr5	68293353	68293390	NOVEL_INTRON	1078/1129	EXONIC/EXONIC	129	1
PIK3R1	chr5	68293355	68293392	NOVEL_INTRON	633/1156	EXONIC/EXONIC	64	1
ARID1B	chr6	156778268	156778293	NOVEL_INTRON	588/466	EXONIC/EXONIC	6	1
FGFR1	chr8	38413964	38414204	NOVEL_INTRON	3133/4043	EXONIC/EXONIC	22	8



Cohort Comparison


Probabilities by classifier

Cancer group (strips) and subtype (label)

		Bone/Soft tissue										Breast	CNS			Gynecologi	HPB	Head and neck	Kidney	Lung			Myeloid	NET	Skin																	
		Anogenital	Cartilaginous neoplasm	GIST	Leiomyosarcoma	Liposarcoma	Osteosarcoma	Undiff. sarcoma	Other	Triple negative	Other	Glioma	Medulloblastoma	Piloicytic astrocytoma	Colorectum/Small intestine/Appendix	Esophagus/Stomach	Endometrium	Ovary/Fallopian tube	Bile duct/ Gallbladder	Liver	Pancreas	Adenoid cystic	Salivary gland	Other	Chromophobe	Other	Non-small cell: LUAD	Non-small cell: LUSC	Small cell	Lymphoid tissue	Mesothelium	Acute myeloid leukemia	Myeloproliferative neoplasm	Colorectum/Small intestine	Lung	Pancreas	Prostate	Melanoma	Other	Thyroid gland	Urothelial tract	
COMBINED	[GROUP] COMBINED	0	0.59							0.02		0			0.08	0	0.01		0.01			0.05			0.02		0.01		0	0			0.16		0	0.01		0	0			
	COMBINED	0	0	0	0.08			0.11	0.39		0	0.02			0.08	0	0	0	0	0	0	0	0.04	0	0		0.02		0	0	0	0	0	0	0.15	0.01		0	0	0	0	
DNA	[GROUP] DNA COMBINED	0	0.87							0.01					0.01	0	0	0		0.01			0.01			0.04		0		0	0	0	0	0.02		0	0		0	0.01		
	DNA COMBINED	0	0	0	0	0	0	0	0.87		0	0.01	0	0	0	0.01	0	0	0	0	0	0	0	0	0.01	0	0.04	0	0	0	0	0	0	0	0	0	0.02		0	0	0	0.01
	GENOMIC POSITION	0	0	0.02	0.01	0.24	0.11	0.03	0.33		0	0	0	0.01	0.03	0	0	0	0	0	0.05	0	0	0	0	0	0.01	0	0	0	0.05	0	0	0	0	0.04		0.01	0	0.01	0	0.01
	SNV96	0	0	0.17	0.03	0.05	0.1	0.03	0.07		0.01	0.04	0	0	0	0	0.01	0	0	0.01	0.02	0.01	0	0.01	0.01	0	0.01	0.02	0	0.01	0	0	0	0	0.02	0.04	0.1	0.01	0	0.01	0.2	0
	EVENT	0	0	0.01	0.01	0	0.01	0.01	0.08		0	0	0	0	0	0.01	0	0		0.01	0.04	0.01	0	0	0.05	0.35	0.14	0.01	0.01	0	0.02	0.02	0	0.03	0.05	0.07	0.02	0	0	0.01	0	0
RNA	[GROUP] RNA COMBINED	0	0.42							0.03		0			0.13	0	0		0			0.09			0		0		0	0	0			0.32		0	0	0		0	0	
	RNA COMBINED	0		0	0	0.18		0.24	0		0	0.03	0		0.13	0	0	0		0	0	0	0.09	0	0	0	0	0	0	0	0	0		0	0.32	0	0	0	0	0	0	0
	GENE EXPRESSION	0		0	0	0		0	0		0				0	0	0.99	0.01		0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0
	ALT SJ	0		0	0	0		0	0		0				0	0	0.87	0.11		0	0	0	0	0	0	0	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0

Probability


1.00
0.75
0.50
0.25
0.00



SNV96: Mutational signatures


signature	AID/APOBEC (SB52/13) = 295 (8.56%)	0.04	18	0.9	0.45	0.38	0.57	0.3	0.69	0.19	0.21	0.92	2.5	32	0.15	0.16	0.5	0.49	0.39	0.72	0.4	3.2	0.52	0.07	0.92	0.48	0.07	0.01	0.03	0.89	0.8	15	12	0.97	0.81	0.77	0.62	0.07	0.27	0.77	0.05
	Smoking (SB54) = 0 (0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	MMRD (SB56) = 0 (0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	UV (SB57) = 0 (0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	ROS/5FU (SB517) = 0 (0%)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Quantile in subtype cohort




EVENT: Feature contributions

tmb	snv count = 3446		2.3			2.4						2.9	5					1.7	0.8	0.4	0.5	0.2				1.1	1.8	0.5	0.6			0.3	0.4	1.2			Odds ratio (subtype / not subtype) 10 1 0.1				
	indels per mb = 0										0.8		0.9	0.9			0.9					1.1																			
trait	is male = TRUE	0.4	1.8	0.8	0.5	1.5	0.8	1.1	0.8	0.06	0.1	0.9	0.8	0.7	1.4	0.1	0.07	0.8	1.1	0.8	1.1	1.8	1.7		1.5	0.6	1.4	0.9	1.1	1.3	1.1	1.6	1.3	0.7	6.4	0.9	1.1	0.6			
	whole genome duplication = TRUE	1.3	0.2	0.7	0.9	0.6	1.1	1.2		1.5	1.2	0.4	0.9	1.1		1.1	1.3	1.2	1.1		0.9	0.7				1.5	0.5		0.5		2.7	0.6	0.7	1.2	1.4	0.9	0.6	0.8	1.1		
driver (DL)	APC mut (absent)	0.9											0.6	0.9	1.1	1.1		0.9							1.1	1.1						1.1	0.9				0.9				
	CDKN2A mut (absent)		1.2		0.9		0.9	0.8	0.8		1.2	0.7	1.5		1.5		1.3	1.2	0.8	1.2	0.8				1.8	0.9		0.9	1.2	1.3	0.8			1.1	0.9	1.4	0.9		0.9		
	PIK3CA mut (absent)	0.9				0.9		1.2		0.9	0.7	0.9		0.9	0.9	0.8					0.7	0.8						1.1				1.1	1.3		1.2		0.9				
	PTEN mut (absent)	0.9	1.1	0.9	0.9	1.3	0.9			0.9	0.9	0.8							1.1					0.9			0.9	1.1	1.1	1.2			1.3	0.9		0.8		1.3			
	TERT mut (absent)	0.8						1.1		1.1		0.6	0.9		1.1			0.8	1.1				0.9		0.9	0.9	1.1	1.4	1.4			1.2	1.1		0.7	0.7	0.7	0.7			
	TP53 mut (absent)		1.2	2	0.7		0.7	1.3	1.4	0.4	0.7	1.8		0.8	0.9	0.7	0.5	1.1	1.1	0.6			3.6	0.5		0.9	1.9		0.7	0.4		2.6	1.1	1.5	5.2	1.4	1.3	2.7	0.7	0.9	0.9
sv	LINE = 2	0.5	1.3	2.4	1.5	1.2	1.2			1.3		1.8	1.1		0.4	0.4	0.8	0.7		1.1	0.8			0.4	0.7		0.4			1.6	1.4		3.5	1.5	0.9	0.5	1.5	0.6		0.4	
	SIMPLE DEL 20KB 1MB = 7		1.6		0.9		0.8		0.9			1.3		0.9				0.9							0.9		1.1		1.3	0.8	0.8		1.4	1.6	1.3	1.2	1.2		1.1	1.3	
	SIMPLE DUP 32B 200B = 8	0.7	0.9		1.6	1.5	0.8					1.2	0.8	1.1				0.9	0.8				1.2				2.4	3.3			0.7	0.7				1.4		1.4			
	SIMPLE DUP 100KB 5MB = 0	1.1	1.1		1.7	0.4	0.9	0.8	0.9	0.3	0.5	0.8	0.2		1.3	0.8	0.2	0.3	0.5	1.1		1.8	0.5	1.5	6			1.1		4			1.1		1.7	1.4	0.4	0.6	1.4	0.8	
	MAX COMPLEX SIZE = 8		0.3	1.1			0.7	0.7	0.8		0.8			1.7				1.6	1.6		0.9				1.5		0.8			1.3	0.8	2.6	1.6	1.2	0.5	1.1	0.9	0.8		1.1	0.9
	TELOMERIC SGL = 0	0.9				0.7	0.9	0.8	0.7	0.8	1.2							1.1							1.1													0.8			



DNA COMBINED: Training set performance


training set	Total no. of samples	128	9	66	80	59	47	37	157	183	908	159	138	58	837	349	85	320	131	341	372	10	26	101	44	277	254	78	56	216	77	12	18	56	46	118	607	408	49	71	241
	Recall (prop. of total correct)	0.75	0.44	0.95	0.79	0.86	0.57	0.35	0.66	0.7	0.94	0.95	0.94	0.74	0.96	0.85	0.6	0.91	0.54	0.96	0.88	0.5	0.23	0.66	0.75	0.95	0.92	0.69	0.84	0.99	0.92	0.75	0.61	0.79	0.74	0.81	0.99	0.99	0.73	0.72	0.88
	Precision (prop. of predicted correct)	0.78	0.8	0.91	0.72	0.8	0.75	0.37	0.66	0.77	0.91	0.93	0.85	0.9	0.96	0.87	0.8	0.85	0.73	0.93	0.87	0.56	0.4	0.59	0.89	0.95	0.9	0.79	0.87	0.96	0.92	0.64	0.5	0.79	0.76	0.73	0.96	0.96	0.82	0.85	0.92





Quality Control

QC	REF GENOME	FIT METHOD	MEAN DEPTH	CONTAMINATION	UNS. SEGMENTS (%)	DELETED GENES
WARN_HIGH_COPY_NUMBE	V38	NORMAL	52	1%	3010 (88%)	0
R_NOISE						



Flagstats

	UNIQUE RC	SECONDARY RC	SUPPLEMENTARY RC	MAPPED PROPORTION
Ref Sample	1203897615	0	1642786	100%
Tumor Sample	1296575609	0	40346905	100%




Coverage Stats

	MEAN COVERAGE	SD COVERAGE	MEDIAN COVERAGE	MAD COVERAGE
Ref Sample	35.9	12.2	37	7
Tumor Sample	33.3	16.9	32	11


Excluded Percentages

	ADAPTER	BASEQ	CAPPED	DUPE	MAPQ	OVERLAP	UNPAIRED	TOTAL
Ref Sample	0%	0%	0%	14%	4%	23%	0%	41%
Tumor Sample	0%	0%	0%	12%	6%	28%	0%	47%


QC plots



Copy Number PDF





Somatic Variant Copy Number PDF






Reference Sample BQR plot





Tumor Sample BQR plot





Tumor Detection Statistics

Tumor maximum diploid proportion	0.18
Number of hotspot mutations	0
Number of hotspot structural variants	0
Sum of small variant allele read counts	37894
Sum of structural variant tumor fragment counts (excluding single breakends)	636
Sum of B-allele frequency points in germline diploid regions with tumor ratio < 0.8 OR > 1.2	580665