Computational biology

Sequence-structure-function paradigm

Clovis Galiez

Grenoble
Statistiques pour les sciences du Vivant et de l'Homme

October 6, 2020

Goal

- Get an overview of computational biology topics
  - Topics (genomics, metagenomics, proteomics, etc.)
  - Know basic elements in biology (gene to function)
  - Know some important databases
  - Know standard tools (Blast, PyMol) and libraries (BioPython)
- Have a basic culture of order of magnitude in computational biology
  - Quantity of data
  - Size of genomes
  - Size of organisms
- Toward autonomy for design and implementation of methods
  - Case study of SNP detection
  - Case study of protein structure prediction

Lecture organization

- Session I: some background, starting your project
- Session II hands-on: development, simulation
- Session III hands-on: application: database mining, sequence searching
- Bonus: protein structure prediction

Evaluation: project-based + bonus for participation

Today's outline

- Elements of biology
  - DNA and organisms
- Why computational biology?
  - Context: a world of data
  - Applications
- From genomics to biology
  - Sequence-structure-function paradigm

Elements of biology

Tree of life



[Garwood, 2012]

Tree of life



[Garwood, 2012]

When was the split between *Homo* and apes?

Tree of life



[Garwood, 2012]

When was the split between *Homo* and apes? $\approx$ 3M y. ago.

Prokaryotes and eukaryotes



Prokaryotes

"Simple", no nucleus



Eukaryotes

Advanced, nucleus

Prokaryotes and eukaryotes



Prokaryotes
"Simple", no nucleus



Eukaryotes
Advanced, nucleus

What are the main differences? What unifies those organisms?

DNA: a universal way of coding (rather recent knowledge!)

Universal code

All known living organisms are coded through their DNA information. This determines to a large extent their morphologies and functions.

- 1952 Hershey and Chase: DNA is known to encode genetic information
- 1953 Physical structure (double-helix) of DNA is solved using X-Ray diffraction by Franklin (but that's Watson & Crick who got the awards)



How DNA determines an organism?

The big picture (for computer scientists): see video.



Why computational biology?

Two reasons triggering computational biology

Computational biology

Data coupled to statistical models, machine learning, data visualization.

Two reasons triggering computational biology

Computational biology

Data coupled to statistical models, machine learning, data visualization.

- Availability of data
- Computing capacities

Biology from the data perspective: not only DNA!

Biology brings various types of data, to get insights on various questions:

- Sequences ATTCAGTACAT
  - Genomic (DNA sequence of one organism)
  - Metagenomic (DNA sequence of a biological sample - many organisms)
  - Proteomic (amino-acid sequences)

Biology from the data perspective: not only DNA!

Biology brings various types of data, to get insights on various questions:

- Sequences ATTCAGTACAT
  - Genomic (DNA sequence of one organism)
  - Metagenomic (DNA sequence of a biological sample - many organisms)
  - Proteomic (amino-acid sequences)
- Abundances 
  - Marker gene/species abundance
  - Expression level of genes

Biology from the data perspective: not only DNA!

Biology brings various types of data, to get insights on various questions:

- Sequences ATTCAGTACAT
  - Genomic (DNA sequence of one organism)
  - Metagenomic (DNA sequence of a biological sample - many organisms)
  - Proteomic (amino-acid sequences)
- Abundances 
  - Marker gene/species abundance
  - Expression level of genes
- Images 
  - Neuroimaging
  - Cell imaging
- Mass spectrometry
- ...

Example: genomics, the biggest breakthrough

1977: first DNA sequencer.



You can now sequence a human cell for less than a thousand euros.

Statistical association studies

Relates the variation of the genome to the phenotype.



Statistical association studies

Relates the variation of the genome to the phenotype.



Define a predictor $f : \mathbb{R}_+^M \to [0, 1]$ such that it minimizes a *loss* on a training set $(\vec{x}_1, z_1), ..., (\vec{x}_N, z_N)$:

$$\min_f - \sum_{i=1}^{N} z_i . \log f(\vec{x}_i) + (1 - z_i) . \log(1 - f(\vec{x}_i))$$

Lots of data is not just for fun!

Human genome: what size? 1 Kbp? 10 Mbp?

Lots of data is not just for fun!

Human genome: 3Gbp.

Lots of data is not just for fun!

Human genome: 3Gbp.
With $f : \mathbb{R}_+^M \to [0, 1]$, the theoretical number of input possibilities is:

$$4^{3.10^9} =$$

Lots of data is not just for fun!

Human genome: 3Gbp.
With $f : \mathbb{R}_+^M \to [0, 1]$, the theoretical number of input possibilities is:

$$4^{3.10^9} = 10^{1806179974} \text{ possibilities :-/}$$

Lots of data is not just for fun!

Human genome: 3Gbp.
With $f : \mathbb{R}_+^M \to [0, 1]$, the theoretical number of input possibilities is:

$$4^{3.10^9} = 10^{1806179974} \text{ possibilities :-/}$$

In practice, one "reference genome" and "only" $\approx 88.10^6$ possible mutation places [The 1000 Genomes Project Consortium, 2015] .

Which mutation is responsible for a specific disease?

Lots of data is not just for fun!

Human genome: 3Gbp.
With $f : \mathbb{R}_+^M \to [0, 1]$, the theoretical number of input possibilities is:

$$4^{3.10^9} = 10^{1806179974} \text{ possibilities :-/}$$

In practice, one "reference genome" and "only" $\approx 88.10^6$ possible mutation places [The 1000 Genomes Project Consortium, 2015] .

Which mutation is responsible for a specific disease?
Needs **a lot of** data... and fine statistics.

Scope of applications for DNA sequence data

Computationally processing DNA sequences has a huge number of applications, in particular in the fields of:

Scope of applications for DNA sequence data

Computationally processing DNA sequences has a huge number of applications, in particular in the fields of:

-  clinics

Scope of applications for DNA sequence data

Computationally processing DNA sequences has a huge number of applications, in particular in the fields of:

-  clinics
- ecology 

Scope of applications for DNA sequence data

Computationally processing DNA sequences has a huge number of applications, in particular in the fields of:

-  clinics
- ecology 
-  biochemistry

Scope of applications for DNA sequence data

Computationally processing DNA sequences has a huge number of applications, in particular in the fields of:

-  clinics
- ecology 
-  biochemistry

...and sometimes involving the three at the same time!

Focus on the microbial world

The microbial world

They are everywhere... they work hard 24h a day... they fight against each other... and they collaborate.

The microbial world

They are everywhere... they work hard 24h a day... they fight against each other... and they collaborate.



There are very diverse in terms of morphology, mechanisms, and genetics: bacteria, fungus, viruses, picoeukaryotes, etc.

Origins and evolution of micro-organisms

Not a fixed knowledge: **we still continue to discover new branches of life**:



[Hug et al. 2016]

The Candidate Phyla Radiation (top right, in purple) has been discovered in 2016!

Microbiome importance in biogeochemical cycles

Nitrogen cycle [Canfield et al., Science 2010]

CO_2 turnover: viruses kill 20% of the living biomass in the ocean every day! [Suttle, Nat. Microbiol. 2007]

Microbiome importance in human health

The bright side:

Health status highly correlated with the diversity of the gut microbiome [Valdes et al. 2018]

The dark side:



Covid-19

The human gut microbiome

2000's
Human genome



2010's
Gut metagenomes

$\approx$ 20k protein-coding genes

The human gut microbiome

2000's
Human genome



2010's
Gut metagenomes

$\approx$ 20k protein-coding genes $\xrightarrow{\times 100}$ $\approx$ 2M protein-coding genes

Human gut microbiome is rich! What microbes do there is absolutely neccesary to keep alive!

Gut microbiota and higher order diseases

- Autism

  spectrum disorder (ASD), but the underlying mechanisms are unknown. Many studies have shown alterations in the composition of the fecal flora and metabolic products of the gut microbiome in patients with ASD. The gut microbiota influences brain development and behaviors through the neuroendocrine, neuroimmune and autonomic nervous systems. In addition, an abnormal gut microbiota is associated with several diseases,

  [Li et al. Front. in Cell. Neur. 2017]

- Type II diabetes (50 microbial genes $\rightarrow$ AUC ROC 0.81)

  [Qin et al. *Nature* 2012]

- Parkinson's differential abundance of gut microbial species

  [Heintz-Buschart et al. *Mov. Disord.* 2018]

Gut microbiota and higher order diseases

- Autism

  spectrum disorder (ASD), but the underlying mechanisms are unknown. Many studies have shown alterations in the composition of the fecal flora and metabolic products of the gut microbiome in patients with ASD. The gut microbiota influences brain development and behaviors through the neuroendocrine, neuroimmune and autonomic nervous systems. In addition, an abnormal gut microbiota is associated with several diseases,

  [Li et al. Front. in Cell. Neur. 2017]
- Type II diabetes (50 microbial genes $\rightarrow$ AUC ROC 0.81)

  [Qin et al. *Nature* 2012]
- Parkinson's differential abundance of gut microbial species

  [Heintz-Buschart et al. *Mov. Disord.* 2018]

A *tiny* fraction of microbes are cultivable in a lab...
But how to deal with this with data science point of view?

Sequence-structure-function paradigm

Studying biological function through DNA information

From an organism to its **genome**...

Organism $\rightarrow$ $\rightarrow$ $\downarrow$[1]

[1] Need some computational biology magics

Studying biological function through DNA information

From an organism to its **genome**...

Organism

$\rightarrow$



DNA

$\rightarrow$

$\downarrow$[1]

[1] Need some computational biology magics

Studying biological function through DNA information

From an organism to its **genome**...

Organism

$\rightarrow$



DNA

$\rightarrow$

Illumina/Nanopore

$\downarrow$[1]

[1] Need some computational biology magics

Studying biological function through DNA information

From an organism to its **genome**...

Organism

→



DNA

→

Illumina/Nanopore

↓[1]

5kbp - 5Mbp

[1] Need some computational biology magics

Studying biological function through DNA information

From an organism to its **genome**...

Organism

→



DNA

→

Illumina/Nanopore

↓[1]

5kbp - 5Mbp

How does it help?

[1] Need some computational biology magics

Bioinformatics: from genome to function

ACGATGTATTCAGCGATTACGATAAAGCTACGTAGTGGCA

Bioinformatics: from genome to function

ACGATGTATTCAGCGATTACGATAAAGCTACGTAGTGGCA



Bioinformatics: from genome to function



Bioinformatics: from genome to function

ACGATGTATTCAGCGATTACGATAAAGCTACGTAGTGGCA







O_2 transport

Sequence-structure-function

This sequence-structure-function paradigm is the main motivation for studying biology from DNA information.

Why not directly carry studies at the structural or functional level?

Sequence-structure-function

This sequence-structure-function paradigm is the main motivation for studying biology from DNA information.

Why not directly carry studies at the structural or functional level?

It's more work! It is actually done by biologist for specific case of interest.

Computers and protein structure prediction

(cheap)

↓

ACGATGTATTCAGCGATTACGATAAAGCTACGTAGTGGCA



→

← (expensive)



Hands-on

Hands-on

Disclaimer:

- **No fully guided syllabus**
- Act as a junior professional
  - Analyze provided information, think of a solution
  - Ask/discuss with your colleagues
  - Ask/discuss with your senior colleague (me)

Hands-on: realistic public health issue

!ALERT!

Salmonella

OUTBREAK

Breaking news

Bad infections kill many people. Antibiotics do nothing.

Plan of this session

First, think and plan - 1h.

- Skim the context in the `hands-on/session1` on the git (15 min)
- Try to understand individually the work you will have to do and write down questions you have (10 min)
- Share your understanding with people in your group (10 min)
- We share together our understanding and elaborate a common strategy (20 min).

Then start developing - till the end :).

- Start developing T1, paying attention to pitfalls (noise in the data in particular)
- Build your own tests. You can make use of the data in the `hands-on/reference-data` directory

Genomics

From DNA to **reads**...



DNA

Illumina

reads ($\sim$ 250bp)

$$\eta_{err} \approx 1\%$$

Genomics

From DNA to **reads**...



DNA

$\rightarrow$

Illumina

$\rightarrow$

reads ($\sim$ 250bp)

$\eta_{err} \approx 1\%$

Assembly: from reads to **contigs**:



Sequencing data

Two leading technologies:

- Illumina: pieces of sequences (called **reads**, 150-250bp)
  - +: reliable, about 1% sequencing errors.
  - -: short reads, only have local view of the genome
  - Errors: rare (1 over 200 bases) almost uniformly distributed, almost all **mutations**.
- Nanopore: long reads, 10kb-100kb
  - +: long reads, easy to assemble, cheap and portable
  - -: high error rate
  - Errors: mostly insertion-deletion, mostly homopolymers (e.g. AAAAA)
- 

Predict the structure from sequence: the data

```
>1A3N:A|PDBID|CHAIN|SEQUENCE
VLSPADKTNVKAAWGKVGAHAGEYGAEALER
MFLSFPTTKTYFPHFDLSHGSAQVKGHGKKV
ADALTNAVAHVDDMPNALSALSDLHAHKLRV
DPVNFKLLSHCLLVTLAAHLPAEFTPAVHAS
LDKFLASVSTVLTSKYR
```



```
>1HXP:A|PDBID|CHAIN|SEQUENCE
MTQFNPVDHPHRRYNPLTGQWILVSPHRAKRPW
EGAQETPAKQVLPAHDPDCFLCAGNVRVTGDKN
PDYTGTYVFTNDFAALMSDTPDAPESHDPLMRC
QSARGTSRVICFSPDHSKTLPELSVAALTEIVK
TWQEQTAELGKTYPWVQVFENKGAAMGCSNPHP
HGQIWANSFLPNEAEREDRLQKEYFAEQKSPML
VDYVQRELADGSRTVVETEHWLAVVPYWAAWPF
ETLLLPKAHVLRITDLTDAQRSDLALALKKLTS
RYDNLFQCSFPYSMGWHGAPFNGEENQHWQLHA
HFYPPLLRSATVRKFMVGYEMLAETQRDLTAEQ
AAERLRAVSDIHFRESGV
```



```
>1HCK:A|PDBID|CHAIN|SEQUENCE
MENFQKVEKIGEGTYGVVYKARNKLTGEVVAL
KKIRLDTETEGVPSTAIREISLLKELNHPNIV
KLLDVIHTENKLYLVFEFLHQDLKKFMDASAL
TGIPLPLIKSYLFQLLQGLAFCHSHRVLHRDL
KPQNLLINTEGAIKLADFGLARAFGVPVRTYT
HEVVTLWYRAPEILLGCKYYSTAVDIWSLGCI
FAEMVTRRALFPGDSEIDQLFRIFRTLGTPDE
VVWPGVTSMPDYKPSFPKWARQDFSKVVPPLD
EDGRSLLSQMLHYDPNKRISAKAALAHPFFQD
VTKPVPHLRL
```



CASP competition

Blind competition. Simple principle:
- a sequence is given
- have to predict the structure.

CASP competition

Blind competition. Simple principle:
- a sequence is given
- have to predict the structure.

13th CASP...

... AI wins !

Google's DeepMind