CDM

Package in package 'Model'

CDM Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/16

CDM_AuIA diagram

Entity Relationship diagram in package 'CDM'

CDM_AuIA Version 1.0 Clumsiest Information created on 2018/5/13. Last modified 2018/6/20

The CDM (Conceptual Data Model) Diagram of AuIA (Autonomous Information Asset) in the BlockChain-Application Project.

By Jeephy Ji

D:\ProjectBA\Data Modeling\CDM_AuIA.pdf

名称: CDM_AuIA

作者: Clumsiest Information

版本:

Created: 2018/5/13 0:00:00 更新日期: 2018/6/20 12:06:59




Figure 1: CDM_AuIA

注释

注释 in package 'CDM'

The CDM (Conceptual Data Model) Diagram of AuIA (Autonomous Information Asset) in the BlockChain-Application Project.

By Jeephy Ji

注释

Version 1.0 Phase 1.0 Proposed Clumsiest created on 2018/5/15. Last modified 2018/5/23 Extends

注释

注释 in package 'CDM'

描述主体的唯一标识码、所有内部属性和各种内部操作,以及实现了自组织的元数据管理,构成了主体拥有全产权的自主信息资产(AuIA,Autonomous Information Asset);而主体与外部客体产生交互,描述各类交互活动的唯一标识码、交互属性和交互操作,以及交互活动的元数据管理则构成了主体和客体共同拥有产权的自主信息资产。

所有属性、操作和管理,均表现为数据。

注释

Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/6/20 Extends

文本

文本 in package 'CDM'

文本

Version 1.0 Phase 1.0 Proposed Clumsiest created on 2018/5/16. Last modified 2018/5/16 Extends

D:\ProjectBA\Data Modeling\CDM_AuIA.pdf

文本 in package 'CDM'

D:\ProjectBA\Data Modeling\CDM_AuIA.pdf
Version 1.0 Phase 1.0 Proposed
Clumsiest created on 2018/5/15. Last modified 2018/5/23
Alias D:\ProjectBA\Data Modeling\CDM_AuIA.pdf
Extends

Attributes Inner

ERD Attribute «ERD Attribute» in package 'CDM'

> Attributes Inner Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/24 Alias 内部属性集

CONNECTORS

✓ 依赖 «use»

起始 -> 目标

Attributes Inner: ERD_Attribute, Public From: Metadata Object: ERD Entity, Public To:

ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD_Entity) Object «ERD_Entity»

Cardinality: [1]

Target: Public (ERD Attribute) Attributes Inner «ERD_Attribute»

Cardinality: [*]

Attributes Inner

ERD Attribute «ERD Attribute» in package 'CDM'

Attributes Inner Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/24 Alias 内部属性集

CONNECTORS

✓ 依赖 «use» 起始 -> 目标

From: Attributes_Inner: ERD_Attribute, Public Metadata_Subject : ERD_Entity, Public To:

ASSOCIATIONS

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD_Entity) Subject «ERD_Entity»

Cardinality: [1]

Target: Public (ERD_Attribute) Attributes_Inner «ERD Attribute»

Cardinality: [*]

Attributes Interactive

ERD_Attribute «ERD_Attribute» in package 'CDM'

Attributes Interactive Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/6/14 Alias 交互属性集

CONNECTORS

✓ 依赖 «use» 起始 -> 目标

Attributes Interactive: ERD Attribute, Public Metadata Interactive: ERD Entity, Public

ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD naryAssociation) Interactive «ERD naryAssociation»

Cardinality: [1]

Target: Public (ERD Attribute) Attributes Interactive «ERD Attribute»

Cardinality: [*]

Interactive

ERD naryAssociation «ERD naryAssociation» in package 'CDM'

(交互活动)

Interactive Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/6/14 Alias 交互

CONNECTORS

✓ 依赖 «use»

起始 -> 目标

Interactive: ERD naryAssociation, Public From: To: Metadata_Interactive: ERD_Entity, Public

ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD naryAssociation) Interactive «ERD_naryAssociation»

Cardinality: [1]

Target: Public (ERD Attribute) Operations_Interactive «ERD_Attribute»

Cardinality: [*]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD naryAssociation) Interactive

«ERD_naryAssociation» Cardinality: [1]

Target: Public (ERD Attribute) UUID Interactive

«ERD_Attribute» Cardinality: [1]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD naryAssociation) Interactive «ERD naryAssociation»

Cardinality: [1]

Target: Public (ERD Attribute) Attributes Interactive «ERD Attribute»

Cardinality: [*]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

ASSOCIATIONS

Source: Public (ERD Entity) Subject «ERD Entity»

Cardinality: [1]

Target: Public (ERD_naryAssociation) Interactive «ERD_naryAssociation»

Cardinality: [*]

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD_Entity) Object «ERD_Entity»

Cardinality: [1..*]

 $Target: Public \ (ERD_nary Association) \ Interactive$

 ${\it \&ERD_naryAssociation}{\it >\!>}$

Cardinality: [1]

Metadata_Interactive

ERD Entity «ERD Entity» in package 'CDM'

Metadata_Interactive Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/6/14 Alias 元数据管理

CONNECTORS

✓ 依赖 «use» 起始 -> 目标

From: UUID_Interactive : ERD_Attribute, Public To: Metadata_Interactive : ERD_Entity, Public

From: Operations_Interactive : ERD_Attribute, Public To: Metadata Interactive : ERD_Entity, Public

From: Interactive : ERD_naryAssociation, Public To: Metadata Interactive : ERD Entity, Public

✓ 依赖 «use» 起始 -> 目标

From: Attributes_Interactive : ERD_Attribute, Public To: Metadata Interactive : ERD_Entity, Public

Metadata_Object

ERD Entity «ERD Entity» in package 'CDM'

Metadata_Object Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/5/23 Alias 元数据管理

CONNECTORS

CONNECTORS

➢ 依赖 «use» 起始→目标 From: Object: ERD Entity, Public

To: Metadata_Object : ERD_Entity, Public

From: UUID_Object : ERD_Attribute, Public To: Metadata_Object : ERD_Entity, Public

From: Attributes_Inner : ERD_Attribute, Public To: Metadata_Object : ERD_Entity, Public

✓ 依赖 «use» 起始 -> 目标

From: Operations_Inner : ERD_Attribute, Public To: Metadata_Object : ERD_Entity, Public

Metadata_Subject

ERD Entity «ERD Entity» in package 'CDM'

Metadata_Subject Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/5/23 Alias 元数据管理

CONNECTORS

From: UUID_Subject : ERD_Attribute, Public To: Metadata_Subject : ERD_Entity, Public

✓ 依赖 «use» 起始 -> 目标

From: Operations_Inner : ERD_Attribute, Public To: Metadata_Subject : ERD_Entity, Public

水赖 «use» 起始 → 目标 From: Subject: ERD Entity, Public

To: Metadata_Subject : ERD_Entity, Public

From: Attributes_Inner: ERD_Attribute, Public To: Metadata_Subject: ERD_Entity, Public

Object

ERD_Entity «ERD_Entity» in package 'CDM'

Object

Version 1.0 Phase 1.0 Proposed

Clumsiest Information created on 2018/5/13. Last modified 2018/5/16

Alias 客体

CONNECTORS

➢ 依赖 «use» 起始 -> 目标 From: Object: ERD Entity, Public

To: Metadata Object : ERD Entity, Public

ASSOCIATIONS

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

 $Source: Public \ (ERD_Entity) \ Object \ «ERD_Entity»$

Cardinality: [1]

Target: Public (ERD_Attribute) UUID_Object

«ERD_Attribute»
Cardinality: [1]

✓ ERD_Connector (direction: 不指定的) «ERD_Connector»

Source: Public (ERD_Entity) Object «ERD_Entity»

Cardinality: [1]

Target: Public (ERD_Attribute) Attributes_Inner

«ERD_Attribute»
Cardinality: [*]

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1..*]

Target: Public (ERD naryAssociation) Interactive

«ERD_naryAssociation»
Cardinality: [1]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1]

Target: Public (ERD Attribute) Operations Inner

«ERD_Attribute»

Cardinality: [*]

Operations_Inner

ERD Attribute «ERD Attribute» in package 'CDM'

Operations_Inner Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/24 Alias 内部操作集

CONNECTORS

From: Operations_Inner : ERD_Attribute, Public To: Metadata_Object : ERD_Entity, Public

ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD_Entity) Object «ERD_Entity»

Cardinality: [1]

Target: Public (ERD_Attribute) Operations_Inner «ERD Attribute»

Cardinality: [*]

Operations Inner

ERD Attribute «ERD Attribute» in package 'CDM'

自有关系

Operations Inner Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/24 Alias 内部操作集

CONNECTORS

✓ 依赖 «use» 起始 -> 目标

From: Operations Inner: ERD Attribute, Public Metadata Subject: ERD Entity, Public To:

ASSOCIATIONS



✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD_Entity) Subject «ERD_Entity»

Cardinality: [1]

Target: Public (ERD_Attribute) Operations_Inner «ERD Attribute»

Cardinality: [*]

Operations_Interactive

ERD Attribute «ERD Attribute» in package 'CDM'

Operations Interactive Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/6/14 Alias 交互操作集

CONNECTORS

✓ 依赖 «use»

起始 -> 目标

From: Operations Interactive: ERD Attribute, Public Metadata Interactive: ERD Entity, Public To:

ASSOCIATIONS



✓ ERD_Connector (direction: 不指定的) «ERD_Connector»

ASSOCIATIONS

Source: Public (ERD naryAssociation) Interactive

«ERD_naryAssociation»

Cardinality: [1]

Target: Public (ERD_Attribute)

Operations Interactive «ERD Attribute»

Cardinality: [*]

Subject

ERD Entity «ERD Entity» in package 'CDM'

Subject Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/23

Alias 主体

CONNECTORS

From: Subject : ERD Entity, Public

To: Metadata Subject : ERD Entity, Public

ASSOCIATIONS

✓ ERD_Connector (direction: 起始 -> 目标) «ERD_Connector»

Source: Public (ERD Entity) Subject «ERD Entity»

Cardinality: [1]

Target: Public (ERD_Attribute) Operations_Inner

«ERD_Attribute»

Cardinality: [*]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD Entity) Subject «ERD Entity»

Cardinality: [1]

Target: Public (ERD naryAssociation) Interactive

«ERD_naryAssociation»
Cardinality: [*]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD Entity) Subject «ERD Entity»

Cardinality: [1]

Target: Public (ERD Attribute) UUID Subject

«ERD Attribute»

Cardinality: [1]

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD_Entity) Subject «ERD_Entity»

Cardinality: [1]

Target: Public (ERD_Attribute) Attributes_Inner

Cardinality: [*]

UUID_Interactive

ERD Attribute «ERD Attribute» in package 'CDM'

UUID_Interactive

> Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/6/14 Alias 唯一标识码

CONNECTORS

✓ 依赖 «use»

起始 -> 目标

UUID Interactive: ERD Attribute, Public From: Metadata Interactive: ERD Entity, Public

ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD naryAssociation) Interactive «ERD naryAssociation»

Cardinality: [1]

Target: Public (ERD Attribute) UUID Interactive «ERD Attribute»

Cardinality: [1]

UUID Object

ERD Attribute «ERD Attribute» in package 'CDM'

UUID Object Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/15. Last modified 2018/6/20 Alias 唯一标识码

CONNECTORS

✓ 依赖 «use»

起始 -> 目标

UUID Object : ERD Attribute, Public From: Metadata Object: ERD Entity, Public To:

ASSOCIATIONS

✓ ERD_Connector (direction: 起始 -> 目标) «ERD_Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1]

Target: Public (ERD Attribute) UUID Object

«ERD Attribute» Cardinality: [1]

UUID Subject

ERD Attribute «ERD Attribute» in package 'CDM'

UUID Subject Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/6/20 Alias 唯一标识码

CONNECTORS

CONNECTORS

✓ 依赖 «use» 起始 -> 目标

 $UUID_Subject: ERD_Attribute, Public$ From: Metadata_Subject : ERD_Entity, Public

ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD_Entity) Subject «ERD_Entity» Cardinality: [1]

Target: Public (ERD_Attribute) UUID_Subject «ERD_Attribute»

Cardinality: [1]