## **CDM**

Package in package 'Model'

CDM Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/16

# CDM\_AuIA diagram

Entity Relationship diagram in package 'CDM'

CDM\_AuIA Version 1.0 Clumsiest Information created on 2018/5/13. Last modified 2018/5/23




Figure 1: CDM\_AuIA

## 注释

注释 in package 'CDM'

The CDM (Conceptual Data Model) Diagram of AuIA (Autonomous Information Asset) in the BlockChain-Application Project.

By Jeephy Ji

注释

Version 1.0 Phase 1.0 Proposed Clumsiest created on 2018/5/15. Last modified 2018/5/23 Extends

## 注释

注释 in package 'CDM'

描述主体的唯一识别码、所有内部属性数据和各种内部操作数据,以及实现了自组织的元数据管理集,构成了主体拥有全产权的自主信息资产;而主体与外部客体产生交互活动,描述各类交互活动的唯一标识码、交互属性数据和交互操作数据,以及交互活动的元数据管理集则构成了主体和客体共同拥有产权的自主信息资产。

注释

Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/5/23 Extends

# 本文

文本 in package 'CDM'

文本

Version 1.0 Phase 1.0 Proposed Clumsiest created on 2018/5/16. Last modified 2018/5/16 Extends

# D:\ProjectBA\Data Modeling\CDM\_AuIA.pdf

文本 in package 'CDM'

D:\ProjectBA\Data Modeling\CDM\_AuIA.pdf
Version 1.0 Phase 1.0 Proposed
Clumsiest created on 2018/5/15. Last modified 2018/5/23
Alias D:\ProjectBA\Data Modeling\CDM\_AuIA.pdf
Extends

# Attributes\_Inner

ERD Attribute «ERD Attribute» in package 'CDM'

Attributes\_Inner
Version 1.0 Phase 1.0 Proposed
Clumsiest Information created on 2018/5/13. Last modified 2018/5/20
Alias 内部属性

## CONNECTORS

From: Attributes\_Inner : ERD\_Attribute, Public To: Metadata\_Object : ERD\_Entity, Public

#### ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD\_Entity) Object «ERD\_Entity»

Cardinality: [1]

Target: Public (ERD\_Attribute) Attributes\_Inner «ERD Attribute»

Cardinality: [\*]

## **Attributes Inner**

ERD Attribute «ERD Attribute» in package 'CDM'

Attributes\_Inner
Version 1.0 Phase 1.0 Proposed
Clumsiest Information created on 2018/5/13. Last modified 2018/5/20
Alias 內部属性

## CONNECTORS

From: Attributes\_Inner : ERD\_Attribute, Public To: Metadata\_Subject : ERD\_Entity, Public

#### ASSOCIATIONS

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD\_Entity) Subject «ERD\_Entity»

Cardinality: [1]

Target: Public (ERD\_Attribute) Attributes\_Inner

«ERD\_Attribute»

Cardinality: [\*]

# Attributes\_Interactive\_Activity

ERD Attribute «ERD Attribute» in package 'CDM'

Attributes\_Interactive\_Activity Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/16 Alias 交互属性

## **CONNECTORS**

#### CONNECTORS

✓ 依赖 «use» 起始 -> 目标

From: Attributes\_Interactive\_Activity : ERD\_Attribute, Public
To: Metadata\_Interactive\_Activity : ERD\_Entity, Public

#### ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD\_naryAssociation) Interactive\_Activity «ERD\_naryAssociation»

Cardinality: [1]

Target: Public (ERD\_Attribute)

Attributes\_Interactive\_Activity «ERD\_Attribute»

Cardinality: [\*]

## Interactive\_Activity

ERD naryAssociation «ERD naryAssociation» in package 'CDM'

(交互活动)

Interactive\_Activity
Version 1.0 Phase 1.0 Proposed
Clumsiest Information created on 2018/5/13. Last modified 2018/5/16
Alias 交互活动

## CONNECTORS

From: Interactive\_Activity : ERD\_naryAssociation, Public To: Metadata\_Interactive\_Activity : ERD\_Entity, Public

#### ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD\_naryAssociation) Interactive\_Activity

 $\ \ \, \langle ERD\_naryAssociation \rangle \\$ 

Cardinality: [1]

Target: Public (ERD Attribute)

Operations\_Interactive\_Activity «ERD\_Attribute»

Cardinality: [\*]

✓ ERD\_Connector (direction: 不指定的) «ERD\_Connector»

Source: Public (ERD\_naryAssociation) Interactive\_Activity

«ERD\_naryAssociation»

Cardinality: [1]

Target: Public (ERD\_Attribute)

UUID\_Interactive\_Activity «ERD\_Attribute»

Cardinality: [1]

✓ ERD\_Connector (direction: 不指定的) «ERD\_Connector»

Source: Public (ERD\_naryAssociation) Interactive\_Activity

«ERD\_naryAssociation»

Cardinality: [1]

Target: Public (ERD\_Attribute)

Attributes\_Interactive\_Activity «ERD\_Attribute»

Cardinality: [\*]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

#### ASSOCIATIONS

Source: Public (ERD Entity) Subject «ERD Entity»

Cardinality: [1]

Target: Public (ERD naryAssociation) Interactive\_Activity «ERD\_naryAssociation»

Cardinality: [\*]

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1..\*]

Target: Public (ERD naryAssociation) Interactive Activity «ERD naryAssociation»

Cardinality: [1]

# **Metadata Interactive Activity**

ERD Entity «ERD Entity» in package 'CDM'

Metadata Interactive Activity Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/5/23 Alias 元数据管理

#### CONNECTORS

✓ 依赖 «use» 起始 -> 目标

From: UUID Interactive Activity: ERD Attribute, Public To: Metadata Interactive Activity: ERD Entity, Public

✓ 依赖 «use» 起始 -> 目标

From: Operations\_Interactive\_Activity : ERD\_Attribute, Public Metadata Interactive Activity: ERD Entity, Public To:

✓ 依赖 «use» 起始 -> 目标

Interactive Activity: ERD naryAssociation, Public From: Metadata Interactive Activity: ERD Entity, Public To:

✓ 依赖 «use» 起始 -> 目标

From: Attributes Interactive Activity: ERD Attribute, Public To: Metadata Interactive Activity: ERD Entity, Public

# **Metadata Object**

ERD Entity «ERD Entity» in package 'CDM'

Metadata Object Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/5/23 Alias 元数据管理

## CONNECTORS

## CONNECTORS

**➢ 依赖** «use» 起始→目标 From: Object: ERD Entity, Public

To: Metadata Object : ERD Entity, Public

**↗ 依赖** «use» 起始 -> 目标

From: UUID\_Object : ERD\_Attribute, Public To: Metadata\_Object : ERD\_Entity, Public

From: Attributes\_Inner : ERD\_Attribute, Public To: Metadata\_Object : ERD\_Entity, Public

From: Operations\_Inner : ERD\_Attribute, Public To: Metadata\_Object : ERD\_Entity, Public

## Metadata\_Subject

ERD Entity «ERD Entity» in package 'CDM'

Metadata\_Subject Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/23. Last modified 2018/5/23 Alias 元数据管理

#### CONNECTORS

From: UUID\_Subject : ERD\_Attribute, Public To: Metadata\_Subject : ERD\_Entity, Public

✓ 依赖 «use» 起始 -> 目标

From: Operations\_Inner : ERD\_Attribute, Public To: Metadata\_Subject : ERD\_Entity, Public

<mark>↗ 依赖</mark> «use» 起始 -> 目标 From: Subject: ERD Entity, Public

To: Metadata\_Subject : ERD\_Entity, Public

From: Attributes\_Inner: ERD\_Attribute, Public
To: Metadata\_Subject: ERD\_Entity, Public

# **Object**

ERD\_Entity «ERD\_Entity» in package 'CDM'

Object

Version 1.0 Phase 1.0 Proposed

Clumsiest Information created on 2018/5/13. Last modified 2018/5/16

Alias 客体

## CONNECTORS

From: Object : ERD\_Entity, Public

To: Metadata\_Object : ERD\_Entity, Public

## ASSOCIATIONS

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD\_Entity) Object «ERD\_Entity»

Cardinality: [1]

Target: Public (ERD\_Attribute) UUID\_Object

«ERD\_Attribute»
Cardinality: [1]

✓ ERD\_Connector (direction: 不指定的) «ERD\_Connector»

Source: Public (ERD\_Entity) Object «ERD\_Entity»

Cardinality: [1]

Target: Public (ERD\_Attribute) Attributes\_Inner

«ERD\_Attribute»
Cardinality: [\*]

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1..\*]

Target: Public (ERD\_naryAssociation)
Interactive\_Activity «ERD\_naryAssociation»

Cardinality: [1]

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1]

Target: Public (ERD Attribute) Operations Inner

«ERD\_Attribute»

Cardinality: [\*]

# Operations\_Inner

ERD Attribute «ERD Attribute» in package 'CDM'

自有关系

Operations\_Inner Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/23 Alias 內部操作

## CONNECTORS

From: Operations\_Inner : ERD\_Attribute, Public To: Metadata\_Subject : ERD\_Entity, Public

#### ASSOCIATIONS

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD Entity) Subject «ERD Entity» Cardinality: [1]

Target: Public (ERD Attribute) Operations Inner

«ERD Attribute» Cardinality: [\*]

## **Operations Inner**

ERD Attribute «ERD Attribute» in package 'CDM'

Operations Inner Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/23 Alias 内部操作

## CONNECTORS

✓ 依赖 «use» 起始 -> 目标

Operations Inner: ERD Attribute, Public From: Metadata Object: ERD Entity, Public To:

#### ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1]

Target: Public (ERD Attribute) Operations Inner

«ERD Attribute» Cardinality: [\*]

# **Operations Interactive Activity**

ERD Attribute «ERD Attribute» in package 'CDM'

Operations Interactive Activity Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/23 Alias 交互操作

## CONNECTORS

✓ 依赖 «use»

起始 -> 目标

Operations Interactive Activity: ERD Attribute, Public Metadata Interactive Activity: ERD Entity, Public

## ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD\_naryAssociation) Interactive\_Activity

Target: Public (ERD Attribute)

# ASSOCIATIONS «ERD\_naryAssociation» Operations\_Interactive\_Activity «ERD\_Attribute» Cardinality: [1] Cardinality: [\*]

# **Subject**

ERD Entity «ERD Entity» in package 'CDM'

Subject Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/23 Alias 主体

## CONNECTORS

✓ 依赖 «use» 起始 -> 目标

From: Subject : ERD Entity, Public

To: Metadata\_Subject : ERD\_Entity, Public

/ ERD_Connector (direction: 起始 -> 目标) «ERD_Connector»	
Source: Public (ERD_Entity) Subject «ERD_Entity»  Cardinality: [1]	Target: Public (ERD_Attribute) Operations_Inner «ERD_Attribute»  Cardinality: [*]
《ERD_Connector (direction: 不指定的) «ERD_Connector»	
Source: Public (ERD_Entity) Subject «ERD_Entity»  Cardinality: [1]	Target: Public (ERD_naryAssociation) Interactive_Activity «ERD_naryAssociation» Cardinality: [*]
▼ ERD_Connector (direction: 不指定的) «ERD_Connector»	
Source: Public (ERD_Entity) Subject «ERD_Entity»  Cardinality: [1]	Target: Public (ERD_Attribute) UUID_Subject «ERD_Attribute»  Cardinality: [1]

# UUID\_Interactive\_Activity

Cardinality: [1]

ERD\_Attribute «ERD\_Attribute» in package 'CDM'

Source: Public (ERD\_Entity) Subject «ERD\_Entity»

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

UUID\_Interactive\_Activity Version 1.0 Phase 1.0 Proposed

Target: Public (ERD\_Attribute) Attributes\_Inner

«ERD\_Attribute»

Cardinality: [\*]

> Clumsiest Information created on 2018/5/13. Last modified 2018/5/16 Alias 唯一标识码

#### CONNECTORS

✓ 依赖 «use» 起始 -> 目标

UUID Interactive Activity : ERD\_Attribute, Public From: Metadata Interactive Activity: ERD Entity, Public

#### ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD naryAssociation) Interactive Activity «ERD naryAssociation»

Cardinality: [1]

Target: Public (ERD Attribute) UUID Interactive Activity «ERD Attribute»

Cardinality: [1]

## **UUID\_Object**

ERD Attribute «ERD Attribute» in package 'CDM'

UUID Object Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/15. Last modified 2018/5/16 Alias 唯一识别码

## CONNECTORS

✓ 依赖 «use»

起始 -> 目标

From: UUID Object : ERD Attribute, Public Metadata Object: ERD Entity, Public To:

#### ASSOCIATIONS

✓ ERD Connector (direction: 起始 -> 目标) «ERD Connector»

Source: Public (ERD Entity) Object «ERD Entity»

Cardinality: [1]

Target: Public (ERD Attribute) UUID Object «ERD\_Attribute»

Cardinality: [1]

# **UUID** Subject

ERD Attribute «ERD Attribute» in package 'CDM'

**UUID** Subject Version 1.0 Phase 1.0 Proposed Clumsiest Information created on 2018/5/13. Last modified 2018/5/16 Alias 唯一识别码

## CONNECTORS

## CONNECTORS

✓ 依赖 «use» 起始 -> 目标

UUID\_Subject : ERD\_Attribute, Public From: Metadata\_Subject : ERD\_Entity, Public

## ASSOCIATIONS

✓ ERD Connector (direction: 不指定的) «ERD Connector»

Source: Public (ERD\_Entity) Subject «ERD\_Entity» Cardinality: [1]

Target: Public (ERD\_Attribute) UUID\_Subject «ERD\_Attribute»

Cardinality: [1]