



play by
Orchestra

Content Management Framework



Fork me on GitHub

Physical Data Model Report

Report: Orchestra

Author: Guillaume Migeon / Etienne de Longeaux

Version: 1.0
Date: 25/10/2012



Table of Contents


I	Specifications.....
I.1	Diagram PhysicalDiagram_1.....
I.1.1	Card of diagram PhysicalDiagram_1.....
II	Model information.....
II.1	Card of model Orchestra.....
III	PDM Diagrams.....
III.1	Model level diagrams.....
III.1.1	Diagram PhysicalDiagram_1.....
IV	Physical diagrams objects.....
IV.1	References.....
IV.1.1	Model level references.....
IV.1.1.1	List of references.....
IV.1.1.2	Reference FK_1B1651F2BDC78D6A.....
IV.1.1.3	Reference FK_1BE96665232D562B.....
IV.1.1.4	Reference FK_4A41058D60322AC.....
IV.1.1.5	Reference FK_4ECCE3E5627579FF.....
IV.1.1.6	Reference FK_6FBD9DD2C4663E4.....
IV.1.1.7	Reference FK_7EF527F0627579FF.....
IV.1.1.8	Reference FK_8A9B94FDBAD26311.....
IV.1.1.9	Reference FK_38A84AC6E9ED820C.....
IV.1.1.10	Reference FK_43EF489E64C19C1.....
IV.1.1.11	Reference FK_50D151E52FCBE760.....
IV.1.1.12	Reference FK_80D4C5414E7AF8F.....
IV.1.1.13	Reference FK_257FB08A727ACA70.....
IV.1.1.14	Reference FK_583D1F3EA76ED395.....
IV.1.1.15	Reference FK_601DB669BDC78D6A.....
IV.1.1.16	Reference FK_957A6479627579FF.....
IV.1.1.17	Reference FK_5577B62B115D4552.....
IV.1.1.18	Reference FK_6464AB2E1874536E.....
IV.1.1.19	Reference FK_85481D9F232D562B.....
IV.1.1.20	Reference FK_672530EA727ACA70.....
IV.1.1.21	Reference FK_AAD87EB01874536E.....
IV.1.1.22	Reference FK_B699CC5A232D562B.....
IV.1.1.23	Reference FK_BB81CD68232D562B.....
IV.1.1.24	Reference FK_C3EFF8C0115D4552.....
IV.1.1.25	Reference FK_C4EF33228DE34652.....
IV.1.1.26	Reference FK_D1EF2186C4663E4.....
IV.1.1.27	Reference FK_D1F260E13BD38833.....
IV.1.1.28	Reference FK_D8F32BD9232D562B.....
IV.1.1.29	Reference FK_D191D1FE232D562B.....
IV.1.1.30	Reference FK_E8378639232D562B.....
IV.1.1.31	Reference FK_E411AECD232D562B.....
IV.1.1.32	Reference FK_FD62B11A232D562B.....


IV.1.1.33 Reference FK_FF3A9417727ACA70
IV.2 Tables
IV.2.1 Model level tables
IV.2.1.1 List of tables
IV.2.1.2 List of table columns
IV.2.1.3 List of table keys
IV.2.1.4 Table fos_group
IV.2.1.5 Table fos_permission
IV.2.1.6 Table fos_ressource
IV.2.1.7 Table fos_role
IV.2.1.8 Table fos_role_ressource
IV.2.1.9 Table fos_user
IV.2.1.10 Table fos_user_group
IV.2.1.11 Table gedmo_block
IV.2.1.12 Table gedmo_block_translations
IV.2.1.13 Table gedmo_category
IV.2.1.14 Table gedmo_category_translations
IV.2.1.15 Table gedmo_content
IV.2.1.16 Table gedmo_content_translations
IV.2.1.17 Table gedmo_media
IV.2.1.18 Table gedmo_media_translations
IV.2.1.19 Table gedmo_menu
IV.2.1.20 Table gedmo_menu_translations
IV.2.1.21 Table gedmo_organigram
IV.2.1.22 Table gedmo_organigram_translations
IV.2.1.23 Table gedmo_slider
IV.2.1.24 Table gedmo_slider_translations
IV.2.1.25 Table media_gallery
IV.2.1.26 Table media_gallery_media
IV.2.1.27 Table media_media
IV.2.1.28 Table pi_block
IV.2.1.29 Table pi_comment
IV.2.1.30 Table pi_keyword
IV.2.1.31 Table pi_keyword_page
IV.2.1.32 Table pi_keyword_rubrique
IV.2.1.33 Table pi_langue
IV.2.1.34 Table pi_langue_translations
IV.2.1.35 Table pi_layout
IV.2.1.36 Table pi_page
IV.2.1.37 Table pi_page_css
IV.2.1.38 Table pi_page_historical_status
IV.2.1.39 Table pi_page_js
IV.2.1.40 Table pi_page_translation
IV.2.1.41 Table pi_routing
IV.2.1.42 Table pi_rubrique
IV.2.1.43 Table pi_tag
IV.2.1.44 Table pi_tag_page
IV.2.1.45 Table pi_tag_translations
IV.2.1.46 Table pi_widget
IV.2.1.47 Table pi_widget_translation
IV.2.1.48 Table routing_translations











I Specifications

Include specifications here...

I.1 Diagram PhysicalDiagram_1









Physical Data Model Orchestra

Report Orchestra





I.1.1 Card of diagram PhysicalDiagram_1

Name	PhysicalDiagram_1
Code	PHYSICALDIAGRAM_1
Comment	

II Model information


II.1 Card of model Orchestra

Name	Orchestra
Code	ORCHESTRA
Comment	
DBMS	MySQL 5.0
Database	<None>

III PDM Diagrams

III.1 Model level diagrams

III.1.1 Diagram PhysicalDiagram_1



IV Physical diagrams objects

IV.1 References

IV.1.1 Model level references

IV.1.1.1 List of references

Name	Code	Parent Table	Child Table
FK_1B1651F2BDC78D6A	FK_1B1651F2BDC78D6A	pi_page_translation	pi_page_historical_status
FK_1BE96665232D562B	FK_1BE96665232D562B	gedmo_slider	gedmo_slider_translations
FK_4A41058D60322AC	FK_4A41058D60322AC	fos_role	fos_role_ressource
FK_4ECCE3E5627579FF	FK_4ECCE3E5627579FF	pi_langue	pi_widget_translation
FK_6FBD9DD2C4663E4	FK_6FBD9DD2C4663E4	pi_page	pi_block
FK_7EF527F0627579FF	FK_7EF527F0627579FF	pi_langue	pi_page_translation
FK_8A9B94FDBAD26311	FK_8A9B94FDBAD26311	pi_tag	pi_tag_page
FK_38A84AC6E9ED820C	FK_38A84AC6E9ED820C	pi_block	pi_widget
FK_43EF489E64C19C1	FK_43EF489E64C19C1	gedmo_category	gedmo_media
FK_50D151E52FCBE760	FK_50D151E52FCBE760	pi_page	pi_page_js
FK_80D4C5414E7AF8F	FK_80D4C5414E7AF8F	media_gallery	media_gallery_media
FK_257FB08A727ACA70	FK_257FB08A727ACA70	gedmo_organigram	gedmo_organigram
FK_583D1F3EA76ED395	FK_583D1F3EA76ED395	fos_user	fos_user_group
FK_601DB669BDC78D6A	FK_601DB669BDC78D6A	pi_page_translation	pi_comment
FK_957A6479627579FF	FK_957A6479627579FF	pi_langue	fos_user
FK_5577B62B115D4552	FK_5577B62B115D4552	pi_keyword	pi_keyword_page

FK_6464AB2E1874 536E	FK_6464AB2E18745 36E	pi_page	gedmo_content
FK_85481D9F232D 562B	FK_85481D9F232D 562B	gedmo_media	gedmo_media_translations
FK_672530EA727A CA70	FK_672530EA727A CA70	gedmo_menu	gedmo_menu
FK_AAD87EB0187 4536E	FK_AAD87EB01874 536E	pi_page	gedmo_block
FK_B699CC5A232 D562B	FK_B699CC5A232D 562B	gedmo_organigram	gedmo_organigram_translations
FK_BB81CD68232 D562B	FK_BB81CD68232D 562B	pi_tag	pi_tag_translations
FK_C3EFF8C0115 D4552	FK_C3EFF8C0115D 4552	pi_keyword	pi_keyword_rubrique
FK_C4EF33228DE 34652	FK_C4EF33228DE3 4652	pi_page	pi_page_css
FK_D1EF2186C46 63E4	FK_D1EF2186C466 3E4	pi_page	gedmo_slider
FK_D1F260E13BD 38833	FK_D1F260E13BD3 8833	pi_rubrique	pi_page
FK_D8F32BD9232 D562B	FK_D8F32BD9232D 562B	gedmo_menu	gedmo_menu_translations
FK_D191D1FE232 D562B	FK_D191D1FE232D 562B	gedmo_category	gedmo_category_translations
FK_E8378639232D 562B	FK_E8378639232D5 62B	pi_langue	pi_langue_translations
FK_E411AECD232 D562B	FK_E411AECD232D 562B	gedmo_content	gedmo_content_translations
FK_FD62B11A232 D562B	FK_FD62B11A232D 562B	gedmo_block	gedmo_block_translations
FK_FF3A9417727A CA70	FK_FF3A9417727A CA70	pi_rubrique	pi_rubrique

IV.1.1.2 Reference FK_1B1651F2BDC78D6A

IV.1.1.2.1 Card of reference FK_1B1651F2BDC78D6A

Name	FK_1B1651F2BDC78D6A
Code	FK_1B1651F2BDC78D6A

Parent Table	pi_page_translation
Child Table	pi_page_historical_status

IV.1.1.2.2Code preview of reference FK_1B1651F2BDC78D6A

```
alter table pi_page_historical_status add constraint FK_1B1651F2BDC78D6A foreign key (pagetrans_id)
    references pi_page_translation (id);
```

IV.1.1.2.3List of diagrams containing the reference FK_1B1651F2BDC78D6A

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.2.4List of reference joins of the reference FK_1B1651F2BDC78D6A

Parent Table Column	Child Table Column
id	pagetrans_id

IV.1.1.2.5List of extended attributes of the reference FK_1B1651F2BDC78D6A

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.3Reference FK_1BE96665232D562B

IV.1.1.3.1Card of reference FK_1BE96665232D562B

Name	FK_1BE96665232D562B
Code	FK_1BE96665232D562B
Parent Table	gedmo_slider
Child Table	gedmo_slider_translations

IV.1.1.3.2Code preview of reference FK_1BE96665232D562B

```
alter table gedmo_slider_translations add constraint FK_1BE96665232D562B foreign key (object_id)
    references gedmo_slider (id) on delete cascade;
```

IV.1.1.3.3List of diagrams containing the reference FK_1BE96665232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.3.4List of reference joins of the reference FK_1BE96665232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.3.5List of extended attributes of the reference FK_1BE96665232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.4Reference FK_4A41058D60322AC**IV.1.1.4.1Card of reference FK_4A41058D60322AC**

Name	FK_4A41058D60322AC
Code	FK_4A41058D60322AC
Parent Table	fos_role
Child Table	fos_role_ressource

IV.1.1.4.2Code preview of reference FK_4A41058D60322AC

```
alter table fos_role_ressource add constraint FK_4A41058D60322AC foreign key (role_id)
  references fos_role (id);
```

IV.1.1.4.3List of diagrams containing the reference FK_4A41058D60322AC

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.4.4List of reference joins of the reference FK_4A41058D60322AC

Parent Table Column	Child Table Column
id	role_id

IV.1.1.4.5List of extended attributes of the reference FK_4A41058D60322AC

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.5Reference FK_4ECCE3E5627579FF

IV.1.1.5.1Card of reference FK_4ECCE3E5627579FF

Name	FK_4ECCE3E5627579FF
Code	FK_4ECCE3E5627579FF
Parent Table	pi_langue
Child Table	pi_widget_translation

IV.1.1.5.2Code preview of reference FK_4ECCE3E5627579FF

```
alter table pi_widget_translation add constraint FK_4ECCE3E5627579FF foreign key (lang_code)
    references pi_langue (id);
```

IV.1.1.5.3List of diagrams containing the reference FK_4ECCE3E5627579FF

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.5.4List of reference joins of the reference FK_4ECCE3E5627579FF

Parent Table Column	Child Table Column
id	lang_code

IV.1.1.5.5List of extended attributes of the reference FK_4ECCE3E5627579FF

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.6Reference FK_6FBD9DD2C4663E4

IV.1.1.6.1Card of reference FK_6FBD9DD2C4663E4

Name	FK_6FBD9DD2C4663E4
Code	FK_6FBD9DD2C4663E4
Parent Table	pi_page
Child Table	pi_block

IV.1.1.6.2Code preview of reference FK_6FBD9DD2C4663E4

```
alter table pi_block add constraint FK_6FBD9DD2C4663E4 foreign key (page_id)
    references pi_page (id);
```

IV.1.1.6.3List of diagrams containing the reference FK_6FBD9DD2C4663E4

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.6.4List of reference joins of the reference FK_6FBD9DD2C4663E4

Parent Table Column	Child Table Column
id	page_id

IV.1.1.6.5List of extended attributes of the reference FK_6FBD9DD2C4663E4

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.7Reference FK_7EF527F0627579FF

IV.1.1.7.1Card of reference FK_7EF527F0627579FF

Name	FK_7EF527F0627579FF
Code	FK_7EF527F0627579FF
Parent Table	pi_langue
Child Table	pi_page_translation

IV.1.1.7.2Code preview of reference FK_7EF527F0627579FF

```
alter table pi_page_translation add constraint FK_7EF527F0627579FF foreign key (lang_code)
references pi_langue (id);
```

IV.1.1.7.3List of diagrams containing the reference FK_7EF527F0627579FF

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.7.4List of reference joins of the reference FK_7EF527F0627579FF

Parent Table Column	Child Table Column
id	lang_code

IV.1.1.7.5List of extended attributes of the reference FK_7EF527F0627579FF

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.8Reference FK_8A9B94FDBAD26311

IV.1.1.8.1Card of reference FK_8A9B94FDBAD26311

Name	FK_8A9B94FDBAD26311
Code	FK_8A9B94FDBAD26311
Parent Table	pi_tag
Child Table	pi_tag_page

IV.1.1.8.2Code preview of reference FK_8A9B94FDBAD26311

```
alter table pi_tag_page add constraint FK_8A9B94FDBAD26311 foreign key (tag_id)
references pi_tag (id);
```

IV.1.1.8.3List of diagrams containing the reference FK_8A9B94FDBAD26311

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.8.4List of reference joins of the reference FK_8A9B94FDBAD26311

Parent Table Column	Child Table Column
id	tag_id

IV.1.1.8.5List of extended attributes of the reference FK_8A9B94FDBAD26311

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.9Reference FK_38A84AC6E9ED820C***IV.1.1.9.1Card of reference FK_38A84AC6E9ED820C***

Name	FK_38A84AC6E9ED820C
Code	FK_38A84AC6E9ED820C
Parent Table	pi_block
Child Table	pi_widget

IV.1.1.9.2Code preview of reference FK_38A84AC6E9ED820C

```
alter table pi_widget add constraint FK_38A84AC6E9ED820C foreign key (block_id)
    references pi_block (id);
```

IV.1.1.9.3List of diagrams containing the reference FK_38A84AC6E9ED820C

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.9.4List of reference joins of the reference FK_38A84AC6E9ED820C

Parent Table Column	Child Table Column
id	block_id

IV.1.1.9.5List of extended attributes of the reference FK_38A84AC6E9ED820C

Name	Data Type	Value	Target Name

ReferenceMatch	ReferenceMatch Type		MySQL 5.0
----------------	------------------------	--	-----------

IV.1.1.10 Reference FK_43EF489E64C19C1

IV.1.1.10.1 Card of reference FK_43EF489E64C19C1

Name	FK_43EF489E64C19C1
Code	FK_43EF489E64C19C1
Parent Table	gedmo_category
Child Table	gedmo_media

IV.1.1.10.2 Code preview of reference FK_43EF489E64C19C1

```
alter table gedmo_media add constraint FK_43EF489E64C19C1 foreign key (category)
    references gedmo_category (id);
```

IV.1.1.10.3 List of diagrams containing the reference FK_43EF489E64C19C1

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.10.4 List of reference joins of the reference FK_43EF489E64C19C1

Parent Table Column	Child Table Column
id	category

IV.1.1.10.5 List of extended attributes of the reference FK_43EF489E64C19C1

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.11 Reference FK_50D151E52FCBE760

IV.1.1.11.1 Card of reference FK_50D151E52FCBE760

Name	FK_50D151E52FCBE760
Code	FK_50D151E52FCBE760

Parent Table	pi_page
Child Table	pi_page_js

IV.1.1.11.2Code preview of reference FK_50D151E52FCBE760

```
alter table pi_page_js add constraint FK_50D151E52FCBE760 foreign key (pagejs_id)
    references pi_page (id);
```

IV.1.1.11.3List of diagrams containing the reference FK_50D151E52FCBE760

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.11.4List of reference joins of the reference FK_50D151E52FCBE760

Parent Table Column	Child Table Column
id	pagejs_id

IV.1.1.11.5List of extended attributes of the reference FK_50D151E52FCBE760

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.12Reference FK_80D4C5414E7AF8F**IV.1.1.12.1Card of reference FK_80D4C5414E7AF8F**

Name	FK_80D4C5414E7AF8F
Code	FK_80D4C5414E7AF8F
Parent Table	media_gallery
Child Table	media_gallery_media

IV.1.1.12.2Code preview of reference FK_80D4C5414E7AF8F

```
alter table media_gallery_media add constraint FK_80D4C5414E7AF8F foreign key (gallery_id)
    references media_gallery (id);
```

IV.1.1.12.3List of diagrams containing the reference FK_80D4C5414E7AF8F

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.12.4List of reference joins of the reference FK_80D4C5414E7AF8F

Parent Table Column	Child Table Column
id	gallery_id

IV.1.1.12.5List of extended attributes of the reference FK_80D4C5414E7AF8F

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.13Reference FK_257FB08A727ACA70

IV.1.1.13.1Card of reference FK_257FB08A727ACA70

Name	FK_257FB08A727ACA70
Code	FK_257FB08A727ACA70
Parent Table	gedmo_organigram
Child Table	gedmo_organigram

IV.1.1.13.2Code preview of reference FK_257FB08A727ACA70

```
alter table gedmo_organigram add constraint FK_257FB08A727ACA70 foreign key (parent_id)
    references gedmo_organigram (id);
```

IV.1.1.13.3List of diagrams containing the reference FK_257FB08A727ACA70

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.13.4List of reference joins of the reference FK_257FB08A727ACA70

Parent Table Column	Child Table Column
---------------------	--------------------

id	parent_id

IV.1.1.13.5List of extended attributes of the reference FK_257FB08A727ACA70

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.14Reference FK_583D1F3EA76ED395**IV.1.1.14.1Card of reference FK_583D1F3EA76ED395**

Name	FK_583D1F3EA76ED395
Code	FK_583D1F3EA76ED395
Parent Table	fos_user
Child Table	fos_user_group

IV.1.1.14.2Code preview of reference FK_583D1F3EA76ED395

```
alter table fos_user_group add constraint FK_583D1F3EA76ED395 foreign key (user_id)
    references fos_user (id);
```

IV.1.1.14.3List of diagrams containing the reference FK_583D1F3EA76ED395

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.14.4List of reference joins of the reference FK_583D1F3EA76ED395

Parent Table Column	Child Table Column
id	user_id

IV.1.1.14.5List of extended attributes of the reference FK_583D1F3EA76ED395

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.15Reference FK_601DB669BDC78D6A

IV.1.1.15.1Card of reference FK_601DB669BDC78D6A

Name	FK_601DB669BDC78D6A
Code	FK_601DB669BDC78D6A
Parent Table	pi_page_translation
Child Table	pi_comment

IV.1.1.15.2Code preview of reference FK_601DB669BDC78D6A

```
alter table pi_comment add constraint FK_601DB669BDC78D6A foreign key (pagetrans_id)
    references pi_page_translation (id);
```

IV.1.1.15.3List of diagrams containing the reference FK_601DB669BDC78D6A

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.15.4List of reference joins of the reference FK_601DB669BDC78D6A

Parent Table Column	Child Table Column
id	pagetrans_id

IV.1.1.15.5List of extended attributes of the reference FK_601DB669BDC78D6A

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.16Reference FK_957A6479627579FF

IV.1.1.16.1Card of reference FK_957A6479627579FF

Name	FK_957A6479627579FF
Code	FK_957A6479627579FF
Parent Table	pi_langue

Child Table	fos_user
-------------	----------

IV.1.1.16.2Code preview of reference FK_957A6479627579FF

```
alter table fos_user add constraint FK_957A6479627579FF foreign key (lang_code)
    references pi_langue (id);
```

IV.1.1.16.3List of diagrams containing the reference FK_957A6479627579FF

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.16.4List of reference joins of the reference FK_957A6479627579FF

Parent Table Column	Child Table Column
id	lang_code

IV.1.1.16.5List of extended attributes of the reference FK_957A6479627579FF

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.17Reference FK_5577B62B115D4552**IV.1.1.17.1Card of reference FK_5577B62B115D4552**

Name	FK_5577B62B115D4552
Code	FK_5577B62B115D4552
Parent Table	pi_keyword
Child Table	pi_keyword_page

IV.1.1.17.2Code preview of reference FK_5577B62B115D4552

```
alter table pi_keyword_page add constraint FK_5577B62B115D4552 foreign key (keyword_id)
    references pi_keyword (id);
```

IV.1.1.17.3List of diagrams containing the reference FK_5577B62B115D4552

Name	Code
------	------

PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.17.4List of reference joins of the reference FK_5577B62B115D4552

Parent Table Column	Child Table Column
id	keyword_id

IV.1.1.17.5List of extended attributes of the reference FK_5577B62B115D4552

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.18Reference FK_6464AB2E1874536E

IV.1.1.18.1Card of reference FK_6464AB2E1874536E

Name	FK_6464AB2E1874536E
Code	FK_6464AB2E1874536E
Parent Table	pi_page
Child Table	gedmo_content

IV.1.1.18.2Code preview of reference FK_6464AB2E1874536E

```
alter table gedmo_content add constraint FK_6464AB2E1874536E foreign key (page_intro_id)
    references pi_page (id);
```

IV.1.1.18.3List of diagrams containing the reference FK_6464AB2E1874536E

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.18.4List of reference joins of the reference FK_6464AB2E1874536E

Parent Table Column	Child Table Column
id	page_intro_id

IV.1.1.18.5List of extended attributes of the reference FK_6464AB2E1874536E

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.19Reference FK_85481D9F232D562B***IV.1.1.19.1Card of reference FK_85481D9F232D562B***

Name	FK_85481D9F232D562B
Code	FK_85481D9F232D562B
Parent Table	gedmo_media
Child Table	gedmo_media_translations

IV.1.1.19.2Code preview of reference FK_85481D9F232D562B

```
alter table gedmo_media_translations add constraint FK_85481D9F232D562B foreign key (object_id)
    references gedmo_media (id) on delete cascade;
```

IV.1.1.19.3List of diagrams containing the reference FK_85481D9F232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.19.4List of reference joins of the reference FK_85481D9F232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.19.5List of extended attributes of the reference FK_85481D9F232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.20Reference FK_672530EA727ACA70***IV.1.1.20.1Card of reference FK_672530EA727ACA70***

Name	FK_672530EA727ACA70
Code	FK_672530EA727ACA70
Parent Table	gedmo_menu
Child Table	gedmo_menu

IV.1.1.20.2Code preview of reference FK_672530EA727ACA70

```
alter table gedmo_menu add constraint FK_672530EA727ACA70 foreign key (parent_id)
    references gedmo_menu (id) on delete set null;
```

IV.1.1.20.3List of diagrams containing the reference FK_672530EA727ACA70

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.20.4List of reference joins of the reference FK_672530EA727ACA70

Parent Table Column	Child Table Column
id	parent_id

IV.1.1.20.5List of extended attributes of the reference FK_672530EA727ACA70

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.21Reference FK_AAD87EB01874536E

IV.1.1.21.1Card of reference FK_AAD87EB01874536E

Name	FK_AAD87EB01874536E
Code	FK_AAD87EB01874536E
Parent Table	pi_page
Child Table	gedmo_block

IV.1.1.21.2Code preview of reference FK_AAD87EB01874536E

```
alter table gedmo_block add constraint FK_AAD87EB01874536E foreign key (page_intro_id)
    references pi_page (id);
```

IV.1.1.21.3List of diagrams containing the reference FK_AAD87EB01874536E

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.21.4List of reference joins of the reference FK_AAD87EB01874536E

Parent Table Column	Child Table Column
id	page_intro_id

IV.1.1.21.5List of extended attributes of the reference FK_AAD87EB01874536E

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.22Reference FK_B699CC5A232D562B

IV.1.1.22.1Card of reference FK_B699CC5A232D562B

Name	FK_B699CC5A232D562B
Code	FK_B699CC5A232D562B
Parent Table	gedmo_organigram
Child Table	gedmo_organigram_translations

IV.1.1.22.2Code preview of reference FK_B699CC5A232D562B

```
alter table gedmo_organigram_translations add constraint FK_B699CC5A232D562B foreign key (object_id)
    references gedmo_organigram (id) on delete cascade;
```

IV.1.1.22.3List of diagrams containing the reference FK_B699CC5A232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.22.4List of reference joins of the reference FK_B699CC5A232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.22.5List of extended attributes of the reference FK_B699CC5A232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.23Reference FK_BB81CD68232D562B***IV.1.1.23.1Card of reference FK_BB81CD68232D562B***

Name	FK_BB81CD68232D562B
Code	FK_BB81CD68232D562B
Parent Table	pi_tag
Child Table	pi_tag_translations

IV.1.1.23.2Code preview of reference FK_BB81CD68232D562B

alter table pi_tag_translations add constraint FK_BB81CD68232D562B foreign key (object_id)
references pi_tag (id) on delete cascade;

IV.1.1.23.3List of diagrams containing the reference FK_BB81CD68232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.23.4List of reference joins of the reference FK_BB81CD68232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.23.5List of extended attributes of the reference FK_BB81CD68232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch		MySQL 5.0

	Type	
--	------	--

IV.1.1.24 Reference FK_C3EFF8C0115D4552

IV.1.1.24.1 Card of reference FK_C3EFF8C0115D4552

Name	FK_C3EFF8C0115D4552
Code	FK_C3EFF8C0115D4552
Parent Table	pi_keyword
Child Table	pi_keyword_rubrique

IV.1.1.24.2 Code preview of reference FK_C3EFF8C0115D4552

```
alter table pi_keyword_rubrique add constraint FK_C3EFF8C0115D4552 foreign key (keyword_id)
    references pi_keyword (id);
```

IV.1.1.24.3 List of diagrams containing the reference FK_C3EFF8C0115D4552

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.24.4 List of reference joins of the reference FK_C3EFF8C0115D4552

Parent Table Column	Child Table Column
id	keyword_id

IV.1.1.24.5 List of extended attributes of the reference FK_C3EFF8C0115D4552

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.25 Reference FK_C4EF33228DE34652

IV.1.1.25.1 Card of reference FK_C4EF33228DE34652

Name	FK_C4EF33228DE34652
Code	FK_C4EF33228DE34652

Parent Table	pi_page
Child Table	pi_page_css

IV.1.1.25.2Code preview of reference FK_C4EF33228DE34652

```
alter table pi_page_css add constraint FK_C4EF33228DE34652 foreign key (pagecss_id)
    references pi_page (id);
```

IV.1.1.25.3List of diagrams containing the reference FK_C4EF33228DE34652

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.25.4List of reference joins of the reference FK_C4EF33228DE34652

Parent Table Column	Child Table Column
id	pagecss_id

IV.1.1.25.5List of extended attributes of the reference FK_C4EF33228DE34652

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.26Reference FK_D1EF2186C4663E4

IV.1.1.26.1Card of reference FK_D1EF2186C4663E4

Name	FK_D1EF2186C4663E4
Code	FK_D1EF2186C4663E4
Parent Table	pi_page
Child Table	gedmo_slider

IV.1.1.26.2Code preview of reference FK_D1EF2186C4663E4

```
alter table gedmo_slider add constraint FK_D1EF2186C4663E4 foreign key (page_id)
    references pi_page (id);
```

IV.1.1.26.3List of diagrams containing the reference FK_D1EF2186C4663E4

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.26.4List of reference joins of the reference FK_D1EF2186C4663E4

Parent Table Column	Child Table Column
id	page_id

IV.1.1.26.5List of extended attributes of the reference FK_D1EF2186C4663E4

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.27Reference FK_D1F260E13BD38833***IV.1.1.27.1Card of reference FK_D1F260E13BD38833***

Name	FK_D1F260E13BD38833
Code	FK_D1F260E13BD38833
Parent Table	pi_rubrique
Child Table	pi_page

IV.1.1.27.2Code preview of reference FK_D1F260E13BD38833

```
alter table pi_page add constraint FK_D1F260E13BD38833 foreign key (rubrique_id)
    references pi_rubrique (id);
```

IV.1.1.27.3List of diagrams containing the reference FK_D1F260E13BD38833

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.27.4List of reference joins of the reference FK_D1F260E13BD38833

Parent Table Column	Child Table Column
id	rubrique_id

--	--

IV.1.1.27.5List of extended attributes of the reference FK_D1F260E13BD38833

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.28Reference FK_D8F32BD9232D562B

IV.1.1.28.1Card of reference FK_D8F32BD9232D562B

Name	FK_D8F32BD9232D562B
Code	FK_D8F32BD9232D562B
Parent Table	gedmo_menu
Child Table	gedmo_menu_translations

IV.1.1.28.2Code preview of reference FK_D8F32BD9232D562B

```
alter table gedmo_menu_translations add constraint FK_D8F32BD9232D562B foreign key (object_id)
references gedmo_menu (id) on delete cascade;
```

IV.1.1.28.3List of diagrams containing the reference FK_D8F32BD9232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.28.4List of reference joins of the reference FK_D8F32BD9232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.28.5List of extended attributes of the reference FK_D8F32BD9232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.29Reference FK_D191D1FE232D562B

IV.1.1.29.1Card of reference FK_D191D1FE232D562B

Name	FK_D191D1FE232D562B
Code	FK_D191D1FE232D562B
Parent Table	gedmo_category
Child Table	gedmo_category_translations

IV.1.1.29.2Code preview of reference FK_D191D1FE232D562B

```
alter table gedmo_category_translations add constraint FK_D191D1FE232D562B foreign key (object_id)
    references gedmo_category (id) on delete cascade;
```

IV.1.1.29.3List of diagrams containing the reference FK_D191D1FE232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.29.4List of reference joins of the reference FK_D191D1FE232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.29.5List of extended attributes of the reference FK_D191D1FE232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.30Reference FK_E8378639232D562B

IV.1.1.30.1Card of reference FK_E8378639232D562B

Name	FK_E8378639232D562B
Code	FK_E8378639232D562B
Parent Table	pi_langue
Child Table	pi_langue_translations

IV.1.1.30.2Code preview of reference FK_E8378639232D562B

```
alter table pi_langue_translations add constraint FK_E8378639232D562B foreign key (object_id)
references pi_langue (id) on delete cascade;
```

IV.1.1.30.3List of diagrams containing the reference FK_E8378639232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.30.4List of reference joins of the reference FK_E8378639232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.30.5List of extended attributes of the reference FK_E8378639232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.31Reference FK_E411AECD232D562B

IV.1.1.31.1Card of reference FK_E411AECD232D562B

Name	FK_E411AECD232D562B
Code	FK_E411AECD232D562B
Parent Table	gedmo_content
Child Table	gedmo_content_translations

IV.1.1.31.2Code preview of reference FK_E411AECD232D562B

```
alter table gedmo_content_translations add constraint FK_E411AECD232D562B foreign key (object_id)
references gedmo_content (id) on delete cascade;
```

IV.1.1.31.3List of diagrams containing the reference FK_E411AECD232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

--	--

IV.1.1.31.4 List of reference joins of the reference FK_E411AECD232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.31.5 List of extended attributes of the reference FK_E411AECD232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatchType		MySQL 5.0

IV.1.1.32 Reference FK_FD62B11A232D562B**IV.1.1.32.1 Card of reference FK_FD62B11A232D562B**

Name	FK_FD62B11A232D562B
Code	FK_FD62B11A232D562B
Parent Table	gedmo_block
Child Table	gedmo_block_translations

IV.1.1.32.2 Code preview of reference FK_FD62B11A232D562B

```
alter table gedmo_block_translations add constraint FK_FD62B11A232D562B foreign key (object_id)
    references gedmo_block (id) on delete cascade;
```

IV.1.1.32.3 List of diagrams containing the reference FK_FD62B11A232D562B

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.32.4 List of reference joins of the reference FK_FD62B11A232D562B

Parent Table Column	Child Table Column
id	object_id

IV.1.1.32.5 List of extended attributes of the reference FK_FD62B11A232D562B

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.1.1.33 Reference FK_FF3A9417727ACA70

IV.1.1.33.1 Card of reference FK_FF3A9417727ACA70

Name	FK_FF3A9417727ACA70
Code	FK_FF3A9417727ACA70
Parent Table	pi_rubrique
Child Table	pi_rubrique

IV.1.1.33.2 Code preview of reference FK_FF3A9417727ACA70

```
alter table pi_rubrique add constraint FK_FF3A9417727ACA70 foreign key (parent_id)
    references pi_rubrique (id);
```

IV.1.1.33.3 List of diagrams containing the reference FK_FF3A9417727ACA70

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.1.1.33.4 List of reference joins of the reference FK_FF3A9417727ACA70

Parent Table Column	Child Table Column
id	parent_id

IV.1.1.33.5 List of extended attributes of the reference FK_FF3A9417727ACA70

Name	Data Type	Value	Target Name
ReferenceMatch	ReferenceMatch Type		MySQL 5.0

IV.2Tables

IV.2.1Model level tables

IV.2.1.1List of tables

Name	Code
fos_group	fos_group
fos_permission	fos_permission
fos_ressource	fos_ressource
fos_role	fos_role
fos_role_ressource	fos_role_ressource
fos_user	fos_user
fos_user_group	fos_user_group
gedmo_block	gedmo_block
gedmo_block_translations	gedmo_block_translations
gedmo_category	gedmo_category
gedmo_category_translations	gedmo_category_translations
gedmo_content	gedmo_content
gedmo_content_translations	gedmo_content_translations
gedmo_media	gedmo_media
gedmo_media_translations	gedmo_media_translations
gedmo_menu	gedmo_menu
gedmo_menu_translations	gedmo_menu_translations
gedmo_organigram	gedmo_organigram
gedmo_organigram_translations	gedmo_organigram_translations
gedmo_slider	gedmo_slider
gedmo_slider_translations	gedmo_slider_translations
media_gallery	media_gallery

media_gallery_media	media_gallery_media
media_media	media_media
pi_block	pi_block
pi_comment	pi_comment
pi_keyword	pi_keyword
pi_keyword_page	pi_keyword_page
pi_keyword_rubrique	pi_keyword_rubrique
pi_langue	pi_langue
pi_langue_translations	pi_langue_translations
pi_layout	pi_layout
pi_page	pi_page
pi_page_css	pi_page_css
pi_page_historical_status	pi_page_historical_status
pi_page_js	pi_page_js
pi_page_translation	pi_page_translation
pi_routing	pi_routing
pi_rubrique	pi_rubrique
pi_tag	pi_tag
pi_tag_page	pi_tag_page
pi_tag_translations	pi_tag_translations
pi_widget	pi_widget
pi_widget_translation	pi_widget_translation
routing_translations	routing_translations

IV.2.1.2 List of table columns

Name	Code

id	id
name	name
roles	roles
created_at	created_at
updated_at	updated_at
enabled	enabled
id	id
name	name
comment	comment
enabled	enabled
id	id
route_name	route_name
slug	slug
url	url
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
id	id
label	label
name	name
comment	comment
heritage	heritage
enabled	enabled
role_id	role_id
ressource_id	ressource_id
id	id

lang_code	lang_code
username	username
username_canonical	username_canonical
email	email
email_canonical	email_canonical
enabled	enabled
salt	salt
password	password
last_login	last_login
locked	locked
expired	expired
expires_at	expires_at
confirmation_token	confirmation_token
password_requested_at	password_requested_at
roles	roles
credentials_expired	credentials_expired
credentials_expire_at	credentials_expire_at
permissions	permissions
user_id	user_id
group_id	group_id
id	id
category	category
page_intro_id	page_intro_id
media_id	media_id
title	title
descriptif	descriptif
content	content
author	author

url	url
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position
id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
name	name
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position
id	id
object_id	object_id
locale	locale
field	field
content	content
id	id

page_intro_id	page_intro_id
page_cssclass	page_cssclass
category	category
categoryother	categoryother
descriptif	descriptif
content	content
url	url
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position
id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
category	category
media	media
status	status
title	title
url	url
mediald	mediald
mediadelete	mediadelete
created_at	created_at
updated_at	updated_at

published_at	published_at
archive_at	archive_at
enabled	enabled
position	position
id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
page_id	page_id
media_id	media_id
parent_id	parent_id
slug	slug
category	category
categoryother	categoryother
title	title
url	url
lft	lft
rgt	rgt
lvl	lvl
root	root
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at

enabled	enabled
position	position
id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
page_id	page_id
media_id	media_id
parent_id	parent_id
slug	slug
category	category
categoryother	categoryother
title	title
descriptif	descriptif
question	question
content	content
lft	lft
rgt	rgt
lvl	lvl
root	root
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
page_id	page_id
media_id	media_id
category	category
categoryother	categoryother
css_class	css_class
title	title
subtitle	subtitle
descriptif_left	descriptif_left
descriptif_right	descriptif_right
page_title	page_title
page_cssclass	page_cssclass
slug	slug
meta_keywords	meta_keywords
meta_description	meta_description
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
name	name
context	context
default_format	default_format
enabled	enabled
updated_at	updated_at
created_at	created_at
id	id
media_id	media_id
gallery_id	gallery_id
position	position
enabled	enabled
updated_at	updated_at
created_at	created_at
id	id
name	name
description	description
enabled	enabled
provider_name	provider_name
provider_status	provider_status
provider_reference	provider_reference
provider_metadata	provider_metadata
width	width

height	height
length	length
content_type	content_type
content_size	content_size
copyright	copyright
author_name	author_name
context	context
cdn_is_flushable	cdn_is_flushable
cdn_flush_at	cdn_flush_at
updated_at	updated_at
created_at	created_at
id	id
page_id	page_id
name	name
config_css_class	config_css_class
config_xml	config_xml
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
position	position
id	id
pagetrans_id	pagetrans_id
user	user
comment	comment
email	email

is_approved	is_approved
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
position	position
id	id
groupname	groupname
groupnameother	groupnameother
name	name
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
page_id	page_id
keyword_id	keyword_id
rubrique_id	rubrique_id
keyword_id	keyword_id
id	id
label	label
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
id	id
object_id	object_id
locale	locale
field	field

content	content
id	id
name	name
file_pc	file_pc
file_mobile	file_mobile
configXml	configXml
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
id	id
user_id	user_id
rubrique_id	rubrique_id
layout_id	layout_id
is_cacheable	is_cacheable
is_public	is_public
lifetime	lifetime
route_name	route_name
url	url
meta_content_type	meta_content_type
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
page_id	page_id
pagecss_id	pagecss_id

id	id
pagetrans_id	pagetrans_id
status	status
comment	comment
created_at	created_at
enabled	enabled
page_id	page_id
pagejs_id	pagejs_id
id	id
page_id	page_id
lang_code	lang_code
lang_status	lang_status
status	status
is_secure	is_secure
secure_roles	secure_roles
is_indexable	is_indexable
breadcrumb	breadcrumb
slug	slug
meta_title	meta_title
meta_keywords	meta_keywords
meta_description	meta_description
surtitre	surtitre
titre	titre
soustitre	soustitre
descriptif	descriptif
chapo	chapo
texte	texte
ps	ps

created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
id	id
route	route
locales	locales
defaults	defaults
requirements	requirements
id	id
parent_id	parent_id
lft	lft
lvl	lvl
rgt	rgt
root	root
titre	titre
descriptif	descriptif
texte	texte
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
id	id
groupname	groupname
groupnameother	groupnameother

name	name
color	color
Hicolor	Hicolor
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
page_id	page_id
tag_id	tag_id
id	id
object_id	object_id
locale	locale
field	field
content	content
id	id
block_id	block_id
plugin	plugin
action	action
is_cacheable	is_cacheable
is_public	is_public
lifetime	lifetime
config_css_class	config_css_class
config_xml	config_xml
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
position	position

id	id
widget_id	widget_id
lang_code	lang_code
content	content
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
id	id
route	route
locale	locale
attribute	attribute
localized_value	localized_value
original_value	original_value

IV.2.1.3 List of table keys

Name	Code	Table
Key_1	Key_1	fos_group
UNIQ_4B019DDB5E237E06	UNIQ_4B019DDB5E237E06	fos_group
Key_1	Key_1	fos_permission
Key_1	Key_1	fos_ressource
Key_1	Key_1	fos_role
Key_1	Key_1	fos_role_ressource
IDX_4A41058D60322AC	IDX_4A41058D60322AC	fos_role_ressource
IDX_4A41058FC6CD52A	IDX_4A41058FC6CD52A	fos_role_ressource

Key_1	Key_1	fos_user
UNIQ_957A647992FC23A8	UNIQ_957A647992FC23A8	fos_user
UNIQ_957A6479A0D96FBF	UNIQ_957A6479A0D96FBF	fos_user
IDX_957A6479627579FF	IDX_957A6479627579FF	fos_user
Key_1	Key_1	fos_user_group
IDX_583D1F3EA76ED395	IDX_583D1F3EA76ED395	fos_user_group
IDX_583D1F3EFE54D947	IDX_583D1F3EFE54D947	fos_user_group
Key_1	Key_1	gedmo_block
UNIQ_AAD87EB0EA9FDD75	UNIQ_AAD87EB0EA9FDD75	gedmo_block
IDX_AAD87EB064C19C1	IDX_AAD87EB064C19C1	gedmo_block
IDX_AAD87EB01874536E	IDX_AAD87EB01874536E	gedmo_block
Key_1	Key_1	gedmo_block_translations
lookup_unique_idx	lookup_unique_idx	gedmo_block_translations
IDX_FD62B11A232D562B	IDX_FD62B11A232D562B	gedmo_block_translations
Key_1	Key_1	gedmo_category
Key_1	Key_1	gedmo_category_translations
lookup_unique_idx	lookup_unique_idx	gedmo_category_translations
IDX_D191D1FE232D562B	IDX_D191D1FE232D562B	gedmo_category_translations
Key_1	Key_1	gedmo_content
IDX_6464AB2E1874536E	IDX_6464AB2E1874536E	gedmo_content
Key_1	Key_1	gedmo_content_translations
lookup_unique_idx	lookup_unique_idx	gedmo_content_translations
IDX_E411AECD232D562B	IDX_E411AECD232D562B	gedmo_content_translations
Key_1	Key_1	gedmo_media
IDX_43EF489E64C19C1	IDX_43EF489E64C19C1	gedmo_media

IDX_43EF489E6A2CA10C	IDX_43EF489E6A2CA10C	gedmo_media
Key_1	Key_1	gedmo_media_translations
lookup_unique_idx	lookup_unique_idx	gedmo_media_translations
IDX_85481D9F232D562B	IDX_85481D9F232D562B	gedmo_media_translations
Key_1	Key_1	gedmo_menu
UNIQ_672530EA989D9B62	UNIQ_672530EA989D9B62	gedmo_menu
UNIQ_672530EAE9FDD75	UNIQ_672530EAE9FDD75	gedmo_menu
IDX_672530EAC4663E4	IDX_672530EAC4663E4	gedmo_menu
IDX_672530EA727ACA70	IDX_672530EA727ACA70	gedmo_menu
Key_1	Key_1	gedmo_menu_translations
lookup_unique_idx	lookup_unique_idx	gedmo_menu_translations
IDX_D8F32BD9232D562B	IDX_D8F32BD9232D562B	gedmo_menu_translations
Key_1	Key_1	gedmo_organigram
UNIQ_257FB08A989D9B62	UNIQ_257FB08A989D9B62	gedmo_organigram
UNIQ_257FB08AEA9FDD75	UNIQ_257FB08AEA9FDD75	gedmo_organigram
IDX_257FB08AC4663E4	IDX_257FB08AC4663E4	gedmo_organigram
IDX_257FB08A727ACA70	IDX_257FB08A727ACA70	gedmo_organigram
Key_1	Key_1	gedmo_organigram_translations
lookup_unique_idx	lookup_unique_idx	gedmo_organigram_translations
IDX_B699CC5A232D562B	IDX_B699CC5A232D562B	gedmo_organigram_translations
Key_1	Key_1	gedmo_slider
UNIQ_D1EF2186EA9FDD75	UNIQ_D1EF2186EA9FDD75	gedmo_slider
IDX_D1EF2186C4663E4	IDX_D1EF2186C4663E4	gedmo_slider

Key_1	Key_1	gedmo_slider_translations
lookup_unique_idx	lookup_unique_idx	gedmo_slider_translations
IDX_1BE96665232D562B	IDX_1BE96665232D562B	gedmo_slider_translations
Key_1	Key_1	media_gallery
Key_1	Key_1	media_gallery_media
IDX_80D4C541EA9FDD75	IDX_80D4C541EA9FDD75	media_gallery_media
IDX_80D4C5414E7AF8F	IDX_80D4C5414E7AF8F	media_gallery_media
Key_1	Key_1	media_media
Key_1	Key_1	pi_block
IDX_6FBD9DD2C4663E4	IDX_6FBD9DD2C4663E4	pi_block
Key_1	Key_1	pi_comment
IDX_601DB669BDC78D6A	IDX_601DB669BDC78D6A	pi_comment
Key_1	Key_1	pi_keyword
Key_1	Key_1	pi_keyword_page
IDX_5577B62BC4663E4	IDX_5577B62BC4663E4	pi_keyword_page
IDX_5577B62B115D4552	IDX_5577B62B115D4552	pi_keyword_page
Key_1	Key_1	pi_keyword_rubrique
IDX_C3EFF8C03BD38833	IDX_C3EFF8C03BD38833	pi_keyword_rubrique
IDX_C3EFF8C0115D4552	IDX_C3EFF8C0115D4552	pi_keyword_rubrique
Key_1	Key_1	pi_langue
Key_1	Key_1	pi_langue_translations
lookup_unique_idx	lookup_unique_idx	pi_langue_translations
IDX_E8378639232D562B	IDX_E8378639232D562B	pi_langue_translations
Key_1	Key_1	pi_layout
UNIQ_876B3FF45E237E06	UNIQ_876B3FF45E237E06	pi_layout
Key_1	Key_1	pi_page
UNIQ_D1F260E1F3667F8	UNIQ_D1F260E1F3667F83	pi_page

3		
IDX_D1F260E1A76ED395	IDX_D1F260E1A76ED395	pi_page
IDX_D1F260E13BD38833	IDX_D1F260E13BD38833	pi_page
IDX_D1F260E18C22AA1A	IDX_D1F260E18C22AA1A	pi_page
Key_1	Key_1	pi_page_css
IDX_C4EF3322C4663E4	IDX_C4EF3322C4663E4	pi_page_css
IDX_C4EF33228DE34652	IDX_C4EF33228DE34652	pi_page_css
Key_1	Key_1	pi_page_historical_status
IDX_1B1651F2BDC78D6A	IDX_1B1651F2BDC78D6A	pi_page_historical_status
Key_1	Key_1	pi_page_js
IDX_50D151E5C4663E4	IDX_50D151E5C4663E4	pi_page_js
IDX_50D151E52FCBE760	IDX_50D151E52FCBE760	pi_page_js
Key_1	Key_1	pi_page_translation
IDX_7EF527F0C4663E4	IDX_7EF527F0C4663E4	pi_page_translation
IDX_7EF527F0627579FF	IDX_7EF527F0627579FF	pi_page_translation
Key_1	Key_1	pi_routing
UNIQ_51915DFF2C42079	UNIQ_51915DFF2C42079	pi_routing
Key_1	Key_1	pi_rubrique
IDX_FF3A9417727ACA70	IDX_FF3A9417727ACA70	pi_rubrique
Key_1	Key_1	pi_tag
Key_1	Key_1	pi_tag_page
IDX_8A9B94FDC4663E4	IDX_8A9B94FDC4663E4	pi_tag_page
IDX_8A9B94FDBAD26311	IDX_8A9B94FDBAD26311	pi_tag_page
Key_1	Key_1	pi_tag_translations
lookup_unique_idx	lookup_unique_idx	pi_tag_translations
IDX_BB81CD68232D562B	IDX_BB81CD68232D562B	pi_tag_translations
Key_1	Key_1	pi_widget

IDX_38A84AC6E9ED820C	IDX_38A84AC6E9ED820C	pi_widget
Key_1	Key_1	pi_widget_translation
IDX_4ECCE3E5FBE885E2	IDX_4ECCE3E5FBE885E2	pi_widget_translation
IDX_4ECCE3E5627579FF	IDX_4ECCE3E5627579FF	pi_widget_translation
Key_1	Key_1	routing_translations
UNIQ_291BA3522C42079 4180C698FA7AEFFB	UNIQ_291BA3522C420794 180C698FA7AEFFB	routing_translations
IDX_291BA352D951F3E4	IDX_291BA352D951F3E4	routing_translations

IV.2.1.4 Table fos_group

IV.2.1.4.1 Card of table fos_group

Name	fos_group
Code	fos_group
DBMS	MySQL 5.0

IV.2.1.4.2 Check constraint name of table fos_group

TK_fos_group

IV.2.1.4.3 Server validation rule of table fos_group

%RULES%

IV.2.1.4.4 Code preview of table fos_group

drop table if exists fos_group;

```
/*
 * Table: fos_group
 */
create table fos_group
(
    id      int(11) not null auto_increment,
    name    varchar(255) not null,
    roles   longtext not null comment '(DC2Type:array)',
    created_at  datetime not null,
    updated_at  datetime default NULL,
    enabled   tinyint(1) default NULL,
    primary key (id),
    unique key UNIQ_4B019DDB5E237E06 (name)
);
```

IV.2.1.4.5List of diagrams containing the table fos_group

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.4.6List of extended attributes of the table fos_group

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.4.7List of columns of the table fos_group

Name	Code
id	id
name	name
roles	roles
created_at	created_at
updated_at	updated_at
enabled	enabled

IV.2.1.4.8Column id of the table fos_group***IV.2.1.4.8.1Card of the column id of the table fos_group***

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.4.8.2Check constraint name of the column id of the table fos_group

CK_id

IV.2.1.4.8.3Check of the column id of the table fos_group

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.4.8.4 Server validation rule of the column id of the table fos_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.4.8.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.4.8.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.4.9 Column name of the table fos_group

IV.2.1.4.9.1 Card of the column name of the table fos_group

Name	name
Code	name
Data Type	varchar(255)

Mandatory	Yes
-----------	-----

IV.2.1.4.9.2 Check constraint name of the column name of the table fos_group

CK_name

IV.2.1.4.9.3 Check of the column name of the table fos_group

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.4.9.4 Server validation rule of the column name of the table fos_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.4.9.5 List of all dependencies of the table column name

Name	Code	Class Name
UNIQ_4B019DDB5E237E06	UNIQ_4B019DDB5E237E06	Key

IV.2.1.4.9.6 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.4.10 Column roles of the table fos_group

IV.2.1.4.10.1 Card of the column roles of the table fos_group

Name	roles
Code	roles
Data Type	longtext
Mandatory	Yes

IV.2.1.4.10.2 Check constraint name of the column roles of the table fos_group

CK_roles

IV.2.1.4.10.3 Check of the column roles of the table fos_group

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.4.10.4 Server validation rule of the column roles of the table fos_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.4.10.5 List of extended attributes of the table column roles

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.4.11 Column created_at of the table fos_group**IV.2.1.4.11.1 Card of the column created_at of the table fos_group**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.4.11.2 Check constraint name of the column created_at of the table fos_group

CK_created_at

IV.2.1.4.11.3 Check of the column created_at of the table fos_group

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.4.11.4 Server validation rule of the column created_at of the table fos_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.4.11.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.4.12Column updated_at of the table fos_group

IV.2.1.4.12.1Card of the column updated_at of the table fos_group

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.4.12.2Check constraint name of the column updated_at of the table fos_group

CK_updated_at

IV.2.1.4.12.3Check of the column updated_at of the table fos_group

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.4.12.4Server validation rule of the column updated_at of the table fos_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.4.12.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.4.13 Column enabled of the table fos_group**IV.2.1.4.13.1 Card of the column enabled of the table fos_group**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.4.13.2 Check constraint name of the column enabled of the table fos_group

CK_enabled

IV.2.1.4.13.3 Check of the column enabled of the table fos_group

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.4.13.4 Server validation rule of the column enabled of the table fos_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.4.13.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.4.14List of keys of the table fos_group

Name	Code	Primary
Key_1	Key_1	X
UNIQ_4B019DDB5E237E06	UNIQ_4B019DDB5E237E06	

IV.2.1.4.15Key Key_1 of the table fos_group**IV.2.1.4.15.1Card of the key Key_1 of the table fos_group**

Name	Key_1
Code	Key_1
Table	fos_group

IV.2.1.4.15.2Code preview of the key Key_1 of the table fos_group

```
alter table fos_group
drop primary key;
```

IV.2.1.4.15.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.4.15.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.4.16Key UNIQ_4B019DDB5E237E06 of the table fos_group**IV.2.1.4.16.1Card of the key UNIQ_4B019DDB5E237E06 of the table fos_group**

Name	UNIQ_4B019DDB5E237E06
Code	UNIQ_4B019DDB5E237E06
Table	fos_group

IV.2.1.4.16.2Code preview of the key UNIQ_4B019DDB5E237E06 of the table fos_group

- # The preview is empty because of the setting.
- # Check the generation option.

IV.2.1.4.16.3List of columns of the table key UNIQ_4B019DDB5E237E06

Name	Code
name	name

IV.2.1.4.16.4List of extended attributes of the table key UNIQ_4B019DDB5E237E06

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.5Table fos_permission***IV.2.1.5.1Card of table fos_permission***

Name	fos_permission
Code	fos_permission
DBMS	MySQL 5.0

IV.2.1.5.2Check constraint name of table fos_permission

TK_fos_permission

IV.2.1.5.3Server validation rule of table fos_permission

%RULES%

IV.2.1.5.4Code preview of table fos_permission

drop table if exists fos_permission;

```

/*=====
/* Table: fos_permission
*/
=====*/
create table fos_permission
(
    id          int(11) not null auto_increment,
    name        varchar(255) default NULL,
    comment     longtext,
    enabled      tinyint(1) default NULL,
    primary key (id)
);

```

IV.2.1.5.5List of diagrams containing the table fos_permission

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.5.6List of extended attributes of the table fos_permission

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.5.7List of columns of the table fos_permission

Name	Code
id	id
name	name
comment	comment
enabled	enabled

IV.2.1.5.8Column id of the table fos_permission

IV.2.1.5.8.1 Card of the column id of the table fos_permission

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.5.8.2 Check constraint name of the column id of the table fos_permission
CK_id

IV.2.1.5.8.3 Check of the column id of the table fos_permission

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.5.8.4 Server validation rule of the column id of the table fos_permission
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.5.8.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.5.8.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.5.9 Column name of the table fos_permission

IV.2.1.5.9.1 Card of the column name of the table fos_permission

Name	name
Code	name
Data Type	varchar(255)
Mandatory	No

IV.2.1.5.9.2 Check constraint name of the column name of the table fos_permission

CK_name

IV.2.1.5.9.3 Check of the column name of the table fos_permission

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.5.9.4 Server validation rule of the column name of the table fos_permission

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.5.9.5 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.5.10 Column comment of the table fos_permission**IV.2.1.5.10.1 Card of the column comment of the table fos_permission**

Name	comment
Code	comment
Data Type	longtext
Mandatory	No

IV.2.1.5.10.2 Check constraint name of the column comment of the table fos_permission

CK_comment

IV.2.1.5.10.3 Check of the column comment of the table fos_permission

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.5.10.4 Server validation rule of the column comment of the table fos_permission

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.5.10.5 List of extended attributes of the table column comment

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.5.11Column enabled of the table fos_permission

IV.2.1.5.11.1Card of the column enabled of the table fos_permission

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.5.11.2Check constraint name of the column enabled of the table fos_permission

CK_enabled

IV.2.1.5.11.3Check of the column enabled of the table fos_permission

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.5.11.4Server validation rule of the column enabled of the table fos_permission

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.5.11.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.5.12List of keys of the table fos_permission

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.5.13Key Key_1 of the table fos_permission**IV.2.1.5.13.1Card of the key Key_1 of the table fos_permission**

Name	Key_1
Code	Key_1
Table	fos_permission

IV.2.1.5.13.2Code preview of the key Key_1 of the table fos_permission

```
alter table fos_permission
drop primary key;
```

IV.2.1.5.13.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.5.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.6Table fos_ressource**IV.2.1.6.1Card of table fos_ressource**

Name	fos_ressource
Code	fos_ressource
DBMS	MySQL 5.0

--	--

IV.2.1.6.2Check constraint name of table fos_ressource

TK_fos_ressource

IV.2.1.6.3Server validation rule of table fos_ressource

%RULES%

IV.2.1.6.4Code preview of table fos_ressource

drop table if exists fos_ressource;

```
/*=====
/* Table: fos_ressource
/*=====*/
create table fos_ressource
(
    id          int(11) not null auto_increment,
    route_name  longtext,
    slug        longtext not null,
    url         longtext,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    archive_at   datetime default NULL,
    enabled      tinyint(1) default NULL,
    primary key (id)
);
```

IV.2.1.6.5List of diagrams containing the table fos_ressource

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.6.6List of extended attributes of the table fos_ressource

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.6.7List of columns of the table fos_ressource

Name	Code
id	id
route_name	route_name
slug	slug

url	url
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled

IV.2.1.6.8 Column id of the table fos_ressource**IV.2.1.6.8.1 Card of the column id of the table fos_ressource**

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.6.8.2 Check constraint name of the column id of the table fos_ressource

CK_id

IV.2.1.6.8.3 Check of the column id of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.8.4 Server validation rule of the column id of the table fos_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.8.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.6.8.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.9 Column route_name of the table fos_ressource

IV.2.1.6.9.1 Card of the column route_name of the table fos_ressource

Name	route_name
Code	route_name
Data Type	longtext
Mandatory	No

IV.2.1.6.9.2 Check constraint name of the column route_name of the table fos_ressource

CK_route_name

IV.2.1.6.9.3 Check of the column route_name of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.9.4 Server validation rule of the column route_name of the table fos_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.9.5 List of extended attributes of the table column route_name

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.10 Column slug of the table fos_ressource**IV.2.1.6.10.1 Card of the column slug of the table fos_ressource**

Name	slug
Code	slug
Data Type	longtext
Mandatory	Yes

IV.2.1.6.10.2 Check constraint name of the column slug of the table fos_ressource

CK_slug

IV.2.1.6.10.3 Check of the column slug of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.10.4 Server validation rule of the column slug of the table fos_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.10.5 List of extended attributes of the table column slug

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.11 Column url of the table fos_ressource

IV.2.1.6.11.1 Card of the column url of the table fos_ressource

Name	url
Code	url
Data Type	longtext
Mandatory	No

IV.2.1.6.11.2 Check constraint name of the column url of the table fos_ressource

CK_url

IV.2.1.6.11.3 Check of the column url of the table fos_ressource

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.11.4 Server validation rule of the column url of the table fos_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.11.5 List of extended attributes of the table column url

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.12 Column created_at of the table fos_ressource**IV.2.1.6.12.1 Card of the column created_at of the table fos_ressource**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.6.12.2 Check constraint name of the column created_at of the table fos_ressource

CK_created_at

IV.2.1.6.12.3 Check of the column created_at of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.12.4 Server validation rule of the column created_at of the table fos_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.12.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.13 Column updated_at of the table fos_ressource

IV.2.1.6.13.1 Card of the column updated_at of the table fos_ressource

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.6.13.2 Check constraint name of the column updated_at of the table fos_ressource

CK_updated_at

IV.2.1.6.13.3Check of the column updated_at of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.13.4Server validation rule of the column updated_at of the table fos_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.13.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.14Column archive_at of the table fos_ressource**IV.2.1.6.14.1Card of the column archive_at of the table fos_ressource**

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.6.14.2Check constraint name of the column archive_at of the table fos_ressource
CK_archive_at

IV.2.1.6.14.3Check of the column archive_at of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.14.4Server validation rule of the column archive_at of the table fos_ressource
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.14.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.15Column enabled of the table fos_ressource

IV.2.1.6.15.1Card of the column enabled of the table fos_ressource

Name	enabled
Code	enabled
Data Type	tinyint(1)

Mandatory	No

IV.2.1.6.15.2Check constraint name of the column enabled of the table fos_ressource
CK_enabled

IV.2.1.6.15.3Check of the column enabled of the table fos_ressource

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.6.15.4Server validation rule of the column enabled of the table fos_ressource
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.6.15.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.6.16List of keys of the table fos_ressource

Name	Code	Primary
Key_1	Key_1	X

--	--	--

IV.2.1.6.17Key Key_1 of the table fos_ressource

IV.2.1.6.17.1Card of the key Key_1 of the table fos_ressource

Name	Key_1
Code	Key_1
Table	fos_ressource

IV.2.1.6.17.2Code preview of the key Key_1 of the table fos_ressource

```
alter table fos_ressource
drop primary key;
```

IV.2.1.6.17.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.6.17.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.7Table fos_role

IV.2.1.7.1Card of table fos_role

Name	fos_role
Code	fos_role
DBMS	MySQL 5.0

IV.2.1.7.2Check constraint name of table fos_role

TK_fos_role

IV.2.1.7.3Server validation rule of table fos_role

%RULES%

IV.2.1.7.4Code preview of table fos_role

```

drop table if exists fos_role;

/*=====
/* Table: fos_role
/*=====
create table fos_role
(
    id          bigint(20) not null auto_increment,
    "label"      varchar(55) not null,
    name         varchar(25) not null,
    comment      longtext,
    heritage     longtext comment '(DC2Type:array)',
    enabled       tinyint(1) default NULL,
    primary key (id)
);

```

IV.2.1.7.5List of diagrams containing the table fos_role

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.7.6List of incoming references of the table fos_role

Name	Code
FK_4A41058D60322AC	FK_4A41058D60322AC

IV.2.1.7.7List of all dependencies of the table fos_role

Name	Code	Class Name
FK_4A41058D60322AC	FK_4A41058D60322AC	Reference

IV.2.1.7.8List of extended attributes of the table fos_role

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.7.9List of columns of the table fos_role

Name	Code
id	id

label	label
name	name
comment	comment
heritage	heritage
enabled	enabled

IV.2.1.7.10 Column id of the table fos_role

IV.2.1.7.10.1 Card of the column id of the table fos_role

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.7.10.2 Check constraint name of the column id of the table fos_role

CK_id

IV.2.1.7.10.3 Check of the column id of the table fos_role

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.7.10.4 Server validation rule of the column id of the table fos_role

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.7.10.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.7.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.7.11Column label of the table fos_role**IV.2.1.7.11.1Card of the column label of the table fos_role**

Name	label
Code	label
Data Type	varchar(55)
Mandatory	Yes

IV.2.1.7.11.2Check constraint name of the column label of the table fos_role

CK_label

IV.2.1.7.11.3Check of the column label of the table fos_role

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.7.11.4 Server validation rule of the column label of the table fos_role

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.7.11.5 List of extended attributes of the table column label

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.7.12 Column name of the table fos_role

IV.2.1.7.12.1 Card of the column name of the table fos_role

Name	name
Code	name
Data Type	varchar(25)
Mandatory	Yes

IV.2.1.7.12.2 Check constraint name of the column name of the table fos_role

CK_name

IV.2.1.7.12.3 Check of the column name of the table fos_role

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.7.12.4 Server validation rule of the column name of the table fos_role

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.7.12.5 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.7.13 Column comment of the table fos_role**IV.2.1.7.13.1 Card of the column comment of the table fos_role**

Name	comment
Code	comment
Data Type	longtext
Mandatory	No

IV.2.1.7.13.2 Check constraint name of the column comment of the table fos_role

CK_comment

IV.2.1.7.13.3 Check of the column comment of the table fos_role

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.7.13.4 Server validation rule of the column comment of the table fos_role

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.7.13.5 List of extended attributes of the table column comment

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.7.14 Column heritage of the table fos_role

IV.2.1.7.14.1 Card of the column heritage of the table fos_role

Name	heritage
Code	heritage
Data Type	longtext
Mandatory	No

IV.2.1.7.14.2 Check constraint name of the column heritage of the table fos_role

CK_heritage

IV.2.1.7.14.3Check of the column heritage of the table fos_role

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.7.14.4Server validation rule of the column heritage of the table fos_role

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.7.14.5List of extended attributes of the table column heritage

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.7.15Column enabled of the table fos_role**IV.2.1.7.15.1Card of the column enabled of the table fos_role**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.7.15.2Check constraint name of the column enabled of the table fos_role
CK_enabled

IV.2.1.7.15.3Check of the column enabled of the table fos_role

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.7.15.4Server validation rule of the column enabled of the table fos_role

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.7.15.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.7.16List of keys of the table fos_role

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.7.17Key Key_1 of the table fos_role

IV.2.1.7.17.1Card of the key Key_1 of the table fos_role

Name	Key_1
Code	Key_1
Table	fos_role

IV.2.1.7.2Code preview of the key Key_1 of the table fos_role

```
alter table fos_role
  drop primary key;
```

IV.2.1.7.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.7.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_4A41058D60322AC	FK_4A41058D60322AC	Reference

IV.2.1.7.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.8Table fos_role_ressource**IV.2.1.8.1Card of table fos_role_ressource**

Name	fos_role_ressource
Code	fos_role_ressource
DBMS	MySQL 5.0

IV.2.1.8.2Check constraint name of table fos_role_ressource

TK_fos_role_ressource

IV.2.1.8.3Server validation rule of table fos_role_ressource

%RULES%

IV.2.1.8.4Code preview of table fos_role_ressource

```

drop table if exists fos_role_ressource;

/*=====
* Table: fos_role_ressource
*=====
create table fos_role_ressource
(
    role_id      bigint(20) not null,
    ressource_id int(11) not null,
    primary key (role_id, ressource_id),
    key IDX_4A41058D60322AC (role_id),
    key IDX_4A41058FC6CD52A (ressource_id)
);

alter table fos_role_ressource add constraint FK_4A41058D60322AC foreign key (role_id)
    references fos_role (id);

```

IV.2.1.8.5List of diagrams containing the table fos_role_ressource

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.8.6List of outgoing references of the table fos_role_ressource

Name	Code	Foreign Key Columns
FK_4A41058D60322AC	FK_4A41058D60322AC	role_id

IV.2.1.8.7List of all dependencies of the table fos_role_ressource

Name	Code	Class Name
FK_4A41058D60322AC	FK_4A41058D60322AC	Reference

IV.2.1.8.8List of extended attributes of the table fos_role_ressource

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.8.9List of columns of the table fos_role_ressource

Name	Code
role_id	role_id

ressource_id	ressource_id
--------------	--------------

IV.2.1.8.10 Column role_id of the table fos_role_ressource**IV.2.1.8.10.1 Card of the column role_id of the table fos_role_ressource**

Name	role_id
Code	role_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.8.10.2 Check constraint name of the column role_id of the table fos_role_ressource

CK_role_id

IV.2.1.8.10.3 Check of the column role_id of the table fos_role_ressource

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.8.10.4 Server validation rule of the column role_id of the table fos_role_ressource

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.8.10.5 List of all dependencies of the table column role_id

Name	Code	Class Name
?	?	Reference Join
IDX_4A41058D60322AC	IDX_4A41058D60322AC	Key
Key_1	Key_1	Key

--	--	--

IV.2.1.8.10.6List of extended attributes of the table column role_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.8.11Column ressource_id of the table fos_role_ressource

IV.2.1.8.11.1Card of the column ressource_id of the table fos_role_ressource

Name	ressource_id
Code	ressource_id
Data Type	int(11)
Mandatory	Yes

IV.2.1.8.11.2Check constraint name of the column ressource_id of the table fos_role_ressource CK_ressource_id

IV.2.1.8.11.3Check of the column ressource_id of the table fos_role_ressource

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.8.11.4 Server validation rule of the column ressource_id of the table fos_role_ressource
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.8.11.5 List of all dependencies of the table column ressource_id

Name	Code	Class Name
IDX_4A41058FC6CD52A	IDX_4A41058FC6CD52A	Key
Key_1	Key_1	Key

IV.2.1.8.11.6 List of extended attributes of the table column ressource_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.8.12 List of keys of the table fos_role_ressource

Name	Code	Primary
Key_1	Key_1	X
IDX_4A41058D60322AC	IDX_4A41058D60322AC	
IDX_4A41058FC6CD52A	IDX_4A41058FC6CD52A	

IV.2.1.8.13 Key Key_1 of the table fos_role_ressource

IV.2.1.8.13.1 Card of the key Key_1 of the table fos_role_ressource

Name	Key_1
Code	Key_1
Table	fos_role_ressource

IV.2.1.8.13.2Code preview of the key Key_1 of the table fos_role_ressource

```
alter table fos_role_ressource
  drop primary key;
```

IV.2.1.8.13.3List of columns of the table key Key_1

Name	Code
role_id	role_id
ressource_id	ressource_id

IV.2.1.8.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.8.14Key IDX_4A41058D60322AC of the table fos_role_ressource

IV.2.1.8.14.1Card of the key IDX_4A41058D60322AC of the table fos_role_ressource

Name	IDX_4A41058D60322AC
Code	IDX_4A41058D60322AC
Table	fos_role_ressource

IV.2.1.8.14.2Code preview of the key IDX_4A41058D60322AC of the table fos_role_ressource

The preview is empty because of the setting.
Check the generation option.

IV.2.1.8.14.3List of columns of the table key IDX_4A41058D60322AC

Name	Code
role_id	role_id

IV.2.1.8.14.4List of extended attributes of the table key IDX_4A41058D60322AC

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.8.15Key IDX_4A41058FC6CD52A of the table fos_role_ressource

IV.2.1.8.15.1Card of the key IDX_4A41058FC6CD52A of the table fos_role_ressource

Name	IDX_4A41058FC6CD52A
Code	IDX_4A41058FC6CD52A
Table	fos_role_ressource

IV.2.1.8.15.2Code preview of the key IDX_4A41058FC6CD52A of the table fos_role_ressource

The preview is empty because of the setting.

Check the generation option.

IV.2.1.8.15.3List of columns of the table key IDX_4A41058FC6CD52A

Name	Code
ressource_id	ressource_id

IV.2.1.8.15.4List of extended attributes of the table key IDX_4A41058FC6CD52A

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.9Table fos_user**IV.2.1.9.1Card of table fos_user**

Name	fos_user
Code	fos_user
DBMS	MySQL 5.0

IV.2.1.9.2Check constraint name of table fos_user

TK_fos_user

IV.2.1.9.3Server validation rule of table fos_user

%RULES%

IV.2.1.9.4Code preview of table fos_user

drop table if exists fos_user;

```
/*=====
/* Table: fos_user
 */
create table fos_user
```

```

(
    id          bigint(20) not null auto_increment,
    lang_code   varchar(5) default NULL,
    username    varchar(255) not null,
    username_canonical  varchar(255) not null,
    email       varchar(255) not null,
    email_canonical  varchar(255) not null,
    enabled     tinyint(1) not null,
    salt        varchar(255) not null,
    password    varchar(255) not null,
    last_login   datetime default NULL,
    locked      tinyint(1) not null,
    expired     tinyint(1) not null,
    expires_at  datetime default NULL,
    confirmation_token  varchar(255) default NULL,
    password_requested_at  datetime default NULL,
    roles        longtext not null comment '(DC2Type:array)',
    credentials_expired  tinyint(1) not null,
    credentials_expire_at  datetime default NULL,
    permissions   longtext not null comment '(DC2Type:array)',
    primary key (id),
    unique key UNIQ_957A647992FC23A8 (username_canonical),
    unique key UNIQ_957A6479A0D96FBF (email_canonical),
    key IDX_957A6479627579FF (lang_code)
);

```

```

alter table fos_user add constraint FK_957A6479627579FF foreign key (lang_code)
    references pi_langue (id);

```

IV.2.1.9.5List of diagrams containing the table fos_user

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.9.6List of incoming references of the table fos_user

Name	Code
FK_583D1F3EA76ED395	FK_583D1F3EA76ED395

IV.2.1.9.7List of outgoing references of the table fos_user

Name	Code	Foreign Key Columns
FK_957A6479627579FF	FK_957A6479627579FF	lang_code

IV.2.1.9.8List of all dependencies of the table fos_user

Name	Code	Class Name

FK_583D1F3EA76ED395	FK_583D1F3EA76ED395	Reference
FK_957A6479627579FF	FK_957A6479627579FF	Reference

IV.2.1.9.9 List of extended attributes of the table fos_user

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.9.10 List of columns of the table fos_user

Name	Code
id	id
lang_code	lang_code
username	username
username_canonical	username_canonical
email	email
email_canonical	email_canonical
enabled	enabled
salt	salt
password	password
last_login	last_login
locked	locked
expired	expired
expires_at	expires_at
confirmation_token	confirmation_token
password_requested_at	password_requested_at
roles	roles
credentials_expired	credentials_expired
credentials_expire_at	credentials_expire_at

permissions	permissions

IV.2.1.9.11 Column id of the table fos_user

IV.2.1.9.11.1 Card of the column id of the table fos_user

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.9.11.2 Check constraint name of the column id of the table fos_user

CK_id

IV.2.1.9.11.3 Check of the column id of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.11.4 Server validation rule of the column id of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.11.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

--	--	--

IV.2.1.9.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.12Column lang_code of the table fos_user**IV.2.1.9.12.1Card of the column lang_code of the table fos_user**

Name	lang_code
Code	lang_code
Data Type	varchar(5)
Mandatory	No

IV.2.1.9.12.2Check constraint name of the column lang_code of the table fos_user

CK_lang_code

IV.2.1.9.12.3Check of the column lang_code of the table fos_user

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.9.12.4 Server validation rule of the column lang_code of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.12.5 List of all dependencies of the table column lang_code

Name	Code	Class Name
?	?	Reference Join
IDX_957A6479627579FF	IDX_957A6479627579FF	Key

IV.2.1.9.12.6 List of extended attributes of the table column lang_code

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.13 Column username of the table fos_user

IV.2.1.9.13.1 Card of the column username of the table fos_user

Name	username
Code	username
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.9.13.2 Check constraint name of the column username of the table fos_user

CK_username

IV.2.1.9.13.3 Check of the column username of the table fos_user

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.13.4 Server validation rule of the column username of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.13.5 List of extended attributes of the table column username

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.14 Column username_canonical of the table fos_user**IV.2.1.9.14.1 Card of the column username_canonical of the table fos_user**

Name	username_canonical
Code	username_canonical
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.9.14.2 Check constraint name of the column username_canonical of the table fos_user

CK_username_canonical

IV.2.1.9.14.3 Check of the column username_canonical of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.14.4 Server validation rule of the column username_canonical of the table fos_user
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.14.5 List of all dependencies of the table column username_canonical

Name	Code	Class Name
UNIQ_957A647992FC23A8	UNIQ_957A647992FC23A8	Key

IV.2.1.9.14.6 List of extended attributes of the table column username_canonical

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.15 Column email of the table fos_user

IV.2.1.9.15.1 Card of the column email of the table fos_user

Name	email
Code	email

Data Type	varchar(255)
Mandatory	Yes

**IV.2.1.9.15.2Check constraint name of the column email of the table fos_user
CK_email**

IV.2.1.9.15.3Check of the column email of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.9.15.4Server validation rule of the column email of the table fos_user
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.9.15.5List of extended attributes of the table column email

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.16Column email_canonical of the table fos_user

IV.2.1.9.16.1Card of the column email_canonical of the table fos_user

Name	email_canonical
------	-----------------

Code	email_canonical
Data Type	varchar(255)
Mandatory	Yes

**IV.2.1.9.16.2Check constraint name of the column email_canonical of the table fos_user
CK_email_canonical**

IV.2.1.9.16.3Check of the column email_canonical of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.9.16.4Server validation rule of the column email_canonical of the table fos_user
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.9.16.5List of all dependencies of the table column email_canonical

Name	Code	Class Name
UNIQ_957A6479A0D96FBF	UNIQ_957A6479A0D96FBF	Key

IV.2.1.9.16.6List of extended attributes of the table column email_canonical

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.17 Column enabled of the table fos_user**IV.2.1.9.17.1 Card of the column enabled of the table fos_user**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	Yes

IV.2.1.9.17.2 Check constraint name of the column enabled of the table fos_user

CK_enabled

IV.2.1.9.17.3 Check of the column enabled of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.17.4 Server validation rule of the column enabled of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.17.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.18 Column salt of the table fos_user

IV.2.1.9.18.1 Card of the column salt of the table fos_user

Name	salt
Code	salt
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.9.18.2 Check constraint name of the column salt of the table fos_user

CK_salt

IV.2.1.9.18.3 Check of the column salt of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.18.4 Server validation rule of the column salt of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.18.5 List of extended attributes of the table column salt

Name	Data Type	Value	Target Name

CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.19 Column password of the table fos_user**IV.2.1.9.19.1 Card of the column password of the table fos_user**

Name	password
Code	password
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.9.19.2 Check constraint name of the column password of the table fos_user

CK_password

IV.2.1.9.19.3 Check of the column password of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.19.4 Server validation rule of the column password of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.19.5List of extended attributes of the table column password

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.20Column last_login of the table fos_user

IV.2.1.9.20.1Card of the column last_login of the table fos_user

Name	last_login
Code	last_login
Data Type	datetime
Mandatory	No

IV.2.1.9.20.2Check constraint name of the column last_login of the table fos_user

CK_last_login

IV.2.1.9.20.3Check of the column last_login of the table fos_user

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.20.4 Server validation rule of the column last_login of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.20.5 List of extended attributes of the table column last_login

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.21 Column locked of the table fos_user**IV.2.1.9.21.1 Card of the column locked of the table fos_user**

Name	locked
Code	locked
Data Type	tinyint(1)
Mandatory	Yes

IV.2.1.9.21.2 Check constraint name of the column locked of the table fos_user

CK_locked

IV.2.1.9.21.3 Check of the column locked of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.9.21.4 Server validation rule of the column locked of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.21.5 List of extended attributes of the table column locked

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.22 Column expired of the table fos_user

IV.2.1.9.22.1 Card of the column expired of the table fos_user

Name	expired
Code	expired
Data Type	tinyint(1)
Mandatory	Yes

IV.2.1.9.22.2 Check constraint name of the column expired of the table fos_user

CK_expired

IV.2.1.9.22.3 Check of the column expired of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.9.22.4 Server validation rule of the column expired of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.22.5 List of extended attributes of the table column expired

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.23 Column expires_at of the table fos_user**IV.2.1.9.23.1 Card of the column expires_at of the table fos_user**

Name	expires_at
Code	expires_at
Data Type	datetime
Mandatory	No

IV.2.1.9.23.2 Check constraint name of the column expires_at of the table fos_user

CK_expires_at

IV.2.1.9.23.3 Check of the column expires_at of the table fos_user

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.23.4 Server validation rule of the column expires_at of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.23.5 List of extended attributes of the table column expires_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.24 Column confirmation_token of the table fos_user

IV.2.1.9.24.1 Card of the column confirmation_token of the table fos_user

Name	confirmation_token
Code	confirmation_token
Data Type	varchar(255)
Mandatory	No

IV.2.1.9.24.2 Check constraint name of the column confirmation_token of the table fos_user

CK_confirmation_token

IV.2.1.9.24.3 Check of the column confirmation_token of the table fos_user

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.24.4 Server validation rule of the column confirmation_token of the table fos_user
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.24.5 List of extended attributes of the table column confirmation_token

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.25 Column password_requested_at of the table fos_user

IV.2.1.9.25.1 Card of the column password_requested_at of the table fos_user

Name	password_requested_at
Code	password_requested_at
Data Type	datetime
Mandatory	No

IV.2.1.9.25.2 Check constraint name of the column password_requested_at of the table fos_user
 CK_password_requested_at

IV.2.1.9.25.3 Check of the column password_requested_at of the table fos_user

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.25.4Server validation rule of the column password_requested_at of the table fos_user
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.25.5List of extended attributes of the table column password_requested_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.26Column roles of the table fos_user

IV.2.1.9.26.1Card of the column roles of the table fos_user

Name	roles
Code	roles
Data Type	longtext
Mandatory	Yes

IV.2.1.9.26.2Check constraint name of the column roles of the table fos_user

CK_roles

IV.2.1.9.26.3Check of the column roles of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.26.4Server validation rule of the column roles of the table fos_user

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.26.5List of extended attributes of the table column roles

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.27Column credentials_expired of the table fos_user**IV.2.1.9.27.1Card of the column credentials_expired of the table fos_user**

Name	credentials_expired
Code	credentials_expired
Data Type	tinyint(1)
Mandatory	Yes

IV.2.1.9.27.2Check constraint name of the column credentials_expired of the table fos_user
CK_credentials_expired

IV.2.1.9.27.3Check of the column credentials_expired of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.27.4Server validation rule of the column credentials_expired of the table fos_user
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.27.5List of extended attributes of the table column credentials_expired

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.28Column credentials_expire_at of the table fos_user

IV.2.1.9.28.1Card of the column credentials_expire_at of the table fos_user

Name	credentials_expire_at
Code	credentials_expire_at
Data Type	datetime

Mandatory	No

IV.2.1.9.28.2Check constraint name of the column credentials_expire_at of the table fos_user
CK_credentials_expire_at

IV.2.1.9.28.3Check of the column credentials_expire_at of the table fos_user

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.28.4Server validation rule of the column credentials_expire_at of the table fos_user
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.28.5List of extended attributes of the table column credentials_expire_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.29Column permissions of the table fos_user

IV.2.1.9.29.1Card of the column permissions of the table fos_user

Name	permissions
------	-------------

Code	permissions
Data Type	longtext
Mandatory	Yes

IV.2.1.9.29.2Check constraint name of the column permissions of the table fos_user
CK_permissions

IV.2.1.9.29.3Check of the column permissions of the table fos_user

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.9.29.4Server validation rule of the column permissions of the table fos_user
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.9.29.5List of extended attributes of the table column permissions

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.9.30List of keys of the table fos_user

Name	Code	Primary
Key_1	Key_1	X
UNIQ_957A647992FC23A8	UNIQ_957A647992FC23A8	
UNIQ_957A6479A0D96FBF	UNIQ_957A6479A0D96FBF	
IDX_957A6479627579FF	IDX_957A6479627579FF	

IV.2.1.9.31 Key Key_1 of the table fos_user**IV.2.1.9.31.1 Card of the key Key_1 of the table fos_user**

Name	Key_1
Code	Key_1
Table	fos_user

IV.2.1.9.31.2 Code preview of the key Key_1 of the table fos_user

```
alter table fos_user
drop primary key;
```

IV.2.1.9.31.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.9.31.4 List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_583D1F3EA76ED395	FK_583D1F3EA76ED395	Reference

IV.2.1.9.31.5 List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.9.32 Key UNIQ_957A647992FC23A8 of the table fos_user**IV.2.1.9.32.1 Card of the key UNIQ_957A647992FC23A8 of the table fos_user**

Name	UNIQ_957A647992FC23A8
Code	UNIQ_957A647992FC23A8
Table	fos_user

IV.2.1.9.32.2 Code preview of the key UNIQ_957A647992FC23A8 of the table fos_user

The preview is empty because of the setting.

Check the generation option.

IV.2.1.9.32.3 List of columns of the table key UNIQ_957A647992FC23A8

Name	Code
username_canonical	username_canonical

IV.2.1.9.32.4 List of extended attributes of the table key UNIQ_957A647992FC23A8

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.9.33 Key UNIQ_957A6479A0D96FBF of the table fos_user

IV.2.1.9.33.1 Card of the key UNIQ_957A6479A0D96FBF of the table fos_user

Name	UNIQ_957A6479A0D96FBF
Code	UNIQ_957A6479A0D96FBF
Table	fos_user

IV.2.1.9.33.2 Code preview of the key UNIQ_957A6479A0D96FBF of the table fos_user

The preview is empty because of the setting.

Check the generation option.

IV.2.1.9.33.3 List of columns of the table key UNIQ_957A6479A0D96FBF

Name	Code
email_canonical	email_canonical

IV.2.1.9.33.4 List of extended attributes of the table key UNIQ_957A6479A0D96FBF

Name	Data Type	Value	Target Name

ExtUnique	(Boolean)	true	MySQL 5.0
-----------	-----------	------	-----------

IV.2.1.9.34Key IDX_957A6479627579FF of the table fos_user**IV.2.1.9.34.1Card of the key IDX_957A6479627579FF of the table fos_user**

Name	IDX_957A6479627579FF
Code	IDX_957A6479627579FF
Table	fos_user

IV.2.1.9.34.2Code preview of the key IDX_957A6479627579FF of the table fos_user

The preview is empty because of the setting.

Check the generation option.

IV.2.1.9.34.3List of columns of the table key IDX_957A6479627579FF

Name	Code
lang_code	lang_code

IV.2.1.9.34.4List of extended attributes of the table key IDX_957A6479627579FF

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.10Table fos_user_group**IV.2.1.10.1Card of table fos_user_group**

Name	fos_user_group
Code	fos_user_group
DBMS	MySQL 5.0

IV.2.1.10.2Check constraint name of table fos_user_group

TK_fos_user_group

IV.2.1.10.3Server validation rule of table fos_user_group

%RULES%

IV.2.1.10.4Code preview of table fos_user_group

```

drop table if exists fos_user_group;

/*=====
/* Table: fos_user_group
 *=====
create table fos_user_group
(
    user_id      bigint(20) not null,
    group_id     int(11) not null,
    primary key (user_id, group_id),
    key IDX_583D1F3EA76ED395 (user_id),
    key IDX_583D1F3EFE54D947 (group_id)
);

alter table fos_user_group add constraint FK_583D1F3EA76ED395 foreign key (user_id)
    references fos_user (id);

```

IV.2.1.10.5List of diagrams containing the table fos_user_group

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.10.6List of outgoing references of the table fos_user_group

Name	Code	Foreign Key Columns
FK_583D1F3EA76ED395	FK_583D1F3EA76ED395	user_id

IV.2.1.10.7List of all dependencies of the table fos_user_group

Name	Code	Class Name
FK_583D1F3EA76ED395	FK_583D1F3EA76ED395	Reference

IV.2.1.10.8List of extended attributes of the table fos_user_group

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.10.9List of columns of the table fos_user_group

Name	Code
user_id	user_id
group_id	group_id

--	--

IV.2.1.10.10 Column user_id of the table fos_user_group**IV.2.1.10.10.1 Card of the column user_id of the table fos_user_group**

Name	user_id
Code	user_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.10.10.2 Check constraint name of the column user_id of the table fos_user_group

CK_user_id

IV.2.1.10.10.3 Check of the column user_id of the table fos_user_group

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.10.10.4 Server validation rule of the column user_id of the table fos_user_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.10.5 List of all dependencies of the table column user_id

Name	Code	Class Name
?	?	Reference Join
IDX_583D1F3EA76ED395	IDX_583D1F3EA76ED395	Key

Key_1	Key_1	Key
-------	-------	-----

IV.2.1.10.6List of extended attributes of the table column user_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.10.11Column group_id of the table fos_user_group

IV.2.1.10.11.1Card of the column group_id of the table fos_user_group

Name	group_id
Code	group_id
Data Type	int(11)
Mandatory	Yes

IV.2.1.10.11.2Check constraint name of the column group_id of the table fos_user_group

CK_group_id

IV.2.1.10.11.3Check of the column group_id of the table fos_user_group

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.10.11.4 Server validation rule of the column group_id of the table fos_user_group

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.10.11.5 List of all dependencies of the table column group_id

Name	Code	Class Name
IDX_583D1F3EFE54D947	IDX_583D1F3EFE54D947	Key
Key_1	Key_1	Key

IV.2.1.10.11.6 List of extended attributes of the table column group_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.10.12 List of keys of the table fos_user_group

Name	Code	Primary
Key_1	Key_1	X
IDX_583D1F3EA76ED395	IDX_583D1F3EA76ED395	
IDX_583D1F3EFE54D947	IDX_583D1F3EFE54D947	

IV.2.1.10.13 Key Key_1 of the table fos_user_group**IV.2.1.10.13.1 Card of the key Key_1 of the table fos_user_group**

Name	Key_1
Code	Key_1
Table	fos_user_group

IV.2.1.10.13.2Code preview of the key Key_1 of the table fos_user_group

```
alter table fos_user_group
drop primary key;
```

IV.2.1.10.13.3List of columns of the table key Key_1

Name	Code
user_id	user_id
group_id	group_id

IV.2.1.10.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.10.14Key IDX_583D1F3EA76ED395 of the table fos_user_group

IV.2.1.10.14.1Card of the key IDX_583D1F3EA76ED395 of the table fos_user_group

Name	IDX_583D1F3EA76ED395
Code	IDX_583D1F3EA76ED395
Table	fos_user_group

IV.2.1.10.14.2Code preview of the key IDX_583D1F3EA76ED395 of the table fos_user_group

The preview is empty because of the setting.
Check the generation option.

IV.2.1.10.14.3List of columns of the table key IDX_583D1F3EA76ED395

Name	Code
user_id	user_id

IV.2.1.10.14.4List of extended attributes of the table key IDX_583D1F3EA76ED395

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.10.15Key IDX_583D1F3EFE54D947 of the table fos_user_group

IV.2.1.10.15.1Card of the key IDX_583D1F3EFE54D947 of the table fos_user_group

Name	IDX_583D1F3EFE54D947
Code	IDX_583D1F3EFE54D947
Table	fos_user_group

IV.2.1.10.15.2Code preview of the key IDX_583D1F3EFE54D947 of the table fos_user_group

The preview is empty because of the setting.

Check the generation option.

IV.2.1.10.15.3List of columns of the table key IDX_583D1F3EFE54D947

Name	Code
group_id	group_id

IV.2.1.10.15.4List of extended attributes of the table key IDX_583D1F3EFE54D947

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.11Table gedmo_block**IV.2.1.11.1Card of table gedmo_block**

Name	gedmo_block
Code	gedmo_block
DBMS	MySQL 5.0

IV.2.1.11.2Check constraint name of table gedmo_block

TK_gedmo_block

IV.2.1.11.3Server validation rule of table gedmo_block

%RULES%

IV.2.1.11.4Code preview of table gedmo_block

drop table if exists gedmo_block;

```
/*=====
/* Table: gedmo_block
/*=====
create table gedmo_block
```

```

(
    id          int(11) not null auto_increment,
    category    int(11) default NULL,
    page_intro_id  bigint(20) default NULL,
    media_id    int(11) default NULL,
    title        longtext,
    descriptif   longtext,
    content      longtext,
    author       varchar(255) default NULL,
    url         varchar(314) default NULL,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    published_at date default NULL,
    archive_at   datetime default NULL,
    enabled       tinyint(1) default NULL,
    position     int(11) default NULL,
    primary key (id),
    unique key UNIQ_AAD87EB0EA9FDD75 (media_id),
    key IDX_AAD87EB064C19C1 (category),
    key IDX_AAD87EB01874536E (page_intro_id)
);

```

```

alter table gedmo_block add constraint FK_AAD87EB01874536E foreign key (page_intro_id)
    references pi_page (id);

```

IV.2.1.11.5List of diagrams containing the table gedmo_block

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.11.6List of incoming references of the table gedmo_block

Name	Code
FK_FD62B11A232D562B	FK_FD62B11A232D562B

IV.2.1.11.7List of outgoing references of the table gedmo_block

Name	Code	Foreign Key Columns
FK_AAD87EB01874536E	FK_AAD87EB01874536E	page_intro_id

IV.2.1.11.8List of all dependencies of the table gedmo_block

Name	Code	Class Name
FK_AAD87EB01874536E	FK_AAD87EB01874536E	Reference

FK_FD62B11A232D562B	FK_FD62B11A232D562B	Reference
---------------------	---------------------	-----------

IV.2.1.11.9List of extended attributes of the table gedmo_block

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.11.10List of columns of the table gedmo_block

Name	Code
id	id
category	category
page_intro_id	page_intro_id
media_id	media_id
title	title
descriptif	descriptif
content	content
author	author
url	url
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.11.11Column id of the table gedmo_block***IV.2.1.11.11.1Card of the column id of the table gedmo_block***

Name	id
Code	id

Data Type	int(11)
Mandatory	Yes

**IV.2.1.11.11.2Check constraint name of the column id of the table gedmo_block
CK_id**

IV.2.1.11.11.3Check of the column id of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.11.11.4Server validation rule of the column id of the table gedmo_block
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.11.11.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.11.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.12 Column category of the table gedmo_block**IV.2.1.11.12.1 Card of the column category of the table gedmo_block**

Name	category
Code	category
Data Type	int(11)
Mandatory	No

IV.2.1.11.12.2 Check constraint name of the column category of the table gedmo_block

CK_category

IV.2.1.11.12.3 Check of the column category of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.12.4 Server validation rule of the column category of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.12.5 List of all dependencies of the table column category

Name	Code	Class Name
IDX_AAD87EB064C19C1	IDX_AAD87EB064C19C1	Key

IV.2.1.11.12.6List of extended attributes of the table column category

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.13Column page_intro_id of the table gedmo_block**IV.2.1.11.13.1Card of the column page_intro_id of the table gedmo_block**

Name	page_intro_id
Code	page_intro_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.11.13.2Check constraint name of the column page_intro_id of the table gedmo_block

CK_page_intro_id

IV.2.1.11.13.3Check of the column page_intro_id of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.13.4 Server validation rule of the column page_intro_id of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.13.5 List of all dependencies of the table column page_intro_id

Name	Code	Class Name
?	?	Reference Join
IDX_AAD87EB01874536E	IDX_AAD87EB01874536E	Key

IV.2.1.11.13.6 List of extended attributes of the table column page_intro_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.14 Column media_id of the table gedmo_block**IV.2.1.11.14.1 Card of the column media_id of the table gedmo_block**

Name	media_id
Code	media_id
Data Type	int(11)
Mandatory	No

IV.2.1.11.14.2 Check constraint name of the column media_id of the table gedmo_block

CK_media_id

IV.2.1.11.14.3 Check of the column media_id of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.14.4 Server validation rule of the column media_id of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.14.5 List of all dependencies of the table column media_id

Name	Code	Class Name
UNIQ_AAD87EB0EA9FDD75	UNIQ_AAD87EB0EA9FDD75	Key

IV.2.1.11.14.6 List of extended attributes of the table column media_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.15 Column title of the table gedmo_block

IV.2.1.11.15.1 Card of the column title of the table gedmo_block

Name	title
Code	title
Data Type	longtext
Mandatory	No

IV.2.1.11.15.2 Check constraint name of the column title of the table gedmo_block

CK_title

IV.2.1.11.15.3Check of the column title of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.15.4Server validation rule of the column title of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.15.5List of extended attributes of the table column title

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.16Column descriptif of the table gedmo_block**IV.2.1.11.16.1Card of the column descriptif of the table gedmo_block**

Name	descriptif
Code	descriptif
Data Type	longtext
Mandatory	No

IV.2.1.11.16.2Check constraint name of the column descriptif of the table gedmo_block
CK_descriptif

IV.2.1.11.16.3Check of the column descriptif of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.16.4Server validation rule of the column descriptif of the table gedmo_block
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.16.5List of extended attributes of the table column descriptif

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.17Column content of the table gedmo_block

IV.2.1.11.17.1Card of the column content of the table gedmo_block

Name	content
Code	content
Data Type	longtext
Mandatory	No

--	--

**IV.2.1.11.17.2Check constraint name of the column content of the table gedmo_block
CK_content**

IV.2.1.11.17.3Check of the column content of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.11.17.4Server validation rule of the column content of the table gedmo_block
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.11.17.5List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.18Column author of the table gedmo_block

IV.2.1.11.18.1Card of the column author of the table gedmo_block

Name	author
Code	author

Data Type	varchar(255)
Mandatory	No

IV.2.1.11.18.2Check constraint name of the column author of the table gedmo_block
CK_author

IV.2.1.11.18.3Check of the column author of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.18.4Server validation rule of the column author of the table gedmo_block
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.18.5List of extended attributes of the table column author

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.19Column url of the table gedmo_block

IV.2.1.11.19.1Card of the column url of the table gedmo_block

Name	url
Code	url
Data Type	varchar(314)
Mandatory	No

IV.2.1.11.19.2Check constraint name of the column url of the table gedmo_block

CK_url

IV.2.1.11.19.3Check of the column url of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.19.4Server validation rule of the column url of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.19.5List of extended attributes of the table column url

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.20Column created_at of the table gedmo_block

IV.2.1.11.20.1Card of the column created_at of the table gedmo_block

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.11.20.2Check constraint name of the column created_at of the table gedmo_block

CK_created_at

IV.2.1.11.20.3Check of the column created_at of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.20.4Server validation rule of the column created_at of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.20.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.11.21 Column updated_at of the table gedmo_block**IV.2.1.11.21.1 Card of the column updated_at of the table gedmo_block**

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.11.21.2 Check constraint name of the column updated_at of the table gedmo_block

CK_updated_at

IV.2.1.11.21.3 Check of the column updated_at of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.21.4 Server validation rule of the column updated_at of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.21.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.22Column published_at of the table gedmo_block

IV.2.1.11.22.1Card of the column published_at of the table gedmo_block

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.11.22.2Check constraint name of the column published_at of the table gedmo_block

CK_published_at

IV.2.1.11.22.3Check of the column published_at of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.22.4Server validation rule of the column published_at of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.22.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name

CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.23Column archive_at of the table gedmo_block**IV.2.1.11.23.1Card of the column archive_at of the table gedmo_block**

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.11.23.2Check constraint name of the column archive_at of the table gedmo_block

CK_archive_at

IV.2.1.11.23.3Check of the column archive_at of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.23.4Server validation rule of the column archive_at of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.23.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.24Column enabled of the table gedmo_block**IV.2.1.11.24.1Card of the column enabled of the table gedmo_block**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.11.24.2Check constraint name of the column enabled of the table gedmo_block

CK_enabled

IV.2.1.11.24.3Check of the column enabled of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.11.24.4 Server validation rule of the column enabled of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.11.24.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.11.25 Column position of the table gedmo_block**IV.2.11.25.1 Card of the column position of the table gedmo_block**

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.11.25.2 Check constraint name of the column position of the table gedmo_block

CK_position

IV.2.11.25.3 Check of the column position of the table gedmo_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.11.25.4 Server validation rule of the column position of the table gedmo_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.25.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.11.26 List of keys of the table gedmo_block

Name	Code	Primary
Key_1	Key_1	X
UNIQ_AAD87EB0EA9FDD75	UNIQ_AAD87EB0EA9FDD75	
IDX_AAD87EB064C19C1	IDX_AAD87EB064C19C1	
IDX_AAD87EB01874536E	IDX_AAD87EB01874536E	

IV.2.1.11.27 Key Key_1 of the table gedmo_block

IV.2.1.11.27.1 Card of the key Key_1 of the table gedmo_block

Name	Key_1
Code	Key_1
Table	gedmo_block

IV.2.1.11.27.2 Code preview of the key Key_1 of the table gedmo_block

```
alter table gedmo_block
drop primary key;
```

IV.2.1.11.27.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.11.27.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_FD62B11A232D562B	FK_FD62B11A232D562B	Reference

IV.2.1.11.27.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.11.28Key UNIQ_AAD87EB0EA9FDD75 of the table gedmo_block**IV.2.1.11.28.1Card of the key UNIQ_AAD87EB0EA9FDD75 of the table gedmo_block**

Name	UNIQ_AAD87EB0EA9FDD75
Code	UNIQ_AAD87EB0EA9FDD75
Table	gedmo_block

IV.2.1.11.28.2Code preview of the key UNIQ_AAD87EB0EA9FDD75 of the table gedmo_block

The preview is empty because of the setting.
Check the generation option.

IV.2.1.11.28.3List of columns of the table key UNIQ_AAD87EB0EA9FDD75

Name	Code
media_id	media_id

IV.2.1.11.28.4List of extended attributes of the table key UNIQ_AAD87EB0EA9FDD75

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.11.29Key IDX_AAD87EB064C19C1 of the table gedmo_block

IV.2.1.11.29.1Card of the key IDX_AAD87EB064C19C1 of the table gedmo_block

Name	IDX_AAD87EB064C19C1
Code	IDX_AAD87EB064C19C1
Table	gedmo_block

IV.2.1.11.29.2Code preview of the key IDX_AAD87EB064C19C1 of the table gedmo_block

The preview is empty because of the setting.

Check the generation option.

IV.2.1.11.29.3List of columns of the table key IDX_AAD87EB064C19C1

Name	Code
category	category

IV.2.1.11.29.4List of extended attributes of the table key IDX_AAD87EB064C19C1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.11.30Key IDX_AAD87EB01874536E of the table gedmo_block**IV.2.1.11.30.1Card of the key IDX_AAD87EB01874536E of the table gedmo_block**

Name	IDX_AAD87EB01874536E
Code	IDX_AAD87EB01874536E
Table	gedmo_block

IV.2.1.11.30.2Code preview of the key IDX_AAD87EB01874536E of the table gedmo_block

The preview is empty because of the setting.

Check the generation option.

IV.2.1.11.30.3List of columns of the table key IDX_AAD87EB01874536E

Name	Code
page_intro_id	page_intro_id

IV.2.1.11.30.4List of extended attributes of the table key IDX_AAD87EB01874536E

Name	Data Type	Value	Target Name

ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.12Table gedmo_block_translations

IV.2.1.12.1Card of table gedmo_block_translations

Name	gedmo_block_translations
Code	gedmo_block_translations
DBMS	MySQL 5.0

IV.2.1.12.2Check constraint name of table gedmo_block_translations

TK_gedmo_block_translations

IV.2.1.12.3Server validation rule of table gedmo_block_translations

%RULES%

IV.2.1.12.4Code preview of table gedmo_block_translations

drop table if exists gedmo_block_translations;

```
/*=====
/* Table: gedmo_block_translations           */
/*=====*/
create table gedmo_block_translations
(
    id          int(11) not null auto_increment,
    object_id    int(11) default NULL,
    locale       varchar(8) not null,
    field        varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_FD62B11A232D562B (object_id)
);
```

alter table gedmo_block_translations add constraint FK_FD62B11A232D562B foreign key (object_id)
references gedmo_block (id) on delete cascade;

IV.2.1.12.5List of diagrams containing the table gedmo_block_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.12.6List of outgoing references of the table gedmo_block_translations

Name	Code	Foreign Key Columns
FK_FD62B11A232D562B	FK_FD62B11A232D562B	object_id

IV.2.1.12.7List of all dependencies of the table gedmo_block_translations

Name	Code	Class Name
FK_FD62B11A232D562B	FK_FD62B11A232D562B	Reference

IV.2.1.12.8List of extended attributes of the table gedmo_block_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.12.9List of columns of the table gedmo_block_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.12.10Column id of the table gedmo_block_translations

IV.2.1.12.10.1Card of the column id of the table gedmo_block_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.12.10.2Check constraint name of the column id of the table gedmo_block_translations

CK_id

IV.2.1.12.10.3Check of the column id of the table gedmo_block_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.12.10.4Server validation rule of the column id of the table gedmo_block_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.12.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.12.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.12.11Column object_id of the table gedmo_block_translations**IV.2.1.12.11.1Card of the column object_id of the table gedmo_block_translations**

Name	object_id
Code	object_id

Data Type	int(11)
Mandatory	No

IV.2.1.12.11.2Check constraint name of the column object_id of the table gedmo_block_translations

CK_object_id

IV.2.1.12.11.3Check of the column object_id of the table gedmo_block_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.12.11.4Server validation rule of the column object_id of the table gedmo_block_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.12.11.5List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_FD62B11A232D562B	IDX_FD62B11A232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.12.11.6List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.12.12Column locale of the table gedmo_block_translations**IV.2.1.12.12.1Card of the column locale of the table gedmo_block_translations**

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

**IV.2.1.12.12.2Check constraint name of the column locale of the table
gedmo_block_translations**

CK_locale

IV.2.1.12.12.3Check of the column locale of the table gedmo_block_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.12.12.4Server validation rule of the column locale of the table gedmo_block_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.12.12.5List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.12.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.12.13Column field of the table gedmo_block_translations

IV.2.1.12.13.1Card of the column field of the table gedmo_block_translations

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

IV.2.1.12.13.2Check constraint name of the column field of the table gedmo_block_translations CK_field

IV.2.1.12.13.3Check of the column field of the table gedmo_block_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.12.13.4 Server validation rule of the column field of the table gedmo_block_translations
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.12.13.5 List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.12.13.6 List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.12.14 Column content of the table gedmo_block_translations

IV.2.1.12.14.1 Card of the column content of the table gedmo_block_translations

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.12.14.2 Check constraint name of the column content of the table gedmo_block_translations

CK_content

IV.2.1.12.14.3 Check of the column content of the table gedmo_block_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.12.14.4 Server validation rule of the column content of the table gedmo_block_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.12.14.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.12.15 List of keys of the table gedmo_block_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_FD62B11A232D562B	IDX_FD62B11A232D562B	

IV.2.1.12.16 Key Key_1 of the table gedmo_block_translations

IV.2.1.12.16.1Card of the key Key_1 of the table gedmo_block_translations

Name	Key_1
Code	Key_1
Table	gedmo_block_translations

IV.2.1.12.16.2Code preview of the key Key_1 of the table gedmo_block_translations

```
alter table gedmo_block_translations
drop primary key;
```

IV.2.1.12.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.12.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.12.17Key lookup_unique_idx of the table gedmo_block_translations**IV.2.1.12.17.1Card of the key lookup_unique_idx of the table gedmo_block_translations**

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_block_translations

**IV.2.1.12.17.2Code preview of the key lookup_unique_idx of the table
gedmo_block_translations**

The preview is empty because of the setting.
Check the generation option.

IV.2.1.12.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id

field	field
-------	-------

IV.2.1.12.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.12.18Key IDX_FD62B11A232D562B of the table gedmo_block_translations

IV.2.1.12.18.1Card of the key IDX_FD62B11A232D562B of the table gedmo_block_translations

Name	IDX_FD62B11A232D562B
Code	IDX_FD62B11A232D562B
Table	gedmo_block_translations

IV.2.1.12.18.2Code preview of the key IDX_FD62B11A232D562B of the table gedmo_block_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.12.18.3List of columns of the table key IDX_FD62B11A232D562B

Name	Code
object_id	object_id

IV.2.1.12.18.4List of extended attributes of the table key IDX_FD62B11A232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.13Table gedmo_category

IV.2.1.13.1Card of table gedmo_category

Name	gedmo_category
Code	gedmo_category
DBMS	MySQL 5.0

IV.2.1.13.2Check constraint name of table gedmo_category

TK_gedmo_category

IV.2.1.13.3Server validation rule of table gedmo_category

%RULES%

IV.2.1.13.4Code preview of table gedmo_category

drop table if exists gedmo_category;

```
=====
/* Table: gedmo_category */
=====
create table gedmo_category
(
    id          int(11) not null auto_increment,
    name        varchar(255) default NULL,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    published_at date default NULL,
    archive_at   datetime default NULL,
    enabled      tinyint(1) default NULL,
    position     int(11) default NULL,
    primary key (id)
);
```

IV.2.1.13.5List of diagrams containing the table gedmo_category

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.13.6List of incoming references of the table gedmo_category

Name	Code
FK_43EF489E64C19C1	FK_43EF489E64C19C1
FK_D191D1FE232D562B	FK_D191D1FE232D562B

IV.2.1.13.7List of all dependencies of the table gedmo_category

Name	Code	Class Name
FK_43EF489E64C19C1	FK_43EF489E64C19C1	Reference
FK_D191D1FE232D562B	FK_D191D1FE232D562B	Reference

IV.2.1.13.8List of extended attributes of the table gedmo_category

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.13.9List of columns of the table gedmo_category

Name	Code
id	id
name	name
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.13.10Column id of the table gedmo_category

IV.2.1.13.10.1Card of the column id of the table gedmo_category

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.13.10.2Check constraint name of the column id of the table gedmo_category

CK_id

IV.2.1.13.10.3Check of the column id of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.10.4 Server validation rule of the column id of the table gedmo_category

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.10.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.13.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.11 Column name of the table gedmo_category**IV.2.1.13.11.1 Card of the column name of the table gedmo_category**

Name	name
Code	name
Data Type	varchar(255)
Mandatory	No

IV.2.1.13.11.2Check constraint name of the column name of the table gedmo_category
CK_name

IV.2.1.13.11.3Check of the column name of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.11.4Server validation rule of the column name of the table gedmo_category
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.11.5List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.12Column created_at of the table gedmo_category

IV.2.1.13.12.1Card of the column created_at of the table gedmo_category

Name	created_at
Code	created_at
Data Type	datetime

Mandatory	Yes

IV.2.1.13.12.2Check constraint name of the column created_at of the table gedmo_category
CK_created_at

IV.2.1.13.12.3Check of the column created_at of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.12.4Server validation rule of the column created_at of the table gedmo_category
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.12.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.13Column updated_at of the table gedmo_category

IV.2.1.13.13.1Card of the column updated_at of the table gedmo_category

Name	updated_at
------	------------

Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.13.13.2Check constraint name of the column updated_at of the table gedmo_category
CK_updated_at

IV.2.1.13.13.3Check of the column updated_at of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.13.4Server validation rule of the column updated_at of the table gedmo_category
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.13.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.14Column published_at of the table gedmo_category

IV.2.1.13.14.1Card of the column published_at of the table gedmo_category

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.13.14.2Check constraint name of the column published_at of the table gedmo_category

CK_published_at

IV.2.1.13.14.3Check of the column published_at of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.14.4Server validation rule of the column published_at of the table gedmo_category

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.14.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.15Column archive_at of the table gedmo_category

IV.2.1.13.15.1Card of the column archive_at of the table gedmo_category

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.13.15.2Check constraint name of the column archive_at of the table gedmo_category

CK_archive_at

IV.2.1.13.15.3Check of the column archive_at of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.15.4Server validation rule of the column archive_at of the table gedmo_category

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.15.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0
----------	-----------	-------	-----------

IV.2.1.13.16 Column enabled of the table gedmo_category**IV.2.1.13.16.1 Card of the column enabled of the table gedmo_category**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.13.16.2 Check constraint name of the column enabled of the table gedmo_category

CK_enabled

IV.2.1.13.16.3 Check of the column enabled of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.16.4 Server validation rule of the column enabled of the table gedmo_category

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.16.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.17 Column position of the table gedmo_category

IV.2.1.13.17.1 Card of the column position of the table gedmo_category

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.13.17.2 Check constraint name of the column position of the table gedmo_category

CK_position

IV.2.1.13.17.3 Check of the column position of the table gedmo_category

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.17.4 Server validation rule of the column position of the table gedmo_category

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.17.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13.18List of keys of the table gedmo_category

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.13.19Key Key_1 of the table gedmo_category**IV.2.1.13.19.1Card of the key Key_1 of the table gedmo_category**

Name	Key_1
Code	Key_1
Table	gedmo_category

IV.2.1.13.19.2Code preview of the key Key_1 of the table gedmo_category

```
alter table gedmo_category
drop primary key;
```

IV.2.1.13.19.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.13.19.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_43EF489E64C19C1	FK_43EF489E64C19C1	Reference
FK_D191D1FE232D562B	FK_D191D1FE232D562B	Reference

IV.2.1.13.19.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.14 Table gedmo_category_translations

IV.2.1.14.1 Card of table gedmo_category_translations

Name	gedmo_category_translations
Code	gedmo_category_translations
DBMS	MySQL 5.0

IV.2.1.14.2 Check constraint name of table gedmo_category_translations

TK_gedmo_category_translations

IV.2.1.14.3 Server validation rule of table gedmo_category_translations

%RULES%

IV.2.1.14.4 Code preview of table gedmo_category_translations

drop table if exists gedmo_category_translations;

```
/*=====
/* Table: gedmo_category_translations          */
/*=====*/
create table gedmo_category_translations
(
    id          int(11) not null auto_increment,
    object_id    int(11) default NULL,
    locale       varchar(8) not null,
    field        varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_D191D1FE232D562B (object_id)
);
alter table gedmo_category_translations add constraint FK_D191D1FE232D562B foreign key (object_id)
    references gedmo_category (id) on delete cascade;
```

IV.2.1.14.5 List of diagrams containing the table gedmo_category_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.14.6List of outgoing references of the table gedmo_category_translations

Name	Code	Foreign Key Columns
FK_D191D1FE232D562B	FK_D191D1FE232D562B	object_id

IV.2.1.14.7List of all dependencies of the table gedmo_category_translations

Name	Code	Class Name
FK_D191D1FE232D562B	FK_D191D1FE232D562B	Reference

IV.2.1.14.8List of extended attributes of the table gedmo_category_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.14.9List of columns of the table gedmo_category_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.14.10Column id of the table gedmo_category_translations***IV.2.1.14.10.1Card of the column id of the table gedmo_category_translations***

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.14.10.2Check constraint name of the column id of the table gedmo_category_translations

CK_id

IV.2.1.14.10.3Check of the column id of the table gedmo_category_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.14.10.4Server validation rule of the column id of the table gedmo_category_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.14.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.14.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.14.11Column object_id of the table gedmo_category_translations

IV.2.1.14.11.1Card of the column object_id of the table gedmo_category_translations

Name	object_id

Code	object_id
Data Type	int(11)
Mandatory	No

IV.2.1.14.11.2Check constraint name of the column object_id of the table gedmo_category_translations

CK_object_id

IV.2.1.14.11.3Check of the column object_id of the table gedmo_category_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.14.11.4Server validation rule of the column object_id of the table gedmo_category_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.14.11.5List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_D191D1FE232D562B	IDX_D191D1FE232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.14.11.6List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name

CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.14.12 Column locale of the table gedmo_category_translations

IV.2.1.14.12.1 Card of the column locale of the table gedmo_category_translations

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.14.12.2 Check constraint name of the column locale of the table gedmo_category_translations

CK_locale

IV.2.1.14.12.3 Check of the column locale of the table gedmo_category_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.14.12.4 Server validation rule of the column locale of the table

gedmo_category_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.14.12.5List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.14.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.14.13Column field of the table gedmo_category_translations**IV.2.1.14.13.1Card of the column field of the table gedmo_category_translations**

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

**IV.2.1.14.13.2Check constraint name of the column field of the table
gedmo_category_translations**

CK_field

IV.2.1.14.13.3Check of the column field of the table gedmo_category_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.14.13.4 Server validation rule of the column field of the table gedmo_category_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.14.13.5 List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.14.13.6 List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.14.14 Column content of the table gedmo_category_translations

IV.2.1.14.14.1 Card of the column content of the table gedmo_category_translations

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.14.14.2 Check constraint name of the column content of the table

gedmo_category_translations

CK_content

IV.2.1.14.14.3Check of the column content of the table gedmo_category_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.14.14.4Server validation rule of the column content of the table
gedmo_category_translations**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.14.14.5List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.14.15List of keys of the table gedmo_category_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_D191D1FE232D562B	IDX_D191D1FE232D562B	

IV.2.1.14.16Key Key_1 of the table gedmo_category_translations

IV.2.1.14.16.1Card of the key Key_1 of the table gedmo_category_translations

Name	Key_1
Code	Key_1
Table	gedmo_category_translations

IV.2.1.14.16.2Code preview of the key Key_1 of the table gedmo_category_translations

```
alter table gedmo_category_translations
drop primary key;
```

IV.2.1.14.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.14.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.14.17Key lookup_unique_idx of the table gedmo_category_translations

IV.2.1.14.17.1Card of the key lookup_unique_idx of the table gedmo_category_translations

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_category_translations

IV.2.1.14.17.2Code preview of the key lookup_unique_idx of the table gedmo_category_translations

```
# The preview is empty because of the setting.
# Check the generation option.
```

IV.2.1.14.17.3List of columns of the table key lookup_unique_idx

Name	Code

locale	locale
object_id	object_id
field	field

IV.2.1.14.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.14.18Key IDX_D191D1FE232D562B of the table gedmo_category_translations**IV.2.1.14.18.1Card of the key IDX_D191D1FE232D562B of the table gedmo_category_translations**

Name	IDX_D191D1FE232D562B
Code	IDX_D191D1FE232D562B
Table	gedmo_category_translations

IV.2.1.14.18.2Code preview of the key IDX_D191D1FE232D562B of the table gedmo_category_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.14.18.3List of columns of the table key IDX_D191D1FE232D562B

Name	Code
object_id	object_id

IV.2.1.14.18.4List of extended attributes of the table key IDX_D191D1FE232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.15Table gedmo_content**IV.2.1.15.1Card of table gedmo_content**

Name	gedmo_content
Code	gedmo_content
DBMS	MySQL 5.0

IV.2.1.15.2Check constraint name of table gedmo_content

TK_gedmo_content

IV.2.1.15.3Server validation rule of table gedmo_content

%RULES%

IV.2.1.15.4Code preview of table gedmo_content

drop table if exists gedmo_content;

```
/*
 * Table: gedmo_content
 */
create table gedmo_content
(
    id          int(11) not null auto_increment,
    page_intro_id      bigint(20) default NULL,
    page_cssclass     varchar(128) default NULL,
    category        varchar(128) default NULL,
    categoryother    varchar(128) default NULL,
    descriptif       varchar(128) default NULL,
    content         longtext,
    url            varchar(314) default NULL,
    created_at       datetime not null,
    updated_at       datetime default NULL,
    published_at     date default NULL,
    archive_at       datetime default NULL,
    enabled          tinyint(1) default NULL,
    position         int(11) default NULL,
    primary key (id),
    key IDX_6464AB2E1874536E (page_intro_id)
);
```

alter table gedmo_content add constraint FK_6464AB2E1874536E foreign key (page_intro_id)
 references pi_page (id);

IV.2.1.15.5List of diagrams containing the table gedmo_content

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.15.6List of incoming references of the table gedmo_content

Name	Code
FK_E411AECD232D562B	FK_E411AECD232D562B

IV.2.1.15.7List of outgoing references of the table gedmo_content

Name	Code	Foreign Key Columns
FK_6464AB2E1874536E	FK_6464AB2E1874536E	page_intro_id

IV.2.1.15.8List of all dependencies of the table gedmo_content

Name	Code	Class Name
FK_6464AB2E1874536E	FK_6464AB2E1874536E	Reference
FK_E411AECD232D562B	FK_E411AECD232D562B	Reference

IV.2.1.15.9List of extended attributes of the table gedmo_content

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.15.10List of columns of the table gedmo_content

Name	Code
id	id
page_intro_id	page_intro_id
page_cssclass	page_cssclass
category	category
categoryother	categoryother
descriptif	descriptif
content	content
url	url
created_at	created_at
updated_at	updated_at

published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.15.11 Column id of the table gedmo_content

IV.2.1.15.11.1 Card of the column id of the table gedmo_content

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.15.11.2 Check constraint name of the column id of the table gedmo_content

CK_id

IV.2.1.15.11.3 Check of the column id of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.11.4 Server validation rule of the column id of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.11.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.15.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.12Column page_intro_id of the table gedmo_content**IV.2.1.15.12.1Card of the column page_intro_id of the table gedmo_content**

Name	page_intro_id
Code	page_intro_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.15.12.2Check constraint name of the column page_intro_id of the table gedmo_content

CK_page_intro_id

IV.2.1.15.12.3Check of the column page_intro_id of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.12.4Server validation rule of the column page_intro_id of the table gedmo_content
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.12.5List of all dependencies of the table column page_intro_id

Name	Code	Class Name
?	?	Reference Join
IDX_6464AB2E1874536E	IDX_6464AB2E1874536E	Key

IV.2.1.15.12.6List of extended attributes of the table column page_intro_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.13Column page_cssclass of the table gedmo_content

IV.2.1.15.13.1Card of the column page_cssclass of the table gedmo_content

Name	page_cssclass
Code	page_cssclass
Data Type	varchar(128)
Mandatory	No

IV.2.1.15.13.2Check constraint name of the column page_cssclass of the table gedmo_content
CK_page_cssclass

IV.2.1.15.13.3Check of the column page_cssclass of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.13.4 Server validation rule of the column page_cssclass of the table gedmo_content
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.13.5 List of extended attributes of the table column page_cssclass

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.14 Column category of the table gedmo_content

IV.2.1.15.14.1 Card of the column category of the table gedmo_content

Name	category
Code	category
Data Type	varchar(128)
Mandatory	No

IV.2.1.15.14.2 Check constraint name of the column category of the table gedmo_content

CK_category

IV.2.1.15.14.3 Check of the column category of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.14.4 Server validation rule of the column category of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.14.5 List of extended attributes of the table column category

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15 Column categoryother of the table gedmo_content

IV.2.1.15.1 Card of the column categoryother of the table gedmo_content

Name	categoryother
Code	categoryother
Data Type	varchar(128)
Mandatory	No

**IV.2.1.15.15.2Check constraint name of the column categoryother of the table gedmo_content
CK_categoryother**

IV.2.1.15.15.3Check of the column categoryother of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.15.15.4Server validation rule of the column categoryother of the table gedmo_content
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.15.5List of extended attributes of the table column categoryother

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.16Column descriptif of the table gedmo_content

IV.2.1.15.16.1Card of the column descriptif of the table gedmo_content

Name	descriptif
Code	descriptif
Data Type	varchar(128)
Mandatory	No

--	--

**IV.2.1.15.16.2Check constraint name of the column descriptif of the table gedmo_content
CK_descriptif**

IV.2.1.15.16.3Check of the column descriptif of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.15.16.4Server validation rule of the column descriptif of the table gedmo_content
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.15.16.5List of extended attributes of the table column descriptif

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.17Column content of the table gedmo_content

IV.2.1.15.17.1Card of the column content of the table gedmo_content

Name	content
Code	content

Data Type	longtext
Mandatory	No

IV.2.1.15.17.2Check constraint name of the column content of the table gedmo_content
CK_content

IV.2.1.15.17.3Check of the column content of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.17.4Server validation rule of the column content of the table gedmo_content
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.17.5List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.18Column url of the table gedmo_content

IV.2.1.15.18.1Card of the column url of the table gedmo_content

Name	url
Code	url
Data Type	varchar(314)
Mandatory	No

IV.2.1.15.18.2Check constraint name of the column url of the table gedmo_content

CK_url

IV.2.1.15.18.3Check of the column url of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.18.4Server validation rule of the column url of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.18.5List of extended attributes of the table column url

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.19 Column created_at of the table gedmo_content**IV.2.1.15.19.1 Card of the column created_at of the table gedmo_content**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.15.19.2 Check constraint name of the column created_at of the table gedmo_content

CK_created_at

IV.2.1.15.19.3 Check of the column created_at of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.19.4 Server validation rule of the column created_at of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.19.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.20Column updated_at of the table gedmo_content

IV.2.1.15.20.1Card of the column updated_at of the table gedmo_content

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.15.20.2Check constraint name of the column updated_at of the table gedmo_content

CK_updated_at

IV.2.1.15.20.3Check of the column updated_at of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.20.4Server validation rule of the column updated_at of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.20.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.21Column published_at of the table gedmo_content**IV.2.1.15.21.1Card of the column published_at of the table gedmo_content**

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.15.21.2Check constraint name of the column published_at of the table gedmo_content

CK_published_at

IV.2.1.15.21.3Check of the column published_at of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.21.4Server validation rule of the column published_at of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.21.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.22Column archive_at of the table gedmo_content

IV.2.1.15.22.1Card of the column archive_at of the table gedmo_content

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.15.22.2Check constraint name of the column archive_at of the table gedmo_content

CK_archive_at

IV.2.1.15.22.3Check of the column archive_at of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.22.4Server validation rule of the column archive_at of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.22.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name

CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.23Column enabled of the table gedmo_content**IV.2.1.15.23.1Card of the column enabled of the table gedmo_content**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.15.23.2Check constraint name of the column enabled of the table gedmo_content

CK_enabled

IV.2.1.15.23.3Check of the column enabled of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.23.4Server validation rule of the column enabled of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.23.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.24Column position of the table gedmo_content

IV.2.1.15.24.1Card of the column position of the table gedmo_content

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.15.24.2Check constraint name of the column position of the table gedmo_content

CK_position

IV.2.1.15.24.3Check of the column position of the table gedmo_content

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.24.4 Server validation rule of the column position of the table gedmo_content

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.24.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15.25 List of keys of the table gedmo_content

Name	Code	Primary
Key_1	Key_1	X
IDX_6464AB2E1874536E	IDX_6464AB2E1874536E	

IV.2.1.15.26 Key Key_1 of the table gedmo_content**IV.2.1.15.26.1 Card of the key Key_1 of the table gedmo_content**

Name	Key_1
Code	Key_1
Table	gedmo_content

IV.2.1.15.26.2 Code preview of the key Key_1 of the table gedmo_content

```
alter table gedmo_content
drop primary key;
```

IV.2.1.15.26.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.15.26.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_E411AECD232D562B	FK_E411AECD232D562B	Reference

IV.2.1.15.26.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.15.27Key IDX_6464AB2E1874536E of the table gedmo_content**IV.2.1.15.27.1Card of the key IDX_6464AB2E1874536E of the table gedmo_content**

Name	IDX_6464AB2E1874536E
Code	IDX_6464AB2E1874536E
Table	gedmo_content

IV.2.1.15.27.2Code preview of the key IDX_6464AB2E1874536E of the table gedmo_content

The preview is empty because of the setting.
Check the generation option.

IV.2.1.15.27.3List of columns of the table key IDX_6464AB2E1874536E

Name	Code
page_intro_id	page_intro_id

IV.2.1.15.27.4List of extended attributes of the table key IDX_6464AB2E1874536E

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.16Table gedmo_content_translations**IV.2.1.16.1Card of table gedmo_content_translations**

Name	gedmo_content_translations
Code	gedmo_content_translations
DBMS	MySQL 5.0

--	--

IV.2.1.16.2 Check constraint name of table gedmo_content_translations

TK_gedmo_content_translations

IV.2.1.16.3 Server validation rule of table gedmo_content_translations

%RULES%

IV.2.1.16.4 Code preview of table gedmo_content_translations

drop table if exists gedmo_content_translations;

```
/*
 * Table: gedmo_content_translations
 */
create table gedmo_content_translations
(
    id          int(11) not null auto_increment,
    object_id   int(11) default NULL,
    locale      varchar(8) not null,
    field       varchar(32) not null,
    content     longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_E411AECD232D562B (object_id)
);
```

```
alter table gedmo_content_translations add constraint FK_E411AECD232D562B foreign key (object_id)
    references gedmo_content (id) on delete cascade;
```

IV.2.1.16.5 List of diagrams containing the table gedmo_content_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.16.6 List of outgoing references of the table gedmo_content_translations

Name	Code	Foreign Key Columns
FK_E411AECD232D562B	FK_E411AECD232D562B	object_id

IV.2.1.16.7 List of all dependencies of the table gedmo_content_translations

Name	Code	Class Name
FK_E411AECD232D562B	FK_E411AECD232D562B	Reference

IV.2.1.16.8List of extended attributes of the table gedmo_content_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.16.9List of columns of the table gedmo_content_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.16.10Column id of the table gedmo_content_translations

IV.2.1.16.10.1Card of the column id of the table gedmo_content_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.16.10.2Check constraint name of the column id of the table gedmo_content_translations CK_id

IV.2.1.16.10.3Check of the column id of the table gedmo_content_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.16.10.4Server validation rule of the column id of the table gedmo_content_translations
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.16.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.16.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.16.11Column object_id of the table gedmo_content_translations

IV.2.1.16.11.1Card of the column object_id of the table gedmo_content_translations

Name	object_id
Code	object_id
Data Type	int(11)
Mandatory	No

IV.2.1.16.11.2Check constraint name of the column object_id of the table gedmo_content_translations

CK_object_id

IV.2.1.16.11.3Check of the column object_id of the table gedmo_content_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.16.11.4 Server validation rule of the column object_id of the table gedmo_content_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.16.11.5 List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_E411AECD232D562B	IDX_E411AECD232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.16.11.6 List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.16.12 Column locale of the table gedmo_content_translations

IV.2.1.16.12.1 Card of the column locale of the table gedmo_content_translations

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

**IV.2.1.16.12.2Check constraint name of the column locale of the table
gedmo_content_translations**

CK_locale

IV.2.1.16.12.3Check of the column locale of the table gedmo_content_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.16.12.4Server validation rule of the column locale of the table
gedmo_content_translations**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.16.12.5List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.16.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.16.13Column field of the table gedmo_content_translations

IV.2.1.16.13.1Card of the column field of the table gedmo_content_translations

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

IV.2.1.16.13.2Check constraint name of the column field of the table gedmo_content_translations

CK_field

IV.2.1.16.13.3Check of the column field of the table gedmo_content_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.16.13.4Server validation rule of the column field of the table gedmo_content_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.16.13.5List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.16.13.6List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.16.14Column content of the table gedmo_content_translations**IV.2.1.16.14.1Card of the column content of the table gedmo_content_translations**

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.16.14.2Check constraint name of the column content of the table gedmo_content_translations

CK_content

IV.2.1.16.14.3Check of the column content of the table gedmo_content_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.16.14.4 Server validation rule of the column content of the table gedmo_content_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.16.14.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.16.15 List of keys of the table gedmo_content_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_E411AECD232D562B	IDX_E411AECD232D562B	

IV.2.1.16.16 Key Key_1 of the table gedmo_content_translations

IV.2.1.16.16.1 Card of the key Key_1 of the table gedmo_content_translations

Name	Key_1
Code	Key_1
Table	gedmo_content_translations

IV.2.1.16.16.2 Code preview of the key Key_1 of the table gedmo_content_translations

```
alter table gedmo_content_translations
drop primary key;
```

IV.2.1.16.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.16.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.16.17Key lookup_unique_idx of the table gedmo_content_translations**IV.2.1.17.1Card of the key lookup_unique_idx of the table gedmo_content_translations**

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_content_translations

**IV.2.1.17.2Code preview of the key lookup_unique_idx of the table
gedmo_content_translations**

The preview is empty because of the setting.

Check the generation option.

IV.2.1.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id
field	field

IV.2.1.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.18Key IDX_E411AECD232D562B of the table

gedmo_content_translations

IV.2.1.16.18.1Card of the key IDX_E411AECD232D562B of the table gedmo_content_translations

Name	IDX_E411AECD232D562B
Code	IDX_E411AECD232D562B
Table	gedmo_content_translations

IV.2.1.16.18.2Code preview of the key IDX_E411AECD232D562B of the table gedmo_content_translations

The preview is empty because of the setting.
Check the generation option.

IV.2.1.16.18.3List of columns of the table key IDX_E411AECD232D562B

Name	Code
object_id	object_id

IV.2.1.16.18.4List of extended attributes of the table key IDX_E411AECD232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.17Table gedmo_media

IV.2.1.17.1Card of table gedmo_media

Name	gedmo_media
Code	gedmo_media
DBMS	MySQL 5.0

IV.2.1.17.2Check constraint name of table gedmo_media

TK_gedmo_media

IV.2.1.17.3Server validation rule of table gedmo_media

%RULES%

IV.2.1.17.4Code preview of table gedmo_media

drop table if exists gedmo_media;

```
/*=====
/* Table: gedmo_media */=====
create table gedmo_media
(
    id          int(11) not null auto_increment,
    category    int(11) default NULL,
    media       int(11) default NULL,
    status      varchar(255) not null,
    title       varchar(255) default NULL,
    url         varchar(314) default NULL,
    mediald     int(11) default NULL,
    mediadetele tinyint(1) default NULL,
    created_at  datetime not null,
    updated_at  datetime default NULL,
    published_at date default NULL,
    archive_at  datetime default NULL,
    enabled      tinyint(1) default NULL,
    position     int(11) default NULL,
    primary key (id),
    key IDX_43EF489E64C19C1 (category),
    key IDX_43EF489E6A2CA10C (media)
);
```

alter table gedmo_media add constraint FK_43EF489E64C19C1 foreign key (category)
references gedmo_category (id);

IV.2.1.17.5List of diagrams containing the table gedmo_media

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.17.6List of incoming references of the table gedmo_media

Name	Code
FK_85481D9F232D562B	FK_85481D9F232D562B

IV.2.1.17.7List of outgoing references of the table gedmo_media

Name	Code	Foreign Key Columns
FK_43EF489E64C19C1	FK_43EF489E64C19C1	category

IV.2.1.17.8List of all dependencies of the table gedmo_media

Name	Code	Class Name

FK_43EF489E64C19C1	FK_43EF489E64C19C1	Reference
FK_85481D9F232D562B	FK_85481D9F232D562B	Reference

IV.2.1.17.9 List of extended attributes of the table gedmo_media

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.17.10 List of columns of the table gedmo_media

Name	Code
id	id
category	category
media	media
status	status
title	title
url	url
mediald	mediald
mediadelete	mediadelete
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.17.11 Column id of the table gedmo_media

IV.2.1.17.11.1 Card of the column id of the table gedmo_media

Name	id
Code	id

Data Type	int(11)
Mandatory	Yes

**IV.2.1.11.2Check constraint name of the column id of the table gedmo_media
CK_id**

IV.2.1.11.3Check of the column id of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.11.4Server validation rule of the column id of the table gedmo_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.11.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.12 Column category of the table gedmo_media

IV.2.1.17.12.1 Card of the column category of the table gedmo_media

Name	category
Code	category
Data Type	int(11)
Mandatory	No

IV.2.1.17.12.2 Check constraint name of the column category of the table gedmo_media

CK_category

IV.2.1.17.12.3 Check of the column category of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.12.4 Server validation rule of the column category of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.12.5 List of all dependencies of the table column category

Name	Code	Class Name
?	?	Reference Join
IDX_43EF489E64C19C1	IDX_43EF489E64C19C1	Key

--	--	--

IV.2.1.17.12.6List of extended attributes of the table column category

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.13Column media of the table gedmo_media**IV.2.1.17.13.1Card of the column media of the table gedmo_media**

Name	media
Code	media
Data Type	int(11)
Mandatory	No

IV.2.1.17.13.2Check constraint name of the column media of the table gedmo_media

CK_media

IV.2.1.17.13.3Check of the column media of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.17.13.4 Server validation rule of the column media of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.13.5 List of all dependencies of the table column media

Name	Code	Class Name
IDX_43EF489E6A2CA10C	IDX_43EF489E6A2CA10C	Key

IV.2.1.17.13.6 List of extended attributes of the table column media

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.14 Column status of the table gedmo_media

IV.2.1.17.14.1 Card of the column status of the table gedmo_media

Name	status
Code	status
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.17.14.2 Check constraint name of the column status of the table gedmo_media

CK_status

IV.2.1.17.14.3 Check of the column status of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.14.4 Server validation rule of the column status of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.14.5 List of extended attributes of the table column status

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.15 Column title of the table gedmo_media**IV.2.1.17.15.1 Card of the column title of the table gedmo_media**

Name	title
Code	title
Data Type	varchar(255)
Mandatory	No

IV.2.1.17.15.2 Check constraint name of the column title of the table gedmo_media

CK_title

IV.2.1.17.15.3 Check of the column title of the table gedmo_media

Minimum Value	
---------------	--

Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.15.4Server validation rule of the column title of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.15.5List of extended attributes of the table column title

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.16Column url of the table gedmo_media

IV.2.1.17.16.1Card of the column url of the table gedmo_media

Name	url
Code	url
Data Type	varchar(314)
Mandatory	No

IV.2.1.17.16.2Check constraint name of the column url of the table gedmo_media

CK_url

IV.2.1.17.16.3Check of the column url of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.16.4Server validation rule of the column url of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.16.5List of extended attributes of the table column url

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.17Column mediald of the table gedmo_media**IV.2.1.17.17.1Card of the column mediald of the table gedmo_media**

Name	mediald
Code	mediald
Data Type	int(11)
Mandatory	No

**IV.2.1.17.17.2Check constraint name of the column mediald of the table gedmo_media
CK_mediald**

IV.2.1.17.17.3Check of the column mediald of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.17.4Server validation rule of the column mediald of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.17.5List of extended attributes of the table column mediald

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.18Column mediadlete of the table gedmo_media

IV.2.1.17.18.1Card of the column mediadlete of the table gedmo_media

Name	mediadlete
Code	mediadlete
Data Type	tinyint(1)

Mandatory	No
-----------	----

**IV.2.1.17.18.2Check constraint name of the column mediadelete of the table gedmo_media
CK_mediadelete**

IV.2.1.17.18.3Check of the column mediadelete of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.17.18.4Server validation rule of the column mediadelete of the table gedmo_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.17.18.5List of extended attributes of the table column mediadelete

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.19Column created_at of the table gedmo_media

IV.2.1.17.19.1Card of the column created_at of the table gedmo_media

Name	created_at
Code	created_at

Data Type	datetime
Mandatory	Yes

IV.2.1.17.19.2Check constraint name of the column created_at of the table gedmo_media
CK_created_at

IV.2.1.17.19.3Check of the column created_at of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.19.4Server validation rule of the column created_at of the table gedmo_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.19.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.20Column updated_at of the table gedmo_media

IV.2.1.17.20.1Card of the column updated_at of the table gedmo_media

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.17.20.2Check constraint name of the column updated_at of the table gedmo_media

CK_updated_at

IV.2.1.17.20.3Check of the column updated_at of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.20.4Server validation rule of the column updated_at of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.20.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.21Column published_at of the table gedmo_media

IV.2.1.17.21.1Card of the column published_at of the table gedmo_media

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.17.21.2Check constraint name of the column published_at of the table gedmo_media

CK_published_at

IV.2.1.17.21.3Check of the column published_at of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.21.4Server validation rule of the column published_at of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.21.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.17.22Column archive_at of the table gedmo_media**IV.2.1.17.22.1Card of the column archive_at of the table gedmo_media**

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.17.22.2Check constraint name of the column archive_at of the table gedmo_media

CK_archive_at

IV.2.1.17.22.3Check of the column archive_at of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.22.4Server validation rule of the column archive_at of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.22.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.23Column enabled of the table gedmo_media

IV.2.1.17.23.1Card of the column enabled of the table gedmo_media

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.17.23.2Check constraint name of the column enabled of the table gedmo_media

CK_enabled

IV.2.1.17.23.3Check of the column enabled of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.23.4Server validation rule of the column enabled of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.23.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name

CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.24Column position of the table gedmo_media**IV.2.1.17.24.1Card of the column position of the table gedmo_media**

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.17.24.2Check constraint name of the column position of the table gedmo_media

CK_position

IV.2.1.17.24.3Check of the column position of the table gedmo_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.24.4Server validation rule of the column position of the table gedmo_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.24.5List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.17.25List of keys of the table gedmo_media

Name	Code	Primary
Key_1	Key_1	X
IDX_43EF489E64C19C1	IDX_43EF489E64C19C1	
IDX_43EF489E6A2CA10C	IDX_43EF489E6A2CA10C	

IV.2.1.17.26Key Key_1 of the table gedmo_media**IV.2.1.17.26.1Card of the key Key_1 of the table gedmo_media**

Name	Key_1
Code	Key_1
Table	gedmo_media

IV.2.1.17.26.2Code preview of the key Key_1 of the table gedmo_media

```
alter table gedmo_media
drop primary key;
```

IV.2.1.17.26.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.17.26.4List of all dependencies of the table key Key_1

Name	Code	Class Name

FK_85481D9F232D562B	FK_85481D9F232D562B	Reference
---------------------	---------------------	-----------

IV.2.1.17.26.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.17.27Key IDX_43EF489E64C19C1 of the table gedmo_media**IV.2.1.17.27.1Card of the key IDX_43EF489E64C19C1 of the table gedmo_media**

Name	IDX_43EF489E64C19C1
Code	IDX_43EF489E64C19C1
Table	gedmo_media

IV.2.1.17.27.2Code preview of the key IDX_43EF489E64C19C1 of the table gedmo_media

The preview is empty because of the setting.

Check the generation option.

IV.2.1.17.27.3List of columns of the table key IDX_43EF489E64C19C1

Name	Code
category	category

IV.2.1.17.27.4List of extended attributes of the table key IDX_43EF489E64C19C1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.17.28Key IDX_43EF489E6A2CA10C of the table gedmo_media**IV.2.1.17.28.1Card of the key IDX_43EF489E6A2CA10C of the table gedmo_media**

Name	IDX_43EF489E6A2CA10C
Code	IDX_43EF489E6A2CA10C
Table	gedmo_media

IV.2.1.17.28.2Code preview of the key IDX_43EF489E6A2CA10C of the table gedmo_media

```
# The preview is empty because of the setting.  
# Check the generation option.
```

IV.2.1.17.28.3List of columns of the table key IDX_43EF489E6A2CA10C

Name	Code
media	media

IV.2.1.17.28.4List of extended attributes of the table key IDX_43EF489E6A2CA10C

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.18Table gedmo_media_translations

IV.2.1.18.1Card of table gedmo_media_translations

Name	gedmo_media_translations
Code	gedmo_media_translations
DBMS	MySQL 5.0

IV.2.1.18.2Check constraint name of table gedmo_media_translations

TK_gedmo_media_translations

IV.2.1.18.3Server validation rule of table gedmo_media_translations

%RULES%

IV.2.1.18.4Code preview of table gedmo_media_translations

drop table if exists gedmo_media_translations;

```
/*=====
/* Table: gedmo_media_translations */
=====*/
create table gedmo_media_translations
(
    id          int(11) not null auto_increment,
    object_id    int(11) default NULL,
    locale       varchar(8) not null,
    field        varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_85481D9F232D562B (object_id)
```

);

```
alter table gedmo_media_translations add constraint FK_85481D9F232D562B foreign key (object_id)
references gedmo_media (id) on delete cascade;
```

IV.2.1.18.5List of diagrams containing the table gedmo_media_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.18.6List of outgoing references of the table gedmo_media_translations

Name	Code	Foreign Key Columns
FK_85481D9F232D562B	FK_85481D9F232D562B	object_id

IV.2.1.18.7List of all dependencies of the table gedmo_media_translations

Name	Code	Class Name
FK_85481D9F232D562B	FK_85481D9F232D562B	Reference

IV.2.1.18.8List of extended attributes of the table gedmo_media_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.18.9List of columns of the table gedmo_media_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.18.10Column id of the table gedmo_media_translations

IV.2.1.18.10.1Card of the column id of the table gedmo_media_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.18.10.2Check constraint name of the column id of the table gedmo_media_translations

CK_id

IV.2.1.18.10.3Check of the column id of the table gedmo_media_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.18.10.4Server validation rule of the column id of the table gedmo_media_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.18.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.18.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.18.11 Column object_id of the table gedmo_media_translations**IV.2.1.18.11.1 Card of the column object_id of the table gedmo_media_translations**

Name	object_id
Code	object_id
Data Type	int(11)
Mandatory	No

IV.2.1.18.11.2 Check constraint name of the column object_id of the table gedmo_media_translations

CK_object_id

IV.2.1.18.11.3 Check of the column object_id of the table gedmo_media_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.18.11.4 Server validation rule of the column object_id of the table gedmo_media_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.18.11.5 List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_85481D9F232D562B	IDX_85481D9F232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.18.11.6List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.18.12Column locale of the table gedmo_media_translations

IV.2.1.18.12.1Card of the column locale of the table gedmo_media_translations

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.18.12.2Check constraint name of the column locale of the table gedmo_media_translations

CK_locale

IV.2.1.18.12.3Check of the column locale of the table gedmo_media_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.18.12.4Server validation rule of the column locale of the table gedmo_media_translations
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.18.12.5List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.18.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.18.13Column field of the table gedmo_media_translations

IV.2.1.18.13.1Card of the column field of the table gedmo_media_translations

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

IV.2.1.18.13.2Check constraint name of the column field of the table gedmo_media_translations
 CK_field

IV.2.1.18.13.3Check of the column field of the table gedmo_media_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.18.13.4Server validation rule of the column field of the table gedmo_media_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.18.13.5List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.18.13.6List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.18.14Column content of the table gedmo_media_translations**IV.2.1.18.14.1Card of the column content of the table gedmo_media_translations**

Name	content
------	---------

Code	content
Data Type	longtext
Mandatory	No

**IV.2.1.18.14.2Check constraint name of the column content of the table
gedmo_media_translations**

CK_content

IV.2.1.18.14.3Check of the column content of the table gedmo_media_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.18.14.4Server validation rule of the column content of the table
gedmo_media_translations**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.18.14.5List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.18.15List of keys of the table gedmo_media_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_85481D9F232D562B	IDX_85481D9F232D562B	

IV.2.1.18.16 Key Key_1 of the table gedmo_media_translations

IV.2.1.18.16.1 Card of the key Key_1 of the table gedmo_media_translations

Name	Key_1
Code	Key_1
Table	gedmo_media_translations

IV.2.1.18.16.2 Code preview of the key Key_1 of the table gedmo_media_translations

```
alter table gedmo_media_translations
drop primary key;
```

IV.2.1.18.16.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.18.16.4 List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.18.17 Key lookup_unique_idx of the table gedmo_media_translations

IV.2.1.18.17.1 Card of the key lookup_unique_idx of the table gedmo_media_translations

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_media_translations

IV.2.1.18.17.2 Code preview of the key lookup_unique_idx of the table

gedmo_media_translations

The preview is empty because of the setting.
Check the generation option.

IV.2.1.18.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id
field	field

IV.2.1.18.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.18.18Key IDX_85481D9F232D562B of the table gedmo_media_translations**IV.2.1.18.1Card of the key IDX_85481D9F232D562B of the table gedmo_media_translations**

Name	IDX_85481D9F232D562B
Code	IDX_85481D9F232D562B
Table	gedmo_media_translations

IV.2.1.18.18.2Code preview of the key IDX_85481D9F232D562B of the table gedmo_media_translations

The preview is empty because of the setting.
Check the generation option.

IV.2.1.18.18.3List of columns of the table key IDX_85481D9F232D562B

Name	Code
object_id	object_id

IV.2.1.18.18.4List of extended attributes of the table key IDX_85481D9F232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.19 Table gedmo_menu

IV.2.1.19.1 Card of table gedmo_menu

Name	gedmo_menu
Code	gedmo_menu
DBMS	MySQL 5.0

IV.2.1.19.2 Check constraint name of table gedmo_menu

TK_gedmo_menu

IV.2.1.19.3 Server validation rule of table gedmo_menu

%RULES%

IV.2.1.19.4 Code preview of table gedmo_menu

drop table if exists gedmo_menu;

```
/*=====
/* Table: gedmo_menu
/*=====
create table gedmo_menu
(
    id          int(11) not null auto_increment,
    page_id      bigint(20) default NULL,
    media_id     int(11) default NULL,
    parent_id    int(11) default NULL,
    slug         varchar(64) not null,
    category     varchar(128) default NULL,
    categoryother varchar(128) default NULL,
    title        varchar(128) not null,
    url          varchar(314) default NULL,
    lft          int(11) default NULL,
    rgt          int(11) default NULL,
    lvl          int(11) default NULL,
    root         int(11) default NULL,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    published_at date default NULL,
    archive_at   datetime default NULL,
    enabled       tinyint(1) default NULL,
    position      int(11) default NULL,
    primary key (id),
    unique key UNIQ_672530EA989D9B62 (slug),
    unique key UNIQ_672530EAEA9FDD75 (media_id),
    key IDX_672530EAC4663E4 (page_id),
    key IDX_672530EA727ACA70 (parent_id)
);
```

```
alter table gedmo_menu add constraint FK_672530EA727ACA70 foreign key (parent_id)
    references gedmo_menu (id) on delete set null;
```

IV.2.1.19.5List of diagrams containing the table gedmo_menu

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.19.6List of incoming references of the table gedmo_menu

Name	Code
FK_672530EA727ACA70	FK_672530EA727ACA70
FK_D8F32BD9232D562B	FK_D8F32BD9232D562B

IV.2.1.19.7List of outgoing references of the table gedmo_menu

Name	Code	Foreign Key Columns
FK_672530EA727ACA70	FK_672530EA727ACA70	parent_id

IV.2.1.19.8List of all dependencies of the table gedmo_menu

Name	Code	Class Name
FK_672530EA727ACA70	FK_672530EA727ACA70	Reference
FK_D8F32BD9232D562B	FK_D8F32BD9232D562B	Reference

IV.2.1.19.9List of extended attributes of the table gedmo_menu

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.19.10List of columns of the table gedmo_menu

Name	Code
id	id
page_id	page_id
media_id	media_id

parent_id	parent_id
slug	slug
category	category
categoryother	categoryother
title	title
url	url
lft	lft
rgt	rgt
lvl	lvl
root	root
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.19.11Column id of the table gedmo_menu

IV.2.1.19.11.1Card of the column id of the table gedmo_menu

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.19.11.2Check constraint name of the column id of the table gedmo_menu

CK_id

IV.2.1.19.11.3Check of the column id of the table gedmo_menu

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.11.4 Server validation rule of the column id of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.11.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.19.11.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.12 Column page_id of the table gedmo_menu**IV.2.1.19.12.1 Card of the column page_id of the table gedmo_menu**

Name	page_id
------	---------

Code	page_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.19.12.2Check constraint name of the column page_id of the table gedmo_menu
CK_page_id

IV.2.1.19.12.3Check of the column page_id of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.12.4Server validation rule of the column page_id of the table gedmo_menu
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.12.5List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_672530EAC4663E4	IDX_672530EAC4663E4	Key

IV.2.1.19.12.6List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0
----------	-----------	-------	-----------

IV.2.1.19.13Column media_id of the table gedmo_menu**IV.2.1.19.13.1Card of the column media_id of the table gedmo_menu**

Name	media_id
Code	media_id
Data Type	int(11)
Mandatory	No

IV.2.1.19.13.2Check constraint name of the column media_id of the table gedmo_menu

CK_media_id

IV.2.1.19.13.3Check of the column media_id of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.13.4Server validation rule of the column media_id of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.13.5List of all dependencies of the table column media_id

Name	Code	Class Name
UNIQ_672530EAE9FDD75	UNIQ_672530EAE9FDD75	Key

IV.2.1.19.13.6List of extended attributes of the table column media_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.14 Column parent_id of the table gedmo_menu

IV.2.1.19.14.1 Card of the column parent_id of the table gedmo_menu

Name	parent_id
Code	parent_id
Data Type	int(11)
Mandatory	No

IV.2.1.19.14.2 Check constraint name of the column parent_id of the table gedmo_menu

CK_parent_id

IV.2.1.19.14.3 Check of the column parent_id of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.14.4 Server validation rule of the column parent_id of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.14.5List of all dependencies of the table column parent_id

Name	Code	Class Name
?	?	Reference Join
IDX_672530EA727ACA70	IDX_672530EA727ACA70	Key

IV.2.1.19.14.6List of extended attributes of the table column parent_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.15Column slug of the table gedmo_menu

IV.2.1.19.15.1Card of the column slug of the table gedmo_menu

Name	slug
Code	slug
Data Type	varchar(64)
Mandatory	Yes

IV.2.1.19.15.2Check constraint name of the column slug of the table gedmo_menu

CK_slug

IV.2.1.19.15.3Check of the column slug of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.15.4Server validation rule of the column slug of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.15.5List of all dependencies of the table column slug

Name	Code	Class Name
UNIQ_672530EA989D9B62	UNIQ_672530EA989D9B62	Key

IV.2.1.19.15.6List of extended attributes of the table column slug

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.16Column category of the table gedmo_menu

IV.2.1.19.16.1Card of the column category of the table gedmo_menu

Name	category
Code	category
Data Type	varchar(128)
Mandatory	No

IV.2.1.19.16.2Check constraint name of the column category of the table gedmo_menu

CK_category

IV.2.1.19.16.3Check of the column category of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.16.4Server validation rule of the column category of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.16.5List of extended attributes of the table column category

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.17Column categoryother of the table gedmo_menu**IV.2.1.19.17.1Card of the column categoryother of the table gedmo_menu**

Name	categoryother
Code	categoryother
Data Type	varchar(128)
Mandatory	No

IV.2.1.19.17.2Check constraint name of the column categoryother of the table gedmo_menu
CK_categoryother

IV.2.1.19.17.3Check of the column categoryother of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.17.4Server validation rule of the column categoryother of the table gedmo_menu
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.17.5List of extended attributes of the table column categoryother

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.18Column title of the table gedmo_menu

IV.2.1.19.18.1Card of the column title of the table gedmo_menu

Name	title
Code	title
Data Type	varchar(128)
Mandatory	Yes

--	--

IV.2.1.19.18.2Check constraint name of the column title of the table gedmo_menu

CK_title

IV.2.1.19.18.3Check of the column title of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.18.4Server validation rule of the column title of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.18.5List of extended attributes of the table column title

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.19Column url of the table gedmo_menu**IV.2.1.19.19.1Card of the column url of the table gedmo_menu**

Name	url
Code	url

Data Type	varchar(314)
Mandatory	No

**IV.2.1.19.19.2Check constraint name of the column url of the table gedmo_menu
CK_url**

IV.2.1.19.19.3Check of the column url of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.19.19.4Server validation rule of the column url of the table gedmo_menu
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.19.19.5List of extended attributes of the table column url

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.20Column lft of the table gedmo_menu

IV.2.1.19.20.1Card of the column lft of the table gedmo_menu

Name	lft
Code	lft
Data Type	int(11)
Mandatory	No

IV.2.1.19.20.2Check constraint name of the column lft of the table gedmo_menu

CK_lft

IV.2.1.19.20.3Check of the column lft of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.20.4Server validation rule of the column lft of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.20.5List of extended attributes of the table column lft

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.21Column rgt of the table gedmo_menu

IV.2.1.19.21.1Card of the column rgt of the table gedmo_menu

Name	rgt
Code	rgt
Data Type	int(11)
Mandatory	No

IV.2.1.19.21.2Check constraint name of the column rgt of the table gedmo_menu

CK_rgt

IV.2.1.19.21.3Check of the column rgt of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.21.4Server validation rule of the column rgt of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.21.5List of extended attributes of the table column rgt

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0
----------	-----------	-------	-----------

IV.2.1.19.22Column lvl of the table gedmo_menu**IV.2.1.19.22.1Card of the column lvl of the table gedmo_menu**

Name	lvl
Code	lvl
Data Type	int(11)
Mandatory	No

IV.2.1.19.22.2Check constraint name of the column lvl of the table gedmo_menu

CK_lvl

IV.2.1.19.22.3Check of the column lvl of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.22.4Server validation rule of the column lvl of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.22.5List of extended attributes of the table column lvl

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.23Column root of the table gedmo_menu

IV.2.1.19.23.1Card of the column root of the table gedmo_menu

Name	root
Code	root
Data Type	int(11)
Mandatory	No

IV.2.1.19.23.2Check constraint name of the column root of the table gedmo_menu

CK_root

IV.2.1.19.23.3Check of the column root of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.23.4Server validation rule of the column root of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.23.5List of extended attributes of the table column root

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.24Column created_at of the table gedmo_menu**IV.2.1.19.24.1Card of the column created_at of the table gedmo_menu**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.19.24.2Check constraint name of the column created_at of the table gedmo_menu

CK_created_at

IV.2.1.19.24.3Check of the column created_at of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.24.4Server validation rule of the column created_at of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.24.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.25Column updated_at of the table gedmo_menu**IV.2.1.19.25.1Card of the column updated_at of the table gedmo_menu**

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.19.25.2Check constraint name of the column updated_at of the table gedmo_menu

CK_updated_at

IV.2.1.19.25.3Check of the column updated_at of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.25.4 Server validation rule of the column updated_at of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.25.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.26 Column published_at of the table gedmo_menu**IV.2.1.19.26.1 Card of the column published_at of the table gedmo_menu**

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.19.26.2 Check constraint name of the column published_at of the table gedmo_menu

CK_published_at

IV.2.1.19.26.3 Check of the column published_at of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.19.26.4 Server validation rule of the column published_at of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.26.5 List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.27 Column archive_at of the table gedmo_menu

IV.2.1.19.27.1 Card of the column archive_at of the table gedmo_menu

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.19.27.2 Check constraint name of the column archive_at of the table gedmo_menu

CK_archive_at

IV.2.1.19.27.3 Check of the column archive_at of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.27.4 Server validation rule of the column archive_at of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.27.5 List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.28 Column enabled of the table gedmo_menu**IV.2.1.19.28.1 Card of the column enabled of the table gedmo_menu**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.19.28.2 Check constraint name of the column enabled of the table gedmo_menu

CK_enabled

IV.2.1.19.28.3 Check of the column enabled of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.28.4 Server validation rule of the column enabled of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.28.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.29 Column position of the table gedmo_menu

IV.2.1.19.29.1 Card of the column position of the table gedmo_menu

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.19.29.2 Check constraint name of the column position of the table gedmo_menu

CK_position

IV.2.1.19.29.3 Check of the column position of the table gedmo_menu

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.29.4 Server validation rule of the column position of the table gedmo_menu

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.29.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.19.30 List of keys of the table gedmo_menu

Name	Code	Primary
Key_1	Key_1	X
UNIQ_672530EA989D9B62	UNIQ_672530EA989D9B62	
UNIQ_672530EAEA9FDD75	UNIQ_672530EAEA9FDD75	
IDX_672530EAC4663E4	IDX_672530EAC4663E4	
IDX_672530EA727ACA70	IDX_672530EA727ACA70	

IV.2.1.19.31 Key Key_1 of the table gedmo_menu**IV.2.1.19.31.1 Card of the key Key_1 of the table gedmo_menu**

Name	Key_1
Code	Key_1
Table	gedmo_menu

IV.2.1.19.31.2Code preview of the key Key_1 of the table gedmo_menu

```
alter table gedmo_menu
drop primary key;
```

IV.2.1.19.31.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.19.31.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_672530EA727ACA70	FK_672530EA727ACA70	Reference
FK_D8F32BD9232D562B	FK_D8F32BD9232D562B	Reference

IV.2.1.19.31.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.19.32Key UNIQ_672530EA989D9B62 of the table gedmo_menu

IV.2.1.19.32.1Card of the key UNIQ_672530EA989D9B62 of the table gedmo_menu

Name	UNIQ_672530EA989D9B62
Code	UNIQ_672530EA989D9B62
Table	gedmo_menu

IV.2.1.19.32.2Code preview of the key UNIQ_672530EA989D9B62 of the table gedmo_menu

The preview is empty because of the setting.
Check the generation option.

IV.2.1.19.32.3List of columns of the table key UNIQ_672530EA989D9B62

Name	Code
slug	slug

IV.2.1.19.32.4List of extended attributes of the table key UNIQ_672530EA989D9B62

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.19.33Key UNIQ_672530EAEA9FDD75 of the table gedmo_menu**IV.2.1.19.33.1Card of the key UNIQ_672530EAEA9FDD75 of the table gedmo_menu**

Name	UNIQ_672530EAEA9FDD75
Code	UNIQ_672530EAEA9FDD75
Table	gedmo_menu

IV.2.1.19.33.2Code preview of the key UNIQ_672530EAEA9FDD75 of the table gedmo_menu

The preview is empty because of the setting.
Check the generation option.

IV.2.1.19.33.3List of columns of the table key UNIQ_672530EAEA9FDD75

Name	Code
media_id	media_id

IV.2.1.19.33.4List of extended attributes of the table key UNIQ_672530EAEA9FDD75

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.19.34Key IDX_672530EAC4663E4 of the table gedmo_menu**IV.2.1.19.34.1Card of the key IDX_672530EAC4663E4 of the table gedmo_menu**

Name	IDX_672530EAC4663E4
Code	IDX_672530EAC4663E4
Table	gedmo_menu

IV.2.1.19.34.2Code preview of the key IDX_672530EAC4663E4 of the table gedmo_menu

The preview is empty because of the setting.
Check the generation option.

IV.2.1.19.34.3List of columns of the table key IDX_672530EAC4663E4

Name	Code
page_id	page_id

IV.2.1.19.34.4List of extended attributes of the table key IDX_672530EAC4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.19.35Key IDX_672530EA727ACA70 of the table gedmo_menu

IV.2.1.19.35.1Card of the key IDX_672530EA727ACA70 of the table gedmo_menu

Name	IDX_672530EA727ACA70
Code	IDX_672530EA727ACA70
Table	gedmo_menu

IV.2.1.19.35.2Code preview of the key IDX_672530EA727ACA70 of the table gedmo_menu

The preview is empty because of the setting.
Check the generation option.

IV.2.1.19.35.3List of columns of the table key IDX_672530EA727ACA70

Name	Code
parent_id	parent_id

IV.2.1.19.35.4List of extended attributes of the table key IDX_672530EA727ACA70

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.20Table gedmo_menu_translations

IV.2.1.20.1Card of table gedmo_menu_translations

Name	gedmo_menu_translations
Code	gedmo_menu_translations
DBMS	MySQL 5.0

IV.2.1.20.2Check constraint name of table gedmo_menu_translations

TK_gedmo_menu_translations

IV.2.1.20.3Server validation rule of table gedmo_menu_translations

%RULES%

IV.2.1.20.4Code preview of table gedmo_menu_translations

drop table if exists gedmo_menu_translations;

```
/*=====
/* Table: gedmo_menu_translations           */
/*=====*/
create table gedmo_menu_translations
(
    id          int(11) not null auto_increment,
    object_id    int(11) default NULL,
    locale       varchar(8) not null,
    field        varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_D8F32BD9232D562B (object_id)
);
```

alter table gedmo_menu_translations add constraint FK_D8F32BD9232D562B foreign key (object_id)
references gedmo_menu (id) on delete cascade;

IV.2.1.20.5List of diagrams containing the table gedmo_menu_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.20.6List of outgoing references of the table gedmo_menu_translations

Name	Code	Foreign Key Columns
FK_D8F32BD9232D562B	FK_D8F32BD9232D562B	object_id

IV.2.1.20.7List of all dependencies of the table gedmo_menu_translations

Name	Code	Class Name
FK_D8F32BD9232D562B	FK_D8F32BD9232D562B	Reference

IV.2.1.20.8List of extended attributes of the table gedmo_menu_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.20.9List of columns of the table gedmo_menu_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.20.10Column id of the table gedmo_menu_translations***IV.2.1.20.10.1Card of the column id of the table gedmo_menu_translations***

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.20.10.2Check constraint name of the column id of the table gedmo_menu_translations

CK_id

IV.2.1.20.10.3Check of the column id of the table gedmo_menu_translations

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.20.10.4Server validation rule of the column id of the table gedmo_menu_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.20.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.20.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.20.11Column object_id of the table gedmo_menu_translations**IV.2.1.20.11.1Card of the column object_id of the table gedmo_menu_translations**

Name	object_id
Code	object_id
Data Type	int(11)

Mandatory	No
-----------	----

IV.2.1.20.11.2Check constraint name of the column object_id of the table gedmo_menu_translations

CK_object_id

IV.2.1.20.11.3Check of the column object_id of the table gedmo_menu_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.20.11.4Server validation rule of the column object_id of the table gedmo_menu_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.20.11.5List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_D8F32BD9232D562B	IDX_D8F32BD9232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.20.11.6List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.20.12 Column locale of the table gedmo_menu_translations

IV.2.1.20.12.1 Card of the column locale of the table gedmo_menu_translations

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.20.12.2 Check constraint name of the column locale of the table gedmo_menu_translations

CK_locale

IV.2.1.20.12.3 Check of the column locale of the table gedmo_menu_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.20.12.4 Server validation rule of the column locale of the table gedmo_menu_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.20.12.5 List of all dependencies of the table column locale

Name	Code	Class Name

lookup_unique_idx	lookup_unique_idx	Key
-------------------	-------------------	-----

IV.2.1.20.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.20.13Column field of the table gedmo_menu_translations

IV.2.1.20.13.1Card of the column field of the table gedmo_menu_translations

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

IV.2.1.20.13.2Check constraint name of the column field of the table gedmo_menu_translations CK_field

IV.2.1.20.13.3Check of the column field of the table gedmo_menu_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.20.13.4 Server validation rule of the column field of the table gedmo_menu_translations
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.20.13.5 List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.20.13.6 List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.20.14 Column content of the table gedmo_menu_translations

IV.2.1.20.14.1 Card of the column content of the table gedmo_menu_translations

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.20.14.2 Check constraint name of the column content of the table gedmo_menu_translations

CK_content

IV.2.1.20.14.3 Check of the column content of the table gedmo_menu_translations

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.20.14.4 Server validation rule of the column content of the table gedmo_menu_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.20.14.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.20.15 List of keys of the table gedmo_menu_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_D8F32BD9232D562B	IDX_D8F32BD9232D562B	

IV.2.1.20.16 Key Key_1 of the table gedmo_menu_translations

IV.2.1.20.16.1 Card of the key Key_1 of the table gedmo_menu_translations

Name	Key_1
Code	Key_1

Table	gedmo_menu_translations

IV.2.1.20.16.2Code preview of the key Key_1 of the table gedmo_menu_translations

```
alter table gedmo_menu_translations
drop primary key;
```

IV.2.1.20.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.20.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.20.17Key lookup_unique_idx of the table gedmo_menu_translations**IV.2.1.20.17.1Card of the key lookup_unique_idx of the table gedmo_menu_translations**

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_menu_translations

**IV.2.1.20.17.2Code preview of the key lookup_unique_idx of the table
gedmo_menu_translations**

The preview is empty because of the setting.

Check the generation option.

IV.2.1.20.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id
field	field

IV.2.1.20.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.20.18Key IDX_D8F32BD9232D562B of the table gedmo_menu_translations**IV.2.1.20.18.1Card of the key IDX_D8F32BD9232D562B of the table gedmo_menu_translations**

Name	IDX_D8F32BD9232D562B
Code	IDX_D8F32BD9232D562B
Table	gedmo_menu_translations

IV.2.1.20.18.2Code preview of the key IDX_D8F32BD9232D562B of the table gedmo_menu_translations

The preview is empty because of the setting.
Check the generation option.

IV.2.1.20.18.3List of columns of the table key IDX_D8F32BD9232D562B

Name	Code
object_id	object_id

IV.2.1.20.18.4List of extended attributes of the table key IDX_D8F32BD9232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.21Table gedmo_organigram**IV.2.1.21.1Card of table gedmo_organigram**

Name	gedmo_organigram
Code	gedmo_organigram
DBMS	MySQL 5.0

IV.2.1.21.2Check constraint name of table gedmo_organigram

TK_gedmo_organigram

IV.2.1.21.3 Server validation rule of table gedmo_organigram

%RULES%

IV.2.1.21.4 Code preview of table gedmo_organigram

drop table if exists gedmo_organigram;

```
=====
/* Table: gedmo_organigram */
=====
create table gedmo_organigram
(
    id          int(11) not null auto_increment,
    page_id     bigint(20) default NULL,
    media_id    int(11) default NULL,
    parent_id   int(11) default NULL,
    slug        varchar(64) not null,
    category    varchar(128) default NULL,
    categoryother  varchar(128) default NULL,
    title       varchar(128) default NULL,
    descriptif  longtext,
    question    varchar(128) default NULL,
    content     longtext,
    lft         int(11) default NULL,
    rgt         int(11) default NULL,
    lvl         int(11) default NULL,
    root        int(11) default NULL,
    created_at  datetime not null,
    updated_at  datetime default NULL,
    published_at date default NULL,
    archive_at  datetime default NULL,
    enabled      tinyint(1) default NULL,
    position     int(11) default NULL,
    primary key (id),
    unique key UNIQ_257FB08A989D9B62 (slug),
    unique key UNIQ_257FB08AEA9FDD75 (media_id),
    key IDX_257FB08AC4663E4 (page_id),
    key IDX_257FB08A727ACA70 (parent_id)
);
alter table gedmo_organigram add constraint FK_257FB08A727ACA70 foreign key (parent_id)
    references gedmo_organigram (id);
```

IV.2.1.21.5 List of diagrams containing the table gedmo_organigram

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.21.6 List of incoming references of the table gedmo_organigram

Name	Code

FK_257FB08A727ACA70	FK_257FB08A727ACA70
FK_B699CC5A232D562B	FK_B699CC5A232D562B

IV.2.1.21.7List of outgoing references of the table gedmo_organigram

Name	Code	Foreign Key Columns
FK_257FB08A727ACA70	FK_257FB08A727ACA70	parent_id

IV.2.1.21.8List of all dependencies of the table gedmo_organigram

Name	Code	Class Name
FK_257FB08A727ACA70	FK_257FB08A727ACA70	Reference
FK_B699CC5A232D562B	FK_B699CC5A232D562B	Reference

IV.2.1.21.9List of extended attributes of the table gedmo_organigram

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.21.10List of columns of the table gedmo_organigram

Name	Code
id	id
page_id	page_id
media_id	media_id
parent_id	parent_id
slug	slug
category	category
categoryother	categoryother
title	title
descriptif	descriptif
question	question

content	content
lft	lft
rgt	rgt
lvl	lvl
root	root
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.21.11 Column id of the table gedmo_organigram**IV.2.1.21.11.1 Card of the column id of the table gedmo_organigram**

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.21.11.2 Check constraint name of the column id of the table gedmo_organigram

CK_id

IV.2.1.21.11.3 Check of the column id of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.11.4 Server validation rule of the column id of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.11.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.11.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.12 Column page_id of the table gedmo_organigram

IV.2.1.12.1 Card of the column page_id of the table gedmo_organigram

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.12.2 Check constraint name of the column page_id of the table gedmo_organigram

CK_page_id

IV.2.1.12.3Check of the column page_id of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.12.4Server validation rule of the column page_id of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.12.5List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_257FB08AC4663E4	IDX_257FB08AC4663E4	Key

IV.2.1.12.6List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.13Column media_id of the table gedmo_organigram**IV.2.1.13.1Card of the column media_id of the table gedmo_organigram**

Name	media_id
Code	media_id

Data Type	int(11)
Mandatory	No

IV.2.1.13.2Check constraint name of the column media_id of the table gedmo_organigram
CK_media_id

IV.2.1.13.3Check of the column media_id of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.13.4Server validation rule of the column media_id of the table gedmo_organigram
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.13.5List of all dependencies of the table column media_id

Name	Code	Class Name
UNIQ_257FB08AEA9FDD75	UNIQ_257FB08AEA9FDD75	Key

IV.2.1.13.6List of extended attributes of the table column media_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0
----------	-----------	-------	-----------

IV.2.1.21.14 Column parent_id of the table gedmo_organigram**IV.2.1.21.14.1 Card of the column parent_id of the table gedmo_organigram**

Name	parent_id
Code	parent_id
Data Type	int(11)
Mandatory	No

IV.2.1.21.14.2 Check constraint name of the column parent_id of the table gedmo_organigram

CK_parent_id

IV.2.1.21.14.3 Check of the column parent_id of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.14.4 Server validation rule of the column parent_id of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.14.5 List of all dependencies of the table column parent_id

Name	Code	Class Name
?	?	Reference Join
IDX_257FB08A727ACA70	IDX_257FB08A727ACA70	Key

IV.2.1.14.6List of extended attributes of the table column parent_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.15Column slug of the table gedmo_organigram**IV.2.1.15.1Card of the column slug of the table gedmo_organigram**

Name	slug
Code	slug
Data Type	varchar(64)
Mandatory	Yes

IV.2.1.15.2Check constraint name of the column slug of the table gedmo_organigram

CK_slug

IV.2.1.15.3Check of the column slug of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.15.4 Server validation rule of the column slug of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.15.5 List of all dependencies of the table column slug

Name	Code	Class Name
UNIQ_257FB08A989D9B62	UNIQ_257FB08A989D9B62	Key

IV.2.1.15.6 List of extended attributes of the table column slug

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.16 Column category of the table gedmo_organigram**IV.2.1.16.1 Card of the column category of the table gedmo_organigram**

Name	category
Code	category
Data Type	varchar(128)
Mandatory	No

IV.2.1.16.2 Check constraint name of the column category of the table gedmo_organigram

CK_category

IV.2.1.16.3 Check of the column category of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.16.4 Server validation rule of the column category of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.16.5 List of extended attributes of the table column category

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.17 Column categoryother of the table gedmo_organigram

IV.2.1.21.17.1 Card of the column categoryother of the table gedmo_organigram

Name	categoryother
Code	categoryother
Data Type	varchar(128)
Mandatory	No

IV.2.1.21.17.2 Check constraint name of the column categoryother of the table gedmo_organigram

CK_categoryother

IV.2.1.21.17.3 Check of the column categoryother of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.17.4 Server validation rule of the column category other of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.17.5 List of extended attributes of the table column category other

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.18 Column title of the table gedmo_organigram

IV.2.1.18.1 Card of the column title of the table gedmo_organigram

Name	title
Code	title
Data Type	varchar(128)
Mandatory	No

IV.2.1.18.2 Check constraint name of the column title of the table gedmo_organigram
CK_title

IV.2.1.18.3 Check of the column title of the table gedmo_organigram

Minimum Value	
---------------	--

Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.18.4 Server validation rule of the column title of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.18.5 List of extended attributes of the table column title

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.19 Column descriptif of the table gedmo_organigram

IV.2.1.21.19.1 Card of the column descriptif of the table gedmo_organigram

Name	descriptif
Code	descriptif
Data Type	longtext
Mandatory	No

IV.2.1.21.19.2 Check constraint name of the column descriptif of the table gedmo_organigram

CK_descriptif

IV.2.1.19.3Check of the column descriptif of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.19.4Server validation rule of the column descriptif of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.19.5List of extended attributes of the table column descriptif

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.20Column question of the table gedmo_organigram**IV.2.1.20.1Card of the column question of the table gedmo_organigram**

Name	question
Code	question
Data Type	varchar(128)
Mandatory	No

IV.2.1.20.2Check constraint name of the column question of the table gedmo_organigram
CK_question

IV.2.1.20.3Check of the column question of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.20.4Server validation rule of the column question of the table gedmo_organigram
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.20.5List of extended attributes of the table column question

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21Column content of the table gedmo_organigram

IV.2.1.21.1Card of the column content of the table gedmo_organigram

Name	content
Code	content
Data Type	longtext
Mandatory	No

--	--

**IV.2.1.21.2Check constraint name of the column content of the table gedmo_organigram
CK_content**

IV.2.1.21.3Check of the column content of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.21.4Server validation rule of the column content of the table gedmo_organigram
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.21.5List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.22Column lft of the table gedmo_organigram

IV.2.1.22.1Card of the column lft of the table gedmo_organigram

Name	lft
------	-----

Code	Ift
Data Type	int(11)
Mandatory	No

IV.2.1.21.22.2Check constraint name of the column Ift of the table gedmo_organigram
CK_Ift

IV.2.1.21.22.3Check of the column Ift of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.22.4Server validation rule of the column Ift of the table gedmo_organigram
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.22.5List of extended attributes of the table column Ift

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.23Column rgt of the table gedmo_organigram

IV.2.1.21.23.1Card of the column rgt of the table gedmo_organigram

Name	rgt
Code	rgt
Data Type	int(11)
Mandatory	No

IV.2.1.21.23.2Check constraint name of the column rgt of the table gedmo_organigram

CK_rgt

IV.2.1.21.23.3Check of the column rgt of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.23.4Server validation rule of the column rgt of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.23.5List of extended attributes of the table column rgt

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.24Column lvl of the table gedmo_organigram

IV.2.1.21.24.1Card of the column lvl of the table gedmo_organigram

Name	lvl
Code	lvl
Data Type	int(11)
Mandatory	No

IV.2.1.21.24.2Check constraint name of the column lvl of the table gedmo_organigram

CK_lvl

IV.2.1.21.24.3Check of the column lvl of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.24.4Server validation rule of the column lvl of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.24.5List of extended attributes of the table column lvl

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.25Column root of the table gedmo_organigram**IV.2.1.21.25.1Card of the column root of the table gedmo_organigram**

Name	root
Code	root
Data Type	int(11)
Mandatory	No

IV.2.1.21.25.2Check constraint name of the column root of the table gedmo_organigram

CK_root

IV.2.1.21.25.3Check of the column root of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.25.4Server validation rule of the column root of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.25.5List of extended attributes of the table column root

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.26Column created_at of the table gedmo_organigram

IV.2.1.21.26.1Card of the column created_at of the table gedmo_organigram

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.21.26.2Check constraint name of the column created_at of the table gedmo_organigram CK_created_at

IV.2.1.21.26.3Check of the column created_at of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.26.4Server validation rule of the column created_at of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.26.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.27 Column updated_at of the table gedmo_organigram**IV.2.1.21.27.1 Card of the column updated_at of the table gedmo_organigram**

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.21.27.2 Check constraint name of the column updated_at of the table gedmo_organigram
CK_updated_at**IV.2.1.21.27.3 Check of the column updated_at of the table gedmo_organigram**

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.27.4 Server validation rule of the column updated_at of the table gedmo_organigram
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**IV.2.1.21.27.5 List of extended attributes of the table column updated_at**

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.28Column published_at of the table gedmo_organigram

IV.2.1.21.28.1Card of the column published_at of the table gedmo_organigram

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.21.28.2Check constraint name of the column published_at of the table gedmo_organigram

CK_published_at

IV.2.1.21.28.3Check of the column published_at of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.28.4Server validation rule of the column published_at of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29Column archive_at of the table gedmo_organigram

IV.2.1.29.1Card of the column archive_at of the table gedmo_organigram

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.29.2Check constraint name of the column archive_at of the table gedmo_organigram

CK_archive_at

IV.2.1.29.3Check of the column archive_at of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.4Server validation rule of the column archive_at of the table gedmo_organigram
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30Column enabled of the table gedmo_organigram

IV.2.1.30.1Card of the column enabled of the table gedmo_organigram

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.30.2Check constraint name of the column enabled of the table gedmo_organigram
CK_enabled

IV.2.1.30.3Check of the column enabled of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	

IV.2.1.21.30.4 Server validation rule of the column enabled of the table gedmo_organigram
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.30.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.31 Column position of the table gedmo_organigram

IV.2.1.21.31.1 Card of the column position of the table gedmo_organigram

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.21.31.2 Check constraint name of the column position of the table gedmo_organigram
 CK_position

IV.2.1.21.31.3 Check of the column position of the table gedmo_organigram

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.21.31.4 Server validation rule of the column position of the table gedmo_organigram

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.21.31.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.21.32 List of keys of the table gedmo_organigram

Name	Code	Primary
Key_1	Key_1	X
UNIQ_257FB08A989D9B62	UNIQ_257FB08A989D9B62	
UNIQ_257FB08AEA9FDD75	UNIQ_257FB08AEA9FDD75	
IDX_257FB08AC4663E4	IDX_257FB08AC4663E4	
IDX_257FB08A727ACA70	IDX_257FB08A727ACA70	

IV.2.1.21.33 Key Key_1 of the table gedmo_organigram

IV.2.1.21.33.1 Card of the key Key_1 of the table gedmo_organigram

Name	Key_1
Code	Key_1
Table	gedmo_organigram

IV.2.1.33.2Code preview of the key Key_1 of the table gedmo_organigram

```
alter table gedmo_organigram
  drop primary key;
```

IV.2.1.33.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.33.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_257FB08A727ACA70	FK_257FB08A727ACA70	Reference
FK_B699CC5A232D562B	FK_B699CC5A232D562B	Reference

IV.2.1.33.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.34Key UNIQ_257FB08A989D9B62 of the table gedmo_organigram**IV.2.1.34.1Card of the key UNIQ_257FB08A989D9B62 of the table gedmo_organigram**

Name	UNIQ_257FB08A989D9B62
Code	UNIQ_257FB08A989D9B62
Table	gedmo_organigram

IV.2.1.34.2Code preview of the key UNIQ_257FB08A989D9B62 of the table gedmo_organigram

The preview is empty because of the setting.
Check the generation option.

IV.2.1.34.3List of columns of the table key UNIQ_257FB08A989D9B62

Name	Code
slug	slug

IV.2.1.34.4List of extended attributes of the table key UNIQ_257FB08A989D9B62

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.21.35Key UNIQ_257FB08AEA9FDD75 of the table gedmo_organigram

IV.2.1.21.35.1Card of the key UNIQ_257FB08AEA9FDD75 of the table gedmo_organigram

Name	UNIQ_257FB08AEA9FDD75
Code	UNIQ_257FB08AEA9FDD75
Table	gedmo_organigram

IV.2.1.21.35.2Code preview of the key UNIQ_257FB08AEA9FDD75 of the table gedmo_organigram

The preview is empty because of the setting.
Check the generation option.

IV.2.1.21.35.3List of columns of the table key UNIQ_257FB08AEA9FDD75

Name	Code
media_id	media_id

IV.2.1.21.35.4List of extended attributes of the table key UNIQ_257FB08AEA9FDD75

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.21.36Key IDX_257FB08AC4663E4 of the table gedmo_organigram

IV.2.1.21.36.1Card of the key IDX_257FB08AC4663E4 of the table gedmo_organigram

Name	IDX_257FB08AC4663E4
Code	IDX_257FB08AC4663E4
Table	gedmo_organigram

IV.2.1.21.36.2Code preview of the key IDX_257FB08AC4663E4 of the table gedmo_organigram

The preview is empty because of the setting.
Check the generation option.

IV.2.1.21.36.3List of columns of the table key IDX_257FB08AC4663E4

Name	Code
page_id	page_id

IV.2.1.21.36.4List of extended attributes of the table key IDX_257FB08AC4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.21.37Key IDX_257FB08A727ACA70 of the table gedmo_organigram**IV.2.1.21.37.1Card of the key IDX_257FB08A727ACA70 of the table gedmo_organigram**

Name	IDX_257FB08A727ACA70
Code	IDX_257FB08A727ACA70
Table	gedmo_organigram

IV.2.1.21.37.2Code preview of the key IDX_257FB08A727ACA70 of the table gedmo_organigram

The preview is empty because of the setting.

Check the generation option.

IV.2.1.21.37.3List of columns of the table key IDX_257FB08A727ACA70

Name	Code
parent_id	parent_id

IV.2.1.21.37.4List of extended attributes of the table key IDX_257FB08A727ACA70

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.22Table gedmo_organigram_translations**IV.2.1.22.1Card of table gedmo_organigram_translations**

Name	gedmo_organigram_translations
Code	gedmo_organigram_translations

DBMS	MySQL 5.0
------	-----------

IV.2.1.22.2 Check constraint name of table gedmo_organigram_translations

TK_gedmo_organigram_translations

IV.2.1.22.3 Server validation rule of table gedmo_organigram_translations

%RULES%

IV.2.1.22.4 Code preview of table gedmo_organigram_translations

drop table if exists gedmo_organigram_translations;

```
/*
 * Table: gedmo_organigram_translations
 */
create table gedmo_organigram_translations
(
    id          int(11) not null auto_increment,
    object_id   int(11) default NULL,
    locale      varchar(8) not null,
    field       varchar(32) not null,
    content     longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_B699CC5A232D562B (object_id)
);
alter table gedmo_organigram_translations add constraint FK_B699CC5A232D562B foreign key (object_id)
    references gedmo_organigram (id) on delete cascade;
```

IV.2.1.22.5 List of diagrams containing the table gedmo_organigram_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.22.6 List of outgoing references of the table gedmo_organigram_translations

Name	Code	Foreign Key Columns
FK_B699CC5A232D562B	FK_B699CC5A232D562B	object_id

IV.2.1.22.7 List of all dependencies of the table gedmo_organigram_translations

Name	Code	Class Name
FK_B699CC5A232D562B	FK_B699CC5A232D562B	Reference

--	--	--

**IV.2.1.22.8List of extended attributes of the table
gedmo_organigram_translations**

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.22.9List of columns of the table gedmo_organigram_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.22.10Column id of the table gedmo_organigram_translations

IV.2.1.22.10.1Card of the column id of the table gedmo_organigram_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

**IV.2.1.22.10.2Check constraint name of the column id of the table
gedmo_organigram_translations**

CK_id

IV.2.1.22.10.3Check of the column id of the table gedmo_organigram_translations

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.22.10.4 Server validation rule of the column id of the table gedmo_organigram_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.22.10.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.22.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.22.11 Column object_id of the table gedmo_organigram_translations

IV.2.1.22.11.1 Card of the column object_id of the table gedmo_organigram_translations

Name	object_id
Code	object_id
Data Type	int(11)
Mandatory	No

IV.2.1.22.11.2Check constraint name of the column object_id of the table gedmo_organigram_translations

CK_object_id

IV.2.1.22.11.3Check of the column object_id of the table gedmo_organigram_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.22.11.4Server validation rule of the column object_id of the table gedmo_organigram_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.22.11.5List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_B699CC5A232D562B	IDX_B699CC5A232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.22.11.6List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0
----------	-----------	-------	-----------

IV.2.1.22.12 Column locale of the table gedmo_organigram_translations

IV.2.1.22.12.1 Card of the column locale of the table gedmo_organigram_translations

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.22.12.2 Check constraint name of the column locale of the table gedmo_organigram_translations

CK_locale

IV.2.1.22.12.3 Check of the column locale of the table gedmo_organigram_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.22.12.4 Server validation rule of the column locale of the table gedmo_organigram_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.22.12.5 List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.22.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.22.13Column field of the table gedmo_organigram_translations**IV.2.1.22.13.1Card of the column field of the table gedmo_organigram_translations**

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

**IV.2.1.22.13.2Check constraint name of the column field of the table
gedmo_organigram_translations**

CK_field

IV.2.1.22.13.3Check of the column field of the table gedmo_organigram_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.22.13.4 Server validation rule of the column field of the table
gedmo_organigram_translations**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.22.13.5 List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.22.13.6 List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.22.14 Column content of the table gedmo_organigram_translations

IV.2.1.22.14.1 Card of the column content of the table gedmo_organigram_translations

Name	content
Code	content
Data Type	longtext
Mandatory	No

**IV.2.1.22.14.2 Check constraint name of the column content of the table
gedmo_organigram_translations**

CK_content

IV.2.1.22.14.3 Check of the column content of the table gedmo_organigram_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.22.14.4 Server validation rule of the column content of the table gedmo_organigram_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.22.14.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.22.15 List of keys of the table gedmo_organigram_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_B699CC5A232D562B	IDX_B699CC5A232D562B	

IV.2.1.22.16 Key Key_1 of the table gedmo_organigram_translations

IV.2.1.22.16.1 Card of the key Key_1 of the table gedmo_organigram_translations

Name	Key_1
Code	Key_1
Table	gedmo_organigram_translations

IV.2.1.22.16.2Code preview of the key Key_1 of the table gedmo_organigram_translations

```
alter table gedmo_organigram_translations
drop primary key;
```

IV.2.1.22.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.22.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.22.17Key lookup_unique_idx of the table gedmo_organigram_translations

IV.2.1.22.17.1Card of the key lookup_unique_idx of the table gedmo_organigram_translations

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_organigram_translations

IV.2.1.22.17.2Code preview of the key lookup_unique_idx of the table gedmo_organigram_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.22.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id
field	field

IV.2.1.22.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

***IV.2.1.22.18Key IDX_B699CC5A232D562B of the table
gedmo_organigram_translations*****IV.2.1.22.18.1Card of the key IDX_B699CC5A232D562B of the table
gedmo_organigram_translations**

Name	IDX_B699CC5A232D562B
Code	IDX_B699CC5A232D562B
Table	gedmo_organigram_translations

**IV.2.1.22.18.2Code preview of the key IDX_B699CC5A232D562B of the table
gedmo_organigram_translations**

The preview is empty because of the setting.
Check the generation option.

IV.2.1.22.18.3List of columns of the table key IDX_B699CC5A232D562B

Name	Code
object_id	object_id

IV.2.1.22.18.4List of extended attributes of the table key IDX_B699CC5A232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.23Table gedmo_slider***IV.2.1.23.1Card of table gedmo_slider***

Name	gedmo_slider
Code	gedmo_slider
DBMS	MySQL 5.0

IV.2.1.23.2Check constraint name of table gedmo_slider

TK_gedmo_slider

IV.2.1.23.3Server validation rule of table gedmo_slider

%RULES%

IV.2.1.23.4Code preview of table gedmo_slider

```

drop table if exists gedmo_slider;

/*=====
/* Table: gedmo_slider
/*=====
create table gedmo_slider
(
    id          int(11) not null auto_increment,
    page_id     bigint(20) default NULL,
    media_id    int(11) default NULL,
    category    varchar(128) default NULL,
    categoryother  varchar(128) default NULL,
    css_class   varchar(255) default NULL,
    title       varchar(128) default NULL,
    subtitle    varchar(128) default NULL,
    descriptif_left longtext,
    descriptif_right longtext,
    page_title  varchar(128) default NULL,
    page_cssclass  varchar(128) default NULL,
    slug        varchar(128) default NULL,
    meta_keywords longtext,
    meta_description longtext,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    published_at date default NULL,
    archive_at   datetime default NULL,
    enabled      tinyint(1) default NULL,
    position     int(11) default NULL,
    primary key (id),
    unique key UNIQ_D1EF2186EA9FDD75 (media_id),
    key IDX_D1EF2186C4663E4 (page_id)
);

```

```

alter table gedmo_slider add constraint FK_D1EF2186C4663E4 foreign key (page_id)
    references pi_page (id);

```

IV.2.1.23.5List of diagrams containing the table gedmo_slider

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.23.6List of incoming references of the table gedmo_slider

Name	Code
FK_1BE96665232D562B	FK_1BE96665232D562B

IV.2.1.23.7List of outgoing references of the table gedmo_slider

Name	Code	Foreign Key Columns

FK_D1EF2186C4663E4	FK_D1EF2186C4663E4	page_id
--------------------	--------------------	---------

IV.2.1.23.8 List of all dependencies of the table gedmo_slider

Name	Code	Class Name
FK_1BE96665232D562B	FK_1BE96665232D562B	Reference
FK_D1EF2186C4663E4	FK_D1EF2186C4663E4	Reference

IV.2.1.23.9 List of extended attributes of the table gedmo_slider

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.23.10 List of columns of the table gedmo_slider

Name	Code
id	id
page_id	page_id
media_id	media_id
category	category
categoryother	categoryother
css_class	css_class
title	title
subtitle	subtitle
descriptif_left	descriptif_left
descriptif_right	descriptif_right
page_title	page_title
page_cssclass	page_cssclass
slug	slug
meta_keywords	meta_keywords
meta_description	meta_description

created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.23.11 Column id of the table gedmo_slider

IV.2.1.23.11.1 Card of the column id of the table gedmo_slider

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.23.11.2 Check constraint name of the column id of the table gedmo_slider

CK_id

IV.2.1.23.11.3 Check of the column id of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.11.4 Server validation rule of the column id of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.11.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.23.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.12Column page_id of the table gedmo_slider

IV.2.1.23.12.1Card of the column page_id of the table gedmo_slider

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.23.12.2Check constraint name of the column page_id of the table gedmo_slider

CK_page_id

IV.2.1.23.12.3Check of the column page_id of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.12.4Server validation rule of the column page_id of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.12.5List of all dependencies of the table column page_id

Name	Code	Class Name
?	?	Reference Join
IDX_D1EF2186C4663E4	IDX_D1EF2186C4663E4	Key

IV.2.1.23.12.6List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.13Column media_id of the table gedmo_slider

IV.2.1.23.13.1Card of the column media_id of the table gedmo_slider

Name	media_id
Code	media_id
Data Type	int(11)
Mandatory	No

IV.2.1.23.13.2Check constraint name of the column media_id of the table gedmo_slider

CK_media_id

IV.2.1.23.13.3Check of the column media_id of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.13.4Server validation rule of the column media_id of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.13.5List of all dependencies of the table column media_id

Name	Code	Class Name
UNIQ_D1EF2186EA9FDD75	UNIQ_D1EF2186EA9FDD75	Key

IV.2.1.23.13.6List of extended attributes of the table column media_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.14Column category of the table gedmo_slider**IV.2.1.23.14.1Card of the column category of the table gedmo_slider**

Name	category
Code	category
Data Type	varchar(128)
Mandatory	No

**IV.2.1.23.14.2Check constraint name of the column category of the table gedmo_slider
CK_category**

IV.2.1.23.14.3Check of the column category of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.23.14.4Server validation rule of the column category of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.23.14.5List of extended attributes of the table column category

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.15Column category other of the table gedmo_slider

IV.2.1.23.15.1Card of the column categoryother of the table gedmo_slider

Name	categoryother
Code	categoryother
Data Type	varchar(128)
Mandatory	No

IV.2.1.23.15.2Check constraint name of the column categoryother of the table gedmo_slider

CK_categoryother

IV.2.1.23.15.3Check of the column categoryother of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.15.4Server validation rule of the column categoryother of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.15.5List of extended attributes of the table column categoryother

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.16Column css_class of the table gedmo_slider

IV.2.1.23.16.1Card of the column css_class of the table gedmo_slider

Name	css_class
Code	css_class
Data Type	varchar(255)
Mandatory	No

IV.2.1.23.16.2Check constraint name of the column css_class of the table gedmo_slider

CK_css_class

IV.2.1.23.16.3Check of the column css_class of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.16.4Server validation rule of the column css_class of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.16.5List of extended attributes of the table column css_class

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.23.17 Column title of the table gedmo_slider**IV.2.1.23.17.1 Card of the column title of the table gedmo_slider**

Name	title
Code	title
Data Type	varchar(128)
Mandatory	No

IV.2.1.23.17.2 Check constraint name of the column title of the table gedmo_slider

CK_title

IV.2.1.23.17.3 Check of the column title of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.17.4 Server validation rule of the column title of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.17.5 List of extended attributes of the table column title

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.18Column subtitle of the table gedmo_slider

IV.2.1.23.18.1Card of the column subtitle of the table gedmo_slider

Name	subtitle
Code	subtitle
Data Type	varchar(128)
Mandatory	No

IV.2.1.23.18.2Check constraint name of the column subtitle of the table gedmo_slider

CK_subtitle

IV.2.1.23.18.3Check of the column subtitle of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.18.4Server validation rule of the column subtitle of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.18.5List of extended attributes of the table column subtitle

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.19 Column descriptif_left of the table gedmo_slider**IV.2.1.23.19.1 Card of the column descriptif_left of the table gedmo_slider**

Name	descriptif_left
Code	descriptif_left
Data Type	longtext
Mandatory	No

IV.2.1.23.19.2 Check constraint name of the column descriptif_left of the table gedmo_slider
CK_descriptif_left**IV.2.1.23.19.3 Check of the column descriptif_left of the table gedmo_slider**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.19.4 Server validation rule of the column descriptif_left of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.19.5List of extended attributes of the table column descriptif_left

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.20Column descriptif_right of the table gedmo_slider

IV.2.1.23.20.1Card of the column descriptif_right of the table gedmo_slider

Name	descriptif_right
Code	descriptif_right
Data Type	longtext
Mandatory	No

IV.2.1.23.20.2Check constraint name of the column descriptif_right of the table gedmo_slider

CK_descriptif_right

IV.2.1.23.20.3Check of the column descriptif_right of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.20.4Server validation rule of the column descriptif_right of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.20.5List of extended attributes of the table column descriptif_right

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.21Column page_title of the table gedmo_slider

IV.2.1.23.21.1Card of the column page_title of the table gedmo_slider

Name	page_title
Code	page_title
Data Type	varchar(128)
Mandatory	No

IV.2.1.23.21.2Check constraint name of the column page_title of the table gedmo_slider

CK_page_title

IV.2.1.23.21.3Check of the column page_title of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.21.4Server validation rule of the column page_title of the table gedmo_slider
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.21.5List of extended attributes of the table column page_title

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.22Column page_cssclass of the table gedmo_slider

IV.2.1.23.22.1Card of the column page_cssclass of the table gedmo_slider

Name	page_cssclass
Code	page_cssclass
Data Type	varchar(128)
Mandatory	No

IV.2.1.23.22.2Check constraint name of the column page_cssclass of the table gedmo_slider
 CK_page_cssclass

IV.2.1.23.22.3Check of the column page_cssclass of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	

IV.2.1.23.22.4Server validation rule of the column page_cssclass of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.22.5List of extended attributes of the table column page_cssclass

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.23Column slug of the table gedmo_slider

IV.2.1.23.23.1Card of the column slug of the table gedmo_slider

Name	slug
Code	slug
Data Type	varchar(128)
Mandatory	No

IV.2.1.23.23.2Check constraint name of the column slug of the table gedmo_slider

CK_slug

IV.2.1.23.23.3Check of the column slug of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.23.4 Server validation rule of the column slug of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.23.5 List of extended attributes of the table column slug

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.24 Column meta_keywords of the table gedmo_slider

IV.2.1.23.24.1 Card of the column meta_keywords of the table gedmo_slider

Name	meta_keywords
Code	meta_keywords
Data Type	longtext
Mandatory	No

IV.2.1.23.24.2 Check constraint name of the column meta_keywords of the table gedmo_slider

CK_meta_keywords

IV.2.1.23.24.3 Check of the column meta_keywords of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.24.4 Server validation rule of the column meta_keywords of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.24.5 List of extended attributes of the table column meta_keywords

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.25 Column meta_description of the table gedmo_slider

IV.2.1.23.25.1 Card of the column meta_description of the table gedmo_slider

Name	meta_description
Code	meta_description
Data Type	longtext
Mandatory	No

IV.2.1.23.25.2 Check constraint name of the column meta_description of the table gedmo_slider
CK_meta_description

IV.2.1.23.25.3 Check of the column meta_description of the table gedmo_slider

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.25.4Server validation rule of the column meta_description of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.25.5List of extended attributes of the table column meta_description

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.26Column created_at of the table gedmo_slider

IV.2.1.23.26.1Card of the column created_at of the table gedmo_slider

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.23.26.2Check constraint name of the column created_at of the table gedmo_slider
CK_created_at

IV.2.1.23.26.3Check of the column created_at of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.26.4Server validation rule of the column created_at of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.26.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.27Column updated_at of the table gedmo_slider**IV.2.1.23.27.1Card of the column updated_at of the table gedmo_slider**

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.23.27.2Check constraint name of the column updated_at of the table gedmo_slider
CK_updated_at

IV.2.1.23.27.3Check of the column updated_at of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.27.4Server validation rule of the column updated_at of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.27.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.28Column published_at of the table gedmo_slider

IV.2.1.23.28.1Card of the column published_at of the table gedmo_slider

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

--	--

**IV.2.1.23.28.2Check constraint name of the column published_at of the table gedmo_slider
CK_published_at**

IV.2.1.23.28.3Check of the column published_at of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.23.28.4Server validation rule of the column published_at of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.23.28.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.29Column archive_at of the table gedmo_slider

IV.2.1.23.29.1Card of the column archive_at of the table gedmo_slider

Name	archive_at
Code	archive_at

Data Type	datetime
Mandatory	No

IV.2.1.23.29.2Check constraint name of the column archive_at of the table gedmo_slider
CK_archive_at

IV.2.1.23.29.3Check of the column archive_at of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.29.4Server validation rule of the column archive_at of the table gedmo_slider
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.29.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.30Column enabled of the table gedmo_slider

IV.2.1.23.30.1Card of the column enabled of the table gedmo_slider

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.23.30.2Check constraint name of the column enabled of the table gedmo_slider

CK_enabled

IV.2.1.23.30.3Check of the column enabled of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.30.4Server validation rule of the column enabled of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.30.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.23.31 Column position of the table gedmo_slider

IV.2.1.23.31.1 Card of the column position of the table gedmo_slider

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.23.31.2 Check constraint name of the column position of the table gedmo_slider

CK_position

IV.2.1.23.31.3 Check of the column position of the table gedmo_slider

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.23.31.4 Server validation rule of the column position of the table gedmo_slider

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.23.31.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.23.32List of keys of the table gedmo_slider

Name	Code	Primary
Key_1	Key_1	X
UNIQ_D1EF2186EA9FDD75	UNIQ_D1EF2186EA9FDD75	
IDX_D1EF2186C4663E4	IDX_D1EF2186C4663E4	

IV.2.1.23.33Key Key_1 of the table gedmo_slider**IV.2.1.23.33.1Card of the key Key_1 of the table gedmo_slider**

Name	Key_1
Code	Key_1
Table	gedmo_slider

IV.2.1.23.33.2Code preview of the key Key_1 of the table gedmo_slider

```
alter table gedmo_slider
drop primary key;
```

IV.2.1.23.33.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.23.33.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_1BE96665232D562B	FK_1BE96665232D562B	Reference

IV.2.1.23.33.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.23.34Key UNIQ_D1EF2186EA9FDD75 of the table gedmo_slider

IV.2.1.23.34.1Card of the key UNIQ_D1EF2186EA9FDD75 of the table gedmo_slider

Name	UNIQ_D1EF2186EA9FDD75
Code	UNIQ_D1EF2186EA9FDD75
Table	gedmo_slider

IV.2.1.23.34.2Code preview of the key UNIQ_D1EF2186EA9FDD75 of the table gedmo_slider

The preview is empty because of the setting.
Check the generation option.

IV.2.1.23.34.3List of columns of the table key UNIQ_D1EF2186EA9FDD75

Name	Code
media_id	media_id

IV.2.1.23.34.4List of extended attributes of the table key UNIQ_D1EF2186EA9FDD75

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.23.35Key IDX_D1EF2186C4663E4 of the table gedmo_slider

IV.2.1.23.35.1Card of the key IDX_D1EF2186C4663E4 of the table gedmo_slider

Name	IDX_D1EF2186C4663E4
Code	IDX_D1EF2186C4663E4
Table	gedmo_slider

IV.2.1.23.35.2Code preview of the key IDX_D1EF2186C4663E4 of the table gedmo_slider

The preview is empty because of the setting.
Check the generation option.

IV.2.1.23.35.3List of columns of the table key IDX_D1EF2186C4663E4

Name	Code
page_id	page_id

IV.2.1.23.35.4List of extended attributes of the table key IDX_D1EF2186C4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.24Table gedmo_slider_translations**IV.2.1.24.1Card of table gedmo_slider_translations**

Name	gedmo_slider_translations
Code	gedmo_slider_translations
DBMS	MySQL 5.0

IV.2.1.24.2Check constraint name of table gedmo_slider_translations

TK_gedmo_slider_translations

IV.2.1.24.3Server validation rule of table gedmo_slider_translations

%RULES%

IV.2.1.24.4Code preview of table gedmo_slider_translations

drop table if exists gedmo_slider_translations;

```
/*
 * Table: gedmo_slider_translations
 */
create table gedmo_slider_translations
(
    id      int(11) not null auto_increment,
    object_id      int(11) default NULL,
    locale      varchar(8) not null,
    field      varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_1BE96665232D562B (object_id)
);
```

```
alter table gedmo_slider_translations add constraint FK_1BE96665232D562B foreign key (object_id)
    references gedmo_slider (id) on delete cascade;
```

IV.2.1.24.5List of diagrams containing the table gedmo_slider_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.24.6List of outgoing references of the table gedmo_slider_translations

Name	Code	Foreign Key Columns
FK_1BE96665232D562B	FK_1BE96665232D562B	object_id

IV.2.1.24.7List of all dependencies of the table gedmo_slider_translations

Name	Code	Class Name
FK_1BE96665232D562B	FK_1BE96665232D562B	Reference

IV.2.1.24.8List of extended attributes of the table gedmo_slider_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.24.9List of columns of the table gedmo_slider_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.24.10Column id of the table gedmo_slider_translations

IV.2.1.24.10.1Card of the column id of the table gedmo_slider_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

**IV.2.1.24.10.2Check constraint name of the column id of the table gedmo_slider_translations
CK_id**

IV.2.1.24.10.3Check of the column id of the table gedmo_slider_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.24.10.4Server validation rule of the column id of the table gedmo_slider_translations
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.24.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.24.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.24.11Column object_id of the table gedmo_slider_translations

IV.2.1.24.11.1Card of the column object_id of the table gedmo_slider_translations

Name	object_id
Code	object_id
Data Type	int(11)
Mandatory	No

**IV.2.1.24.11.2Check constraint name of the column object_id of the table
gedmo_slider_translations**

CK_object_id

IV.2.1.24.11.3Check of the column object_id of the table gedmo_slider_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.24.11.4Server validation rule of the column object_id of the table
gedmo_slider_translations**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.24.11.5List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_1BE96665232D562B	IDX_1BE96665232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.24.11.6List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name

CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.24.12 Column locale of the table gedmo_slider_translations**IV.2.1.24.12.1 Card of the column locale of the table gedmo_slider_translations**

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.24.12.2 Check constraint name of the column locale of the table gedmo_slider_translations

CK_locale

IV.2.1.24.12.3 Check of the column locale of the table gedmo_slider_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.24.12.4 Server validation rule of the column locale of the table gedmo_slider_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.24.12.5List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.24.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.24.13Column field of the table gedmo_slider_translations

IV.2.1.24.13.1Card of the column field of the table gedmo_slider_translations

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

IV.2.1.24.13.2Check constraint name of the column field of the table gedmo_slider_translations

CK_field

IV.2.1.24.13.3Check of the column field of the table gedmo_slider_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.24.13.4 Server validation rule of the column field of the table gedmo_slider_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.24.13.5 List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.24.13.6 List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.24.14 Column content of the table gedmo_slider_translations**IV.2.1.24.14.1 Card of the column content of the table gedmo_slider_translations**

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.24.14.2 Check constraint name of the column content of the table gedmo_slider_translations

CK_content

IV.2.1.24.14.3Check of the column content of the table gedmo_slider_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.24.14.4Server validation rule of the column content of the table
gedmo_slider_translations**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.24.14.5List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.24.15List of keys of the table gedmo_slider_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_1BE96665232D562B	IDX_1BE96665232D562B	

IV.2.1.24.16Key Key_1 of the table gedmo_slider_translations

IV.2.1.24.16.1Card of the key Key_1 of the table gedmo_slider_translations

Name	Key_1
Code	Key_1
Table	gedmo_slider_translations

IV.2.1.24.16.2Code preview of the key Key_1 of the table gedmo_slider_translations

```
alter table gedmo_slider_translations
drop primary key;
```

IV.2.1.24.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.24.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.24.17Key lookup_unique_idx of the table gedmo_slider_translations**IV.2.1.24.17.1Card of the key lookup_unique_idx of the table gedmo_slider_translations**

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	gedmo_slider_translations

**IV.2.1.24.17.2Code preview of the key lookup_unique_idx of the table
gedmo_slider_translations**

The preview is empty because of the setting.
Check the generation option.

IV.2.1.24.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id

field	field
-------	-------

IV.2.1.24.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.24.18Key IDX_1BE96665232D562B of the table gedmo_slider_translations

IV.2.1.24.18.1Card of the key IDX_1BE96665232D562B of the table gedmo_slider_translations

Name	IDX_1BE96665232D562B
Code	IDX_1BE96665232D562B
Table	gedmo_slider_translations

IV.2.1.24.18.2Code preview of the key IDX_1BE96665232D562B of the table gedmo_slider_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.24.18.3List of columns of the table key IDX_1BE96665232D562B

Name	Code
object_id	object_id

IV.2.1.24.18.4List of extended attributes of the table key IDX_1BE96665232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.25Table media__gallery

IV.2.1.25.1Card of table media__gallery

Name	media__gallery
Code	media__gallery
DBMS	MySQL 5.0

IV.2.1.25.2Check constraint name of table media__gallery

TK_media__gallery

IV.2.1.25.3Server validation rule of table media__gallery

%RULES%

IV.2.1.25.4Code preview of table media__gallery

drop table if exists media__gallery;

```
=====
/* Table: media__gallery */
=====
create table media__gallery
(
    id          int(11) not null auto_increment,
    name        varchar(255) not null,
    context     varchar(255) not null,
    default_format  varchar(255) not null,
    enabled      tinyint(1) not null,
    updated_at   datetime not null,
    created_at   datetime not null,
    primary key (id)
);
```

IV.2.1.25.5List of diagrams containing the table media__gallery

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.25.6List of incoming references of the table media__gallery

Name	Code
FK_80D4C5414E7AF8F	FK_80D4C5414E7AF8F

IV.2.1.25.7List of all dependencies of the table media__gallery

Name	Code	Class Name
FK_80D4C5414E7AF8F	FK_80D4C5414E7AF8F	Reference

IV.2.1.25.8List of extended attributes of the table media__gallery

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.25.9List of columns of the table media_gallery

Name	Code
id	id
name	name
context	context
default_format	default_format
enabled	enabled
updated_at	updated_at
created_at	created_at

IV.2.1.25.10Column id of the table media_gallery

IV.2.1.25.10.1Card of the column id of the table media_gallery

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.25.10.2Check constraint name of the column id of the table media_gallery

CK_id

IV.2.1.25.10.3Check of the column id of the table media_gallery

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.25.10.4 Server validation rule of the column id of the table media__gallery

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.25.10.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.25.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.11 Column name of the table media__gallery**IV.2.1.25.11.1 Card of the column name of the table media__gallery**

Name	name
Code	name
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.25.11.2 Check constraint name of the column name of the table media__gallery

CK_name

IV.2.1.25.11.3 Check of the column name of the table media__gallery

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.25.11.4 Server validation rule of the column name of the table media__gallery

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.25.11.5 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.12 Column context of the table media__gallery

IV.2.1.25.12.1 Card of the column context of the table media__gallery

Name	context
Code	context
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.25.12.2 Check constraint name of the column context of the table media__gallery

CK_context

IV.2.1.25.12.3Check of the column context of the table media_gallery

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.25.12.4Server validation rule of the column context of the table media_gallery

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.25.12.5List of extended attributes of the table column context

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.13Column default_format of the table media_gallery**IV.2.1.25.13.1Card of the column default_format of the table media_gallery**

Name	default_format
Code	default_format
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.25.13.2Check constraint name of the column default_format of the table media_gallery
CK_default_format

IV.2.1.25.13.3Check of the column default_format of the table media_gallery

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.25.13.4Server validation rule of the column default_format of the table media_gallery
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.25.13.5List of extended attributes of the table column default_format

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.14Column enabled of the table media_gallery

IV.2.1.25.14.1Card of the column enabled of the table media_gallery

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	Yes

--	--

**IV.2.1.25.14.2Check constraint name of the column enabled of the table media__gallery
CK_enabled**

IV.2.1.25.14.3Check of the column enabled of the table media__gallery

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.25.14.4Server validation rule of the column enabled of the table media__gallery
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.25.14.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.15Column updated_at of the table media__gallery

IV.2.1.25.15.1Card of the column updated_at of the table media__gallery

Name	updated_at
Code	updated_at

Data Type	datetime
Mandatory	Yes

IV.2.1.25.15.2Check constraint name of the column updated_at of the table media__gallery
CK_updated_at

IV.2.1.25.15.3Check of the column updated_at of the table media__gallery

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.25.15.4Server validation rule of the column updated_at of the table media__gallery
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.25.15.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.16Column created_at of the table media__gallery

IV.2.1.25.16.1Card of the column created_at of the table media__gallery

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.25.16.2Check constraint name of the column created_at of the table media__gallery

CK_created_at

IV.2.1.25.16.3Check of the column created_at of the table media__gallery

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.25.16.4Server validation rule of the column created_at of the table media__gallery

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.25.16.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.25.17List of keys of the table media__gallery

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.25.18Key Key_1 of the table media__gallery***IV.2.1.25.18.1Card of the key Key_1 of the table media__gallery***

Name	Key_1
Code	Key_1
Table	media__gallery

IV.2.1.25.18.2Code preview of the key Key_1 of the table media__gallery

```
alter table media__gallery
drop primary key;
```

IV.2.1.25.18.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.25.18.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_80D4C5414E7AF8F	FK_80D4C5414E7AF8F	Reference

IV.2.1.25.18.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.26Table media__gallery_media***IV.2.1.26.1Card of table media__gallery_media***

Name	media__gallery_media
Code	media__gallery_media

DBMS	MySQL 5.0
------	-----------

IV.2.1.26.2 Check constraint name of table media__gallery_media

TK_media__gallery_media

IV.2.1.26.3 Server validation rule of table media__gallery_media

%RULES%

IV.2.1.26.4 Code preview of table media__gallery_media

drop table if exists media__gallery_media;

```
/*
 * Table: media__gallery_media
 */
create table media__gallery_media
(
    id          int(11) not null auto_increment,
    media_id    int(11) default NULL,
    gallery_id  int(11) default NULL,
    position    int(11) not null,
    enabled     tinyint(1) not null,
    updated_at   datetime not null,
    created_at   datetime not null,
    primary key (id),
    key IDX_80D4C541EA9FDD75 (media_id),
    key IDX_80D4C5414E7AF8F (gallery_id)
);
alter table media__gallery_media add constraint FK_80D4C5414E7AF8F foreign key (gallery_id)
    references media__gallery (id);
```

IV.2.1.26.5 List of diagrams containing the table media__gallery_media

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.26.6 List of outgoing references of the table media__gallery_media

Name	Code	Foreign Key Columns
FK_80D4C5414E7AF8F	FK_80D4C5414E7AF8F	gallery_id

IV.2.1.26.7 List of all dependencies of the table media__gallery_media

Name	Code	Class Name
FK_80D4C5414E7AF8F	FK_80D4C5414E7AF8F	Reference

--	--	--

IV.2.1.26.8List of extended attributes of the table media_gallery_media

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.26.9List of columns of the table media_gallery_media

Name	Code
id	id
media_id	media_id
gallery_id	gallery_id
position	position
enabled	enabled
updated_at	updated_at
created_at	created_at

IV.2.1.26.10Column id of the table media_gallery_media

IV.2.1.26.10.1Card of the column id of the table media_gallery_media

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.26.10.2Check constraint name of the column id of the table media_gallery_media

CK_id

IV.2.1.26.10.3Check of the column id of the table media_gallery_media

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.26.10.4 Server validation rule of the column id of the table media__gallery_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.26.10.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.26.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.11 Column media_id of the table media__gallery_media**IV.2.1.26.11.1 Card of the column media_id of the table media__gallery_media**

Name	media_id
Code	media_id
Data Type	int(11)
Mandatory	No

IV.2.1.26.11.2Check constraint name of the column media_id of the table media_gallery_media
CK_media_id

IV.2.1.26.11.3Check of the column media_id of the table media_gallery_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.26.11.4Server validation rule of the column media_id of the table media_gallery_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.26.11.5List of all dependencies of the table column media_id

Name	Code	Class Name
IDX_80D4C541EA9FDD75	IDX_80D4C541EA9FDD75	Key

IV.2.1.26.11.6List of extended attributes of the table column media_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.12Column gallery_id of the table media_gallery_media

IV.2.1.26.12.1Card of the column gallery_id of the table media_gallery_media

Name	gallery_id
Code	gallery_id
Data Type	int(11)
Mandatory	No

IV.2.1.26.12.2Check constraint name of the column gallery_id of the table media_gallery_media

CK_gallery_id

IV.2.1.26.12.3Check of the column gallery_id of the table media_gallery_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.26.12.4Server validation rule of the column gallery_id of the table media_gallery_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**IV.2.1.26.12.5List of all dependencies of the table column gallery_id**

Name	Code	Class Name
?	?	Reference Join
IDX_80D4C5414E7AF8F	IDX_80D4C5414E7AF8F	Key

IV.2.1.26.12.6List of extended attributes of the table column gallery_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.13Column position of the table media_gallery_media

IV.2.1.26.13.1Card of the column position of the table media_gallery_media

Name	position
Code	position
Data Type	int(11)
Mandatory	Yes

IV.2.1.26.13.2Check constraint name of the column position of the table media_gallery_media CK_position

IV.2.1.26.13.3Check of the column position of the table media_gallery_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.26.13.4Server validation rule of the column position of the table media_gallery_media %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.26.13.5List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.14Column enabled of the table media_gallery_media**IV.2.1.26.14.1Card of the column enabled of the table media_gallery_media**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	Yes

**IV.2.1.26.14.2Check constraint name of the column enabled of the table media_gallery_media
CK_enabled****IV.2.1.26.14.3Check of the column enabled of the table media_gallery_media**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.26.14.4Server validation rule of the column enabled of the table media__gallery_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.26.14.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.15Column updated_at of the table media__gallery_media

IV.2.1.26.15.1Card of the column updated_at of the table media__gallery_media

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	Yes

**IV.2.1.26.15.2Check constraint name of the column updated_at of the table
media__gallery_media**

CK_updated_at

IV.2.1.26.15.3Check of the column updated_at of the table media__gallery_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.26.15.4 Server validation rule of the column updated_at of the table media_gallery_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.26.15.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.16 Column created_at of the table media_gallery_media

IV.2.1.26.16.1 Card of the column created_at of the table media_gallery_media

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.26.16.2 Check constraint name of the column created_at of the table media_gallery_media

CK_created_at

IV.2.1.26.16.3 Check of the column created_at of the table media_gallery_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.26.16.4Server validation rule of the column created_at of the table media__gallery_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.26.16.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.26.17List of keys of the table media__gallery_media

Name	Code	Primary
Key_1	Key_1	X
IDX_80D4C541EA9FDD75	IDX_80D4C541EA9FDD75	
IDX_80D4C5414E7AF8F	IDX_80D4C5414E7AF8F	

IV.2.1.26.18Key Key_1 of the table media__gallery_media

IV.2.1.26.18.1Card of the key Key_1 of the table media__gallery_media

Name	Key_1
Code	Key_1
Table	media__gallery_media

IV.2.1.26.18.2Code preview of the key Key_1 of the table media__gallery_media

alter table media__gallery_media

drop primary key;

IV.2.1.26.18.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.26.18.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.26.19Key IDX_80D4C541EA9FDD75 of the table media_gallery_media

IV.2.1.26.19.1Card of the key IDX_80D4C541EA9FDD75 of the table media_gallery_media

Name	IDX_80D4C541EA9FDD75
Code	IDX_80D4C541EA9FDD75
Table	media_gallery_media

IV.2.1.26.19.2Code preview of the key IDX_80D4C541EA9FDD75 of the table media_gallery_media

The preview is empty because of the setting.
Check the generation option.

IV.2.1.26.19.3List of columns of the table key IDX_80D4C541EA9FDD75

Name	Code
media_id	media_id

IV.2.1.26.19.4List of extended attributes of the table key IDX_80D4C541EA9FDD75

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.26.20Key IDX_80D4C5414E7AF8F of the table media_gallery_media

IV.2.1.26.20.1Card of the key IDX_80D4C5414E7AF8F of the table media_gallery_media

Name	IDX_80D4C5414E7AF8F
Code	IDX_80D4C5414E7AF8F
Table	media__gallery_media

IV.2.1.26.20.2Code preview of the key IDX_80D4C5414E7AF8F of the table media__gallery_media

The preview is empty because of the setting.
Check the generation option.

IV.2.1.26.20.3List of columns of the table key IDX_80D4C5414E7AF8F

Name	Code
gallery_id	gallery_id

IV.2.1.26.20.4List of extended attributes of the table key IDX_80D4C5414E7AF8F

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.27Table media__media

IV.2.1.27.1Card of table media__media

Name	media__media
Code	media__media
DBMS	MySQL 5.0

IV.2.1.27.2Check constraint name of table media__media

TK_media__media

IV.2.1.27.3Server validation rule of table media__media

%RULES%

IV.2.1.27.4Code preview of table media__media

drop table if exists media__media;

```
/*=====
/* Table: media__media
/*=====
create table media__media
```

```

(
    id          int(11) not null auto_increment,
    name        varchar(255) not null,
    description  text,
    enabled      tinyint(1) not null,
    provider_name  varchar(255) not null,
    provider_status int(11) not null,
    provider_reference varchar(255) not null,
    provider_metadata longtext comment '(DC2Type:array)',
    width       int(11) default NULL,
    height      int(11) default NULL,
    length      decimal(10,0) default NULL,
    content_type  varchar(64) default NULL,
    content_size int(11) default NULL,
    copyright    varchar(255) default NULL,
    author_name   varchar(255) default NULL,
    context      varchar(16) default NULL,
    cdn_is_flushable tinyint(1) default NULL,
    cdn_flush_at  datetime default NULL,
    updated_at    datetime not null,
    created_at    datetime not null,
    primary key (id)
);

```

IV.2.1.27.5List of diagrams containing the table media_media

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.27.6List of extended attributes of the table media_media

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.27.7List of columns of the table media_media

Name	Code
id	id
name	name
description	description
enabled	enabled
provider_name	provider_name

provider_status	provider_status
provider_reference	provider_reference
provider_metadata	provider_metadata
width	width
height	height
length	length
content_type	content_type
content_size	content_size
copyright	copyright
author_name	author_name
context	context
cdn_is_flushable	cdn_is_flushable
cdn_flush_at	cdn_flush_at
updated_at	updated_at
created_at	created_at

IV.2.1.27.8Column id of the table media__media

IV.2.1.27.8.1Card of the column id of the table media__media

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.27.8.2Check constraint name of the column id of the table media__media

CK_id

IV.2.1.27.8.3Check of the column id of the table media__media

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.8.4 Server validation rule of the column id of the table media_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.8.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.27.8.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.9 Column name of the table media_media**IV.2.1.27.9.1 Card of the column name of the table media_media**

Name	name
Code	name
Data Type	varchar(255)
Mandatory	Yes

**IV.2.1.27.9.2Check constraint name of the column name of the table media__media
CK_name**

IV.2.1.27.9.3Check of the column name of the table media__media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.9.4Server validation rule of the column name of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.9.5List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.10Column description of the table media__media

IV.2.1.27.10.1Card of the column description of the table media__media

Name	description
Code	description
Data Type	text

Mandatory	No

**IV.2.1.27.10.2Check constraint name of the column description of the table media__media
CK_description**

IV.2.1.27.10.3Check of the column description of the table media__media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.27.10.4Server validation rule of the column description of the table media__media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.27.10.5List of extended attributes of the table column description

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.11Column enabled of the table media__media

IV.2.1.27.11.1Card of the column enabled of the table media__media

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	Yes

**IV.2.1.27.11.2Check constraint name of the column enabled of the table media_media
CK_enabled**

IV.2.1.27.11.3Check of the column enabled of the table media_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.27.11.4Server validation rule of the column enabled of the table media_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.27.11.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.12Column provider_name of the table media_media

IV.2.1.27.12.1Card of the column provider_name of the table media__media

Name	provider_name
Code	provider_name
Data Type	varchar(255)
Mandatory	Yes

**IV.2.1.27.12.2Check constraint name of the column provider_name of the table media__media
CK_provider_name****IV.2.1.27.12.3Check of the column provider_name of the table media__media**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.27.12.4Server validation rule of the column provider_name of the table media__media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%****IV.2.1.27.12.5List of extended attributes of the table column provider_name**

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.13Column provider_status of the table media__media

IV.2.1.27.13.1Card of the column provider_status of the table media__media

Name	provider_status
Code	provider_status
Data Type	int(11)
Mandatory	Yes

IV.2.1.27.13.2Check constraint name of the column provider_status of the table media__media CK_provider_status

IV.2.1.27.13.3Check of the column provider_status of the table media__media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.13.4Server validation rule of the column provider_status of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.13.5List of extended attributes of the table column provider_status

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0
----------	-----------	-------	-----------

IV.2.1.27.14Column provider_reference of the table media__media**IV.2.1.27.14.1Card of the column provider_reference of the table media__media**

Name	provider_reference
Code	provider_reference
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.27.14.2Check constraint name of the column provider_reference of the table media__media

CK_provider_reference

IV.2.1.27.14.3Check of the column provider_reference of the table media__media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.14.4Server validation rule of the column provider_reference of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.14.5List of extended attributes of the table column provider_reference

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.15Column provider_metadata of the table media_media

IV.2.1.27.15.1Card of the column provider_metadata of the table media_media

Name	provider_metadata
Code	provider_metadata
Data Type	longtext
Mandatory	No

IV.2.1.27.15.2Check constraint name of the column provider_metadata of the table media_media

CK_provider_metadata

IV.2.1.27.15.3Check of the column provider_metadata of the table media_media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.15.4Server validation rule of the column provider_metadata of the table media_media %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.15.5List of extended attributes of the table column provider_metadata

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.16 Column width of the table media_media**IV.2.1.27.16.1 Card of the column width of the table media_media**

Name	width
Code	width
Data Type	int(11)
Mandatory	No

IV.2.1.27.16.2 Check constraint name of the column width of the table media_media

CK_width

IV.2.1.27.16.3 Check of the column width of the table media_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.16.4 Server validation rule of the column width of the table media_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.16.5List of extended attributes of the table column width

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.17Column height of the table media_media

IV.2.1.27.17.1Card of the column height of the table media_media

Name	height
Code	height
Data Type	int(11)
Mandatory	No

IV.2.1.27.17.2Check constraint name of the column height of the table media_media

CK_height

IV.2.1.27.17.3Check of the column height of the table media_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.17.4Server validation rule of the column height of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.17.5List of extended attributes of the table column height

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.18Column length of the table media__media**IV.2.1.27.18.1Card of the column length of the table media__media**

Name	length
Code	length
Data Type	decimal(10,0)
Mandatory	No

IV.2.1.27.18.2Check constraint name of the column length of the table media__media

CK_length

IV.2.1.27.18.3Check of the column length of the table media__media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.27.18.4 Server validation rule of the column length of the table media_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.18.5 List of extended attributes of the table column length

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.19 Column content_type of the table media_media

IV.2.1.27.19.1 Card of the column content_type of the table media_media

Name	content_type
Code	content_type
Data Type	varchar(64)
Mandatory	No

IV.2.1.27.19.2 Check constraint name of the column content_type of the table media_media

CK_content_type

IV.2.1.27.19.3 Check of the column content_type of the table media_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.19.4 Server validation rule of the column content_type of the table media_media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.19.5 List of extended attributes of the table column content_type

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.20 Column content_size of the table media_media**IV.2.1.27.20.1 Card of the column content_size of the table media_media**

Name	content_size
Code	content_size
Data Type	int(11)
Mandatory	No

IV.2.1.27.20.2 Check constraint name of the column content_size of the table media_media
CK_content_size**IV.2.1.27.20.3 Check of the column content_size of the table media_media**

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.20.4Server validation rule of the column content_size of the table media__media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.20.5List of extended attributes of the table column content_size

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.21Column copyright of the table media__media

IV.2.1.27.21.1Card of the column copyright of the table media__media

Name	copyright
Code	copyright
Data Type	varchar(255)
Mandatory	No

IV.2.1.27.21.2Check constraint name of the column copyright of the table media__media
CK_copyright

IV.2.1.27.21.3Check of the column copyright of the table media__media

Minimum Value	
---------------	--

Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.21.4 Server validation rule of the column copyright of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.21.5 List of extended attributes of the table column copyright

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.22 Column author_name of the table media__media**IV.2.1.27.22.1 Card of the column author_name of the table media__media**

Name	author_name
Code	author_name
Data Type	varchar(255)
Mandatory	No

IV.2.1.27.22.2 Check constraint name of the column author_name of the table media__media

CK_author_name

IV.2.1.27.22.3 Check of the column author_name of the table media__media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.22.4Server validation rule of the column author_name of the table media_media
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.22.5List of extended attributes of the table column author_name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.23Column context of the table media_media

IV.2.1.27.23.1Card of the column context of the table media_media

Name	context
Code	context
Data Type	varchar(16)
Mandatory	No

IV.2.1.27.23.2Check constraint name of the column context of the table media_media

CK_context

IV.2.1.27.23.3Check of the column context of the table media__media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.23.4Server validation rule of the column context of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.23.5List of extended attributes of the table column context

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.24Column cdn_is_flushable of the table media__media**IV.2.1.27.24.1Card of the column cdn_is_flushable of the table media__media**

Name	cdn_is_flushable
Code	cdn_is_flushable
Data Type	tinyint(1)
Mandatory	No

**IV.2.1.27.24.2Check constraint name of the column cdn_is_flushable of the table media_media
CK_cdn_is_flushable**

IV.2.1.27.24.3Check of the column cdn_is_flushable of the table media_media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.27.24.4Server validation rule of the column cdn_is_flushable of the table media_media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.27.24.5List of extended attributes of the table column cdn_is_flushable

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.25Column cdn_flush_at of the table media_media

IV.2.1.27.25.1Card of the column cdn_flush_at of the table media_media

Name	cdn_flush_at
Code	cdn_flush_at
Data Type	datetime

Mandatory	No

**IV.2.1.27.25.2Check constraint name of the column cdn_flush_at of the table media__media
CK_cdn_flush_at**

IV.2.1.27.25.3Check of the column cdn_flush_at of the table media__media

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.27.25.4Server validation rule of the column cdn_flush_at of the table media__media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.27.25.5List of extended attributes of the table column cdn_flush_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.26Column updated_at of the table media__media

IV.2.1.27.26.1Card of the column updated_at of the table media__media

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	Yes

IV.2.1.27.26.2Check constraint name of the column updated_at of the table media__media
CK_updated_at

IV.2.1.27.26.3Check of the column updated_at of the table media__media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.26.4Server validation rule of the column updated_at of the table media__media
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.26.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.27Column created_at of the table media__media

IV.2.1.27.27.1Card of the column created_at of the table media__media

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.27.27.2Check constraint name of the column created_at of the table media__media

CK_created_at

IV.2.1.27.27.3Check of the column created_at of the table media__media

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.27.27.4Server validation rule of the column created_at of the table media__media

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.27.27.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.27.28List of keys of the table media__media

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.27.29Key Key_1 of the table media__media***IV.2.1.27.29.1Card of the key Key_1 of the table media__media***

Name	Key_1
Code	Key_1
Table	media__media

IV.2.1.27.29.2Code preview of the key Key_1 of the table media__media

```
alter table media__media
drop primary key;
```

IV.2.1.27.29.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.27.29.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.28Table pi_block***IV.2.1.28.1Card of table pi_block***

Name	pi_block
Code	pi_block
DBMS	MySQL 5.0

IV.2.1.28.2Check constraint name of table pi_block

TK_pi_block

IV.2.1.28.3 Server validation rule of table pi_block

%RULES%

IV.2.1.28.4 Code preview of table pi_block

drop table if exists pi_block;

```
=====
/* Table: pi_block */=====
create table pi_block
(
    id          bigint(20) not null auto_increment,
    page_id     bigint(20) default NULL,
    name        varchar(255) not null,
    config_css_class  varchar(255) not null,
    config_xml    longtext,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    archive_at   datetime default NULL,
    enabled       tinyint(1) default NULL,
    position      int(11) default NULL,
    primary key (id),
    key IDX_6FBD9DD2C4663E4 (page_id)
);
alter table pi_block add constraint FK_6FBD9DD2C4663E4 foreign key (page_id)
    references pi_page (id);
```

IV.2.1.28.5 List of diagrams containing the table pi_block

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.28.6 List of incoming references of the table pi_block

Name	Code
FK_38A84AC6E9ED820C	FK_38A84AC6E9ED820C

IV.2.1.28.7 List of outgoing references of the table pi_block

Name	Code	Foreign Key Columns
FK_6FBD9DD2C4663E4	FK_6FBD9DD2C4663E4	page_id

IV.2.1.28.8 List of all dependencies of the table pi_block

Name	Code	Class Name
FK_6FBD9DD2C4663E4	FK_6FBD9DD2C4663E4	Reference
FK_38A84AC6E9ED820C	FK_38A84AC6E9ED820C	Reference

IV.2.1.28.9List of extended attributes of the table pi_block

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.28.10List of columns of the table pi_block

Name	Code
id	id
page_id	page_id
name	name
config_css_class	config_css_class
config_xml	config_xml
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.28.11Column id of the table pi_block

IV.2.1.28.11.1Card of the column id of the table pi_block

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.28.11.2Check constraint name of the column id of the table pi_block

CK_id

IV.2.1.28.11.3Check of the column id of the table pi_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.11.4Server validation rule of the column id of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.11.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.28.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.12Column page_id of the table pi_block

IV.2.1.28.12.1Card of the column page_id of the table pi_block

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.28.12.2Check constraint name of the column page_id of the table pi_block

CK_page_id

IV.2.1.28.12.3Check of the column page_id of the table pi_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.12.4Server validation rule of the column page_id of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.12.5List of all dependencies of the table column page_id

Name	Code	Class Name
?	?	Reference Join
IDX_6FBD9DD2C4663E4	IDX_6FBD9DD2C4663E4	Key

IV.2.1.28.12.6List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.13Column name of the table pi_block**IV.2.1.28.13.1Card of the column name of the table pi_block**

Name	name
Code	name
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.28.13.2Check constraint name of the column name of the table pi_block

CK_name

IV.2.1.28.13.3Check of the column name of the table pi_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.13.4Server validation rule of the column name of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.13.5List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.14 Column config_css_class of the table pi_block

IV.2.1.28.14.1 Card of the column config_css_class of the table pi_block

Name	config_css_class
Code	config_css_class
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.28.14.2 Check constraint name of the column config_css_class of the table pi_block

CK_config_css_class

IV.2.1.28.14.3 Check of the column config_css_class of the table pi_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.14.4 Server validation rule of the column config_css_class of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.14.5List of extended attributes of the table column config_css_class

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.15Column config_xml of the table pi_block

IV.2.1.28.15.1Card of the column config_xml of the table pi_block

Name	config_xml
Code	config_xml
Data Type	longtext
Mandatory	No

IV.2.1.28.15.2Check constraint name of the column config_xml of the table pi_block

CK_config_xml

IV.2.1.28.15.3Check of the column config_xml of the table pi_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.15.4Server validation rule of the column config_xml of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.15.5List of extended attributes of the table column config_xml

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.16Column created_at of the table pi_block**IV.2.1.28.16.1Card of the column created_at of the table pi_block**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.28.16.2Check constraint name of the column created_at of the table pi_block

CK_created_at

IV.2.1.28.16.3Check of the column created_at of the table pi_block

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	

IV.2.1.28.16.4 Server validation rule of the column created_at of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.16.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.17 Column updated_at of the table pi_block**IV.2.1.28.17.1 Card of the column updated_at of the table pi_block**

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.28.17.2 Check constraint name of the column updated_at of the table pi_block

CK_updated_at

IV.2.1.28.17.3 Check of the column updated_at of the table pi_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.17.4 Server validation rule of the column updated_at of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.17.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.18 Column archive_at of the table pi_block

IV.2.1.28.18.1 Card of the column archive_at of the table pi_block

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.28.18.2 Check constraint name of the column archive_at of the table pi_block

CK_archive_at

IV.2.1.28.18.3 Check of the column archive_at of the table pi_block

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.18.4 Server validation rule of the column archive_at of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.18.5 List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.19 Column enabled of the table pi_block**IV.2.1.28.19.1 Card of the column enabled of the table pi_block**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.28.19.2 Check constraint name of the column enabled of the table pi_block

CK_enabled

IV.2.1.28.19.3 Check of the column enabled of the table pi_block

Minimum Value	
---------------	--

Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.19.4 Server validation rule of the column enabled of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.19.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.20 Column position of the table pi_block

IV.2.1.28.20.1 Card of the column position of the table pi_block

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.28.20.2 Check constraint name of the column position of the table pi_block

CK_position

IV.2.1.28.20.3Check of the column position of the table pi_block

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.28.20.4Server validation rule of the column position of the table pi_block

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.28.20.5List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.28.21List of keys of the table pi_block

Name	Code	Primary
Key_1	Key_1	X
IDX_6FBD9DD2C4663E4	IDX_6FBD9DD2C4663E4	

IV.2.1.28.22Key Key_1 of the table pi_block**IV.2.1.28.22.1Card of the key Key_1 of the table pi_block**

Name	Key_1
Code	Key_1
Table	pi_block

IV.2.1.28.22.2Code preview of the key Key_1 of the table pi_block

```
alter table pi_block
drop primary key;
```

IV.2.1.28.22.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.28.22.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_38A84AC6E9ED820C	FK_38A84AC6E9ED820C	Reference

IV.2.1.28.22.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.28.23Key IDX_6FBD9DD2C4663E4 of the table pi_block

IV.2.1.28.23.1Card of the key IDX_6FBD9DD2C4663E4 of the table pi_block

Name	IDX_6FBD9DD2C4663E4
Code	IDX_6FBD9DD2C4663E4
Table	pi_block

IV.2.1.28.23.2Code preview of the key IDX_6FBD9DD2C4663E4 of the table pi_block

The preview is empty because of the setting.
Check the generation option.

IV.2.1.28.23.3List of columns of the table key IDX_6FBD9DD2C4663E4

Name	Code

page_id	page_id
---------	---------

IV.2.1.28.23.4List of extended attributes of the table key IDX_6FBD9DD2C4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.29Table pi_comment**IV.2.1.29.1Card of table pi_comment**

Name	pi_comment
Code	pi_comment
DBMS	MySQL 5.0

IV.2.1.29.2Check constraint name of table pi_comment

TK_pi_comment

IV.2.1.29.3Server validation rule of table pi_comment

%RULES%

IV.2.1.29.4Code preview of table pi_comment

drop table if exists pi_comment;

```
/*=====
/* Table: pi_comment */
/*=====*/
create table pi_comment
(
    id          int(11) not null auto_increment,
    pagetrans_id      bigint(20) default NULL,
    user        varchar(255) not null,
    comment      longtext not null,
    email        longtext,
    is_approved   tinyint(1) default NULL,
    created_at    datetime not null,
    updated_at    datetime default NULL,
    archive_at    datetime default NULL,
    enabled       tinyint(1) default NULL,
    position      int(11) default NULL,
    primary key (id),
    key IDX_601DB669BDC78D6A (pagetrans_id)
);
```

alter table pi_comment add constraint FK_601DB669BDC78D6A foreign key (pagetrans_id)

references pi_page_translation (id);

IV.2.1.29.5List of diagrams containing the table pi_comment

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.29.6List of outgoing references of the table pi_comment

Name	Code	Foreign Key Columns
FK_601DB669BDC78D6A	FK_601DB669BDC78D6A	pagetrans_id

IV.2.1.29.7List of all dependencies of the table pi_comment

Name	Code	Class Name
FK_601DB669BDC78D6A	FK_601DB669BDC78D6A	Reference

IV.2.1.29.8List of extended attributes of the table pi_comment

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.29.9List of columns of the table pi_comment

Name	Code
id	id
pagetrans_id	pagetrans_id
user	user
comment	comment
email	email
is_approved	is_approved
created_at	created_at
updated_at	updated_at

archive_at	archive_at
enabled	enabled
position	position

IV.2.1.29.10 Column id of the table pi_comment**IV.2.1.29.10.1 Card of the column id of the table pi_comment**

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.29.10.2 Check constraint name of the column id of the table pi_comment

CK_id

IV.2.1.29.10.3 Check of the column id of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.10.4 Server validation rule of the column id of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.10.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

--	--	--

IV.2.1.29.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.11Column pagetrans_id of the table pi_comment

IV.2.1.29.11.1Card of the column pagetrans_id of the table pi_comment

Name	pagetrans_id
Code	pagetrans_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.29.11.2Check constraint name of the column pagetrans_id of the table pi_comment

CK_pagetrans_id

IV.2.1.29.11.3Check of the column pagetrans_id of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.29.11.4 Server validation rule of the column pagetrans_id of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.11.5 List of all dependencies of the table column pagetrans_id

Name	Code	Class Name
?	?	Reference Join
IDX_601DB669BDC78D6A	IDX_601DB669BDC78D6A	Key

IV.2.1.29.11.6 List of extended attributes of the table column pagetrans_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.12 Column user of the table pi_comment**IV.2.1.29.12.1 Card of the column user of the table pi_comment**

Name	user
Code	user
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.29.12.2 Check constraint name of the column user of the table pi_comment

CK_user

IV.2.1.29.12.3 Check of the column user of the table pi_comment

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.12.4 Server validation rule of the column user of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.12.5 List of extended attributes of the table column user

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.13 Column comment of the table pi_comment

IV.2.1.29.13.1 Card of the column comment of the table pi_comment

Name	comment
Code	comment
Data Type	longtext
Mandatory	Yes

IV.2.1.29.13.2 Check constraint name of the column comment of the table pi_comment

CK_comment

IV.2.1.29.13.3 Check of the column comment of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.13.4 Server validation rule of the column comment of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.13.5 List of extended attributes of the table column comment

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.14 Column email of the table pi_comment**IV.2.1.29.14.1 Card of the column email of the table pi_comment**

Name	email
Code	email
Data Type	longtext
Mandatory	No

IV.2.1.29.14.2 Check constraint name of the column email of the table pi_comment

CK_email

IV.2.1.29.14.3 Check of the column email of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.14.4 Server validation rule of the column email of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.14.5 List of extended attributes of the table column email

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.15 Column is_approved of the table pi_comment

IV.2.1.29.15.1 Card of the column is_approved of the table pi_comment

Name	is_approved
Code	is_approved
Data Type	tinyint(1)
Mandatory	No

IV.2.1.29.15.2Check constraint name of the column is_approved of the table pi_comment
CK_is_approved

IV.2.1.29.15.3Check of the column is_approved of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.15.4Server validation rule of the column is_approved of the table pi_comment
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.15.5List of extended attributes of the table column is_approved

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.16Column created_at of the table pi_comment

IV.2.1.29.16.1Card of the column created_at of the table pi_comment

Name	created_at
Code	created_at
Data Type	datetime

Mandatory	Yes

**IV.2.1.29.16.2Check constraint name of the column created_at of the table pi_comment
CK_created_at**

IV.2.1.29.16.3Check of the column created_at of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.29.16.4Server validation rule of the column created_at of the table pi_comment
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.29.16.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.17Column updated_at of the table pi_comment

IV.2.1.29.17.1Card of the column updated_at of the table pi_comment

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.29.17.2Check constraint name of the column updated_at of the table pi_comment
CK_updated_at

IV.2.1.29.17.3Check of the column updated_at of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.17.4Server validation rule of the column updated_at of the table pi_comment
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.17.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.18Column archive_at of the table pi_comment

IV.2.1.29.18.1Card of the column archive_at of the table pi_comment

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.29.18.2Check constraint name of the column archive_at of the table pi_comment

CK_archive_at

IV.2.1.29.18.3Check of the column archive_at of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.18.4Server validation rule of the column archive_at of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.18.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.19Column enabled of the table pi_comment**IV.2.1.29.19.1Card of the column enabled of the table pi_comment**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.29.19.2Check constraint name of the column enabled of the table pi_comment

CK_enabled

IV.2.1.29.19.3Check of the column enabled of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.19.4Server validation rule of the column enabled of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.19.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.29.20Column position of the table pi_comment

IV.2.1.29.20.1Card of the column position of the table pi_comment

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.29.20.2Check constraint name of the column position of the table pi_comment

CK_position

IV.2.1.29.20.3Check of the column position of the table pi_comment

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.29.20.4Server validation rule of the column position of the table pi_comment

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.29.20.5List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.29.21List of keys of the table pi_comment

Name	Code	Primary
Key_1	Key_1	X
IDX_601DB669BDC78D6A	IDX_601DB669BDC78D6A	

IV.2.1.29.22Key Key_1 of the table pi_comment**IV.2.1.29.22.1Card of the key Key_1 of the table pi_comment**

Name	Key_1
Code	Key_1
Table	pi_comment

IV.2.1.29.22.2Code preview of the key Key_1 of the table pi_comment

```
alter table pi_comment
  drop primary key;
```

IV.2.1.29.22.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.29.22.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.29.23Key IDX_601DB669BDC78D6A of the table pi_comment**IV.2.1.29.23.1Card of the key IDX_601DB669BDC78D6A of the table pi_comment**

Name	IDX_601DB669BDC78D6A
Code	IDX_601DB669BDC78D6A
Table	pi_comment

IV.2.1.29.23.2Code preview of the key IDX_601DB669BDC78D6A of the table pi_comment

The preview is empty because of the setting.
Check the generation option.

IV.2.1.29.23.3List of columns of the table key IDX_601DB669BDC78D6A

Name	Code
pagetrans_id	pagetrans_id

IV.2.1.29.23.4List of extended attributes of the table key IDX_601DB669BDC78D6A

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.30Table pi_keyword

IV.2.1.30.1Card of table pi_keyword

Name	pi_keyword
Code	pi_keyword
DBMS	MySQL 5.0

IV.2.1.30.2Check constraint name of table pi_keyword

TK_pi_keyword

IV.2.1.30.3Server validation rule of table pi_keyword

%RULES%

IV.2.1.30.4Code preview of table pi_keyword

drop table if exists pi_keyword;

```
/*=====
/* Table: pi_keyword
create table pi_keyword
(
```

```

id          bigint(20) not null auto_increment,
groupname   varchar(255) default NULL,
groupnameother  varchar(128) default NULL,
name        varchar(255) not null,
created_at   datetime not null,
updated_at   datetime default NULL,
archive_at   datetime default NULL,
enabled      tinyint(1) default NULL,
primary key (id)
);

```

IV.2.1.30.5List of diagrams containing the table pi_keyword

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.30.6List of incoming references of the table pi_keyword

Name	Code
FK_5577B62B115D4552	FK_5577B62B115D4552
FK_C3EFF8C0115D4552	FK_C3EFF8C0115D4552

IV.2.1.30.7List of all dependencies of the table pi_keyword

Name	Code	Class Name
FK_5577B62B115D4552	FK_5577B62B115D4552	Reference
FK_C3EFF8C0115D4552	FK_C3EFF8C0115D4552	Reference

IV.2.1.30.8List of extended attributes of the table pi_keyword

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.30.9List of columns of the table pi_keyword

Name	Code
id	id
groupname	groupname
groupnameother	groupnameother

name	name
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled

IV.2.1.30.10 Column id of the table pi_keyword

IV.2.1.30.10.1 Card of the column id of the table pi_keyword

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.30.10.2 Check constraint name of the column id of the table pi_keyword

CK_id

IV.2.1.30.10.3 Check of the column id of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.10.4 Server validation rule of the column id of the table pi_keyword

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.10.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.30.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.11Column groupname of the table pi_keyword**IV.2.1.30.11.1Card of the column groupname of the table pi_keyword**

Name	groupname
Code	groupname
Data Type	varchar(255)
Mandatory	No

IV.2.1.30.11.2Check constraint name of the column groupname of the table pi_keyword

CK_groupname

IV.2.1.30.11.3Check of the column groupname of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.11.4 Server validation rule of the column groupname of the table pi_keyword

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.11.5 List of extended attributes of the table column groupname

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.12 Column groupnameother of the table pi_keyword

IV.2.1.30.12.1 Card of the column groupnameother of the table pi_keyword

Name	groupnameother
Code	groupnameother
Data Type	varchar(128)
Mandatory	No

IV.2.1.30.12.2 Check constraint name of the column groupnameother of the table pi_keyword

CK_groupnameother

IV.2.1.30.12.3 Check of the column groupnameother of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.12.4 Server validation rule of the column groupnameother of the table pi_keyword

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.12.5 List of extended attributes of the table column groupnameother

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.13 Column name of the table pi_keyword**IV.2.1.30.13.1 Card of the column name of the table pi_keyword**

Name	name
Code	name
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.30.13.2 Check constraint name of the column name of the table pi_keyword

CK_name

IV.2.1.30.13.3 Check of the column name of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.13.4 Server validation rule of the column name of the table pi_keyword

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.13.5 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.14 Column created_at of the table pi_keyword

IV.2.1.30.14.1 Card of the column created_at of the table pi_keyword

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.30.14.2 Check constraint name of the column created_at of the table pi_keyword

CK_created_at

IV.2.1.30.14.3Check of the column created_at of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.14.4Server validation rule of the column created_at of the table pi_keyword

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.14.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.15Column updated_at of the table pi_keyword

IV.2.1.30.15.1Card of the column updated_at of the table pi_keyword

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.30.15.2Check constraint name of the column updated_at of the table pi_keyword
CK_updated_at

IV.2.1.30.15.3Check of the column updated_at of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.15.4Server validation rule of the column updated_at of the table pi_keyword
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.15.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.16Column archive_at of the table pi_keyword

IV.2.1.30.16.1Card of the column archive_at of the table pi_keyword

Name	archive_at
Code	archive_at
Data Type	datetime

Mandatory	No

IV.2.1.30.16.2Check constraint name of the column archive_at of the table pi_keyword
CK_archive_at

IV.2.1.30.16.3Check of the column archive_at of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.16.4Server validation rule of the column archive_at of the table pi_keyword
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.16.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.17Column enabled of the table pi_keyword

IV.2.1.30.17.1Card of the column enabled of the table pi_keyword

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.30.17.2Check constraint name of the column enabled of the table pi_keyword
CK_enabled

IV.2.1.30.17.3Check of the column enabled of the table pi_keyword

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.30.17.4Server validation rule of the column enabled of the table pi_keyword
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.30.17.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.30.18List of keys of the table pi_keyword

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.30.19Key Key_1 of the table pi_keyword**IV.2.1.30.19.1Card of the key Key_1 of the table pi_keyword**

Name	Key_1
Code	Key_1
Table	pi_keyword

IV.2.1.30.19.2Code preview of the key Key_1 of the table pi_keyword

```
alter table pi_keyword
  drop primary key;
```

IV.2.1.30.19.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.30.19.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_5577B62B115D4552	FK_5577B62B115D4552	Reference
FK_C3EFF8C0115D4552	FK_C3EFF8C0115D4552	Reference

IV.2.1.30.19.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.31Table pi_keyword_page**IV.2.1.31.1Card of table pi_keyword_page**

Name	pi_keyword_page
Code	pi_keyword_page

DBMS	MySQL 5.0

IV.2.1.31.2Check constraint name of table pi_keyword_page

TK_pi_keyword_page

IV.2.1.31.3Server validation rule of table pi_keyword_page

%RULES%

IV.2.1.31.4Code preview of table pi_keyword_page

drop table if exists pi_keyword_page;

```
/*=====
/* Table: pi_keyword_page
/*=====
create table pi_keyword_page
(
    page_id      bigint(20) not null,
    keyword_id   bigint(20) not null,
    primary key (page_id, keyword_id),
    key IDX_5577B62BC4663E4 (page_id),
    key IDX_5577B62B115D4552 (keyword_id)
);

alter table pi_keyword_page add constraint FK_5577B62B115D4552 foreign key (keyword_id)
    references pi_keyword (id);
```

IV.2.1.31.5List of diagrams containing the table pi_keyword_page

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.31.6List of outgoing references of the table pi_keyword_page

Name	Code	Foreign Key Columns
FK_5577B62B115D4552	FK_5577B62B115D4552	keyword_id

IV.2.1.31.7List of all dependencies of the table pi_keyword_page

Name	Code	Class Name
FK_5577B62B115D4552	FK_5577B62B115D4552	Reference

IV.2.1.31.8List of extended attributes of the table pi_keyword_page

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.31.9List of columns of the table pi_keyword_page

Name	Code
page_id	page_id
keyword_id	keyword_id

IV.2.1.31.10Column page_id of the table pi_keyword_page***IV.2.1.31.10.1Card of the column page_id of the table pi_keyword_page***

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.31.10.2Check constraint name of the column page_id of the table pi_keyword_page

CK_page_id

IV.2.1.31.10.3Check of the column page_id of the table pi_keyword_page

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.31.10.4Server validation rule of the column page_id of the table pi_keyword_page
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.31.10.5List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_5577B62BC4663E4	IDX_5577B62BC4663E4	Key
Key_1	Key_1	Key

IV.2.1.31.10.6List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.31.11Column keyword_id of the table pi_keyword_page

IV.2.1.31.11.1Card of the column keyword_id of the table pi_keyword_page

Name	keyword_id
Code	keyword_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.31.11.2Check constraint name of the column keyword_id of the table pi_keyword_page
 CK_keyword_id

IV.2.1.31.11.3Check of the column keyword_id of the table pi_keyword_page

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.31.11.4 Server validation rule of the column keyword_id of the table pi_keyword_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.31.11.5 List of all dependencies of the table column keyword_id

Name	Code	Class Name
?	?	Reference Join
IDX_5577B62B115D4552	IDX_5577B62B115D4552	Key
Key_1	Key_1	Key

IV.2.1.31.11.6 List of extended attributes of the table column keyword_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.31.12 List of keys of the table pi_keyword_page

Name	Code	Primary
Key_1	Key_1	X
IDX_5577B62BC4663E4	IDX_5577B62BC4663E4	
IDX_5577B62B115D4552	IDX_5577B62B115D4552	

IV.2.1.31.13Key Key_1 of the table pi_keyword_page

IV.2.1.31.13.1Card of the key Key_1 of the table pi_keyword_page

Name	Key_1
Code	Key_1
Table	pi_keyword_page

IV.2.1.31.13.2Code preview of the key Key_1 of the table pi_keyword_page

```
alter table pi_keyword_page
drop primary key;
```

IV.2.1.31.13.3List of columns of the table key Key_1

Name	Code
page_id	page_id
keyword_id	keyword_id

IV.2.1.31.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.31.14Key IDX_5577B62BC4663E4 of the table pi_keyword_page

IV.2.1.31.14.1Card of the key IDX_5577B62BC4663E4 of the table pi_keyword_page

Name	IDX_5577B62BC4663E4
Code	IDX_5577B62BC4663E4
Table	pi_keyword_page

IV.2.1.31.14.2Code preview of the key IDX_5577B62BC4663E4 of the table pi_keyword_page

```
# The preview is empty because of the setting.
# Check the generation option.
```

IV.2.1.31.14.3List of columns of the table key IDX_5577B62BC4663E4

Name	Code
page_id	page_id

IV.2.1.31.14.4List of extended attributes of the table key IDX_5577B62BC4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.31.15Key IDX_5577B62B115D4552 of the table pi_keyword_page**IV.2.1.31.15.1Card of the key IDX_5577B62B115D4552 of the table pi_keyword_page**

Name	IDX_5577B62B115D4552
Code	IDX_5577B62B115D4552
Table	pi_keyword_page

IV.2.1.31.15.2Code preview of the key IDX_5577B62B115D4552 of the table pi_keyword_page

The preview is empty because of the setting.
Check the generation option.

IV.2.1.31.15.3List of columns of the table key IDX_5577B62B115D4552

Name	Code
keyword_id	keyword_id

IV.2.1.31.15.4List of extended attributes of the table key IDX_5577B62B115D4552

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.32Table pi_keyword_rubrique**IV.2.1.32.1Card of table pi_keyword_rubrique**

Name	pi_keyword_rubrique
Code	pi_keyword_rubrique
DBMS	MySQL 5.0

IV.2.1.32.2Check constraint name of table pi_keyword_rubrique

TK_pi_keyword_rubrique

IV.2.1.32.3 Server validation rule of table pi_keyword_rubrique

%RULES%

IV.2.1.32.4 Code preview of table pi_keyword_rubrique

drop table if exists pi_keyword_rubrique;

```
=====
/* Table: pi_keyword_rubrique */
=====
create table pi_keyword_rubrique
(
    rubrique_id      bigint(20) not null,
    keyword_id       bigint(20) not null,
    primary key (rubrique_id, keyword_id),
    key IDX_C3EFF8C03BD38833 (rubrique_id),
    key IDX_C3EFF8C0115D4552 (keyword_id)
);
```

alter table pi_keyword_rubrique add constraint FK_C3EFF8C0115D4552 foreign key (keyword_id)
references pi_keyword (id);

IV.2.1.32.5 List of diagrams containing the table pi_keyword_rubrique

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.32.6 List of outgoing references of the table pi_keyword_rubrique

Name	Code	Foreign Key Columns
FK_C3EFF8C0115D4552	FK_C3EFF8C0115D4552	keyword_id

IV.2.1.32.7 List of all dependencies of the table pi_keyword_rubrique

Name	Code	Class Name
FK_C3EFF8C0115D4552	FK_C3EFF8C0115D4552	Reference

IV.2.1.32.8 List of extended attributes of the table pi_keyword_rubrique

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.32.9 List of columns of the table pi_keyword_rubrique

Name	Code
rubrique_id	rubrique_id
keyword_id	keyword_id

IV.2.1.32.10 Column rubrique_id of the table pi_keyword_rubrique

IV.2.1.32.10.1 Card of the column rubrique_id of the table pi_keyword_rubrique

Name	rubrique_id
Code	rubrique_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.32.10.2 Check constraint name of the column rubrique_id of the table pi_keyword_rubrique

CK_rubrique_id

IV.2.1.32.10.3 Check of the column rubrique_id of the table pi_keyword_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.32.10.4 Server validation rule of the column rubrique_id of the table pi_keyword_rubrique %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.32.10.5 List of all dependencies of the table column rubrique_id

Name	Code	Class Name

IDX_C3EFF8C03BD38833	IDX_C3EFF8C03BD38833	Key
Key_1	Key_1	Key

IV.2.1.32.10.6List of extended attributes of the table column rubrique_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.32.11Column keyword_id of the table pi_keyword_rubrique

IV.2.1.32.11.1Card of the column keyword_id of the table pi_keyword_rubrique

Name	keyword_id
Code	keyword_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.32.11.2Check constraint name of the column keyword_id of the table pi_keyword_rubrique

CK_keyword_id

IV.2.1.32.11.3Check of the column keyword_id of the table pi_keyword_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.32.11.4 Server validation rule of the column keyword_id of the table pi_keyword_rubrique
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.32.11.5 List of all dependencies of the table column keyword_id

Name	Code	Class Name
?	?	Reference Join
IDX_C3EFF8C0115D4552	IDX_C3EFF8C0115D4552	Key
Key_1	Key_1	Key

IV.2.1.32.11.6 List of extended attributes of the table column keyword_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.32.12 List of keys of the table pi_keyword_rubrique

Name	Code	Primary
Key_1	Key_1	X
IDX_C3EFF8C03BD38833	IDX_C3EFF8C03BD38833	
IDX_C3EFF8C0115D4552	IDX_C3EFF8C0115D4552	

IV.2.1.32.13 Key Key_1 of the table pi_keyword_rubrique

IV.2.1.32.13.1 Card of the key Key_1 of the table pi_keyword_rubrique

Name	Key_1
Code	Key_1
Table	pi_keyword_rubrique

IV.2.1.32.13.2Code preview of the key Key_1 of the table pi_keyword_rubrique

```
alter table pi_keyword_rubrique
  drop primary key;
```

IV.2.1.32.13.3List of columns of the table key Key_1

Name	Code
rubrique_id	rubrique_id
keyword_id	keyword_id

IV.2.1.32.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.32.14Key IDX_C3EFF8C03BD38833 of the table pi_keyword_rubrique

IV.2.1.32.14.1Card of the key IDX_C3EFF8C03BD38833 of the table pi_keyword_rubrique

Name	IDX_C3EFF8C03BD38833
Code	IDX_C3EFF8C03BD38833
Table	pi_keyword_rubrique

IV.2.1.32.14.2Code preview of the key IDX_C3EFF8C03BD38833 of the table pi_keyword_rubrique

The preview is empty because of the setting.
Check the generation option.

IV.2.1.32.14.3List of columns of the table key IDX_C3EFF8C03BD38833

Name	Code
rubrique_id	rubrique_id

IV.2.1.32.14.4List of extended attributes of the table key IDX_C3EFF8C03BD38833

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.32.15Key IDX_C3EFF8C0115D4552 of the table pi_keyword_rubrique**IV.2.1.32.15.1Card of the key IDX_C3EFF8C0115D4552 of the table pi_keyword_rubrique**

Name	IDX_C3EFF8C0115D4552
Code	IDX_C3EFF8C0115D4552
Table	pi_keyword_rubrique

IV.2.1.32.15.2Code preview of the key IDX_C3EFF8C0115D4552 of the table pi_keyword_rubrique

The preview is empty because of the setting.

Check the generation option.

IV.2.1.32.15.3List of columns of the table key IDX_C3EFF8C0115D4552

Name	Code
keyword_id	keyword_id

IV.2.1.32.15.4List of extended attributes of the table key IDX_C3EFF8C0115D4552

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.33Table pi_langue**IV.2.1.33.1Card of table pi_langue**

Name	pi_langue
Code	pi_langue
DBMS	MySQL 5.0

IV.2.1.33.2Check constraint name of table pi_langue

TK_pi_langue

IV.2.1.33.3 Server validation rule of table pi_langue

%RULES%

IV.2.1.33.4 Code preview of table pi_langue

drop table if exists pi_langue;

```
=====
/* Table: pi_langue */
=====
create table pi_langue
(
    id          varchar(5) not null,
    "label"      varchar(255) default NULL,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    archive_at   datetime default NULL,
    enabled      tinyint(1) default NULL,
    primary key (id)
);
```

IV.2.1.33.5 List of diagrams containing the table pi_langue

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.33.6 List of incoming references of the table pi_langue

Name	Code
FK_4ECCE3E5627579FF	FK_4ECCE3E5627579FF
FK_7EF527F0627579FF	FK_7EF527F0627579FF
FK_957A6479627579FF	FK_957A6479627579FF
FK_E8378639232D562B	FK_E8378639232D562B

IV.2.1.33.7 List of all dependencies of the table pi_langue

Name	Code	Class Name
FK_4ECCE3E5627579FF	FK_4ECCE3E5627579FF	Reference
FK_7EF527F0627579FF	FK_7EF527F0627579FF	Reference
FK_957A6479627579FF	FK_957A6479627579FF	Reference
FK_E8378639232D562B	FK_E8378639232D562B	Reference

IV.2.1.33.8List of extended attributes of the table pi_langue

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.33.9List of columns of the table pi_langue

Name	Code
id	id
label	label
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled

IV.2.1.33.10Column id of the table pi_langue***IV.2.1.33.10.1Card of the column id of the table pi_langue***

Name	id
Code	id
Data Type	varchar(5)
Mandatory	Yes

IV.2.1.33.10.2Check constraint name of the column id of the table pi_langue

CK_id

IV.2.1.33.10.3Check of the column id of the table pi_langue

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.33.10.4 Server validation rule of the column id of the table pi_langue

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.33.10.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.33.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.33.11 Column label of the table pi_langue

IV.2.1.33.11.1 Card of the column label of the table pi_langue

Name	label
Code	label

Data Type	varchar(255)
Mandatory	No

IV.2.1.33.11.2Check constraint name of the column label of the table pi_langue
CK_label

IV.2.1.33.11.3Check of the column label of the table pi_langue

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.33.11.4Server validation rule of the column label of the table pi_langue
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.33.11.5List of extended attributes of the table column label

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.33.12Column created_at of the table pi_langue

IV.2.1.33.12.1Card of the column created_at of the table pi_langue

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.33.12.2Check constraint name of the column created_at of the table pi_langue
CK_created_at

IV.2.1.33.12.3Check of the column created_at of the table pi_langue

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.33.12.4Server validation rule of the column created_at of the table pi_langue
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.33.12.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.33.13Column updated_at of the table pi_langue

IV.2.1.33.13.1Card of the column updated_at of the table pi_langue

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.33.13.2Check constraint name of the column updated_at of the table pi_langue

CK_updated_at

IV.2.1.33.13.3Check of the column updated_at of the table pi_langue

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.33.13.4Server validation rule of the column updated_at of the table pi_langue

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.33.13.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.33.14 Column archive_at of the table pi_langue

IV.2.1.33.14.1 Card of the column archive_at of the table pi_langue

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.33.14.2 Check constraint name of the column archive_at of the table pi_langue

CK_archive_at

IV.2.1.33.14.3 Check of the column archive_at of the table pi_langue

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.33.14.4 Server validation rule of the column archive_at of the table pi_langue

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.33.14.5 List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.33.15 Column enabled of the table pi_langue**IV.2.1.33.15.1 Card of the column enabled of the table pi_langue**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.33.15.2 Check constraint name of the column enabled of the table pi_langue

CK_enabled

IV.2.1.33.15.3 Check of the column enabled of the table pi_langue

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.33.15.4 Server validation rule of the column enabled of the table pi_langue

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.33.15.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.33.16List of keys of the table pi_langue

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.33.17Key Key_1 of the table pi_langue

IV.2.1.33.17.1Card of the key Key_1 of the table pi_langue

Name	Key_1
Code	Key_1
Table	pi_langue

IV.2.1.33.17.2Code preview of the key Key_1 of the table pi_langue

```
alter table pi_langue
drop primary key;
```

IV.2.1.33.17.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.33.17.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_4ECCE3E5627579FF	FK_4ECCE3E5627579FF	Reference
FK_7EF527F0627579FF	FK_7EF527F0627579FF	Reference
FK_957A6479627579FF	FK_957A6479627579FF	Reference
FK_E8378639232D562B	FK_E8378639232D562B	Reference

IV.2.1.33.17.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.34 Table pi_langue_translations

IV.2.1.34.1 Card of table pi_langue_translations

Name	pi_langue_translations
Code	pi_langue_translations
DBMS	MySQL 5.0

IV.2.1.34.2 Check constraint name of table pi_langue_translations

TK_pi_langue_translations

IV.2.1.34.3 Server validation rule of table pi_langue_translations

%RULES%

IV.2.1.34.4 Code preview of table pi_langue_translations

drop table if exists pi_langue_translations;

```
/*=====
/* Table: pi_langue_translations          */
/*=====*/
create table pi_langue_translations
(
    id      int(11) not null auto_increment,
    object_id      varchar(5) default NULL,
    locale      varchar(8) not null,
    field      varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_E8378639232D562B (object_id)
);
```

alter table pi_langue_translations add constraint FK_E8378639232D562B foreign key (object_id)
 references pi_langue (id) on delete cascade;

IV.2.1.34.5 List of diagrams containing the table pi_langue_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.34.6List of outgoing references of the table pi_langue_translations

Name	Code	Foreign Key Columns
FK_E8378639232D562B	FK_E8378639232D562B	object_id

IV.2.1.34.7List of all dependencies of the table pi_langue_translations

Name	Code	Class Name
FK_E8378639232D562B	FK_E8378639232D562B	Reference

IV.2.1.34.8List of extended attributes of the table pi_langue_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.34.9List of columns of the table pi_langue_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.34.10Column id of the table pi_langue_translations

IV.2.1.34.10.1Card of the column id of the table pi_langue_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.34.10.2Check constraint name of the column id of the table pi_langue_translations

CK_id

IV.2.1.34.10.3Check of the column id of the table pi_langue_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.34.10.4Server validation rule of the column id of the table pi_langue_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.34.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.34.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.34.11Column object_id of the table pi_langue_translations**IV.2.1.34.11.1Card of the column object_id of the table pi_langue_translations**

Name	object_id
Code	object_id

Data Type	varchar(5)
Mandatory	No

IV.2.1.34.11.2 Check constraint name of the column object_id of the table pi_langue_translations

CK_object_id

IV.2.1.34.11.3 Check of the column object_id of the table pi_langue_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.34.11.4 Server validation rule of the column object_id of the table pi_langue_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.34.11.5 List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_E8378639232D562B	IDX_E8378639232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.34.11.6 List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.34.12 Column locale of the table pi_langue_translations**IV.2.1.34.12.1 Card of the column locale of the table pi_langue_translations**

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.34.12.2 Check constraint name of the column locale of the table pi_langue_translations

CK_locale

IV.2.1.34.12.3 Check of the column locale of the table pi_langue_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.34.12.4 Server validation rule of the column locale of the table pi_langue_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.34.12.5 List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.34.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.34.13Column field of the table pi_langue_translations

IV.2.1.34.13.1Card of the column field of the table pi_langue_translations

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

IV.2.1.34.13.2Check constraint name of the column field of the table pi_langue_translations

CK_field

IV.2.1.34.13.3Check of the column field of the table pi_langue_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.34.13.4 Server validation rule of the column field of the table pi_langue_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.34.13.5 List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.34.13.6 List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.34.14 Column content of the table pi_langue_translations**IV.2.1.34.14.1 Card of the column content of the table pi_langue_translations**

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.34.14.2 Check constraint name of the column content of the table pi_langue_translations

CK_content

IV.2.1.34.14.3 Check of the column content of the table pi_langue_translations

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.34.14.4 Server validation rule of the column content of the table pi_langue_translations
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.34.14.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.34.15 List of keys of the table pi_langue_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_E8378639232D562B	IDX_E8378639232D562B	

IV.2.1.34.16 Key Key_1 of the table pi_langue_translations

IV.2.1.34.16.1 Card of the key Key_1 of the table pi_langue_translations

Name	Key_1
Code	Key_1

Table	pi_langue_translations
-------	------------------------

IV.2.1.34.16.2Code preview of the key Key_1 of the table pi_langue_translations

```
alter table pi_langue_translations
drop primary key;
```

IV.2.1.34.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.34.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.34.17Key lookup_unique_idx of the table pi_langue_translations**IV.2.1.34.17.1Card of the key lookup_unique_idx of the table pi_langue_translations**

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	pi_langue_translations

IV.2.1.34.17.2Code preview of the key lookup_unique_idx of the table pi_langue_translations

```
# The preview is empty because of the setting.
# Check the generation option.
```

IV.2.1.34.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id
field	field

IV.2.1.34.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name

ExtUnique	(Boolean)	true	MySQL 5.0
-----------	-----------	------	-----------

IV.2.1.34.18Key IDX_E8378639232D562B of the table pi_langue_translations

IV.2.1.34.18.1Card of the key IDX_E8378639232D562B of the table pi_langue_translations

Name	IDX_E8378639232D562B
Code	IDX_E8378639232D562B
Table	pi_langue_translations

IV.2.1.34.18.2Code preview of the key IDX_E8378639232D562B of the table pi_langue_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.34.18.3List of columns of the table key IDX_E8378639232D562B

Name	Code
object_id	object_id

IV.2.1.34.18.4List of extended attributes of the table key IDX_E8378639232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.35Table pi_layout

IV.2.1.35.1Card of table pi_layout

Name	pi_layout
Code	pi_layout
DBMS	MySQL 5.0

IV.2.1.35.2Check constraint name of table pi_layout

TK_pi_layout

IV.2.1.35.3Server validation rule of table pi_layout

%RULES%

IV.2.1.35.4 Code preview of table pi_layout

```
drop table if exists pi_layout;
```

```
/*=====
/* Table: pi_layout
/*=====
create table pi_layout
(
    id          bigint(20) not null auto_increment,
    name        varchar(255) not null,
    file_pc     varchar(255) not null,
    file_mobile varchar(255) not null,
    configXml   longtext,
    created_at  datetime not null,
    updated_at  datetime default NULL,
    archive_at  datetime default NULL,
    enabled      tinyint(1) default NULL,
    primary key (id),
    unique key UNIQ_876B3FF45E237E06 (name)
);
```

IV.2.1.35.5 List of diagrams containing the table pi_layout

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.35.6 List of extended attributes of the table pi_layout

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.35.7 List of columns of the table pi_layout

Name	Code
id	id
name	name
file_pc	file_pc
file_mobile	file_mobile
configXml	configXml
created_at	created_at
updated_at	updated_at

archive_at	archive_at
enabled	enabled

IV.2.1.35.8 Column id of the table pi_layout

IV.2.1.35.8.1 Card of the column id of the table pi_layout

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.35.8.2 Check constraint name of the column id of the table pi_layout

CK_id

IV.2.1.35.8.3 Check of the column id of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.8.4 Server validation rule of the column id of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.8.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.35.8.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.9Column name of the table pi_layout**IV.2.1.35.9.1Card of the column name of the table pi_layout**

Name	name
Code	name
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.35.9.2Check constraint name of the column name of the table pi_layout

CK_name

IV.2.1.35.9.3Check of the column name of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.9.4 Server validation rule of the column name of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.9.5 List of all dependencies of the table column name

Name	Code	Class Name
UNIQ_876B3FF45E237E06	UNIQ_876B3FF45E237E06	Key

IV.2.1.35.9.6 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.10 Column file_pc of the table pi_layout**IV.2.1.35.10.1 Card of the column file_pc of the table pi_layout**

Name	file_pc
Code	file_pc
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.35.10.2 Check constraint name of the column file_pc of the table pi_layout

CK_file_pc

IV.2.1.35.10.3 Check of the column file_pc of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.10.4 Server validation rule of the column file_pc of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.10.5 List of extended attributes of the table column file_pc

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.11 Column file_mobile of the table pi_layout**IV.2.1.35.11.1 Card of the column file_mobile of the table pi_layout**

Name	file_mobile
Code	file_mobile
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.35.11.2 Check constraint name of the column file_mobile of the table pi_layout

CK_file_mobile

IV.2.1.35.11.3 Check of the column file_mobile of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.11.4 Server validation rule of the column file_mobile of the table pi_layout
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.11.5 List of extended attributes of the table column file_mobile

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.12 Column configXml of the table pi_layout

IV.2.1.35.12.1 Card of the column configXml of the table pi_layout

Name	configXml
Code	configXml
Data Type	longtext
Mandatory	No

IV.2.1.35.12.2 Check constraint name of the column configXml of the table pi_layout
CK_configXml

IV.2.1.35.12.3 Check of the column configXml of the table pi_layout

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.12.4 Server validation rule of the column configXml of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.12.5 List of extended attributes of the table column configXml

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.13 Column created_at of the table pi_layout**IV.2.1.35.13.1 Card of the column created_at of the table pi_layout**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.35.13.2 Check constraint name of the column created_at of the table pi_layout

CK_created_at

IV.2.1.35.13.3Check of the column created_at of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.13.4Server validation rule of the column created_at of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.13.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.14Column updated_at of the table pi_layout

IV.2.1.35.14.1Card of the column updated_at of the table pi_layout

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.35.14.2Check constraint name of the column updated_at of the table pi_layout

CK_updated_at

IV.2.1.35.14.3Check of the column updated_at of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.14.4Server validation rule of the column updated_at of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.14.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.15Column archive_at of the table pi_layout**IV.2.1.35.15.1Card of the column archive_at of the table pi_layout**

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

--	--

**IV.2.1.35.15.2Check constraint name of the column archive_at of the table pi_layout
CK_archive_at**

IV.2.1.35.15.3Check of the column archive_at of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.15.4Server validation rule of the column archive_at of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.15.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.16Column enabled of the table pi_layout

IV.2.1.35.16.1Card of the column enabled of the table pi_layout

Name	enabled
Code	enabled

Data Type	tinyint(1)
Mandatory	No

IV.2.1.35.16.2Check constraint name of the column enabled of the table pi_layout
CK_enabled

IV.2.1.35.16.3Check of the column enabled of the table pi_layout

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.35.16.4Server validation rule of the column enabled of the table pi_layout

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.35.16.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.35.17List of keys of the table pi_layout

Name	Code	Primary

Key_1	Key_1	X
UNIQ_876B3FF45E237E06	UNIQ_876B3FF45E237E06	

IV.2.1.35.18 Key Key_1 of the table pi_layout

IV.2.1.35.18.1 Card of the key Key_1 of the table pi_layout

Name	Key_1
Code	Key_1
Table	pi_layout

IV.2.1.35.18.2 Code preview of the key Key_1 of the table pi_layout

```
alter table pi_layout
drop primary key;
```

IV.2.1.35.18.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.35.18.4 List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.35.19 Key UNIQ_876B3FF45E237E06 of the table pi_layout

IV.2.1.35.19.1 Card of the key UNIQ_876B3FF45E237E06 of the table pi_layout

Name	UNIQ_876B3FF45E237E06
Code	UNIQ_876B3FF45E237E06
Table	pi_layout

IV.2.1.35.19.2 Code preview of the key UNIQ_876B3FF45E237E06 of the table pi_layout

The preview is empty because of the setting.

Check the generation option.

IV.2.1.35.19.3List of columns of the table key UNIQ_876B3FF45E237E06

Name	Code
name	name

IV.2.1.35.19.4List of extended attributes of the table key UNIQ_876B3FF45E237E06

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.36Table pi_page

IV.2.1.36.1Card of table pi_page

Name	pi_page
Code	pi_page
DBMS	MySQL 5.0

IV.2.1.36.2Check constraint name of table pi_page

TK_pi_page

IV.2.1.36.3Server validation rule of table pi_page

%RULES%

IV.2.1.36.4Code preview of table pi_page

drop table if exists pi_page;

```
/*=====
/* Table: pi_page
/*=====
create table pi_page
(
    id          bigint(20) not null auto_increment,
    user_id     bigint(20) not null,
    rubrique_id bigint(20) default NULL,
    layout_id   bigint(20) default NULL,
    is_cacheable tinyint(1) default NULL,
    is_public    tinyint(1) default NULL,
    lifetime     int(11) default NULL,
    route_name   varchar(255) default NULL,
    url         varchar(255) default NULL,
    meta_content_type  varchar(255) not null,
    created_at   datetime not null,
```

```

updated_at      datetime default NULL,
archive_at      datetime default NULL,
enabled         tinyint(1) default NULL,
primary key (id),
unique key UNIQ_D1F260E1F3667F83 (route_name),
key IDX_D1F260E1A76ED395 (user_id),
key IDX_D1F260E13BD38833 (rubrique_id),
key IDX_D1F260E18C22AA1A (layout_id)
);

alter table pi_page add constraint FK_D1F260E13BD38833 foreign key (rubrique_id)
    references pi_rubrique (id);

```

IV.2.1.36.5List of diagrams containing the table pi_page

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.36.6List of incoming references of the table pi_page

Name	Code
FK_6FBD9DD2C4663E4	FK_6FBD9DD2C4663E4
FK_50D151E52FCBE760	FK_50D151E52FCBE760
FK_6464AB2E1874536E	FK_6464AB2E1874536E
FK_AAD87EB01874536E	FK_AAD87EB01874536E
FK_C4EF33228DE34652	FK_C4EF33228DE34652
FK_D1EF2186C4663E4	FK_D1EF2186C4663E4

IV.2.1.36.7List of outgoing references of the table pi_page

Name	Code	Foreign Key Columns
FK_D1F260E13BD38833	FK_D1F260E13BD38833	rubrique_id

IV.2.1.36.8List of all dependencies of the table pi_page

Name	Code	Class Name
FK_6FBD9DD2C4663E4	FK_6FBD9DD2C4663E4	Reference
FK_50D151E52FCBE760	FK_50D151E52FCBE760	Reference

FK_6464AB2E1874536E	FK_6464AB2E1874536E	Reference
FK_AAD87EB01874536E	FK_AAD87EB01874536E	Reference
FK_C4EF33228DE34652	FK_C4EF33228DE34652	Reference
FK_D1EF2186C4663E4	FK_D1EF2186C4663E4	Reference
FK_D1F260E13BD38833	FK_D1F260E13BD38833	Reference

IV.2.1.36.9 List of extended attributes of the table pi_page

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.36.10 List of columns of the table pi_page

Name	Code
id	id
user_id	user_id
rubrique_id	rubrique_id
layout_id	layout_id
is_cacheable	is_cacheable
is_public	is_public
lifetime	lifetime
route_name	route_name
url	url
meta_content_type	meta_content_type
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled

IV.2.1.36.11 Column id of the table pi_page

IV.2.1.36.11.1Card of the column id of the table pi_page

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.36.11.2Check constraint name of the column id of the table pi_page

CK id

IV.2.1.36.11.3Check of the column id of the table pi_page

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.11.4 Server validation rule of the column id of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.11.5List of all dependencies of the table column id

Key_1	Key_1	Key
-------	-------	-----

IV.2.1.36.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.12Column user_id of the table pi_page**IV.2.1.36.12.1Card of the column user_id of the table pi_page**

Name	user_id
Code	user_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.36.12.2Check constraint name of the column user_id of the table pi_page

CK_user_id

IV.2.1.36.12.3Check of the column user_id of the table pi_page

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.36.12.4 Server validation rule of the column user_id of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.12.5 List of all dependencies of the table column user_id

Name	Code	Class Name
IDX_D1F260E1A76ED395	IDX_D1F260E1A76ED395	Key

IV.2.1.36.12.6 List of extended attributes of the table column user_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.13 Column rubrique_id of the table pi_page

IV.2.1.36.13.1 Card of the column rubrique_id of the table pi_page

Name	rubrique_id
Code	rubrique_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.36.13.2 Check constraint name of the column rubrique_id of the table pi_page

CK_rubrique_id

IV.2.1.36.13.3 Check of the column rubrique_id of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.13.4 Server validation rule of the column rubrique_id of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.13.5 List of all dependencies of the table column rubrique_id

Name	Code	Class Name
?	?	Reference Join
IDX_D1F260E13BD38833	IDX_D1F260E13BD38833	Key

IV.2.1.36.13.6 List of extended attributes of the table column rubrique_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.14 Column layout_id of the table pi_page**IV.2.1.36.14.1 Card of the column layout_id of the table pi_page**

Name	layout_id
Code	layout_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.36.14.2Check constraint name of the column layout_id of the table pi_page
CK_layout_id

IV.2.1.36.14.3Check of the column layout_id of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.14.4Server validation rule of the column layout_id of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.14.5List of all dependencies of the table column layout_id

Name	Code	Class Name
IDX_D1F260E18C22AA1A	IDX_D1F260E18C22AA1A	Key

IV.2.1.36.14.6List of extended attributes of the table column layout_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.15Column is_cacheable of the table pi_page

IV.2.1.36.15.1Card of the column is_cacheable of the table pi_page

Name	is_cacheable
Code	is_cacheable
Data Type	tinyint(1)
Mandatory	No

IV.2.1.36.15.2Check constraint name of the column is_cacheable of the table pi_page

CK_is_cacheable

IV.2.1.36.15.3Check of the column is_cacheable of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.15.4Server validation rule of the column is_cacheable of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.15.5List of extended attributes of the table column is_cacheable

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.16Column is_public of the table pi_page

IV.2.1.36.16.1Card of the column is_public of the table pi_page

Name	is_public
Code	is_public
Data Type	tinyint(1)
Mandatory	No

IV.2.1.36.16.2Check constraint name of the column is_public of the table pi_page

CK_is_public

IV.2.1.36.16.3Check of the column is_public of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.16.4Server validation rule of the column is_public of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.16.5List of extended attributes of the table column is_public

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.36.17 Column lifetime of the table pi_page**IV.2.1.36.17.1 Card of the column lifetime of the table pi_page**

Name	lifetime
Code	lifetime
Data Type	int(11)
Mandatory	No

IV.2.1.36.17.2 Check constraint name of the column lifetime of the table pi_page

CK_lifetime

IV.2.1.36.17.3 Check of the column lifetime of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.17.4 Server validation rule of the column lifetime of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.17.5 List of extended attributes of the table column lifetime

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.18Column route_name of the table pi_page

IV.2.1.36.18.1Card of the column route_name of the table pi_page

Name	route_name
Code	route_name
Data Type	varchar(255)
Mandatory	No

IV.2.1.36.18.2Check constraint name of the column route_name of the table pi_page

CK_route_name

IV.2.1.36.18.3Check of the column route_name of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.18.4Server validation rule of the column route_name of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.18.5List of all dependencies of the table column route_name

Name	Code	Class Name
UNIQ_D1F260E1F3667F83	UNIQ_D1F260E1F3667F83	Key

--	--	--

IV.2.1.36.18.6List of extended attributes of the table column route_name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.19Column url of the table pi_page**IV.2.1.36.19.1Card of the column url of the table pi_page**

Name	url
Code	url
Data Type	varchar(255)
Mandatory	No

IV.2.1.36.19.2Check constraint name of the column url of the table pi_page

CK_url

IV.2.1.36.19.3Check of the column url of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.36.19.4 Server validation rule of the column url of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.19.5 List of extended attributes of the table column url

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.20 Column meta_content_type of the table pi_page

IV.2.1.36.20.1 Card of the column meta_content_type of the table pi_page

Name	meta_content_type
Code	meta_content_type
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.36.20.2 Check constraint name of the column meta_content_type of the table pi_page

CK_meta_content_type

IV.2.1.36.20.3 Check of the column meta_content_type of the table pi_page

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.36.20.4 Server validation rule of the column meta_content_type of the table pi_page
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.20.5 List of extended attributes of the table column meta_content_type

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.21 Column created_at of the table pi_page

IV.2.1.36.21.1 Card of the column created_at of the table pi_page

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.36.21.2 Check constraint name of the column created_at of the table pi_page

CK_created_at

IV.2.1.36.21.3 Check of the column created_at of the table pi_page

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.21.4 Server validation rule of the column created_at of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.21.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.22 Column updated_at of the table pi_page

IV.2.1.36.22.1 Card of the column updated_at of the table pi_page

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.36.22.2 Check constraint name of the column updated_at of the table pi_page

CK_updated_at

IV.2.1.36.22.3 Check of the column updated_at of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.22.4 Server validation rule of the column updated_at of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.22.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.23 Column archive_at of the table pi_page**IV.2.1.36.23.1 Card of the column archive_at of the table pi_page**

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.36.23.2 Check constraint name of the column archive_at of the table pi_page

CK_archive_at

IV.2.1.36.23.3 Check of the column archive_at of the table pi_page

Minimum Value	
---------------	--

Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.23.4Server validation rule of the column archive_at of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.23.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.24Column enabled of the table pi_page

IV.2.1.36.24.1Card of the column enabled of the table pi_page

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.36.24.2Check constraint name of the column enabled of the table pi_page

CK_enabled

IV.2.1.36.24.3Check of the column enabled of the table pi_page

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.36.24.4Server validation rule of the column enabled of the table pi_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.36.24.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.36.25List of keys of the table pi_page

Name	Code	Primary
Key_1	Key_1	X
UNIQ_D1F260E1F3667F83	UNIQ_D1F260E1F3667F83	
IDX_D1F260E1A76ED395	IDX_D1F260E1A76ED395	
IDX_D1F260E13BD38833	IDX_D1F260E13BD38833	
IDX_D1F260E18C22AA1A	IDX_D1F260E18C22AA1A	

/IV.2.1.36.26Key Key_1 of the table pi_page

IV.2.1.36.26.1Card of the key Key_1 of the table pi_page

Name	Key_1
Code	Key_1
Table	pi_page

IV.2.1.36.26.2Code preview of the key Key_1 of the table pi_page

```
alter table pi_page
drop primary key;
```

IV.2.1.36.26.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.36.26.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_6FBD9DD2C4663E4	FK_6FBD9DD2C4663E4	Reference
FK_50D151E52FCBE760	FK_50D151E52FCBE760	Reference
FK_6464AB2E1874536E	FK_6464AB2E1874536E	Reference
FK_AAD87EB01874536E	FK_AAD87EB01874536E	Reference
FK_C4EF33228DE34652	FK_C4EF33228DE34652	Reference
FK_D1EF2186C4663E4	FK_D1EF2186C4663E4	Reference

IV.2.1.36.26.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

/IV.2.1.36.27Key UNIQ_D1F260E1F3667F83 of the table pi_page

IV.2.1.36.27.1Card of the key UNIQ_D1F260E1F3667F83 of the table pi_page

Name	UNIQ_D1F260E1F3667F83
------	-----------------------

Code	UNIQ_D1F260E1F3667F83
Table	pi_page

IV.2.1.36.27.2Code preview of the key UNIQ_D1F260E1F3667F83 of the table pi_page

The preview is empty because of the setting.

Check the generation option.

IV.2.1.36.27.3List of columns of the table key UNIQ_D1F260E1F3667F83

Name	Code
route_name	route_name

IV.2.1.36.27.4List of extended attributes of the table key UNIQ_D1F260E1F3667F83

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.36.28Key IDX_D1F260E1A76ED395 of the table pi_page**IV.2.1.36.28.1Card of the key IDX_D1F260E1A76ED395 of the table pi_page**

Name	IDX_D1F260E1A76ED395
Code	IDX_D1F260E1A76ED395
Table	pi_page

IV.2.1.36.28.2Code preview of the key IDX_D1F260E1A76ED395 of the table pi_page

The preview is empty because of the setting.

Check the generation option.

IV.2.1.36.28.3List of columns of the table key IDX_D1F260E1A76ED395

Name	Code
user_id	user_id

IV.2.1.36.28.4List of extended attributes of the table key IDX_D1F260E1A76ED395

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

--	--	--	--

/IV.2.1.36.29Key IDX_D1F260E13BD38833 of the table pi_page

IV.2.1.36.29.1Card of the key IDX_D1F260E13BD38833 of the table pi_page

Name	IDX_D1F260E13BD38833
Code	IDX_D1F260E13BD38833
Table	pi_page

IV.2.1.36.29.2Code preview of the key IDX_D1F260E13BD38833 of the table pi_page

The preview is empty because of the setting.

Check the generation option.

IV.2.1.36.29.3List of columns of the table key IDX_D1F260E13BD38833

Name	Code
rubrique_id	rubrique_id

IV.2.1.36.29.4List of extended attributes of the table key IDX_D1F260E13BD38833

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

/IV.2.1.36.30Key IDX_D1F260E18C22AA1A of the table pi_page

IV.2.1.36.30.1Card of the key IDX_D1F260E18C22AA1A of the table pi_page

Name	IDX_D1F260E18C22AA1A
Code	IDX_D1F260E18C22AA1A
Table	pi_page

IV.2.1.36.30.2Code preview of the key IDX_D1F260E18C22AA1A of the table pi_page

The preview is empty because of the setting.

Check the generation option.

IV.2.1.36.30.3List of columns of the table key IDX_D1F260E18C22AA1A

Name	Code

layout_id	layout_id
-----------	-----------

IV.2.1.36.30.4List of extended attributes of the table key IDX_D1F260E18C22AA1A

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.37Table pi_page_css**IV.2.1.37.1Card of table pi_page_css**

Name	pi_page_css
Code	pi_page_css
DBMS	MySQL 5.0

IV.2.1.37.2Check constraint name of table pi_page_css

TK_pi_page_css

IV.2.1.37.3Server validation rule of table pi_page_css

%RULES%

IV.2.1.37.4Code preview of table pi_page_css

drop table if exists pi_page_css;

```
/*=====
/* Table: pi_page_css */
/*=====*/
create table pi_page_css
(
    page_id      bigint(20) not null,
    pagecss_id   bigint(20) not null,
    primary key (page_id, pagecss_id),
    key IDX_C4EF3322C4663E4 (page_id),
    key IDX_C4EF33228DE34652 (pagecss_id)
);

alter table pi_page_css add constraint FK_C4EF33228DE34652 foreign key (pagecss_id)
    references pi_page (id);
```

IV.2.1.37.5List of diagrams containing the table pi_page_css

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

--	--

IV.2.1.37.6List of outgoing references of the table pi_page_css

Name	Code	Foreign Key Columns
FK_C4EF33228DE34652	FK_C4EF33228DE34652	pagecss_id

IV.2.1.37.7List of all dependencies of the table pi_page_css

Name	Code	Class Name
FK_C4EF33228DE34652	FK_C4EF33228DE34652	Reference

IV.2.1.37.8List of extended attributes of the table pi_page_css

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.37.9List of columns of the table pi_page_css

Name	Code
page_id	page_id
pagecss_id	pagecss_id

IV.2.1.37.10Column page_id of the table pi_page_css

IV.2.1.37.10.1Card of the column page_id of the table pi_page_css

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.37.10.2Check constraint name of the column page_id of the table pi_page_css

CK_page_id

IV.2.1.37.10.3Check of the column page_id of the table pi_page_css

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.37.10.4 Server validation rule of the column page_id of the table pi_page_css

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.37.10.5 List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_C4EF3322C4663E4	IDX_C4EF3322C4663E4	Key
Key_1	Key_1	Key

IV.2.1.37.10.6 List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.37.11 Column pagecss_id of the table pi_page_css**IV.2.1.37.11.1 Card of the column pagecss_id of the table pi_page_css**

Name	pagecss_id
------	------------

Code	pagecss_id
Data Type	bigint(20)
Mandatory	Yes

**IV.2.1.37.11.2Check constraint name of the column pagecss_id of the table pi_page_css
CK_pagecss_id**

IV.2.1.37.11.3Check of the column pagecss_id of the table pi_page_css

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.37.11.4Server validation rule of the column pagecss_id of the table pi_page_css
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.37.11.5List of all dependencies of the table column pagecss_id

Name	Code	Class Name
?	?	Reference Join
IDX_C4EF33228DE34652	IDX_C4EF33228DE34652	Key
Key_1	Key_1	Key

IV.2.1.37.11.6List of extended attributes of the table column pagecss_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.37.12List of keys of the table pi_page_css

Name	Code	Primary
Key_1	Key_1	X
IDX_C4EF3322C4663E4	IDX_C4EF3322C4663E4	
IDX_C4EF33228DE34652	IDX_C4EF33228DE34652	

IV.2.1.37.13Key Key_1 of the table pi_page_css**IV.2.1.37.13.1Card of the key Key_1 of the table pi_page_css**

Name	Key_1
Code	Key_1
Table	pi_page_css

IV.2.1.37.13.2Code preview of the key Key_1 of the table pi_page_css

```
alter table pi_page_css
drop primary key;
```

IV.2.1.37.13.3List of columns of the table key Key_1

Name	Code
page_id	page_id
pagecss_id	pagecss_id

IV.2.1.37.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.37.14Key IDX_C4EF3322C4663E4 of the table pi_page_css

IV.2.1.37.14.1Card of the key IDX_C4EF3322C4663E4 of the table pi_page_css

Name	IDX_C4EF3322C4663E4
Code	IDX_C4EF3322C4663E4
Table	pi_page_css

IV.2.1.37.14.2Code preview of the key IDX_C4EF3322C4663E4 of the table pi_page_css

The preview is empty because of the setting.

Check the generation option.

IV.2.1.37.14.3List of columns of the table key IDX_C4EF3322C4663E4

Name	Code
page_id	page_id

IV.2.1.37.14.4List of extended attributes of the table key IDX_C4EF3322C4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.37.15Key IDX_C4EF33228DE34652 of the table pi_page_css**IV.2.1.37.15.1Card of the key IDX_C4EF33228DE34652 of the table pi_page_css**

Name	IDX_C4EF33228DE34652
Code	IDX_C4EF33228DE34652
Table	pi_page_css

IV.2.1.37.15.2Code preview of the key IDX_C4EF33228DE34652 of the table pi_page_css

The preview is empty because of the setting.

Check the generation option.

IV.2.1.37.15.3List of columns of the table key IDX_C4EF33228DE34652

Name	Code
pagecss_id	pagecss_id

IV.2.1.37.15.4List of extended attributes of the table key IDX_C4EF33228DE34652

Name	Data Type	Value	Target Name

ExtUnique	(Boolean)	false	MySQL 5.0
-----------	-----------	-------	-----------

IV.2.1.38Table pi_page_historical_status**IV.2.1.38.1Card of table pi_page_historical_status**

Name	pi_page_historical_status
Code	pi_page_historical_status
DBMS	MySQL 5.0

IV.2.1.38.2Check constraint name of table pi_page_historical_status

TK_pi_page_historical_status

IV.2.1.38.3Server validation rule of table pi_page_historical_status

%RULES%

IV.2.1.38.4Code preview of table pi_page_historical_status

drop table if exists pi_page_historical_status;

```
/*=====
/* Table: pi_page_historical_status          */
/*=====*/
create table pi_page_historical_status
(
    id          int(11) not null auto_increment,
    pagetrans_id      bigint(20) default NULL,
    status        varchar(255) not null,
    comment       longtext,
    created_at     datetime not null,
    enabled        tinyint(1) default NULL,
    primary key (id),
    key IDX_1B1651F2BDC78D6A (pagetrans_id)
);

alter table pi_page_historical_status add constraint FK_1B1651F2BDC78D6A foreign key (pagetrans_id)
    references pi_page_translation (id);
```

IV.2.1.38.5List of diagrams containing the table pi_page_historical_status

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.38.6List of outgoing references of the table pi_page_historical_status

Name	Code	Foreign Key Columns
FK_1B1651F2BDC78D6A	FK_1B1651F2BDC78D6A	pagetrans_id

IV.2.1.38.7List of all dependencies of the table pi_page_historical_status

Name	Code	Class Name
FK_1B1651F2BDC78D6A	FK_1B1651F2BDC78D6A	Reference

IV.2.1.38.8List of extended attributes of the table pi_page_historical_status

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.38.9List of columns of the table pi_page_historical_status

Name	Code
id	id
pagetrans_id	pagetrans_id
status	status
comment	comment
created_at	created_at
enabled	enabled

IV.2.1.38.10Column id of the table pi_page_historical_status

IV.2.1.38.10.1Card of the column id of the table pi_page_historical_status

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.38.10.2Check constraint name of the column id of the table pi_page_historical_status

CK_id

IV.2.1.38.10.3Check of the column id of the table pi_page_historical_status

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.38.10.4Server validation rule of the column id of the table pi_page_historical_status

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.38.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.38.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.38.11Column pagetrans_id of the table pi_page_historical_status**IV.2.1.38.11.1Card of the column pagetrans_id of the table pi_page_historical_status**

Name	pagetrans_id
Code	pagetrans_id
Data Type	bigint(20)
Mandatory	No

**IV.2.1.38.11.2Check constraint name of the column pagetrans_id of the table
pi_page_historical_status**

CK_pagetrans_id

IV.2.1.38.11.3Check of the column pagetrans_id of the table pi_page_historical_status

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.38.11.4Server validation rule of the column pagetrans_id of the table
pi_page_historical_status**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.38.11.5List of all dependencies of the table column pagetrans_id

Name	Code	Class Name
?	?	Reference Join
IDX_1B1651F2BDC78D6A	IDX_1B1651F2BDC78D6A	Key

IV.2.1.38.11.6List of extended attributes of the table column pagetrans_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.38.12 Column status of the table pi_page_historical_status**IV.2.1.38.12.1 Card of the column status of the table pi_page_historical_status**

Name	status
Code	status
Data Type	varchar(255)
Mandatory	Yes

**IV.2.1.38.12.2 Check constraint name of the column status of the table
pi_page_historical_status**

CK_status

IV.2.1.38.12.3 Check of the column status of the table pi_page_historical_status

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.38.12.4 Server validation rule of the column status of the table pi_page_historical_status

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.38.12.5List of extended attributes of the table column status

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.38.13Column comment of the table pi_page_historical_status

IV.2.1.38.13.1Card of the column comment of the table pi_page_historical_status

Name	comment
Code	comment
Data Type	longtext
Mandatory	No

IV.2.1.38.13.2Check constraint name of the column comment of the table pi_page_historical_status

CK_comment

IV.2.1.38.13.3Check of the column comment of the table pi_page_historical_status

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.38.13.4 Server validation rule of the column comment of the table
pi_page_historical_status**

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.38.13.5 List of extended attributes of the table column comment

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.38.14 Column created_at of the table pi_page_historical_status

IV.2.1.38.14.1 Card of the column created_at of the table pi_page_historical_status

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

**IV.2.1.38.14.2 Check constraint name of the column created_at of the table
pi_page_historical_status**

CK_created_at

IV.2.1.38.14.3 Check of the column created_at of the table pi_page_historical_status

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	

IV.2.1.38.14.4 Server validation rule of the column created_at of the table pi_page_historical_status

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.38.14.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.38.15 Column enabled of the table pi_page_historical_status

IV.2.1.38.15.1 Card of the column enabled of the table pi_page_historical_status

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.38.15.2 Check constraint name of the column enabled of the table pi_page_historical_status

CK_enabled

IV.2.1.38.15.3 Check of the column enabled of the table pi_page_historical_status

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.38.15.4 Server validation rule of the column enabled of the table pi_page_historical_status

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.38.15.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.38.16 List of keys of the table pi_page_historical_status

Name	Code	Primary
Key_1	Key_1	X
IDX_1B1651F2BDC78D6A	IDX_1B1651F2BDC78D6A	

IV.2.1.38.17 Key Key_1 of the table pi_page_historical_status

IV.2.1.38.17.1 Card of the key Key_1 of the table pi_page_historical_status

Name	Key_1
Code	Key_1
Table	pi_page_historical_status

IV.2.1.38.17.2 Code preview of the key Key_1 of the table pi_page_historical_status

```
alter table pi_page_historical_status
drop primary key;
```

IV.2.1.38.17.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.38.17.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.38.18Key IDX_1B1651F2BDC78D6A of the table pi_page_historical_status

IV.2.1.38.18.1Card of the key IDX_1B1651F2BDC78D6A of the table pi_page_historical_status

Name	IDX_1B1651F2BDC78D6A
Code	IDX_1B1651F2BDC78D6A
Table	pi_page_historical_status

IV.2.1.38.18.2Code preview of the key IDX_1B1651F2BDC78D6A of the table pi_page_historical_status

The preview is empty because of the setting.
Check the generation option.

IV.2.1.38.18.3List of columns of the table key IDX_1B1651F2BDC78D6A

Name	Code
pagetrans_id	pagetrans_id

IV.2.1.38.18.4List of extended attributes of the table key IDX_1B1651F2BDC78D6A

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.39Table pi_page_js

IV.2.1.39.1Card of table pi_page_js

Name	pi_page_js
Code	pi_page_js
DBMS	MySQL 5.0

IV.2.1.39.2 Check constraint name of table pi_page_js

TK_pi_page_js

IV.2.1.39.3 Server validation rule of table pi_page_js

%RULES%

IV.2.1.39.4 Code preview of table pi_page_js

drop table if exists pi_page_js;

```
/*
 * Table: pi_page_js
 */
create table pi_page_js
(
    page_id      bigint(20) not null,
    pagejs_id    bigint(20) not null,
    primary key (page_id, pagejs_id),
    key IDX_50D151E5C4663E4 (page_id),
    key IDX_50D151E52FCBE760 (pagejs_id)
);
alter table pi_page_js add constraint FK_50D151E52FCBE760 foreign key (pagejs_id)
    references pi_page (id);
```

IV.2.1.39.5 List of diagrams containing the table pi_page_js

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.39.6 List of outgoing references of the table pi_page_js

Name	Code	Foreign Key Columns
FK_50D151E52FCBE760	FK_50D151E52FCBE760	pagejs_id

IV.2.1.39.7 List of all dependencies of the table pi_page_js

Name	Code	Class Name
FK_50D151E52FCBE760	FK_50D151E52FCBE760	Reference

--	--	--

IV.2.1.39.8List of extended attributes of the table pi_page_js

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.39.9List of columns of the table pi_page_js

Name	Code
page_id	page_id
pagejs_id	pagejs_id

IV.2.1.39.10Column page_id of the table pi_page_js

IV.2.1.39.10.1Card of the column page_id of the table pi_page_js

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.39.10.2Check constraint name of the column page_id of the table pi_page_js

CK_page_id

IV.2.1.39.10.3Check of the column page_id of the table pi_page_js

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.39.10.4 Server validation rule of the column page_id of the table pi_page_js

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.39.10.5 List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_50D151E5C4663E4	IDX_50D151E5C4663E4	Key
Key_1	Key_1	Key

IV.2.1.39.10.6 List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.39.11 Column pagejs_id of the table pi_page_js**IV.2.1.39.11.1 Card of the column pagejs_id of the table pi_page_js**

Name	pagejs_id
Code	pagejs_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.39.11.2 Check constraint name of the column pagejs_id of the table pi_page_js

CK_pagejs_id

IV.2.1.39.11.3 Check of the column pagejs_id of the table pi_page_js

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.39.11.4 Server validation rule of the column pagejs_id of the table pi_page_js

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.39.11.5 List of all dependencies of the table column pagejs_id

Name	Code	Class Name
?	?	Reference Join
IDX_50D151E52FCBE760	IDX_50D151E52FCBE760	Key
Key_1	Key_1	Key

IV.2.1.39.11.6 List of extended attributes of the table column pagejs_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.39.12 List of keys of the table pi_page_js

Name	Code	Primary
Key_1	Key_1	X

IDX_50D151E5C4663E4	IDX_50D151E5C4663E4	
IDX_50D151E52FCBE760	IDX_50D151E52FCBE760	

IV.2.1.39.13Key Key_1 of the table pi_page_js**IV.2.1.39.13.1Card of the key Key_1 of the table pi_page_js**

Name	Key_1
Code	Key_1
Table	pi_page_js

IV.2.1.39.13.2Code preview of the key Key_1 of the table pi_page_js

```
alter table pi_page_js
  drop primary key;
```

IV.2.1.39.13.3List of columns of the table key Key_1

Name	Code
page_id	page_id
pagejs_id	pagejs_id

IV.2.1.39.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.39.14Key IDX_50D151E5C4663E4 of the table pi_page_js**IV.2.1.39.14.1Card of the key IDX_50D151E5C4663E4 of the table pi_page_js**

Name	IDX_50D151E5C4663E4
Code	IDX_50D151E5C4663E4
Table	pi_page_js

IV.2.1.39.14.2Code preview of the key IDX_50D151E5C4663E4 of the table pi_page_js

The preview is empty because of the setting.

Check the generation option.

IV.2.1.39.14.3List of columns of the table key IDX_50D151E5C4663E4

Name	Code
page_id	page_id

IV.2.1.39.14.4List of extended attributes of the table key IDX_50D151E5C4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.39.15Key IDX_50D151E52FCBE760 of the table pi_page_js

IV.2.1.39.15.1Card of the key IDX_50D151E52FCBE760 of the table pi_page_js

Name	IDX_50D151E52FCBE760
Code	IDX_50D151E52FCBE760
Table	pi_page_js

IV.2.1.39.15.2Code preview of the key IDX_50D151E52FCBE760 of the table pi_page_js

The preview is empty because of the setting.

Check the generation option.

IV.2.1.39.15.3List of columns of the table key IDX_50D151E52FCBE760

Name	Code
pagejs_id	pagejs_id

IV.2.1.39.15.4List of extended attributes of the table key IDX_50D151E52FCBE760

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.40Table pi_page_translation

IV.2.1.40.1Card of table pi_page_translation

Name	pi_page_translation
Code	pi_page_translation

DBMS	MySQL 5.0

IV.2.1.40.2 Check constraint name of table pi_page_translation

TK_pi_page_translation

IV.2.1.40.3 Server validation rule of table pi_page_translation

%RULES%

IV.2.1.40.4 Code preview of table pi_page_translation

drop table if exists pi_page_translation;

```
/*
=====
/* Table: pi_page_translation */
=====
create table pi_page_translation
(
    id          bigint(20) not null auto_increment,
    page_id     bigint(20) default NULL,
    lang_code   varchar(5) not null,
    lang_status varchar(255) default NULL,
    status      varchar(255) not null,
    is_secure   tinyint(1) default NULL,
    secure_roles longtext comment '(DC2Type:array)',
    is_indexable tinyint(1) default NULL,
    breadcrumb  varchar(255) default NULL,
    slug        varchar(255) default NULL,
    meta_title  varchar(255) default NULL,
    meta_keywords longtext,
    meta_description longtext,
    surtitre    varchar(255) default NULL,
    titre       varchar(255) default NULL,
    soustitre   varchar(255) default NULL,
    descriptif  longtext,
    chapo       longtext,
    texte       longtext,
    ps          longtext,
    created_at  datetime not null,
    updated_at  datetime default NULL,
    published_at date default NULL,
    archive_at  datetime default NULL,
    enabled      tinyint(1) default NULL,
    primary key (id),
    key IDX_7EF527F0C4663E4 (page_id),
    key IDX_7EF527F0627579FF (lang_code)
);
```

```
alter table pi_page_translation add constraint FK_7EF527F0627579FF foreign key (lang_code)
    references pi_langue (id);
```

IV.2.1.40.5List of diagrams containing the table pi_page_translation

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.40.6List of incoming references of the table pi_page_translation

Name	Code
FK_1B1651F2BDC78D6A	FK_1B1651F2BDC78D6A
FK_601DB669BDC78D6A	FK_601DB669BDC78D6A

IV.2.1.40.7List of outgoing references of the table pi_page_translation

Name	Code	Foreign Key Columns
FK_7EF527F0627579FF	FK_7EF527F0627579FF	lang_code

IV.2.1.40.8List of all dependencies of the table pi_page_translation

Name	Code	Class Name
FK_1B1651F2BDC78D6A	FK_1B1651F2BDC78D6A	Reference
FK_7EF527F0627579FF	FK_7EF527F0627579FF	Reference
FK_601DB669BDC78D6A	FK_601DB669BDC78D6A	Reference

IV.2.1.40.9List of extended attributes of the table pi_page_translation

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.40.10List of columns of the table pi_page_translation

Name	Code
id	id
page_id	page_id
lang_code	lang_code
lang_status	lang_status

status	status
is_secure	is_secure
secure_roles	secure_roles
is_indexable	is_indexable
breadcrumb	breadcrumb
slug	slug
meta_title	meta_title
meta_keywords	meta_keywords
meta_description	meta_description
surtitre	surtitre
titre	titre
soustitre	soustitre
descriptif	descriptif
chapo	chapo
texte	texte
ps	ps
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled

IV.2.1.40.11 Column id of the table pi_page_translation**IV.2.1.40.11.1 Card of the column id of the table pi_page_translation**

Name	id
Code	id

Data Type	bigint(20)
Mandatory	Yes

**IV.2.1.40.11.2Check constraint name of the column id of the table pi_page_translation
CK_id**

IV.2.1.40.11.3Check of the column id of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.40.11.4Server validation rule of the column id of the table pi_page_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.40.11.5List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.40.11.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.12 Column page_id of the table pi_page_translation**IV.2.1.40.12.1 Card of the column page_id of the table pi_page_translation**

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.40.12.2 Check constraint name of the column page_id of the table pi_page_translation

CK_page_id

IV.2.1.40.12.3 Check of the column page_id of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.12.4 Server validation rule of the column page_id of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.12.5 List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_7EF527F0C4663E4	IDX_7EF527F0C4663E4	Key

IV.2.1.40.12.6List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.13Column lang_code of the table pi_page_translation**IV.2.1.40.13.1Card of the column lang_code of the table pi_page_translation**

Name	lang_code
Code	lang_code
Data Type	varchar(5)
Mandatory	Yes

IV.2.1.40.13.2Check constraint name of the column lang_code of the table pi_page_translation

CK_lang_code

IV.2.1.40.13.3Check of the column lang_code of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.13.4 Server validation rule of the column lang_code of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.13.5 List of all dependencies of the table column lang_code

Name	Code	Class Name
?	?	Reference Join
IDX_7EF527F0627579FF	IDX_7EF527F0627579FF	Key

IV.2.1.40.13.6 List of extended attributes of the table column lang_code

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.14 Column lang_status of the table pi_page_translation**IV.2.1.40.14.1 Card of the column lang_status of the table pi_page_translation**

Name	lang_status
Code	lang_status
Data Type	varchar(255)
Mandatory	No

IV.2.1.40.14.2 Check constraint name of the column lang_status of the table pi_page_translation

CK_lang_status

IV.2.1.40.14.3 Check of the column lang_status of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.14.4Server validation rule of the column lang_status of the table pi_page_translation
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.14.5List of extended attributes of the table column lang_status

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.15Column status of the table pi_page_translation

IV.2.1.40.15.1Card of the column status of the table pi_page_translation

Name	status
Code	status
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.40.15.2Check constraint name of the column status of the table pi_page_translation
 CK_status

IV.2.1.40.15.3Check of the column status of the table pi_page_translation

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.15.4 Server validation rule of the column status of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.15.5 List of extended attributes of the table column status

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.16 Column is_secure of the table pi_page_translation**IV.2.1.40.16.1 Card of the column is_secure of the table pi_page_translation**

Name	is_secure
Code	is_secure
Data Type	tinyint(1)
Mandatory	No

IV.2.1.40.16.2 Check constraint name of the column is_secure of the table pi_page_translation
CK_is_secure**IV.2.1.40.16.3 Check of the column is_secure of the table pi_page_translation**

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.16.4Server validation rule of the column is_secure of the table pi_page_translation
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.16.5List of extended attributes of the table column is_secure

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.17Column secure_roles of the table pi_page_translation

IV.2.1.40.17.1Card of the column secure_roles of the table pi_page_translation

Name	secure_roles
Code	secure_roles
Data Type	longtext
Mandatory	No

IV.2.1.40.17.2Check constraint name of the column secure_roles of the table pi_page_translation

CK_secure_roles

IV.2.1.40.17.3Check of the column secure_roles of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.17.4Server validation rule of the column secure_roles of the table pi_page_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**IV.2.1.40.17.5List of extended attributes of the table column secure_roles**

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.18Column is_indexable of the table pi_page_translation**IV.2.1.40.18.1Card of the column is_indexable of the table pi_page_translation**

Name	is_indexable
Code	is_indexable
Data Type	tinyint(1)
Mandatory	No

IV.2.1.40.18.2Check constraint name of the column is_indexable of the table pi_page_translation

CK_is_indexable

IV.2.1.40.18.3Check of the column is_indexable of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.18.4Server validation rule of the column is_indexable of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.18.5List of extended attributes of the table column is_indexable

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.19Column breadcrumb of the table pi_page_translation

IV.2.1.40.19.1Card of the column breadcrumb of the table pi_page_translation

Name	breadcrumb
Code	breadcrumb
Data Type	varchar(255)

Mandatory	No

IV.2.1.40.19.2Check constraint name of the column breadcrumb of the table pi_page_translation

CKBreadcrumb

IV.2.1.40.19.3Check of the column breadcrumb of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.19.4Server validation rule of the column breadcrumb of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.19.5List of extended attributes of the table column breadcrumb

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.20Column slug of the table pi_page_translation

IV.2.1.40.20.1Card of the column slug of the table pi_page_translation

Name	slug
Code	slug
Data Type	varchar(255)
Mandatory	No

**IV.2.1.40.20.2Check constraint name of the column slug of the table pi_page_translation
CK_slug**

IV.2.1.40.20.3Check of the column slug of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.40.20.4Server validation rule of the column slug of the table pi_page_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.40.20.5List of extended attributes of the table column slug

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.21Column meta_title of the table pi_page_translation

IV.2.1.40.21.1Card of the column meta_title of the table pi_page_translation

Name	meta_title
Code	meta_title
Data Type	varchar(255)
Mandatory	No

IV.2.1.40.21.2Check constraint name of the column meta_title of the table pi_page_translation

CK_meta_title

IV.2.1.40.21.3Check of the column meta_title of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.21.4Server validation rule of the column meta_title of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.21.5List of extended attributes of the table column meta_title

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.22Column meta_keywords of the table pi_page_translation

IV.2.1.40.22.1Card of the column meta_keywords of the table pi_page_translation

Name	meta_keywords
Code	meta_keywords
Data Type	longtext
Mandatory	No

IV.2.1.40.22.2Check constraint name of the column meta_keywords of the table pi_page_translation

CK_meta_keywords

IV.2.1.40.22.3Check of the column meta_keywords of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.22.4Server validation rule of the column meta_keywords of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.22.5List of extended attributes of the table column meta_keywords

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0

ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.23Column meta_description of the table pi_page_translation**IV.2.1.40.23.1Card of the column meta_description of the table pi_page_translation**

Name	meta_description
Code	meta_description
Data Type	longtext
Mandatory	No

IV.2.1.40.23.2Check constraint name of the column meta_description of the table pi_page_translation

CK_meta_description

IV.2.1.40.23.3Check of the column meta_description of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.23.4Server validation rule of the column meta_description of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.23.5List of extended attributes of the table column meta_description

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.24Column surtitre of the table pi_page_translation

IV.2.1.40.24.1Card of the column surtitre of the table pi_page_translation

Name	surtitre
Code	surtitre
Data Type	varchar(255)
Mandatory	No

IV.2.1.40.24.2Check constraint name of the column surtitre of the table pi_page_translation

CK_surtitre

IV.2.1.40.24.3Check of the column surtitre of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.24.4Server validation rule of the column surtitre of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.24.5List of extended attributes of the table column surtitre

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.25 Column titre of the table pi_page_translation**IV.2.1.40.25.1 Card of the column titre of the table pi_page_translation**

Name	titre
Code	titre
Data Type	varchar(255)
Mandatory	No

IV.2.1.40.25.2 Check constraint name of the column titre of the table pi_page_translation

CK_titre

IV.2.1.40.25.3 Check of the column titre of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.25.4 Server validation rule of the column titre of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.25.5List of extended attributes of the table column titre

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.26Column soustitre of the table pi_page_translation

IV.2.1.40.26.1Card of the column soustitre of the table pi_page_translation

Name	soustitre
Code	soustitre
Data Type	varchar(255)
Mandatory	No

IV.2.1.40.26.2Check constraint name of the column soustitre of the table pi_page_translation

CK_soustitre

IV.2.1.40.26.3Check of the column soustitre of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.26.4Server validation rule of the column soustitre of the table pi_page_translation
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.26.5List of extended attributes of the table column soustitre

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.27Column descriptif of the table pi_page_translation

IV.2.1.40.27.1Card of the column descriptif of the table pi_page_translation

Name	descriptif
Code	descriptif
Data Type	longtext
Mandatory	No

IV.2.1.40.27.2Check constraint name of the column descriptif of the table pi_page_translation
 CK_descriptif

IV.2.1.40.27.3Check of the column descriptif of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.40.27.4 Server validation rule of the column descriptif of the table pi_page_translation
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.27.5 List of extended attributes of the table column descriptif

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.28 Column chapo of the table pi_page_translation

IV.2.1.40.28.1 Card of the column chapo of the table pi_page_translation

Name	chapo
Code	chapo
Data Type	longtext
Mandatory	No

IV.2.1.40.28.2 Check constraint name of the column chapo of the table pi_page_translation
 CK_chapo

IV.2.1.40.28.3 Check of the column chapo of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.28.4 Server validation rule of the column chapo of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.28.5 List of extended attributes of the table column chapo

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.29 Column texte of the table pi_page_translation**IV.2.1.40.29.1 Card of the column texte of the table pi_page_translation**

Name	texte
Code	texte
Data Type	longtext
Mandatory	No

IV.2.1.40.29.2 Check constraint name of the column texte of the table pi_page_translation

CK_texte

IV.2.1.40.29.3 Check of the column texte of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.29.4 Server validation rule of the column texte of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.29.5 List of extended attributes of the table column texte

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.30 Column ps of the table pi_page_translation

IV.2.1.40.30.1 Card of the column ps of the table pi_page_translation

Name	ps
Code	ps
Data Type	longtext
Mandatory	No

IV.2.1.40.30.2 Check constraint name of the column ps of the table pi_page_translation

CK_ps

IV.2.1.40.30.3 Check of the column ps of the table pi_page_translation

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.30.4 Server validation rule of the column ps of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.30.5 List of extended attributes of the table column ps

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.31 Column created_at of the table pi_page_translation**IV.2.1.40.31.1 Card of the column created_at of the table pi_page_translation**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.40.31.2 Check constraint name of the column created_at of the table pi_page_translation
CK_created_at**IV.2.1.40.31.3 Check of the column created_at of the table pi_page_translation**

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.31.4 Server validation rule of the column created_at of the table pi_page_translation
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.31.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.32 Column updated_at of the table pi_page_translation

IV.2.1.40.32.1 Card of the column updated_at of the table pi_page_translation

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.40.32.2 Check constraint name of the column updated_at of the table pi_page_translation

CK_updated_at

IV.2.1.40.32.3Check of the column updated_at of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.32.4Server validation rule of the column updated_at of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.32.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.33Column published_at of the table pi_page_translation**IV.2.1.40.33.1Card of the column published_at of the table pi_page_translation**

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.40.33.2Check constraint name of the column published_at of the table pi_page_translation

CK_published_at

IV.2.1.40.33.3Check of the column published_at of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.40.33.4Server validation rule of the column published_at of the table pi_page_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.40.33.5List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.34Column archive_at of the table pi_page_translation

IV.2.1.40.34.1Card of the column archive_at of the table pi_page_translation

Name	archive_at
Code	archive_at
Data Type	datetime

Mandatory	No

**IV.2.1.40.34.2Check constraint name of the column archive_at of the table pi_page_translation
CK_archive_at**

IV.2.1.40.34.3Check of the column archive_at of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.40.34.4Server validation rule of the column archive_at of the table pi_page_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.40.34.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.35Column enabled of the table pi_page_translation

IV.2.1.40.35.1Card of the column enabled of the table pi_page_translation

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

**IV.2.1.40.35.2Check constraint name of the column enabled of the table pi_page_translation
CK_enabled**

IV.2.1.40.35.3Check of the column enabled of the table pi_page_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.40.35.4Server validation rule of the column enabled of the table pi_page_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.40.35.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.40.36List of keys of the table pi_page_translation

Name	Code	Primary
Key_1	Key_1	X
IDX_7EF527F0C4663E4	IDX_7EF527F0C4663E4	
IDX_7EF527F0627579FF	IDX_7EF527F0627579FF	

IV.2.1.40.37 Key Key_1 of the table pi_page_translation**IV.2.1.40.37.1 Card of the key Key_1 of the table pi_page_translation**

Name	Key_1
Code	Key_1
Table	pi_page_translation

IV.2.1.40.37.2 Code preview of the key Key_1 of the table pi_page_translation

```
alter table pi_page_translation
drop primary key;
```

IV.2.1.40.37.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.40.37.4 List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_1B1651F2BDC78D6A	FK_1B1651F2BDC78D6A	Reference
FK_601DB669BDC78D6A	FK_601DB669BDC78D6A	Reference

IV.2.1.40.37.5 List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.40.38 Key IDX_7EF527F0C4663E4 of the table pi_page_translation**IV.2.1.40.38.1 Card of the key IDX_7EF527F0C4663E4 of the table pi_page_translation**

Name	IDX_7EF527F0C4663E4
Code	IDX_7EF527F0C4663E4
Table	pi_page_translation

IV.2.1.40.38.2Code preview of the key IDX_7EF527F0C4663E4 of the table pi_page_translation

The preview is empty because of the setting.

Check the generation option.

IV.2.1.40.38.3List of columns of the table key IDX_7EF527F0C4663E4

Name	Code
page_id	page_id

IV.2.1.40.38.4List of extended attributes of the table key IDX_7EF527F0C4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.40.39Key IDX_7EF527F0627579FF of the table pi_page_translation

IV.2.1.40.39.1Card of the key IDX_7EF527F0627579FF of the table pi_page_translation

Name	IDX_7EF527F0627579FF
Code	IDX_7EF527F0627579FF
Table	pi_page_translation

IV.2.1.40.39.2Code preview of the key IDX_7EF527F0627579FF of the table pi_page_translation

The preview is empty because of the setting.

Check the generation option.

IV.2.1.40.39.3List of columns of the table key IDX_7EF527F0627579FF

Name	Code
lang_code	lang_code

IV.2.1.40.39.4List of extended attributes of the table key IDX_7EF527F0627579FF

Name	Data Type	Value	Target Name

ExtUnique	(Boolean)	false	MySQL 5.0
-----------	-----------	-------	-----------

IV.2.1.41 Table pi_routing**IV.2.1.41.1 Card of table pi_routing**

Name	pi_routing
Code	pi_routing
DBMS	MySQL 5.0

IV.2.1.41.2 Check constraint name of table pi_routing

TK_pi_routing

IV.2.1.41.3 Server validation rule of table pi_routing

%RULES%

IV.2.1.41.4 Code preview of table pi_routing

drop table if exists pi_routing;

```
/*=====
/* Table: pi_routing          */
/*=====*/
create table pi_routing
(
    id      int(11) not null auto_increment,
    route   varchar(255) default NULL,
    locales longtext not null comment '(DC2Type:array)',
    defaults longtext not null comment '(DC2Type:array)',
    requirements longtext not null comment '(DC2Type:array)',
    primary key (id),
    unique key UNIQ_51915DFF2C42079 (route)
);
```

IV.2.1.41.5 List of diagrams containing the table pi_routing

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.41.6 List of extended attributes of the table pi_routing

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.41.7List of columns of the table pi_routing

Name	Code
id	id
route	route
locales	locales
defaults	defaults
requirements	requirements

IV.2.1.41.8Column id of the table pi_routing

IV.2.1.41.8.1Card of the column id of the table pi_routing

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.41.8.2Check constraint name of the column id of the table pi_routing

CK_id

IV.2.1.41.8.3Check of the column id of the table pi_routing

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.41.8.4 Server validation rule of the column id of the table pi_routing

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.41.8.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.41.8.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.41.9 Column route of the table pi_routing**IV.2.1.41.9.1 Card of the column route of the table pi_routing**

Name	route
Code	route
Data Type	varchar(255)
Mandatory	No

IV.2.1.41.9.2 Check constraint name of the column route of the table pi_routing

CK_route

IV.2.1.41.9.3 Check of the column route of the table pi_routing

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.41.9.4 Server validation rule of the column route of the table pi_routing

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.41.9.5 List of all dependencies of the table column route

Name	Code	Class Name
UNIQ_51915DFF2C42079	UNIQ_51915DFF2C42079	Key

IV.2.1.41.9.6 List of extended attributes of the table column route

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.41.10 Column locales of the table pi_routing

IV.2.1.41.10.1 Card of the column locales of the table pi_routing

Name	locales
Code	locales
Data Type	longtext
Mandatory	Yes

IV.2.1.41.10.2 Check constraint name of the column locales of the table pi_routing

CK_locales

IV.2.1.41.10.3Check of the column locales of the table pi_routing

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.41.10.4Server validation rule of the column locales of the table pi_routing

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.41.10.5List of extended attributes of the table column locales

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.41.11Column defaults of the table pi_routing**IV.2.1.41.11.1Card of the column defaults of the table pi_routing**

Name	defaults
Code	defaults
Data Type	longtext
Mandatory	Yes

**IV.2.1.41.11.2Check constraint name of the column defaults of the table pi_routing
CK_defaults**

IV.2.1.41.11.3Check of the column defaults of the table pi_routing

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.41.11.4Server validation rule of the column defaults of the table pi_routing
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.41.11.5List of extended attributes of the table column defaults

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.41.12Column requirements of the table pi_routing

IV.2.1.41.12.1Card of the column requirements of the table pi_routing

Name	requirements
Code	requirements
Data Type	longtext
Mandatory	Yes

--	--

**IV.2.1.41.12.2Check constraint name of the column requirements of the table pi_routing
CK_requirements**

IV.2.1.41.12.3Check of the column requirements of the table pi_routing

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.41.12.4Server validation rule of the column requirements of the table pi_routing
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.41.12.5List of extended attributes of the table column requirements

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.41.13List of keys of the table pi_routing

Name	Code	Primary
Key_1	Key_1	X

UNIQ_51915DFF2C42079	UNIQ_51915DFF2C42079	
----------------------	----------------------	--

/IV.2.1.41.14Key Key_1 of the table pi_routing

IV.2.1.41.14.1Card of the key Key_1 of the table pi_routing

Name	Key_1
Code	Key_1
Table	pi_routing

IV.2.1.41.14.2Code preview of the key Key_1 of the table pi_routing

```
alter table pi_routing
drop primary key;
```

IV.2.1.41.14.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.41.14.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

/IV.2.1.41.15Key UNIQ_51915DFF2C42079 of the table pi_routing

IV.2.1.41.15.1Card of the key UNIQ_51915DFF2C42079 of the table pi_routing

Name	UNIQ_51915DFF2C42079
Code	UNIQ_51915DFF2C42079
Table	pi_routing

IV.2.1.41.15.2Code preview of the key UNIQ_51915DFF2C42079 of the table pi_routing

The preview is empty because of the setting.
Check the generation option.

IV.2.1.41.15.3List of columns of the table key UNIQ_51915DFF2C42079

Name	Code
route	route

IV.2.1.41.15.4List of extended attributes of the table key UNIQ_51915DFF2C42079

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.42Table pi_rubrique**IV.2.1.42.1Card of table pi_rubrique**

Name	pi_rubrique
Code	pi_rubrique
DBMS	MySQL 5.0

IV.2.1.42.2Check constraint name of table pi_rubrique

TK_pi_rubrique

IV.2.1.42.3Server validation rule of table pi_rubrique

%RULES%

IV.2.1.42.4Code preview of table pi_rubrique

drop table if exists pi_rubrique;

```
/*
 * Table: pi_rubrique
 */
create table pi_rubrique
(
    id      bigint(20) not null auto_increment,
    parent_id      bigint(20) default NULL,
    lft      int(11) default NULL,
    lvl      int(11) default NULL,
    rgt      int(11) default NULL,
    root      int(11) default NULL,
    titre      varchar(255) not null,
    descriptif      longtext,
    texte      longtext,
    created_at      datetime not null,
    updated_at      datetime default NULL,
    archive_at      datetime default NULL,
    enabled      tinyint(1) default NULL,
    primary key (id),
)
```

```

key IDX_FF3A9417727ACA70 (parent_id)
);

alter table pi_rubrique add constraint FK_FF3A9417727ACA70 foreign key (parent_id)
references pi_rubrique (id);

```

IV.2.1.42.5List of diagrams containing the table pi_rubrique

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.42.6List of incoming references of the table pi_rubrique

Name	Code
FK_D1F260E13BD38833	FK_D1F260E13BD38833
FK_FF3A9417727ACA70	FK_FF3A9417727ACA70

IV.2.1.42.7List of outgoing references of the table pi_rubrique

Name	Code	Foreign Key Columns
FK_FF3A9417727ACA70	FK_FF3A9417727ACA70	parent_id

IV.2.1.42.8List of all dependencies of the table pi_rubrique

Name	Code	Class Name
FK_D1F260E13BD38833	FK_D1F260E13BD38833	Reference
FK_FF3A9417727ACA70	FK_FF3A9417727ACA70	Reference

IV.2.1.42.9List of extended attributes of the table pi_rubrique

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.42.10List of columns of the table pi_rubrique

Name	Code
id	id

parent_id	parent_id
lft	lft
lvl	lvl
rgt	rgt
root	root
titre	titre
descriptif	descriptif
texte	texte
created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled

IV.2.1.42.11Column id of the table pi_rubrique**IV.2.1.42.11.1Card of the column id of the table pi_rubrique**

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.42.11.2Check constraint name of the column id of the table pi_rubrique

CK_id

IV.2.1.42.11.3Check of the column id of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.11.4 Server validation rule of the column id of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.11.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

IV.2.1.42.11.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.12 Column parent_id of the table pi_rubrique

IV.2.1.42.12.1 Card of the column parent_id of the table pi_rubrique

Name	parent_id
Code	parent_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.42.12.2Check constraint name of the column parent_id of the table pi_rubrique

CK_parent_id

IV.2.1.42.12.3Check of the column parent_id of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.12.4Server validation rule of the column parent_id of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.12.5List of all dependencies of the table column parent_id

Name	Code	Class Name
?	?	Reference Join
IDX_FF3A9417727ACA70	IDX_FF3A9417727ACA70	Key

IV.2.1.42.12.6List of extended attributes of the table column parent_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.13Column Ift of the table pi_rubrique

IV.2.1.42.13.1Card of the column lft of the table pi_rubrique

Name	lft
Code	lft
Data Type	int(11)
Mandatory	No

IV.2.1.42.13.2Check constraint name of the column lft of the table pi_rubrique

CK_lft

IV.2.1.42.13.3Check of the column lft of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.13.4Server validation rule of the column lft of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.13.5List of extended attributes of the table column lft

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.14 Column lvl of the table pi_rubrique**IV.2.1.42.14.1 Card of the column lvl of the table pi_rubrique**

Name	lvl
Code	lvl
Data Type	int(11)
Mandatory	No

IV.2.1.42.14.2 Check constraint name of the column lvl of the table pi_rubrique

CK_lvl

IV.2.1.42.14.3 Check of the column lvl of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.14.4 Server validation rule of the column lvl of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.14.5 List of extended attributes of the table column lvl

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.42.15Column rgt of the table pi_rubrique

IV.2.1.42.15.1Card of the column rgt of the table pi_rubrique

Name	rgt
Code	rgt
Data Type	int(11)
Mandatory	No

IV.2.1.42.15.2Check constraint name of the column rgt of the table pi_rubrique

CK_rgt

IV.2.1.42.15.3Check of the column rgt of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.15.4Server validation rule of the column rgt of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.15.5List of extended attributes of the table column rgt

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.16 Column root of the table pi_rubrique**IV.2.1.42.16.1 Card of the column root of the table pi_rubrique**

Name	root
Code	root
Data Type	int(11)
Mandatory	No

IV.2.1.42.16.2 Check constraint name of the column root of the table pi_rubrique

CK_root

IV.2.1.42.16.3 Check of the column root of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.16.4 Server validation rule of the column root of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.16.5 List of extended attributes of the table column root

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.17 Column titre of the table pi_rubrique

IV.2.1.42.17.1 Card of the column titre of the table pi_rubrique

Name	titre
Code	titre
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.42.17.2 Check constraint name of the column titre of the table pi_rubrique

CK_titre

IV.2.1.42.17.3 Check of the column titre of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.17.4 Server validation rule of the column titre of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.17.5List of extended attributes of the table column titre

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.18Column descriptif of the table pi_rubrique**IV.2.1.42.18.1Card of the column descriptif of the table pi_rubrique**

Name	descriptif
Code	descriptif
Data Type	longtext
Mandatory	No

IV.2.1.42.18.2Check constraint name of the column descriptif of the table pi_rubrique

CK_descriptif

IV.2.1.42.18.3Check of the column descriptif of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.18.4Server validation rule of the column descriptif of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.18.5List of extended attributes of the table column descriptif

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.19Column texte of the table pi_rubrique**IV.2.1.42.19.1Card of the column texte of the table pi_rubrique**

Name	texte
Code	texte
Data Type	longtext
Mandatory	No

IV.2.1.42.19.2Check constraint name of the column texte of the table pi_rubrique

CK_texte

IV.2.1.42.19.3Check of the column texte of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.42.19.4 Server validation rule of the column texte of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.19.5 List of extended attributes of the table column texte

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.20 Column created_at of the table pi_rubrique**IV.2.1.42.20.1 Card of the column created_at of the table pi_rubrique**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.42.20.2 Check constraint name of the column created_at of the table pi_rubrique

CK_created_at

IV.2.1.42.20.3 Check of the column created_at of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.42.20.4 Server validation rule of the column created_at of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.20.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.21 Column updated_at of the table pi_rubrique

IV.2.1.42.21.1 Card of the column updated_at of the table pi_rubrique

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.42.21.2 Check constraint name of the column updated_at of the table pi_rubrique

CK_updated_at

IV.2.1.42.21.3 Check of the column updated_at of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.21.4 Server validation rule of the column updated_at of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.21.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.22 Column archive_at of the table pi_rubrique**IV.2.1.42.22.1 Card of the column archive_at of the table pi_rubrique**

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.42.22.2 Check constraint name of the column archive_at of the table pi_rubrique

CK_archive_at

IV.2.1.42.22.3 Check of the column archive_at of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.22.4 Server validation rule of the column archive_at of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.22.5 List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.23 Column enabled of the table pi_rubrique

IV.2.1.42.23.1 Card of the column enabled of the table pi_rubrique

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.42.23.2 Check constraint name of the column enabled of the table pi_rubrique

CK_enabled

IV.2.1.42.23.3 Check of the column enabled of the table pi_rubrique

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.42.23.4 Server validation rule of the column enabled of the table pi_rubrique

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.42.23.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.42.24 List of keys of the table pi_rubrique

Name	Code	Primary
Key_1	Key_1	X
IDX_FF3A9417727ACA70	IDX_FF3A9417727ACA70	

IV.2.1.42.25 Key Key_1 of the table pi_rubrique**IV.2.1.42.25.1 Card of the key Key_1 of the table pi_rubrique**

Name	Key_1
------	-------

Code	Key_1
Table	pi_rubrique

IV.2.1.42.25.2Code preview of the key Key_1 of the table pi_rubrique

```
alter table pi_rubrique
drop primary key;
```

IV.2.1.42.25.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.42.25.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_D1F260E13BD38833	FK_D1F260E13BD38833	Reference
FK_FF3A9417727ACA70	FK_FF3A9417727ACA70	Reference

IV.2.1.42.25.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.42.26Key IDX_FF3A9417727ACA70 of the table pi_rubrique

IV.2.1.42.26.1Card of the key IDX_FF3A9417727ACA70 of the table pi_rubrique

Name	IDX_FF3A9417727ACA70
Code	IDX_FF3A9417727ACA70
Table	pi_rubrique

IV.2.1.42.26.2Code preview of the key IDX_FF3A9417727ACA70 of the table pi_rubrique

The preview is empty because of the setting.
Check the generation option.

IV.2.1.42.26.3List of columns of the table key IDX_FF3A9417727ACA70

Name	Code

parent_id	parent_id
-----------	-----------

IV.2.1.42.26.4List of extended attributes of the table key IDX_FF3A9417727ACA70

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.43Table pi_tag**IV.2.1.43.1Card of table pi_tag**

Name	pi_tag
Code	pi_tag
DBMS	MySQL 5.0

IV.2.1.43.2Check constraint name of table pi_tag

TK_pi_tag

IV.2.1.43.3Server validation rule of table pi_tag

%RULES%

IV.2.1.43.4Code preview of table pi_tag

drop table if exists pi_tag;

```
/*=====
/* Table: pi_tag
/*=====
create table pi_tag
(
    id          bigint(20) not null auto_increment,
    groupname      varchar(255) default NULL,
    groupnameother  varchar(128) default NULL,
    name         varchar(255) not null,
    color        varchar(7) default NULL,
    Hicolor       varchar(7) default NULL,
    created_at     datetime not null,
    updated_at     datetime default NULL,
    archive_at     datetime default NULL,
    enabled        tinyint(1) default NULL,
    primary key (id)
);
```

IV.2.1.43.5List of diagrams containing the table pi_tag

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.43.6List of incoming references of the table pi_tag

Name	Code
FK_8A9B94FDBAD26311	FK_8A9B94FDBAD26311
FK_BB81CD68232D562B	FK_BB81CD68232D562B

IV.2.1.43.7List of all dependencies of the table pi_tag

Name	Code	Class Name
FK_8A9B94FDBAD26311	FK_8A9B94FDBAD26311	Reference
FK_BB81CD68232D562B	FK_BB81CD68232D562B	Reference

IV.2.1.43.8List of extended attributes of the table pi_tag

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.43.9List of columns of the table pi_tag

Name	Code
id	id
groupname	groupname
groupnameother	groupnameother
name	name
color	color
Hicolor	Hicolor
created_at	created_at
updated_at	updated_at
archive_at	archive_at

enabled	enabled
---------	---------

IV.2.1.43.10 Column id of the table pi_tag**IV.2.1.43.10.1 Card of the column id of the table pi_tag**

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.43.10.2 Check constraint name of the column id of the table pi_tag

CK_id

IV.2.1.43.10.3 Check of the column id of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.10.4 Server validation rule of the column id of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.10.5 List of all dependencies of the table column id

Name	Code	Class Name
?	?	Reference Join
?	?	Reference Join
Key_1	Key_1	Key

--	--	--

IV.2.1.43.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.11Column groupname of the table pi_tag

IV.2.1.43.11.1Card of the column groupname of the table pi_tag

Name	groupname
Code	groupname
Data Type	varchar(255)
Mandatory	No

IV.2.1.43.11.2Check constraint name of the column groupname of the table pi_tag

CK_groupname

IV.2.1.43.11.3Check of the column groupname of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.43.11.4 Server validation rule of the column groupname of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.11.5 List of extended attributes of the table column groupname

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.12 Column groupnameother of the table pi_tag**IV.2.1.43.12.1 Card of the column groupnameother of the table pi_tag**

Name	groupnameother
Code	groupnameother
Data Type	varchar(128)
Mandatory	No

IV.2.1.43.12.2 Check constraint name of the column groupnameother of the table pi_tag

CK_groupnameother

IV.2.1.43.12.3 Check of the column groupnameother of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.43.12.4 Server validation rule of the column groupnameother of the table pi_tag
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.12.5 List of extended attributes of the table column groupnameother

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.13 Column name of the table pi_tag

IV.2.1.43.13.1 Card of the column name of the table pi_tag

Name	name
Code	name
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.43.13.2 Check constraint name of the column name of the table pi_tag

CK_name

IV.2.1.43.13.3 Check of the column name of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.13.4 Server validation rule of the column name of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.13.5 List of extended attributes of the table column name

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.14 Column color of the table pi_tag**IV.2.1.43.14.1 Card of the column color of the table pi_tag**

Name	color
Code	color
Data Type	varchar(7)
Mandatory	No

IV.2.1.43.14.2 Check constraint name of the column color of the table pi_tag

CK_color

IV.2.1.43.14.3 Check of the column color of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.14.4 Server validation rule of the column color of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.14.5 List of extended attributes of the table column color

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.15 Column Hicolor of the table pi_tag

IV.2.1.43.15.1 Card of the column Hicolor of the table pi_tag

Name	Hicolor
Code	Hicolor
Data Type	varchar(7)
Mandatory	No

IV.2.1.43.15.2 Check constraint name of the column Hicolor of the table pi_tag

CK_Hicolor

IV.2.1.43.15.3 Check of the column Hicolor of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.15.4 Server validation rule of the column Hicolor of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.15.5 List of extended attributes of the table column Hicolor

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.16 Column created_at of the table pi_tag**IV.2.1.43.16.1 Card of the column created_at of the table pi_tag**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.43.16.2 Check constraint name of the column created_at of the table pi_tag

CK_created_at

IV.2.1.43.16.3 Check of the column created_at of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.16.4 Server validation rule of the column created_at of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.16.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.17 Column updated_at of the table pi_tag

IV.2.1.43.17.1 Card of the column updated_at of the table pi_tag

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.43.17.2Check constraint name of the column updated_at of the table pi_tag
CK_updated_at

IV.2.1.43.17.3Check of the column updated_at of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.17.4Server validation rule of the column updated_at of the table pi_tag
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.17.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.18Column archive_at of the table pi_tag

IV.2.1.43.18.1Card of the column archive_at of the table pi_tag

Name	archive_at
Code	archive_at
Data Type	datetime

Mandatory	No

IV.2.1.43.18.2Check constraint name of the column archive_at of the table pi_tag
CK_archive_at

IV.2.1.43.18.3Check of the column archive_at of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.18.4Server validation rule of the column archive_at of the table pi_tag
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.18.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.19Column enabled of the table pi_tag

IV.2.1.43.19.1Card of the column enabled of the table pi_tag

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.43.19.2Check constraint name of the column enabled of the table pi_tag

CK_enabled

IV.2.1.43.19.3Check of the column enabled of the table pi_tag

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.43.19.4Server validation rule of the column enabled of the table pi_tag

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.43.19.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.43.20List of keys of the table pi_tag

Name	Code	Primary
Key_1	Key_1	X

IV.2.1.43.21Key Key_1 of the table pi_tag

IV.2.1.43.21.1Card of the key Key_1 of the table pi_tag

Name	Key_1
Code	Key_1
Table	pi_tag

IV.2.1.43.21.2Code preview of the key Key_1 of the table pi_tag

```
alter table pi_tag
drop primary key;
```

IV.2.1.43.21.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.43.21.4List of all dependencies of the table key Key_1

Name	Code	Class Name
FK_8A9B94FDBAD26311	FK_8A9B94FDBAD26311	Reference
FK_BB81CD68232D562B	FK_BB81CD68232D562B	Reference

IV.2.1.43.21.5List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.44Table pi_tag_page

IV.2.1.44.1Card of table pi_tag_page

Name	pi_tag_page
Code	pi_tag_page

DBMS	MySQL 5.0

IV.2.1.44.2 Check constraint name of table pi_tag_page

TK_pi_tag_page

IV.2.1.44.3 Server validation rule of table pi_tag_page

%RULES%

IV.2.1.44.4 Code preview of table pi_tag_page

drop table if exists pi_tag_page;

```
/*=====
/* Table: pi_tag_page
/*=====
create table pi_tag_page
(
    page_id      bigint(20) not null,
    tag_id       bigint(20) not null,
    primary key (page_id, tag_id),
    key IDX_8A9B94FDC4663E4 (page_id),
    key IDX_8A9B94FDBAD26311 (tag_id)
);

alter table pi_tag_page add constraint FK_8A9B94FDBAD26311 foreign key (tag_id)
    references pi_tag (id);
```

IV.2.1.44.5 List of diagrams containing the table pi_tag_page

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.44.6 List of outgoing references of the table pi_tag_page

Name	Code	Foreign Key Columns
FK_8A9B94FDBAD26311	FK_8A9B94FDBAD26311	tag_id

IV.2.1.44.7 List of all dependencies of the table pi_tag_page

Name	Code	Class Name
FK_8A9B94FDBAD26311	FK_8A9B94FDBAD26311	Reference

IV.2.1.44.8List of extended attributes of the table pi_tag_page

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.44.9List of columns of the table pi_tag_page

Name	Code
page_id	page_id
tag_id	tag_id

IV.2.1.44.10Column page_id of the table pi_tag_page***IV.2.1.44.10.1Card of the column page_id of the table pi_tag_page***

Name	page_id
Code	page_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.44.10.2Check constraint name of the column page_id of the table pi_tag_page

CK_page_id

IV.2.1.44.10.3Check of the column page_id of the table pi_tag_page

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.44.10.4 Server validation rule of the column page_id of the table pi_tag_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.44.10.5 List of all dependencies of the table column page_id

Name	Code	Class Name
IDX_8A9B94FDC4663E4	IDX_8A9B94FDC4663E4	Key
Key_1	Key_1	Key

IV.2.1.44.10.6 List of extended attributes of the table column page_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.44.11 Column tag_id of the table pi_tag_page**IV.2.1.44.11.1 Card of the column tag_id of the table pi_tag_page**

Name	tag_id
Code	tag_id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.44.11.2 Check constraint name of the column tag_id of the table pi_tag_page

CK_tag_id

IV.2.1.44.11.3 Check of the column tag_id of the table pi_tag_page

Minimum Value	
Maximum Value	
Default Value	
Unit	

Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.44.11.4 Server validation rule of the column tag_id of the table pi_tag_page

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.44.11.5 List of all dependencies of the table column tag_id

Name	Code	Class Name
?	?	Reference Join
IDX_8A9B94FDBAD26311	IDX_8A9B94FDBAD26311	Key
Key_1	Key_1	Key

IV.2.1.44.11.6 List of extended attributes of the table column tag_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.44.12 List of keys of the table pi_tag_page

Name	Code	Primary
Key_1	Key_1	X
IDX_8A9B94FDC4663E4	IDX_8A9B94FDC4663E4	
IDX_8A9B94FDBAD26311	IDX_8A9B94FDBAD26311	

IV.2.1.44.13Key Key_1 of the table pi_tag_page**IV.2.1.44.13.1Card of the key Key_1 of the table pi_tag_page**

Name	Key_1
Code	Key_1
Table	pi_tag_page

IV.2.1.44.13.2Code preview of the key Key_1 of the table pi_tag_page

```
alter table pi_tag_page
drop primary key;
```

IV.2.1.44.13.3List of columns of the table key Key_1

Name	Code
page_id	page_id
tag_id	tag_id

IV.2.1.44.13.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.44.14Key IDX_8A9B94FDC4663E4 of the table pi_tag_page**IV.2.1.44.14.1Card of the key IDX_8A9B94FDC4663E4 of the table pi_tag_page**

Name	IDX_8A9B94FDC4663E4
Code	IDX_8A9B94FDC4663E4
Table	pi_tag_page

IV.2.1.44.14.2Code preview of the key IDX_8A9B94FDC4663E4 of the table pi_tag_page

The preview is empty because of the setting.
Check the generation option.

IV.2.1.44.14.3List of columns of the table key IDX_8A9B94FDC4663E4

Name	Code
page_id	page_id

IV.2.1.44.14.4List of extended attributes of the table key IDX_8A9B94FDC4663E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.44.15Key IDX_8A9B94FDBAD26311 of the table pi_tag_page**IV.2.1.44.15.1Card of the key IDX_8A9B94FDBAD26311 of the table pi_tag_page**

Name	IDX_8A9B94FDBAD26311
Code	IDX_8A9B94FDBAD26311
Table	pi_tag_page

IV.2.1.44.15.2Code preview of the key IDX_8A9B94FDBAD26311 of the table pi_tag_page

The preview is empty because of the setting.
Check the generation option.

IV.2.1.44.15.3List of columns of the table key IDX_8A9B94FDBAD26311

Name	Code
tag_id	tag_id

IV.2.1.44.15.4List of extended attributes of the table key IDX_8A9B94FDBAD26311

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.45Table pi_tag_translations**IV.2.1.45.1Card of table pi_tag_translations**

Name	pi_tag_translations
Code	pi_tag_translations
DBMS	MySQL 5.0

IV.2.1.45.2Check constraint name of table pi_tag_translations

TK_pi_tag_translations

IV.2.1.45.3 Server validation rule of table pi_tag_translations

%RULES%

IV.2.1.45.4 Code preview of table pi_tag_translations

drop table if exists pi_tag_translations;

```
=====
/* Table: pi_tag_translations */
=====
create table pi_tag_translations
(
    id          int(11) not null auto_increment,
    object_id    bigint(20) default NULL,
    locale       varchar(8) not null,
    field        varchar(32) not null,
    content      longtext,
    primary key (id),
    unique key lookup_unique_idx (locale, object_id, field),
    key IDX_BB81CD68232D562B (object_id)
);
```

```
alter table pi_tag_translations add constraint FK_BB81CD68232D562B foreign key (object_id)
    references pi_tag (id) on delete cascade;
```

IV.2.1.45.5 List of diagrams containing the table pi_tag_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.45.6 List of outgoing references of the table pi_tag_translations

Name	Code	Foreign Key Columns
FK_BB81CD68232D562B	FK_BB81CD68232D562B	object_id

IV.2.1.45.7 List of all dependencies of the table pi_tag_translations

Name	Code	Class Name
FK_BB81CD68232D562B	FK_BB81CD68232D562B	Reference

IV.2.1.45.8 List of extended attributes of the table pi_tag_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.45.9List of columns of the table pi_tag_translations

Name	Code
id	id
object_id	object_id
locale	locale
field	field
content	content

IV.2.1.45.10Column id of the table pi_tag_translations

IV.2.1.45.10.1Card of the column id of the table pi_tag_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.45.10.2Check constraint name of the column id of the table pi_tag_translations

CK_id

IV.2.1.45.10.3Check of the column id of the table pi_tag_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.45.10.4 Server validation rule of the column id of the table pi_tag_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.45.10.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.45.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.45.11 Column object_id of the table pi_tag_translations**IV.2.1.45.11.1 Card of the column object_id of the table pi_tag_translations**

Name	object_id
Code	object_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.45.11.2 Check constraint name of the column object_id of the table pi_tag_translations

CK_object_id

IV.2.1.45.11.3 Check of the column object_id of the table pi_tag_translations

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	

Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.45.11.4 Server validation rule of the column object_id of the table pi_tag_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.45.11.5 List of all dependencies of the table column object_id

Name	Code	Class Name
?	?	Reference Join
IDX_BB81CD68232D562B	IDX_BB81CD68232D562B	Key
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.45.11.6 List of extended attributes of the table column object_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.45.12 Column locale of the table pi_tag_translations

IV.2.1.45.12.1 Card of the column locale of the table pi_tag_translations

Name	locale
Code	locale
Data Type	varchar(8)
Mandatory	Yes

IV.2.1.45.12.2Check constraint name of the column locale of the table pi_tag_translations

CK_locale

IV.2.1.45.12.3Check of the column locale of the table pi_tag_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.45.12.4Server validation rule of the column locale of the table pi_tag_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.45.12.5List of all dependencies of the table column locale

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.45.12.6List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.45.13Column field of the table pi_tag_translations**IV.2.1.45.13.1Card of the column field of the table pi_tag_translations**

Name	field
Code	field
Data Type	varchar(32)
Mandatory	Yes

**IV.2.1.45.13.2Check constraint name of the column field of the table pi_tag_translations
CK_field**

IV.2.1.45.13.3Check of the column field of the table pi_tag_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.45.13.4Server validation rule of the column field of the table pi_tag_translations
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.45.13.5List of all dependencies of the table column field

Name	Code	Class Name
lookup_unique_idx	lookup_unique_idx	Key

IV.2.1.45.13.6List of extended attributes of the table column field

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.45.14 Column content of the table pi_tag_translations**IV.2.1.45.14.1 Card of the column content of the table pi_tag_translations**

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.45.14.2 Check constraint name of the column content of the table pi_tag_translations

CK_content

IV.2.1.45.14.3 Check of the column content of the table pi_tag_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.45.14.4 Server validation rule of the column content of the table pi_tag_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.45.14.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.45.15List of keys of the table pi_tag_translations

Name	Code	Primary
Key_1	Key_1	X
lookup_unique_idx	lookup_unique_idx	
IDX_BB81CD68232D562B	IDX_BB81CD68232D562B	

IV.2.1.45.16Key Key_1 of the table pi_tag_translations

IV.2.1.45.16.1Card of the key Key_1 of the table pi_tag_translations

Name	Key_1
Code	Key_1
Table	pi_tag_translations

IV.2.1.45.16.2Code preview of the key Key_1 of the table pi_tag_translations

```
alter table pi_tag_translations
drop primary key;
```

IV.2.1.45.16.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.45.16.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.45.17Key lookup_unique_idx of the table pi_tag_translations

IV.2.1.45.17.1Card of the key lookup_unique_idx of the table pi_tag_translations

Name	lookup_unique_idx
Code	lookup_unique_idx
Table	pi_tag_translations

IV.2.1.45.17.2Code preview of the key lookup_unique_idx of the table pi_tag_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.45.17.3List of columns of the table key lookup_unique_idx

Name	Code
locale	locale
object_id	object_id
field	field

IV.2.1.45.17.4List of extended attributes of the table key lookup_unique_idx

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.45.18Key IDX_BB81CD68232D562B of the table pi_tag_translations**IV.2.1.45.18.1Card of the key IDX_BB81CD68232D562B of the table pi_tag_translations**

Name	IDX_BB81CD68232D562B
Code	IDX_BB81CD68232D562B
Table	pi_tag_translations

IV.2.1.45.18.2Code preview of the key IDX_BB81CD68232D562B of the table pi_tag_translations

The preview is empty because of the setting.

Check the generation option.

IV.2.1.45.18.3List of columns of the table key IDX_BB81CD68232D562B

Name	Code
object_id	object_id

IV.2.1.45.18.4List of extended attributes of the table key IDX_BB81CD68232D562B

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.46Table pi_widget

IV.2.1.46.1Card of table pi_widget

Name	pi_widget
Code	pi_widget
DBMS	MySQL 5.0

IV.2.1.46.2Check constraint name of table pi_widget

TK_pi_widget

IV.2.1.46.3Server validation rule of table pi_widget

%RULES%

IV.2.1.46.4Code preview of table pi_widget

drop table if exists pi_widget;

```
/*
 * Table: pi_widget
 */
create table pi_widget
(
    id          bigint(20) not null auto_increment,
    block_id    bigint(20) default NULL,
    plugin      varchar(255) not null,
    action      varchar(255) not null,
    is_cacheable tinyint(1) default NULL,
    is_public   tinyint(1) default NULL,
    lifetime    int(11) default NULL,
    config_css_class  varchar(255) default NULL,
    config_xml    longtext,
    created_at   datetime not null,
    updated_at   datetime default NULL,
    archive_at   datetime default NULL,
    enabled      tinyint(1) default NULL,
    position     int(11) default NULL,
    primary key (id),
    key IDX_38A84AC6E9ED820C (block_id)
);
```

```
alter table pi_widget add constraint FK_38A84AC6E9ED820C foreign key (block_id)
    references pi_block (id);
```

IV.2.1.46.5List of diagrams containing the table pi_widget

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.46.6List of outgoing references of the table pi_widget

Name	Code	Foreign Key Columns
FK_38A84AC6E9ED820C	FK_38A84AC6E9ED820C	block_id

IV.2.1.46.7List of all dependencies of the table pi_widget

Name	Code	Class Name
FK_38A84AC6E9ED820C	FK_38A84AC6E9ED820C	Reference

IV.2.1.46.8List of extended attributes of the table pi_widget

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.46.9List of columns of the table pi_widget

Name	Code
id	id
block_id	block_id
plugin	plugin
action	action
is_cacheable	is_cacheable
is_public	is_public
lifetime	lifetime
config_css_class	config_css_class
config_xml	config_xml

created_at	created_at
updated_at	updated_at
archive_at	archive_at
enabled	enabled
position	position

IV.2.1.46.10 Column id of the table pi_widget

IV.2.1.46.10.1 Card of the column id of the table pi_widget

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.46.10.2 Check constraint name of the column id of the table pi_widget

CK_id

IV.2.1.46.10.3 Check of the column id of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.10.4 Server validation rule of the column id of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.10.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.46.10.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.11Column block_id of the table pi_widget**IV.2.1.46.11.1Card of the column block_id of the table pi_widget**

Name	block_id
Code	block_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.46.11.2Check constraint name of the column block_id of the table pi_widget

CK_block_id

IV.2.1.46.11.3Check of the column block_id of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No

Cannot Modify	No
List of values	

IV.2.1.46.11.4 Server validation rule of the column block_id of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.11.5 List of all dependencies of the table column block_id

Name	Code	Class Name
?	?	Reference Join
IDX_38A84AC6E9ED820C	IDX_38A84AC6E9ED820C	Key

IV.2.1.46.11.6 List of extended attributes of the table column block_id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.12 Column plugin of the table pi_widget

IV.2.1.46.12.1 Card of the column plugin of the table pi_widget

Name	plugin
Code	plugin
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.46.12.2 Check constraint name of the column plugin of the table pi_widget

CK_plugin

IV.2.1.46.12.3 Check of the column plugin of the table pi_widget

Minimum Value	
---------------	--

Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.12.4 Server validation rule of the column plugin of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.12.5 List of extended attributes of the table column plugin

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.13 Column action of the table pi_widget**IV.2.1.46.13.1 Card of the column action of the table pi_widget**

Name	action
Code	action
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.46.13.2 Check constraint name of the column action of the table pi_widget

CK_action

IV.2.1.46.13.3Check of the column action of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.13.4Server validation rule of the column action of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.13.5List of extended attributes of the table column action

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.14Column is_cacheable of the table pi_widget**IV.2.1.46.14.1Card of the column is_cacheable of the table pi_widget**

Name	is_cacheable
Code	is_cacheable
Data Type	tinyint(1)
Mandatory	No

IV.2.1.46.14.2Check constraint name of the column is_cacheable of the table pi_widget
CK_is_cacheable

IV.2.1.46.14.3Check of the column is_cacheable of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.14.4Server validation rule of the column is_cacheable of the table pi_widget
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.14.5List of extended attributes of the table column is_cacheable

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.15Column is_public of the table pi_widget

IV.2.1.46.15.1Card of the column is_public of the table pi_widget

Name	is_public
Code	is_public
Data Type	tinyint(1)
Mandatory	No

--	--

**IV.2.1.46.15.2Check constraint name of the column is_public of the table pi_widget
CK_is_public**

IV.2.1.46.15.3Check of the column is_public of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

**IV.2.1.46.15.4Server validation rule of the column is_public of the table pi_widget
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%**

IV.2.1.46.15.5List of extended attributes of the table column is_public

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.16Column lifetime of the table pi_widget

IV.2.1.46.16.1Card of the column lifetime of the table pi_widget

Name	lifetime
Code	lifetime

Data Type	int(11)
Mandatory	No

IV.2.1.46.16.2Check constraint name of the column lifetime of the table pi_widget

CK_lifetime

IV.2.1.46.16.3Check of the column lifetime of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.16.4Server validation rule of the column lifetime of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.16.5List of extended attributes of the table column lifetime

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.17Column config_css_class of the table pi_widget

IV.2.1.46.17.1Card of the column config_css_class of the table pi_widget

Name	config_css_class
Code	config_css_class
Data Type	varchar(255)
Mandatory	No

IV.2.1.46.17.2Check constraint name of the column config_css_class of the table pi_widget

CK_config_css_class

IV.2.1.46.17.3Check of the column config_css_class of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.17.4Server validation rule of the column config_css_class of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.17.5List of extended attributes of the table column config_css_class

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.18 Column config_xml of the table pi_widget**IV.2.1.46.18.1 Card of the column config_xml of the table pi_widget**

Name	config_xml
Code	config_xml
Data Type	longtext
Mandatory	No

IV.2.1.46.18.2 Check constraint name of the column config_xml of the table pi_widget

CK_config_xml

IV.2.1.46.18.3 Check of the column config_xml of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.18.4 Server validation rule of the column config_xml of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.18.5 List of extended attributes of the table column config_xml

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.46.19 Column created_at of the table pi_widget

IV.2.1.46.19.1 Card of the column created_at of the table pi_widget

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.46.19.2 Check constraint name of the column created_at of the table pi_widget

CK_created_at

IV.2.1.46.19.3 Check of the column created_at of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.19.4 Server validation rule of the column created_at of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.19.5 List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0

Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.20 Column updated_at of the table pi_widget**IV.2.1.46.20.1 Card of the column updated_at of the table pi_widget**

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.46.20.2 Check constraint name of the column updated_at of the table pi_widget

CK_updated_at

IV.2.1.46.20.3 Check of the column updated_at of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.20.4 Server validation rule of the column updated_at of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.20.5 List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.21Column archive_at of the table pi_widget

IV.2.1.46.21.1Card of the column archive_at of the table pi_widget

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.46.21.2Check constraint name of the column archive_at of the table pi_widget

CK_archive_at

IV.2.1.46.21.3Check of the column archive_at of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.21.4Server validation rule of the column archive_at of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.21.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.22Column enabled of the table pi_widget**IV.2.1.46.22.1Card of the column enabled of the table pi_widget**

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.46.22.2Check constraint name of the column enabled of the table pi_widget

CK_enabled

IV.2.1.46.22.3Check of the column enabled of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.46.22.4 Server validation rule of the column enabled of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.22.5 List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.23 Column position of the table pi_widget**IV.2.1.46.23.1 Card of the column position of the table pi_widget**

Name	position
Code	position
Data Type	int(11)
Mandatory	No

IV.2.1.46.23.2 Check constraint name of the column position of the table pi_widget

CK_position

IV.2.1.46.23.3 Check of the column position of the table pi_widget

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.46.23.4 Server validation rule of the column position of the table pi_widget

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.46.23.5 List of extended attributes of the table column position

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.46.24 List of keys of the table pi_widget

Name	Code	Primary
Key_1	Key_1	X
IDX_38A84AC6E9ED820C	IDX_38A84AC6E9ED820C	

IV.2.1.46.25 Key Key_1 of the table pi_widget**IV.2.1.46.25.1 Card of the key Key_1 of the table pi_widget**

Name	Key_1
Code	Key_1
Table	pi_widget

IV.2.1.46.25.2 Code preview of the key Key_1 of the table pi_widget

```
alter table pi_widget
drop primary key;
```

IV.2.1.46.25.3 List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.46.25.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.46.26Key IDX_38A84AC6E9ED820C of the table pi_widget**IV.2.1.46.26.1Card of the key IDX_38A84AC6E9ED820C of the table pi_widget**

Name	IDX_38A84AC6E9ED820C
Code	IDX_38A84AC6E9ED820C
Table	pi_widget

IV.2.1.46.26.2Code preview of the key IDX_38A84AC6E9ED820C of the table pi_widget

The preview is empty because of the setting.
Check the generation option.

IV.2.1.46.26.3List of columns of the table key IDX_38A84AC6E9ED820C

Name	Code
block_id	block_id

IV.2.1.46.26.4List of extended attributes of the table key IDX_38A84AC6E9ED820C

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.47Table pi_widget_translation**IV.2.1.47.1Card of table pi_widget_translation**

Name	pi_widget_translation
Code	pi_widget_translation
DBMS	MySQL 5.0

IV.2.1.47.2Check constraint name of table pi_widget_translation

TK_pi_widget_translation

IV.2.1.47.3 Server validation rule of table pi_widget_translation

%RULES%

IV.2.1.47.4 Code preview of table pi_widget_translation

drop table if exists pi_widget_translation;

```
=====
/* Table: pi_widget_translation */
=====
create table pi_widget_translation
(
    id          bigint(20) not null auto_increment,
    widget_id   bigint(20) default NULL,
    lang_code   varchar(5) not null,
    content     longtext,
    created_at  datetime not null,
    updated_at  datetime default NULL,
    published_at date default NULL,
    archive_at  datetime default NULL,
    enabled      tinyint(1) default NULL,
    primary key (id),
    key IDX_4ECCE3E5FBE885E2 (widget_id),
    key IDX_4ECCE3E5627579FF (lang_code)
);
```

```
alter table pi_widget_translation add constraint FK_4ECCE3E5627579FF foreign key (lang_code)
    references pi_langue (id);
```

IV.2.1.47.5 List of diagrams containing the table pi_widget_translation

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.47.6 List of outgoing references of the table pi_widget_translation

Name	Code	Foreign Key Columns
FK_4ECCE3E5627579FF	FK_4ECCE3E5627579FF	lang_code

IV.2.1.47.7 List of all dependencies of the table pi_widget_translation

Name	Code	Class Name
FK_4ECCE3E5627579FF	FK_4ECCE3E5627579FF	Reference

IV.2.1.47.8 List of extended attributes of the table pi_widget_translation

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.47.9List of columns of the table pi_widget_translation

Name	Code
id	id
widget_id	widget_id
lang_code	lang_code
content	content
created_at	created_at
updated_at	updated_at
published_at	published_at
archive_at	archive_at
enabled	enabled

IV.2.1.47.10Column id of the table pi_widget_translation

IV.2.1.47.10.1Card of the column id of the table pi_widget_translation

Name	id
Code	id
Data Type	bigint(20)
Mandatory	Yes

IV.2.1.47.10.2Check constraint name of the column id of the table pi_widget_translation

CK_id

IV.2.1.47.10.3Check of the column id of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.10.4 Server validation rule of the column id of the table pi_widget_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.10.5 List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.47.10.6 List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.11 Column widget_id of the table pi_widget_translation**IV.2.1.47.11.1 Card of the column widget_id of the table pi_widget_translation**

Name	widget_id
Code	widget_id
Data Type	bigint(20)
Mandatory	No

IV.2.1.47.11.2Check constraint name of the column widget_id of the table pi_widget_translation
CK_widget_id

IV.2.1.47.11.3Check of the column widget_id of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.11.4Server validation rule of the column widget_id of the table pi_widget_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.11.5List of all dependencies of the table column widget_id

Name	Code	Class Name
IDX_4ECCE3E5FBE885E2	IDX_4ECCE3E5FBE885E2	Key

IV.2.1.47.11.6List of extended attributes of the table column widget_id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.12Column lang_code of the table pi_widget_translation

IV.2.1.47.12.1Card of the column lang_code of the table pi_widget_translation

Name	lang_code
Code	lang_code
Data Type	varchar(5)
Mandatory	Yes

IV.2.1.47.12.2Check constraint name of the column lang_code of the table pi_widget_translation

CK_lang_code

IV.2.1.47.12.3Check of the column lang_code of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.12.4Server validation rule of the column lang_code of the table pi_widget_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.12.5List of all dependencies of the table column lang_code

Name	Code	Class Name
?	?	Reference Join
IDX_4ECCE3E5627579FF	IDX_4ECCE3E5627579FF	Key

IV.2.1.47.12.6List of extended attributes of the table column lang_code

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0

Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.13 Column content of the table pi_widget_translation

IV.2.1.47.13.1 Card of the column content of the table pi_widget_translation

Name	content
Code	content
Data Type	longtext
Mandatory	No

IV.2.1.47.13.2 Check constraint name of the column content of the table pi_widget_translation

CK_content

IV.2.1.47.13.3 Check of the column content of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.13.4 Server validation rule of the column content of the table pi_widget_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.13.5 List of extended attributes of the table column content

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.14 Column created_at of the table pi_widget_translation**IV.2.1.47.14.1 Card of the column created_at of the table pi_widget_translation**

Name	created_at
Code	created_at
Data Type	datetime
Mandatory	Yes

IV.2.1.47.14.2 Check constraint name of the column created_at of the table pi_widget_translation

CK_created_at

IV.2.1.47.14.3 Check of the column created_at of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.14.4 Server validation rule of the column created_at of the table pi_widget_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.14.5List of extended attributes of the table column created_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.15Column updated_at of the table pi_widget_translation

IV.2.1.47.15.1Card of the column updated_at of the table pi_widget_translation

Name	updated_at
Code	updated_at
Data Type	datetime
Mandatory	No

IV.2.1.47.15.2Check constraint name of the column updated_at of the table pi_widget_translation

CK_updated_at

IV.2.1.47.15.3Check of the column updated_at of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.47.15.4Server validation rule of the column updated_at of the table pi_widget_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.15.5List of extended attributes of the table column updated_at

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.16Column published_at of the table pi_widget_translation

IV.2.1.47.16.1Card of the column published_at of the table pi_widget_translation

Name	published_at
Code	published_at
Data Type	date
Mandatory	No

IV.2.1.47.16.2Check constraint name of the column published_at of the table pi_widget_translation

CK_published_at

IV.2.1.47.16.3Check of the column published_at of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No

Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.16.4 Server validation rule of the column published_at of the table pi_widget_translation

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.16.5 List of extended attributes of the table column published_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.17 Column archive_at of the table pi_widget_translation

IV.2.1.47.17.1 Card of the column archive_at of the table pi_widget_translation

Name	archive_at
Code	archive_at
Data Type	datetime
Mandatory	No

IV.2.1.47.17.2 Check constraint name of the column archive_at of the table pi_widget_translation

CK_archive_at

IV.2.1.47.17.3 Check of the column archive_at of the table pi_widget_translation

Minimum Value	
Maximum Value	
Default Value	NULL

Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.17.4Server validation rule of the column archive_at of the table pi_widget_translation
 %MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.17.5List of extended attributes of the table column archive_at

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.18Column enabled of the table pi_widget_translation

IV.2.1.47.18.1Card of the column enabled of the table pi_widget_translation

Name	enabled
Code	enabled
Data Type	tinyint(1)
Mandatory	No

IV.2.1.47.18.2Check constraint name of the column enabled of the table pi_widget_translation
 CK_enabled

IV.2.1.47.18.3Check of the column enabled of the table pi_widget_translation

Minimum Value	
---------------	--

Maximum Value	
Default Value	NULL
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.47.18.4Server validation rule of the column enabled of the table pi_widget_translation
%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.47.18.5List of extended attributes of the table column enabled

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.47.19List of keys of the table pi_widget_translation

Name	Code	Primary
Key_1	Key_1	X
IDX_4ECCE3E5FBE885E2	IDX_4ECCE3E5FBE885E2	
IDX_4ECCE3E5627579FF	IDX_4ECCE3E5627579FF	

IV.2.1.47.20Key Key_1 of the table pi_widget_translation

IV.2.1.47.20.1Card of the key Key_1 of the table pi_widget_translation

Name	Key_1
------	-------

Code	Key_1
Table	pi_widget_translation

IV.2.1.47.20.2Code preview of the key Key_1 of the table pi_widget_translation

```
alter table pi_widget_translation
drop primary key;
```

IV.2.1.47.20.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.47.20.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.47.21Key IDX_4ECCE3E5FBE885E2 of the table pi_widget_translation**IV.2.1.47.21.1Card of the key IDX_4ECCE3E5FBE885E2 of the table pi_widget_translation**

Name	IDX_4ECCE3E5FBE885E2
Code	IDX_4ECCE3E5FBE885E2
Table	pi_widget_translation

IV.2.1.47.21.2Code preview of the key IDX_4ECCE3E5FBE885E2 of the table pi_widget_translation

The preview is empty because of the setting.

Check the generation option.

IV.2.1.47.21.3List of columns of the table key IDX_4ECCE3E5FBE885E2

Name	Code
widget_id	widget_id

IV.2.1.47.21.4List of extended attributes of the table key IDX_4ECCE3E5FBE885E2

Name	Data Type	Value	Target Name

ExtUnique	(Boolean)	false	MySQL 5.0
-----------	-----------	-------	-----------

IV.2.1.47.22Key IDX_4ECCE3E5627579FF of the table pi_widget_translation

IV.2.1.47.22.1Card of the key IDX_4ECCE3E5627579FF of the table pi_widget_translation

Name	IDX_4ECCE3E5627579FF
Code	IDX_4ECCE3E5627579FF
Table	pi_widget_translation

IV.2.1.47.22.2Code preview of the key IDX_4ECCE3E5627579FF of the table pi_widget_translation

The preview is empty because of the setting.

Check the generation option.

IV.2.1.47.22.3List of columns of the table key IDX_4ECCE3E5627579FF

Name	Code
lang_code	lang_code

IV.2.1.47.22.4List of extended attributes of the table key IDX_4ECCE3E5627579FF

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.48Table routing_translations

IV.2.1.48.1Card of table routing_translations

Name	routing_translations
Code	routing_translations
DBMS	MySQL 5.0

IV.2.1.48.2Check constraint name of table routing_translations

TK_routing_translations

IV.2.1.48.3Server validation rule of table routing_translations

%RULES%

IV.2.1.48.4Code preview of table routing_translations

drop table if exists routing_translations;

```
/*=====
/* Table: routing_translations           */
/*=====*/
create table routing_translations
(
    id          int(11) not null,
    route       varchar(255) not null,
    locale      varchar(255) not null,
    attribute   varchar(255) not null,
    localized_value  varchar(255) not null,
    original_value  varchar(255) not null,
    primary key (id),
    unique key UNIQ_291BA3522C420794180C698FA7AEFFB (route, locale, attribute),
    key IDX_291BA352D951F3E4 (localized_value)
);
```

IV.2.1.48.5List of diagrams containing the table routing_translations

Name	Code
PhysicalDiagram_1	PHYSICALDIAGRAM_1

IV.2.1.48.6List of extended attributes of the table routing_translations

Name	Data Type	Value	Target Name
Temporary	(Boolean)	false	MySQL 5.0

IV.2.1.48.7List of columns of the table routing_translations

Name	Code
id	id
route	route
locale	locale
attribute	attribute
localized_value	localized_value
original_value	original_value

IV.2.1.48.8Column id of the table routing_translations

IV.2.1.48.8.1Card of the column id of the table routing_translations

Name	id
Code	id
Data Type	int(11)
Mandatory	Yes

IV.2.1.48.8.2Check constraint name of the column id of the table routing_translations

CK_id

IV.2.1.48.8.3Check of the column id of the table routing_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.48.8.4Server validation rule of the column id of the table routing_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.48.8.5List of all dependencies of the table column id

Name	Code	Class Name
Key_1	Key_1	Key

IV.2.1.48.8.6List of extended attributes of the table column id

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0

National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.48.9 Column route of the table routing_translations**IV.2.1.48.9.1 Card of the column route of the table routing_translations**

Name	route
Code	route
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.48.9.2 Check constraint name of the column route of the table routing_translations

CK_route

IV.2.1.48.9.3 Check of the column route of the table routing_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.48.9.4 Server validation rule of the column route of the table routing_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.48.9.5 List of all dependencies of the table column route

Name	Code	Class Name
UNIQ_291BA3522C420794180C	UNIQ_291BA3522C420794180C6	Key

698FA7AEFFB	98FA7AEFFB	
-------------	------------	--

IV.2.1.48.9.6List of extended attributes of the table column route

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.48.10Column locale of the table routing_translations

IV.2.1.48.10.1Card of the column locale of the table routing_translations

Name	locale
Code	locale
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.48.10.2Check constraint name of the column locale of the table routing_translations CK_locale

IV.2.1.48.10.3Check of the column locale of the table routing_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No

List of values	
----------------	--

IV.2.1.48.10.4 Server validation rule of the column locale of the table routing_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.48.10.5 List of all dependencies of the table column locale

Name	Code	Class Name
UNIQ_291BA3522C420794180C 698FA7AEFFB	UNIQ_291BA3522C420794180C6 98FA7AEFFB	Key

IV.2.1.48.10.6 List of extended attributes of the table column locale

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.48.11 Column attribute of the table routing_translations**IV.2.1.48.11.1 Card of the column attribute of the table routing_translations**

Name	attribute
Code	attribute
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.48.11.2 Check constraint name of the column attribute of the table routing_translations

CK_attribute

IV.2.1.48.11.3 Check of the column attribute of the table routing_translations

Minimum Value	
Maximum Value	

Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.48.11.4 Server validation rule of the column attribute of the table routing_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.48.11.5 List of all dependencies of the table column attribute

Name	Code	Class Name
UNIQ_291BA3522C420794180C 698FA7AEFFB	UNIQ_291BA3522C420794180C6 98FA7AEFFB	Key

IV.2.1.48.11.6 List of extended attributes of the table column attribute

Name	Data Type	Value	Target Name
CharSet	CharSets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.48.12 Column localized_value of the table routing_translations

IV.2.1.48.12.1 Card of the column localized_value of the table routing_translations

Name	localized_value
Code	localized_value
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.48.12.2Check constraint name of the column localized_value of the table routing_translations

CK_localized_value

IV.2.1.48.12.3Check of the column localized_value of the table routing_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.48.12.4Server validation rule of the column localized_value of the table routing_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.48.12.5List of all dependencies of the table column localized_value

Name	Code	Class Name
IDX_291BA352D951F3E4	IDX_291BA352D951F3E4	Key

IV.2.1.48.12.6List of extended attributes of the table column localized_value

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

IV.2.1.48.13Column original_value of the table routing_translations

IV.2.1.48.13.1Card of the column original_value of the table routing_translations

Name	original_value
Code	original_value
Data Type	varchar(255)
Mandatory	Yes

IV.2.1.48.13.2Check constraint name of the column original_value of the table routing_translations

CK_original_value

IV.2.1.48.13.3Check of the column original_value of the table routing_translations

Minimum Value	
Maximum Value	
Default Value	
Unit	
Format	
Uppercase	No
Lowercase	No
Cannot Modify	No
List of values	

IV.2.1.48.13.4Server validation rule of the column original_value of the table routing_translations

%MINMAX% and %LISTVAL% and %UPPER% and %LOWER% and %RULES%

IV.2.1.48.13.5List of extended attributes of the table column original_value

Name	Data Type	Value	Target Name
CharSet	Charsets		MySQL 5.0
Collate	(String)		MySQL 5.0
National	(Boolean)	false	MySQL 5.0
Unsigned	(Boolean)	false	MySQL 5.0
ZeroFill	(Boolean)	false	MySQL 5.0

--	--	--	--

IV.2.1.48.14List of keys of the table routing_translations

Name	Code	Primary
Key_1	Key_1	X
UNIQ_291BA3522C420794180C698FA7AEFFB	UNIQ_291BA3522C420794180C698FA7AEFFB	
IDX_291BA352D951F3E4	IDX_291BA352D951F3E4	

IV.2.1.48.15Key Key_1 of the table routing_translations**IV.2.1.48.15.1Card of the key Key_1 of the table routing_translations**

Name	Key_1
Code	Key_1
Table	routing_translations

IV.2.1.48.15.2Code preview of the key Key_1 of the table routing_translations

```
alter table routing_translations
drop primary key;
```

IV.2.1.48.15.3List of columns of the table key Key_1

Name	Code
id	id

IV.2.1.48.15.4List of extended attributes of the table key Key_1

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0

IV.2.1.48.16Key UNIQ_291BA3522C420794180C698FA7AEFFB of the table routing_translations**IV.2.1.48.16.1Card of the key UNIQ_291BA3522C420794180C698FA7AEFFB of the table routing_translations**

Name	UNIQ_291BA3522C420794180C698FA7AEFFB
Code	UNIQ_291BA3522C420794180C698FA7AEFFB
Table	routing_translations

IV.2.1.48.16.2Code preview of the key UNIQ_291BA3522C420794180C698FA7AEFFB of the table routing_translations

The preview is empty because of the setting.
Check the generation option.

IV.2.1.48.16.3List of columns of the table key UNIQ_291BA3522C420794180C698FA7AEFFB

Name	Code
route	route
locale	locale
attribute	attribute

IV.2.1.48.16.4List of extended attributes of the table key UNIQ_291BA3522C420794180C698FA7AEFFB

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	true	MySQL 5.0

IV.2.1.48.17Key IDX_291BA352D951F3E4 of the table routing_translations

IV.2.1.48.17.1Card of the key IDX_291BA352D951F3E4 of the table routing_translations

Name	IDX_291BA352D951F3E4
Code	IDX_291BA352D951F3E4
Table	routing_translations

IV.2.1.48.17.2Code preview of the key IDX_291BA352D951F3E4 of the table routing_translations

The preview is empty because of the setting.
Check the generation option.

IV.2.1.48.17.3List of columns of the table key IDX_291BA352D951F3E4

Name	Code
localized_value	localized_value

IV.2.1.48.17.4List of extended attributes of the table key IDX_291BA352D951F3E4

Name	Data Type	Value	Target Name
ExtUnique	(Boolean)	false	MySQL 5.0