



宝塔面板 webshell 隐藏小技巧

最近宝塔的 phpmysqladmin，大家应该都已经知道了。我就不炒冷饭，最近也没有研究什么比较有含量的，就分享一个宝塔面板隐藏 webshell 的小技巧，比较水。

创建一个文件名为.<a.php 的文件



解压出来以后，宝塔的文件管理面板中是不会出现的



但是文件是存在的

```
root@sgk:/www/wwwroot/sgk.com/public# ls -la
.  '.<a.php'  css      .htaccess  index.php  robots.txt  static
.. a.zip      favicon.ico images      lib        router.php  .user.ini
root@sgk:/www/wwwroot/sgk.com/public#
```

而且可以正常访问

① 不安全 | 192.168.3.51/.<a.php

Linux 系统

PHP Version 7.4.7



System	Linux sgk 4.15.0-112-generic #113-Ubuntu SMP Thu Jul 9 23:41:39 UTC 2020 x86_64
Build Date	Jun 27 2020 13:34:23
Configure Command	./configure '--prefix=/www/server/php/74' '--with-config-file-path=/www/server/php/74/etc' '--enable-fpm' '--with-fpm-user=www' '--with-fpm-group=www' '--enable-mysqlnd' '--with-mysqli=mysqlnd' '--with-pdo-mysql=mysqlnd' '--with-iconv-dir' '--with-freetype' '--with-jpeg' '--with-zlib' '--with-libxml-dir=/usr' '--enable-xml' '--disable-rpath' '--enable-bcmath' '--enable-shmop' '--enable-sysvsem' '--enable-inline-optimization' '--with-curl' '--enable-mbregex' '--enable-mbstring' '--enable-intl' '--enable-ftp' '--enable-gd' '--with-openssl' '--with-mhash' '--enable-pcntl' '--enable-sockets' '--with-xmlrpc' '--enable-soap' '--with-gettext' '--disable-fileinfo' '--enable-opcache' '--with-sodium=/usr/local/libsodium' '--with-webp'
Server API	FPM/FastCGI
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/www/server/php/74/etc
Loaded Configuration File	/www/server/php/74/etc/php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20190902
PHP Extension	20190902
Zend Extension	320190902
Zend Extension Build	API320190902.NTS

