

**emphasised**, 8  
**bold**, 11, 12  
underline, 11, 12  
Apple (company)  
    OS platforms, 31  
Churchill, Sir Winston Leonard  
    Spencer, 13, 14  
Greek letters  
    sigma, 15  
    gamma, 15  
Prime Minister  
    Churchill, Sir Winston Leonard  
    Spencer, 14  
*emphasised*, 7  
*foo bar*  
    bay  
        **baz**, 10  
        **baz**, 9  
*italics*, 11, 12  
bar, 33, 34  
    foo  
        example text, 33  
baz  
    fiz, 33  
bold, 11, 12  
combo, 20, 21  
compensator. See [indeterminacy principle](#) (Heisenberg, Werner Karl)  
destructive operation. See [safety: of functions](#)  
emphasised (nope), 7, 8  
ergonomics, 28, 30  
firmware, 2, 3  
foo  
    example text (see [bar](#)). See [also baz: fiz](#)  
foo bar, 4  
    bay  
        baz, 6  
        baz, 5  
foo baz, 4  
gamma, 16  
iPhone, 31. See [also Apple \(company\): OS platforms](#)  
inbound operation, 29  
indeterminacy principle  
    (Heisenberg, Werner Karl), 32  
italics, 11, 12  
key combinations, 2, 3  
later works, 22n.1, 23[n.1]  
risk. See [ergonomics](#). See [also safety](#)  
safety, 28  
    of functions, 27  
    of types (see [inbound operation](#))  
    See [also risk](#)  
something, 18-19, 25-26n.1 n.2  
strikethrough, 11, 12  
underline, 11, 12  
~~strikethrough~~, 11, 12

Empty entry

{^}

{^}

## Marking entries

Most mechanical keyboard firmware{^} supports the use of [key combinations]{^}.

Most mechanical keyboard [firmware](#) supports the use of [key combinations](#).

## Marking entries (ambiguities)

Most mechanical keyboard  
[x]firmware{^} supports the use of  
x[key combinations]{^}.

Most mechanical keyboard  
[x]firmware supports the use of xkey  
combinations.

## Heading overrides

This is a standalone mark: `{^"foo bar"}` and this one has an overridden `[heading]{^"foo baz"}`.

This is a standalone mark: and this one has an overridden `heading`.

## Nested headings (sub-entry)

This is a standalone nested mark:  
{^"foo bar">baz}and this one will  
create an identical entry: [baz]{^"foo  
bar">}

This is a standalone nested mark:  
and this one will create an identical  
entry: [baz](#).

## Nested headings (sub-sub-entry)

This is a standalone nested mark:  
{^"foo bar">bay>baz}and this one  
will create an identical entry:  
[baz]{^"foo bar">bay>}

This is a standalone nested mark:  
and this one will create an identical  
entry: [baz](#).

Emphasised and expanded headings

This entry will be `__emphasised__`{^} in the index.  
This entry will be `__[emphasised]{^}`\_\_ in the index, too. This expanded entry won't be `__emphasised__`{^"\* (nope)"}

This entry will be *emphasised* in the index. This entry will be *emphasised* in the index, too. This expanded entry won't be *emphasised*.



## Double emphasised and expanded headings

This entry will be  
\*\*\_\_emphasised\_\_\*\*{^} in the index.  
This entry will be  
\*\*\_\_[emphasised]{^}\_\_\*\* in the  
index, too. This expanded entry  
won't be \*\*\_\_emphasised\_\_\*\*{^}\*  
(nope)"}

This entry will be **emphasised** in  
the index. This entry will be  
**emphasised** in the index, too. This  
expanded entry won't be  
**emphasised**.

Nested emphasised headings  
(sub-entry)

This is a standalone nested mark:  
{^"\_\_foo bar\_\_">\*\*baz\*\*}and this  
one will create an identical entry:  
\*\*[baz]{^"\_\_foo bar\_\_">}\*\*.

This is a standalone nested mark:  
and this one will create an identical  
entry: **baz**.

Nested emphasised headings  
(sub-sub-entry)

This is a standalone nested mark:  
{^"\_\_foo  
bar\_\_">--bay-->\*\*baz\*\*}and this one  
will create an identical entry:  
\*\*[baz]{^"\_\_foo bar\_\_">--bay-->}\*\*.

This is a standalone nested mark:  
and this one will create an identical  
entry: **baz**.

## Emphasis-stripping with wildcards \*

This entry will be **bold**{^},  
\_\_italics\_\_^{^}, --underline--{^} or  
~~strikethrough~~{^}. This entry  
won't be **bold**^{^\*}, \_\_italics\_\_^{^\*},  
--underline--^{^\*} or  
~~strikethrough~~^{^\*}.

This entry will be **bold**, *italics*,  
underline or ~~strikethrough~~. This  
entry won't be **bold**, *italics*,  
underline or ~~strikethrough~~.

Emphasis-stripping and lower-case  
with double wildcards \*\*

This entry will be **bold**{^},  
\_italics\_{^}, --underline--{^} or  
~~strikethrough~~{^}. This entry  
won't be **Bold**{^\*\*},  
\_Italics\_{^\*\*}, --Underline--{^\*\*} or  
~~Strikethrough~~{^\*\*}.

This entry will be **bold**, *italics*,  
underline or ~~strikethrough~~. This  
entry won't be **Bold**, *Italics*,  
Underline or ~~Strikethrough~~.

Prefix wildcards (^\*)

Sir Winston Leonard Spencer Churchill{^"\*, Sir Winston Leonard Spencer"} was Prime Minister from 1940 to 1945, and again from 1951 to 1955. Churchill{^\*^} was born on 30 November 1874, in Blenheim, Oxfordshire.

Sir Winston Leonard Spencer Churchill was Prime Minister from 1940 to 1945, and again from 1951 to 1955. Churchill was born on 30 November 1874, in Blenheim, Oxfordshire.

Prefix wildcards (^\*-; just entry's own heading)

Sir Winston Leonard Spencer Churchill{"^"Prime Minister">"\*, Sir Winston Leonard Spencer"} was Prime Minister from 1940 to 1945, and again from 1951 to 1955. Churchill{"^\*-} was born on 30 November 1874, in Blenheim, Oxfordshire.

Sir Winston Leonard Spencer Churchill was Prime Minister from 1940 to 1945, and again from 1951 to 1955. Churchill was born on 30 November 1874, in Blenheim, Oxfordshire.

## Sort keys

The Greek lowercase letter  $\gamma$  looks like a "y",  $\sigma$  does not.

The Greek lowercase letter  $\gamma$  looks like a "y",  $\sigma$  does not.



Sort keys (Index Letter Heading)

The Greek lowercase letter  
 $\gamma$  looks like a "y".

The Greek lowercase letter  $\gamma$   
looks like a "y".

Closing marks for continuing locators

The opening mark for something<sup>{^}</sup>

...

[illegible]



[illegible]

## Locator emphasis (first)

With regard to computer keyboard firmware, a `__combo__`<sup>{^\*}</sup> is a combination of simultaneously-pressed keys which perform a single action (such as pressing O+P to generate Backspace).

With regard to computer keyboard firmware, a *combo* is a combination of simultaneously-pressed keys which perform a single action (such as pressing O+P to generate Backspace).

## Locator emphasis

With regard to computer keyboard firmware, a `__combo__`<sup>{^\*!}</sup> is a combination of simultaneously-pressed keys which perform a single action (such as pressing O+P to generate Backspace).

With regard to computer keyboard firmware, a *combo* is a combination of simultaneously-pressed keys which perform a single action (such as pressing O+P to generate Backspace).

## Locator suffixes

He would go on to discuss this in more detail in his [later works]{^[n.1]}.

He would go on to discuss this in more detail in his [later works](#).

Locator suffixes (squared brackets)

He would go on to discuss this in more detail in his [later works]{^[["n.1"]]}.

He would go on to discuss this in more detail in his [later works](#).



## Locator end suffixes

[illegible]



[illegible]

## Cross-references (see-type)

This function can be  
[dangerous]{^"destructive  
operation"|safety>"of  
functions"}.This is the target of the  
[see-reference]{^safety>"of  
functions"}.

This function can be  
[dangerous](#).This is the target of the  
[see-reference](#).

## Cross-references (also-type)

Even typing on a keyboard can be surprisingly risky<sup>{^"risk"|ergonomics;+safety}</sup>. This is the target of the <sup>[see-reference]{^ergonomics}</sup> and <sup>[also-reference]{^safety}</sup>.

Even typing on a keyboard can be surprisingly [risky](#). This is the target of the [see-reference](#) and [also-reference](#).

Inbound cross-references  
(see-type)

This function can be  
[cool]{^"inbound  
operation"@safety>"of types"}.

This function can be [cool](#).

Inbound cross-references  
(also-type)

Even typing on a keyboard can be  
surprisingly  
risky{"^"risk"|ergonomics;@+safety}.  
This is the target of the  
[see-reference>{"^"ergonomics}.

Even typing on a keyboard can be  
surprisingly [risky](#). This is the target  
of the [see-reference](#).

## Defining and using aliases

The various [operating systems]{^"Apple (company)">"OS platforms"#apple} on Apple devices share a common heritage in what was Mac OS X. The majority of Apple devices are iPhones{^"iPhone"|+apple}, by a large margin.

The various [operating systems](#) on Apple devices share a common heritage in what was Mac OS X. The majority of Apple devices are [iPhones](#), by a large margin.



## Unreferenced aliases

{^"indeterminacy principle  
(Heisenberg, Werner  
Karl)"##q-uncert}A key component  
of the Enterprise's transporter  
system is the Heisenberg  
compensator{^|#q-uncert}. This is  
the target{^#q-uncert}.

A key component of the Enterprise's  
transporter system is the  
Heisenberg [compensator](#). This is  
the [target](#).

Comprehensive example

```
__example__ {^foo>"*   text"#demo
|bar;+baz>fiz    [whiz]    ~z    !},
__example-alias__ {^bar>#demo},
__example-see__ {^bar},
__example-also__ {^baz>fiz}.
```

*example*, *example-alias*,  
*example-see*, *example-also*.

Disabling and re-enabling TextIndex processing

{^~}This index mark won't be processed: foo{^}{^+}. This index mark will be processed: bar{^}.

This index mark won't be processed: foo{^}. This index mark will be processed: [bar](#).