```
library(rmarkdown)
library(knitr); opts_knit$set(root.dir="~/correlates_reporting_forks/correlates_reporting-1"); render("
```

```
##
##
## processing file: report.Rmd
##    |                                                               |
##   ordinary text without R code
##
##    |                                                               |.
## label: setup (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##    |                                                               |.
## label: unnamed-chunk-2 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##    |                                                               |..
## label: unnamed-chunk-3 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                               |..
##   ordinary text without R code
##
##
## label: unnamed-chunk-4 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                               |
##   ordinary text without R code
##
##    |                                                               |.................
## label: unnamed-chunk-132 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                               |.................
```

```
##     inline R code fragments
##
##   |                                                      |................
## label: unnamed-chunk-133 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                      |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                      |...
## label: unnamed-chunk-5 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##   |                                                      |...
## label: unnamed-chunk-6 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                      |
##   ordinary text without R code
##
##   |                                                      |................
## label: unnamed-chunk-134 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                      |................
##    inline R code fragments
##
##   |                                                      |................
## label: unnamed-chunk-135 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                      |................
##   ordinary text without R code
##
```

```
## 
## 
##   ordinary text without R code
## 
##   |                                                                        |....
## label: unnamed-chunk-7 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                                        |....
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-8 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                                        |
##   ordinary text without R code
## 
##   |                                                                        |.................
## label: unnamed-chunk-136 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                                        |.................
##    inline R code fragments
## 
##   |                                                                        |.................
## label: unnamed-chunk-137 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                                        |.................
##   ordinary text without R code
## 
## 
##   |                                                                        |.....
##   ordinary text without R code
## 
##   |                                                                        |.....
## label: unnamed-chunk-9 (with options)
## List of 1
##  $ include: logi FALSE
## 
## 
##   ordinary text without R code
```

```
## 
##    |                                                              |.....
## label: unnamed-chunk-10 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##    |                                                              |
##   ordinary text without R code
## 
##    |                                                              |.................
## label: unnamed-chunk-138 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##    |                                                              |.................
##    inline R code fragments
## 
##    |                                                              |.................
## label: unnamed-chunk-139 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##    |                                                              |.................
##   ordinary text without R code
## 
## 
##    |                                                              |......
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-11 (with options)
## List of 1
##  $ include: logi FALSE
## 
##    |                                                              |......
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-12 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
```

```
##   |                                                                    |
##   ordinary text without R code
##
##   |                                                       |................
## label: unnamed-chunk-140 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                       |................
##    inline R code fragments
##
##   |                                                       |................
## label: unnamed-chunk-141 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                       |................
##   ordinary text without R code
##
##
##   |                                                       |.......
##   ordinary text without R code
##
##
## label: unnamed-chunk-13 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##   |                                                       |.......
## label: unnamed-chunk-14 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                       |
##    ordinary text without R code
##
##   |                                                       |................
## label: unnamed-chunk-142 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                       |................
##    inline R code fragments
```

5

```
##
##    |                                                          |................
## label: unnamed-chunk-143 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                          |................
##   ordinary text without R code
##
##
##    |                                                          |........
##   ordinary text without R code
##
##
## label: unnamed-chunk-15 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                          |........
##   ordinary text without R code
##
##    |                                                          |.........
## label: unnamed-chunk-16 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                          |
##   ordinary text without R code
##
##    |                                                          |................
## label: unnamed-chunk-144 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                          |................
##    inline R code fragments
##
##    |                                                          |................
## label: unnamed-chunk-145 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                          |................
##   ordinary text without R code
##
##
```

```
##   |                                                      |.........
##   ordinary text without R code
##
##
## label: unnamed-chunk-17 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##   |                                                      |..........
## label: unnamed-chunk-18 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                      |
##   ordinary text without R code
##
##   |                                                      |.................
## label: unnamed-chunk-146 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                      |.................
##    inline R code fragments
##
##   |                                                      |.................
## label: unnamed-chunk-147 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                      |.................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                      |..........
## label: unnamed-chunk-19 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
```

```
##    |                                                      |..........
## label: unnamed-chunk-20 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                      |
##    ordinary text without R code
##
##    |                                                      |................
## label: unnamed-chunk-148 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                      |................
##     inline R code fragments
##
##    |                                                      |................
## label: unnamed-chunk-149 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                      |................
##    ordinary text without R code
##
##
##    |                                                      |..........
##    ordinary text without R code
##
##
## label: unnamed-chunk-21 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##    |                                                      |..........
## label: unnamed-chunk-22 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                      |
```

```
##    ordinary text without R code
##
##   |                                                       |................
## label: unnamed-chunk-150 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                       |................
##    inline R code fragments
##
##   |                                                       |................
## label: unnamed-chunk-151 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                       |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                       |............
## label: unnamed-chunk-23 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                       |.............
##   ordinary text without R code
##
##
## label: unnamed-chunk-24 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                       |
##   ordinary text without R code
##
##   |                                                       |................
## label: unnamed-chunk-152 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                       |................
##    inline R code fragments
##
```

```
##   |                                                                    |.................
## label: unnamed-chunk-153 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                                    |.................
##   ordinary text without R code
##
##
##   |                                                                    |.............
##   ordinary text without R code
##
##
## label: unnamed-chunk-25 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                                    |..............
##   ordinary text without R code
##
##   |                                                                    |..............
## label: unnamed-chunk-26 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                                    |
##   ordinary text without R code
##
##   |                                                                    |.................
## label: unnamed-chunk-154 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                                    |.................
##    inline R code fragments
##
##   |                                                                    |.................
## label: unnamed-chunk-155 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                                    |.................
##   ordinary text without R code
##
##
##
```

```
##     ordinary text without R code
##
##   |                                                             |..............
## label: unnamed-chunk-27 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                             |..............
##     ordinary text without R code
##
##
## label: unnamed-chunk-28 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                             |
##     ordinary text without R code
##
##   |                                                             |................
## label: unnamed-chunk-156 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                             |................
##     inline R code fragments
##
##   |                                                             |................
## label: unnamed-chunk-157 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                             |................
##     ordinary text without R code
##
##
##   |                                                             |..............
##     ordinary text without R code
##
##
## label: unnamed-chunk-29 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                             |..............
##     ordinary text without R code
##
##
```

```
## label: unnamed-chunk-30 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                                     |
##   ordinary text without R code
##
##   |                                                                     |................
## label: unnamed-chunk-158 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                                     |................
##    inline R code fragments
##
##   |                                                                     |................
## label: unnamed-chunk-159 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                                     |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                                     |................
## label: unnamed-chunk-31 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##
## label: unnamed-chunk-32 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                                     |
##   ordinary text without R code
```

```
## 
##   |                                                               |................
## label: unnamed-chunk-160 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                               |................
##    inline R code fragments
## 
##   |                                                               |................
## label: unnamed-chunk-161 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                               |................
##   ordinary text without R code
## 
## 
##   |                                                               |................
##   ordinary text without R code
## 
##   |                                                               |................
## label: unnamed-chunk-33 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                               |................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-34 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                               |
##   ordinary text without R code
## 
##   |                                                               |................
## label: unnamed-chunk-162 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                               |................
##    inline R code fragments
## 
##   |                                                               |................
```

13

```
## label: unnamed-chunk-163 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                              |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##    |                                                              |................
## label: unnamed-chunk-35 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##
## label: unnamed-chunk-36 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                              |
##   ordinary text without R code
##
##    |                                                              |................
## label: unnamed-chunk-164 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                              |................
##    inline R code fragments
##
##    |                                                              |................
## label: unnamed-chunk-165 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                              |................
##   ordinary text without R code
##
##
##    |                                                              |................
##   ordinary text without R code
```

```
##
##
## label: unnamed-chunk-37 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                               |................
##    ordinary text without R code
##
##
## label: unnamed-chunk-38 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##    |                                                               |
##    ordinary text without R code
##
##    |                                                               |................
## label: unnamed-chunk-166 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                               |................
##     inline R code fragments
##
##    |                                                               |................
## label: unnamed-chunk-167 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                               |................
##    ordinary text without R code
##
##
##    |                                                               |................
##    ordinary text without R code
##
##    |                                                               |................
## label: unnamed-chunk-39 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##    |                                                               |................
## label: unnamed-chunk-40 (with options)
```

15

```
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                            |
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-168 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                            |................
##    inline R code fragments
##
##   |                                                            |................
## label: unnamed-chunk-169 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                            |................
##   ordinary text without R code
##
##
##   |                                                            |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-41 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                            |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-42 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                            |
##   ordinary text without R code
##
```

```
##    |                                                 |................
## label: unnamed-chunk-170 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                 |................
##     inline R code fragments
##
##    |                                                 |................
## label: unnamed-chunk-171 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                 |................
##   ordinary text without R code
##
##
##    |                                                 |................
##   ordinary text without R code
##
##    |                                                 |................
## label: unnamed-chunk-43 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##    |                                                 |................
## label: unnamed-chunk-44 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                 |
##   ordinary text without R code
##
##    |                                                 |................
## label: unnamed-chunk-172 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                 |................
##     inline R code fragments
##
##    |                                                 |................
## label: unnamed-chunk-173 (with options)
```

```
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                       |.................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##
## label: unnamed-chunk-45 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                       |.................
##   ordinary text without R code
##
##   |                                                       |.................
## label: unnamed-chunk-46 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                       |
##   ordinary text without R code
##
##   |                                                       |.................
## label: unnamed-chunk-174 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                       |.................
##    inline R code fragments
##
##   |                                                       |.................
## label: unnamed-chunk-175 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                       |.................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
```

```
##    |                                                          |.................
## label: unnamed-chunk-47 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##    |                                                          |.................
## label: unnamed-chunk-48 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                          |
##    ordinary text without R code
##
##    |                                                          |.................
## label: unnamed-chunk-176 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                          |.................
##     inline R code fragments
##
##    |                                                          |.................
## label: unnamed-chunk-177 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                          |.................
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##
## label: unnamed-chunk-49 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                          |.................
##    ordinary text without R code
##
##    |                                                          |.................
## label: unnamed-chunk-50 (with options)
## List of 3
```

19

```
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                                      |
##   ordinary text without R code
##
##   |                                                                      |.................
## label: unnamed-chunk-178 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                                      |.................
##    inline R code fragments
##
##   |                                                                      |.................
## label: unnamed-chunk-179 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                                      |.................
##   ordinary text without R code
##
##
##   |                                                                      |.................
##   ordinary text without R code
##
##
## label: unnamed-chunk-51 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                                      |.................
##   ordinary text without R code
##
##   |                                                                      |.................
## label: unnamed-chunk-52 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                                      |
##   ordinary text without R code
##
##   |                                                                      |.................
```

20

```
## label: unnamed-chunk-180 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                        |................
##    inline R code fragments
##
##   |                                                        |................
## label: unnamed-chunk-181 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                        |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##
## label: unnamed-chunk-53 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                        |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-54 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                        |
##   ordinary text without R code
##
##   |                                                        |................
## label: unnamed-chunk-182 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                        |................
##    inline R code fragments
##
##   |                                                        |................
## label: unnamed-chunk-183 (with options)
## List of 2
```

```
##  $ output: chr "asis"
## $ echo  : logi FALSE
##
##   |                                                         |................
## ordinary text without R code
##
##
##   |                                                         |................
## ordinary text without R code
##
##
## label: unnamed-chunk-55 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                         |................
##  ordinary text without R code
##
##   |                                                         |................
## label: unnamed-chunk-56 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                         |
## ordinary text without R code
##
##   |                                                         |................
## label: unnamed-chunk-184 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                         |................
##    inline R code fragments
##
##   |                                                         |................
## label: unnamed-chunk-185 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                         |................
## ordinary text without R code
##
##
##
## ordinary text without R code
##
##   |                                                         |................
```

```
## label: unnamed-chunk-57 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                        |.................
##    ordinary text without R code
##
##
## label: unnamed-chunk-58 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                        |
##    ordinary text without R code
##
##    |                                                        |.................
## label: unnamed-chunk-186 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                        |.................
##     inline R code fragments
##
##    |                                                        |.................
## label: unnamed-chunk-187 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                        |.................
##    ordinary text without R code
##
##
##    |                                                        |.................
##    ordinary text without R code
##
##    |                                                        |.................
## label: unnamed-chunk-59 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##    |                                                        |.................
## label: unnamed-chunk-60 (with options)
## List of 3
##  $ include: language "Day29" %in% times
```

```
##  $ eval    : language "Day29" %in% times
##  $ child   : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##    |                                                            |
##   ordinary text without R code
##
##    |                                                            |...............
## label: unnamed-chunk-188 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                            |...............
##    inline R code fragments
##
##    |                                                            |...............
## label: unnamed-chunk-189 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                            |...............
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##    |                                                            |...............
## label: unnamed-chunk-61 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##
## label: unnamed-chunk-62 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##    |                                                            |
##   ordinary text without R code
##
##    |                                                            |...............
## label: unnamed-chunk-190 (with options)
```

```
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                      |................
##    inline R code fragments
##
##   |                                                      |................
## label: unnamed-chunk-191 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                      |................
##   ordinary text without R code
##
##
##   |                                                      |................
##   ordinary text without R code
##
##   |                                                      |................
## label: unnamed-chunk-63 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##   |                                                      |................
## label: unnamed-chunk-64 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                      |
##   ordinary text without R code
##
##   |                                                      |................
## label: unnamed-chunk-192 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                      |................
##    inline R code fragments
##
##   |                                                      |................
## label: unnamed-chunk-193 (with options)
## List of 2
##  $ output: chr "asis"
```

```
##  $ echo  : logi FALSE
##
##    |                                                        |..................
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##    |                                                        |..................
## label: unnamed-chunk-65 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##
## label: unnamed-chunk-66 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##    |                                                        |
##    ordinary text without R code
##
##    |                                                        |..................
## label: unnamed-chunk-194 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                        |..................
##     inline R code fragments
##
##    |                                                        |..................
## label: unnamed-chunk-195 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                        |..................
##    ordinary text without R code
##
##
##    |                                                        |..................
##    ordinary text without R code
##
##
## label: unnamed-chunk-67 (with options)
```

```
## List of 1
##  $ include: logi FALSE
##
##    |                                                            |................
##    ordinary text without R code
##
##
## label: unnamed-chunk-68 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                            |................
##    ordinary text without R code
##
##    |                                                            |................
## label: unnamed-chunk-69 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##    |                                                            |
##    ordinary text without R code
##
##    |                                                            |................
## label: unnamed-chunk-196 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                            |................
##     inline R code fragments
##
##    |                                                            |................
## label: unnamed-chunk-197 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                            |................
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##
## label: unnamed-chunk-70 (with options)
## List of 1
##  $ include: logi FALSE
##
```

```
##   |                                                                    |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-71 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                                    |
##   ordinary text without R code
##
##   |                                                                    |................
## label: unnamed-chunk-198 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                                    |................
##    inline R code fragments
##
##   |                                                                    |................
## label: unnamed-chunk-199 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                                    |................
##   ordinary text without R code
##
##
##   |                                                                    |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-72 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                                    |................
##   ordinary text without R code
##
##   |                                                                    |................
## label: unnamed-chunk-73 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
```

```
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                                      |
## 
##   ordinary text without R code
## 
##   |                                                                      |..................
## label: unnamed-chunk-200 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                                      |..................
## 
##    inline R code fragments
## 
##   |                                                                      |..................
## label: unnamed-chunk-201 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                                      |..................
## 
##   ordinary text without R code
## 
## 
## 
##   ordinary text without R code
## 
##   |                                                                      |..................
## label: unnamed-chunk-74 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                                      |..................
## 
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-75 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                                      |
## 
##   ordinary text without R code
## 
##   |                                                                      |..................
## label: unnamed-chunk-202 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
```

```
##
##   |                                                            |................
##     inline R code fragments
##
##   |                                                            |................
## label: unnamed-chunk-203 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                            |................
##   ordinary text without R code
##
##
##   |                                                            |................
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-76 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-77 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                            |
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-204 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                            |................
##     inline R code fragments
##
##   |                                                            |................
## label: unnamed-chunk-205 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                            |................
```

```
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##   |                                                  |...................
## label: unnamed-chunk-78 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##    ordinary text without R code
##
##
## label: unnamed-chunk-79 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                  |
##    ordinary text without R code
##
##   |                                                  |...................
## label: unnamed-chunk-206 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                  |...................
##    inline R code fragments
##
##   |                                                  |...................
## label: unnamed-chunk-207 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                  |...................
##    ordinary text without R code
##
##
##   |                                                  |...................
##    ordinary text without R code
##
##   |                                                  |...................
## label: unnamed-chunk-80 (with options)
## List of 1
##  $ include: logi FALSE
##
```

```
##
##   ordinary text without R code
##
##   |                                                          |..................
## label: unnamed-chunk-81 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                          |
##   ordinary text without R code
##
##   |                                                          |..................
## label: unnamed-chunk-208 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                          |..................
##    inline R code fragments
##
##   |                                                          |..................
## label: unnamed-chunk-209 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                          |..................
##   ordinary text without R code
##
##
##   |                                                          |..................
##   ordinary text without R code
##
##   |                                                          |..................
## label: unnamed-chunk-82 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##
## label: unnamed-chunk-83 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
```

```
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                              |
## 
##   ordinary text without R code
## 
##   |                                                              |................
## label: unnamed-chunk-210 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                              |................
##    inline R code fragments
## 
##   |                                                              |................
## label: unnamed-chunk-211 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                              |................
##   ordinary text without R code
## 
## 
##   |                                                              |................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-84 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                              |................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-85 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                              |
## 
##   ordinary text without R code
## 
##   |                                                              |................
## label: unnamed-chunk-212 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
```

33

```
## 
##   |                                                           |................
##    inline R code fragments
## 
##   |                                                           |................
## label: unnamed-chunk-213 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                           |................
##   ordinary text without R code
## 
## 
##   |                                                           |................
##   ordinary text without R code
## 
##   |                                                           |................
## label: unnamed-chunk-86 (with options)
## List of 1
##  $ include: logi FALSE
## 
## 
##    ordinary text without R code
## 
## 
## label: unnamed-chunk-87 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                           |
##   ordinary text without R code
## 
##   |                                                           |................
## label: unnamed-chunk-214 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                           |................
##    inline R code fragments
## 
##   |                                                           |................
## label: unnamed-chunk-215 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                           |................
```

```
##   ordinary text without R code
##
##
##   |                                                         |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-88 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                         |................
##   ordinary text without R code
##
##   |                                                         |................
## label: unnamed-chunk-89 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                         |
##   ordinary text without R code
##
##   |                                                         |................
## label: unnamed-chunk-216 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                         |................
##   inline R code fragments
##
##   |                                                         |................
## label: unnamed-chunk-217 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                         |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                         |................
## label: unnamed-chunk-90 (with options)
## List of 1
##  $ include: logi FALSE
##
```

```
## 
##   ordinary text without R code
## 
##   |                                                              |................
## label: unnamed-chunk-91 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                              |
##   ordinary text without R code
## 
##   |                                                              |................
## label: unnamed-chunk-218 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                              |................
##    inline R code fragments
## 
##   |                                                              |................
## label: unnamed-chunk-219 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                              |................
##   ordinary text without R code
## 
## 
##   |                                                              |................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-92 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                              |................
##   ordinary text without R code
## 
##   |                                                              |................
## label: unnamed-chunk-93 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

## 
```

```
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## |                                                           |
## ordinary text without R code
##
## |                                                           |..................
## label: unnamed-chunk-220 (with options)
## List of 2
## $ echo   : symbol F
## $ include: symbol F
##
## |                                                           |..................
##    inline R code fragments
##
## |                                                           |..................
## label: unnamed-chunk-221 (with options)
## List of 2
## $ output: chr "asis"
## $ echo  : logi FALSE
##
## |                                                           |..................
## ordinary text without R code
##
##
##
## ordinary text without R code
##
## |                                                           |..................
## label: unnamed-chunk-94 (with options)
## List of 1
## $ include: logi FALSE
##
##
## ordinary text without R code
##
## |                                                           |..................
## label: unnamed-chunk-95 (with options)
## List of 3
## $ include: language "Day29" %in% times
## $ eval   : language "Day29" %in% times
## $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## |                                                           |
## ordinary text without R code
##
## |                                                           |..................
## label: unnamed-chunk-222 (with options)
## List of 2
## $ echo   : symbol F
## $ include: symbol F
```

37

```
## 
##    |                                                  |.................
##     inline R code fragments
## 
##    |                                                  |.................
## label: unnamed-chunk-223 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##    |                                                  |.................
##   ordinary text without R code
## 
## 
## 
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-96 (with options)
## List of 1
##  $ include: logi FALSE
## 
##    |                                                  |.................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-97 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##    |                                                  |
##   ordinary text without R code
## 
##    |                                                  |.................
## label: unnamed-chunk-224 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##    |                                                  |.................
##     inline R code fragments
## 
##    |                                                  |.................
## label: unnamed-chunk-225 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##    |                                                  |.................
```

```
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##    |                                                         |................
## label: unnamed-chunk-98 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                         |................
##    ordinary text without R code
##
##    |                                                         |................
## label: unnamed-chunk-99 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##    |                                                         |
##    ordinary text without R code
##
##    |                                                         |................
## label: unnamed-chunk-226 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                         |................
##     inline R code fragments
##
##    |                                                         |................
## label: unnamed-chunk-227 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                         |................
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##
## label: unnamed-chunk-100 (with options)
## List of 1
##  $ include: logi FALSE
##
```

39

```
##   |                                                           |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-101 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##   |                                                           |
##   ordinary text without R code
##
##   |                                                           |................
## label: unnamed-chunk-228 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                           |................
##    inline R code fragments
##
##   |                                                           |................
## label: unnamed-chunk-229 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                           |................
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                           |................
## label: unnamed-chunk-102 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##   |                                                           |................
## label: unnamed-chunk-103 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
```

```
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##    |                                                                      |
## 
##    ordinary text without R code
## 
##    |                                                                      |................
## label: unnamed-chunk-230 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##    |                                                                      |................
##     inline R code fragments
## 
##    |                                                                      |................
## label: unnamed-chunk-231 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##    |                                                                      |................
##    ordinary text without R code
## 
## 
## 
##    ordinary text without R code
## 
##    |                                                                      |................
## label: unnamed-chunk-104 (with options)
## List of 1
##  $ include: logi FALSE
## 
##    |                                                                      |................
##    ordinary text without R code
## 
## 
## label: unnamed-chunk-105 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##    |                                                                      |
## 
##    ordinary text without R code
## 
##    |                                                                      |................
## label: unnamed-chunk-232 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
```

```
##
##   |                                                          |..................
##     inline R code fragments
##
##   |                                                          |..................
## label: unnamed-chunk-233 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                          |..................
##   ordinary text without R code
##
##
##   |                                                          |..................
##   ordinary text without R code
##
##   |                                                          |..................
## label: unnamed-chunk-106 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##   |                                                          |..................
## label: unnamed-chunk-107 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                          |
##   ordinary text without R code
##
##   |                                                          |..................
## label: unnamed-chunk-234 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                          |..................
##     inline R code fragments
##
##   |                                                          |..................
## label: unnamed-chunk-235 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                          |..................
```

```
##    ordinary text without R code
##
##
##
##    ordinary text without R code
##
##    |                                                       |................
## label: unnamed-chunk-108 (with options)
## List of 1
##  $ include: logi FALSE
##
##    |                                                       |................
##    ordinary text without R code
##
##
## label: unnamed-chunk-109 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##    |                                                       |
##    ordinary text without R code
##
##    |                                                       |................
## label: unnamed-chunk-236 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##    |                                                       |................
##    inline R code fragments
##
##    |                                                       |................
## label: unnamed-chunk-237 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##    |                                                       |................
##    ordinary text without R code
##
##
##    |                                                       |................
##    ordinary text without R code
##
##
## label: unnamed-chunk-110 (with options)
## List of 1
##  $ include: logi FALSE
##
```

43

```
## 
##   ordinary text without R code
## 
##   |                                                          |.................
## label: unnamed-chunk-111 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                          |
##   ordinary text without R code
## 
##   |                                                          |.................
## label: unnamed-chunk-238 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                          |.................
##     inline R code fragments
## 
##   |                                                          |.................
## label: unnamed-chunk-239 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                          |.................
##   ordinary text without R code
## 
## 
##   |                                                          |.................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-112 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                          |.................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-113 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

## 
```

```
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## |                                                                                        |
## ordinary text without R code
## 
## |                                                                        |.................
## label: unnamed-chunk-240 (with options)
## List of 2
## $ echo  : symbol F
## $ include: symbol F
## 
## |                                                                        |.................
## inline R code fragments
## 
## |                                                                        |.................
## label: unnamed-chunk-241 (with options)
## List of 2
## $ output: chr "asis"
## $ echo  : logi FALSE
## 
## |                                                                        |.................
## ordinary text without R code
## 
## 
## |                                                                        |.................
## ordinary text without R code
## 
## 
## label: unnamed-chunk-114 (with options)
## List of 1
## $ include: logi FALSE
## 
## 
## ordinary text without R code
## 
## |                                                                        |.................
## label: unnamed-chunk-115 (with options)
## List of 3
## $ include: language "Day29" %in% times
## $ eval   : language "Day29" %in% times
## $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## |                                                                                        |
## ordinary text without R code
## 
## |                                                                        |.................
## label: unnamed-chunk-242 (with options)
## List of 2
## $ echo  : symbol F
## $ include: symbol F
```

45

```
## 
##   |                                                  |...............
##    inline R code fragments
## 
##   |                                                  |...............
## label: unnamed-chunk-243 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                  |...............
##    ordinary text without R code
## 
## 
##   |                                                  |...............
##    ordinary text without R code
## 
##   |                                                  |...............
## label: unnamed-chunk-116 (with options)
## List of 1
##  $ include: logi FALSE
## 
## 
##    ordinary text without R code
## 
##   |                                                  |...............
## label: unnamed-chunk-117 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                  |
##    ordinary text without R code
## 
##   |                                                  |...............
## label: unnamed-chunk-244 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                  |...............
##    inline R code fragments
## 
##   |                                                  |...............
## label: unnamed-chunk-245 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                  |...............
```

```
##   ordinary text without R code
##
##
##   |                                                        |...............
##   ordinary text without R code
##
##
## label: unnamed-chunk-118 (with options)
## List of 1
##  $ include: logi FALSE
##
##
##   ordinary text without R code
##
##   |                                                        |...............
## label: unnamed-chunk-119 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                        |
##   ordinary text without R code
##
##   |                                                        |...............
## label: unnamed-chunk-246 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                        |...............
##    inline R code fragments
##
##   |                                                        |...............
## label: unnamed-chunk-247 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                        |...............
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                        |...............
## label: unnamed-chunk-120 (with options)
## List of 1
##  $ include: logi FALSE
##
```

```
##
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-121 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                            |
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-248 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                            |................
##    inline R code fragments
##
##   |                                                            |................
## label: unnamed-chunk-249 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                            |................
##   ordinary text without R code
##
##
##   |                                                            |................
##   ordinary text without R code
##
##
## label: unnamed-chunk-122 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                            |................
##   ordinary text without R code
##
##   |                                                            |................
## label: unnamed-chunk-123 (with options)
## List of 3
##  $ include: language "Day57" %in% times
##  $ eval   : language "Day57" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
```

```
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                              |
## ordinary text without R code
## 
##   |                                                              |.................
## label: unnamed-chunk-250 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                              |.................
##     inline R code fragments
## 
##   |                                                              |.................
## label: unnamed-chunk-251 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                              |.................
## ordinary text without R code
## 
## 
## 
## ordinary text without R code
## 
##   |                                                              |.................
## label: unnamed-chunk-124 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                              |.................
## ordinary text without R code
## 
## 
## label: unnamed-chunk-125 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                              |
## ordinary text without R code
## 
##   |                                                              |.................
## label: unnamed-chunk-252 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
```

```
## 
##   |                                                               |................
##     inline R code fragments
## 
##   |                                                               |................
## label: unnamed-chunk-253 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                               |................
##   ordinary text without R code
## 
## 
##   |                                                               |................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-126 (with options)
## List of 1
##  $ include: logi FALSE
## 
##   |                                                               |................
##   ordinary text without R code
## 
## 
## label: unnamed-chunk-127 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
## 
## 
## 
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
## 
##   |                                                               |
##   ordinary text without R code
## 
##   |                                                               |................
## label: unnamed-chunk-254 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
## 
##   |                                                               |................
##     inline R code fragments
## 
##   |                                                               |................
## label: unnamed-chunk-255 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
## 
##   |                                                               |................
```

```
##   ordinary text without R code
##
##
##
##   ordinary text without R code
##
##   |                                                      |...............
## label: unnamed-chunk-128 (with options)
## List of 1
##  $ include: logi FALSE
##
##   |                                                      |...............
##   ordinary text without R code
##
##
## label: unnamed-chunk-129 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")
##
##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol
##
##   |                                                      |
##   ordinary text without R code
##
##   |                                                      |...............
## label: unnamed-chunk-256 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                      |...............
##    inline R code fragments
##
##   |                                                      |...............
## label: unnamed-chunk-257 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                      |...............
##   ordinary text without R code
##
##
##   |                                                      |...............
##   ordinary text without R code
##
##
## label: unnamed-chunk-130 (with options)
## List of 1
##  $ include: logi FALSE
##
```

```
##   |                                                              |.................
##   ordinary text without R code
##
##
## label: unnamed-chunk-131 (with options)
## List of 3
##  $ include: language "Day29" %in% times
##  $ eval   : language "Day29" %in% times
##  $ child  : language here::here("cor_threshold", "sub_report.Rmd")

##
##
## processing file: /Users/larsvanderlaan/correlates_reporting_forks/correlates_reporting-1/cor_threshol

##   |                                                              |
##   ordinary text without R code
##
##   |                                                              |.................
## label: unnamed-chunk-258 (with options)
## List of 2
##  $ echo   : symbol F
##  $ include: symbol F
##
##   |                                                              |.................
##    inline R code fragments
##
##   |                                                              |.................
## label: unnamed-chunk-259 (with options)
## List of 2
##  $ output: chr "asis"
##  $ echo  : logi FALSE
##
##   |                                                              |.................
##   ordinary text without R code

## output file: report.knit.md

## /Applications/RStudio.app/Contents/MacOS/pandoc/pandoc +RTS -K512m -RTS report.utf8.md --to latex --

##
## Output created: report.pdf

``
```