

COVID-19 Correlates of Risk Analysis Report
MockENSEMBLE Study

USG COVID-19 Response Biostatistics Team

October 22, 2021

Contents

1	Disclaimers	13
2	Graphical Descriptions of Antibody Marker Data	15
2.1	Boxplots	15
2.2	Weighted RCDF plots	18
2.3	Weighted RCDF plots of threshold correlate concentration for vaccine efficacy	20
2.4	Violin and line plots	22
2.5	Scatter plots	246
3	Graphical Descriptions of Time to Event Data	259
4	Day D29 Univariate CoR: Cox Models of Risk	261
4.1	Hazard ratios	261
4.2	Marginalized risk and controlled vaccine efficacy plots	265
5	Day D29start1 Univariate CoR: Cox Models of Risk	279
5.1	Hazard ratios	279
5.2	Marginalized risk and controlled vaccine efficacy plots	283
6	Univariate CoR: Nonparametric Threshold Modeling (>=s)	297
6.1	Plots and Tables with estimates and pointwise confidence intervals for Day 29	298
6.2	Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected)	301
6.3	Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected) (events after 1 day post dose)	304
6.4	Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected) (counting events after 1 day post dose)	307
6.5	Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected)	310
6.6	Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected)	313

6.7	Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected) (counting events after 1 day post dose)	316
6.8	Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected) (counting events after 1 day post dose)	319
7	Univariate CoR: Nonparametric Threshold Modeling (<=s)	323
8	Day D29 Univariate CoR: Nonlinear modeling	325
9	Day D29start1 Univariate CoR: Nonlinear modeling	329
10	Appendix	333

List of Tables

4.1	Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker*	261
4.2	Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile*	262
4.3	Analysis of Day 29 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP.	265
4.4	Marginalized cumulative risk by Day 149 as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	269
4.5	Controlled VE as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 149 days post Day 29 was 0.008 in vaccine recipients compared to 0.026 in placebo recipients, with cumulative vaccine efficacy 68.3% (95% CI 67.0 to 74.1%).	270
4.6	Controlled VE with sensitivity analysis as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	271
4.7	Marginalized cumulative risk by Day 149 as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	275
4.8	Controlled VE as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).Overall cumulative incidence from 7 to 149 days post Day 29 was 0.008 in vaccine recipients compared to 0.026 in placebo recipients, with cumulative vaccine efficacy 68.3% (95% CI 67.0 to 74.1%).	276
4.9	Controlled VE with sensitivity analysis as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	277
5.1	Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker*	279
5.2	Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile*	280
5.3	Analysis of Day 29 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP.	283
5.4	Marginalized cumulative risk by Day 149 as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	287

5.5 Controlled VE as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 1 to 149 days post Day 29 was 0.009 in vaccine recipients compared to 0.027 in placebo recipients, with cumulative vaccine efficacy 67.7% (95% CI 66.1 to 72.7%).	288
5.6 Controlled VE with sensitivity analysis as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	289
5.7 Marginalized cumulative risk by Day 149 as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	293
5.8 Controlled VE as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 1 to 149 days post Day 29 was 0.009 in vaccine recipients compared to 0.027 in placebo recipients, with cumulative vaccine efficacy 67.7% (95% CI 66.1 to 72.7%).	294
5.9 Controlled VE with sensitivity analysis as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).	295
 6.1 Table of risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.	299
6.2 Table of risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.	300
6.3 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.	302
6.4 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.	303
6.5 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.	305
6.6 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.	306
6.7 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.	308
6.8 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.	309
6.9 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.	311
6.10 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.	312
6.11 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.	314
6.12 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.	315
6.13 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.	317
6.14 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.	318

6.15 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.	320
6.16 Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.	321

List of Figures

4.1	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.	263
4.2	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.	263
4.3	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.	264
4.4	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.	264
4.5	Marginalized cumulative risk curves (=s). ‡ Count cases starting 7 days post Day 29.	266
4.6	Controlled VE curves (=s). ‡ Count cases starting 7 days post Day 29.	267
4.7	Marginalized cumulative risk curves and controlled VE curves (>=s). ‡ Count cases starting 7 days post Day 29.	268
4.8	Marginalized cumulative risk curves (=s). ‡ Count cases starting 7 days post Day 29.	272
4.9	Controlled VE curves (=s). ‡ Count cases starting 7 days post Day 29.	273
4.10	Marginalized cumulative risk curves and controlled VE curves (>=s). ‡ Count cases starting 7 days post Day 29.	274
5.1	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.	281
5.2	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.	281
5.3	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.	282
5.4	Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.	282
5.5	Marginalized cumulative risk curves (=s). ‡ Count cases starting 1 days post Day 29.	284

5.6	Controlled VE curves ($=s$). \ddagger Count cases starting 1 days post Day 29.	285
5.7	Marginalized cumulative risk curves and controlled VE curves ($>=s$). \ddagger Count cases starting 1 days post Day 29.	286
5.8	Marginalized cumulative risk curves ($=s$). \ddagger Count cases starting 1 days post Day 29.	290
5.9	Controlled VE curves ($=s$). \ddagger Count cases starting 1 days post Day 29.	291
5.10	Marginalized cumulative risk curves and controlled VE curves ($>=s$). \ddagger Count cases starting 1 days post Day 29.	292
6.1	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.	299
6.2	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.	300
6.3	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	302
6.4	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	303
6.5	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	305
6.6	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	306
6.7	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	308
6.8	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	309
6.9	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	311
6.10	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	312

6.11	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	314
6.12	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	315
6.13	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	317
6.14	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	318
6.15	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	320
6.16	Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.	321
8.1	Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3. ‡ Count cases starting 7 days post Day 29.	326
8.2	Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6. ‡ Count cases starting 7 days post Day 29.	327
9.1	Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3. ‡ Count cases starting 1 days post Day 29.	330
9.2	Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6. ‡ Count cases starting 1 days post Day 29.	331

MOCK

Chapter 1

Disclaimers

The data presented in the analysis are provided to NIAID in accordance with Clinical Trial Agreement between the parties. The study was funded in part by BARDA under Government Contract No. 75A50120C00034.

Statistical Analysis Plan

The SAP is available at <https://doi.org/10.6084/m9.figshare.13198595>

Reproducibility Notice

This project integrates the virtual environments framework provided by the `renv` package for computational reproducibility. By taking this approach, all results are generated using a consistent versioning of both R and several R packages. This version of the report was built with R version 4.0.4 (2021-02-15), `pandoc` version 2.2, and the following R packages:

package	version	source
bookdown	0.21.7	Github (<code>rstudio/bookdown@0cec2fd</code>)
bslib	0.2.4.9002	Github (<code>rstudio/bslib@c7835c2</code>)
data.table	1.14.0	CRAN (R 4.0.4)
delayed	0.4.0	Github (<code>tlverse/delayed@f415340</code>)
devtools	2.3.2	CRAN (R 4.0.4)
dplyr	1.0.5	CRAN (R 4.0.4)
ggplot2	3.3.3	CRAN (R 4.0.4)
hal9001	0.4.0	Github (<code>tlverse/hal9001@b41ed5d</code>)
haldensify	0.1.5	Github (<code>nhejazi/haldensify@16350cc</code>)
here	1.0.1	CRAN (R 4.0.4)
kableExtra	1.3.4	CRAN (R 4.0.4)
knitr	1.31	CRAN (R 4.0.4)
latex2exp	0.5.0	CRAN (R 4.0.4)
mvtnorm	1.1-1	CRAN (R 4.0.4)
origami	1.0.3	CRAN (R 4.0.4)
readr	1.4.0	CRAN (R 4.0.4)
rmarkdown	2.7.4	Github (<code>rstudio/rmarkdown@a11240d</code>)
skimr	2.1.3	CRAN (R 4.0.4)
sl3	1.4.3	Github (<code>tlverse/sl3@982f4d6</code>)
stringr	1.4.0	CRAN (R 4.0.4)
SuperLearner	2.0-28	CRAN (R 4.0.4)
svyVGAM	1.0	CRAN (R 4.0.4)
tibble	3.1.1	CRAN (R 4.0.4)

package	version	source
tidyr	1.1.3	CRAN (R 4.0.4)
txshift	0.3.6	Github (nhejazi/txshift@c0f572a)
VGAM	1.1-5	CRAN (R 4.0.4)
xtable	1.8-4	CRAN (R 4.0.4)

To get started with using this project and its `renv` package library, we first recommend briefly reviewing the [renv collaboration guide](#).



Chapter 2

Graphical Descriptions of Antibody Marker Data

2.1 Boxplots

\begin{figure}[H]





Figure 3.1: Boxplots of Day 29 Ab markers: vaccine arm. The three dashed lines in each figure are ULOQ, LLOQ, and LLOD, from top to bottom respectively.

\caption{ }

\end{figure}

\begin{figure}[H]




\caption{}

Figure 3.2: Boxplots of D29 fold-rise over D1 Ab markers: vaccine arm.

\} \end{figure}

2.2 Weighted RCDF plots

\begin{figure}[H]




\caption{

Figure 3.3: RCDF plots for Day 29 Ab markers by treatment arm.

} \end{figure}

\begin{figure}[H]




\caption{

Figure 3.4: RCDF plots for D29 fold-rise over D1 Ab markers by treatment arm.

\} \end{figure}

2.3 Weighted RCDF plots of threshold correlate concentration for vaccine efficacy

\begin{figure}[H]




\caption{}

Figure 3.5: Marker RCDF of Day 29 anti-Spike binding Ab: vaccine arm.

\} \end{figure}

2.3. WEIGHTED RCDF PLOTS OF THRESHOLD CORRELATE CONCENTRATION FOR VACCINE EFFICACY21

\begin{figure}[H]




\caption{

Figure 3.6: Marker RCDF of Day 29 anti-RBD binding Ab: vaccine arm.


} \end{figure}

2.4 Violin and line plots


```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.4: lineplots of Binding Antibody to RBD: baseline negative vaccine arm (version 1)

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.5: violinplots of Binding Antibody to Spike: baseline negative placebo arm (version 1)

```
}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.6: violinplots of Binding Antibody to Spike: baseline negative vaccine arm (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.8: violinplots of Binding Antibody to RBD: baseline negative vaccine arm (version 1)

```
}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.10: lineplots of Binding Antibody to Spike: baseline negative vaccine arm (version 2)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.11: lineplots of Binding Antibody to RBD: baseline negative placebo arm (version 2)

\end{figure}}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.12: lineplots of Binding Antibody to RBD: baseline negative vaccine arm (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.13: violinplots of Binding Antibody to Spike: baseline negative placebo arm (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.15: violinplots of Binding Antibody to RBD: baseline negative placebo arm (version 2)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.20: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.21: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age (version 1)

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.22: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.23: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.24: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 1)


```
}
```

```
\caption{
```


```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.26: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.27: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age (version 2)

}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.28: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.29: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.31: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.32: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.33: lineplots of Binding Antibody to Spike: baseline negative placebo arm by risk condition (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.37: violinplots of Binding Antibody to Spike: baseline negative placebo arm by risk condition (version 1)

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.38: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by risk condition (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.39: violinplots of Binding Antibody to RBD: baseline negative placebo arm by risk condition (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.40: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by risk condition (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.46: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by risk condition (version 2)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


```
\caption{
```

Figure 2.5.49: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 1)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.50: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


```
\caption{
```

Figure 2.5.51: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 1)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


\caption{

Figure 2.5.52: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 1)

}

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
\caption{
```

Figure 2.5.53: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.54: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.55: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.56: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


```
\caption{
```

Figure 2.5.57: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 2)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.58: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.59: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.60: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.61: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grepl("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.62: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.63: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{


Figure 2.5.64: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
```

```
\begin{figure}
```





Figure 2.5.67: lineplots of Binding Antibody to RBD: baseline negative placebo arm by sex assigned at birth (version 1)

```
}
```

```
\end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.69: violinplots of Binding Antibody to Spike: baseline negative placebo arm by sex assigned at birth (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.70: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.71: violinplots of Binding Antibody to RBD: baseline negative placebo arm by sex assigned at birth (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.73: lineplots of Binding Antibody to Spike: baseline negative placebo arm by sex assigned at birth (version 2)

```
}
```


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.78: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth (version 2)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.82: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by race and ethnic group (version 1)

\} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.83: lineplots of Binding Antibody to RBD: baseline negative placebo arm by race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.85: violinplots of Binding Antibody to Spike: baseline negative placebo arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.86: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.87: violinplots of Binding Antibody to RBD: baseline negative placebo arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.88: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by race and ethnic group (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.89: lineplots of Binding Antibody to Spike: baseline negative placebo arm by race and ethnic group (version 2)

} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.93: violinplots of Binding Antibody to Spike: baseline negative placebo arm by race and ethnic group (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.94: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by race and ethnic group (version 2)

```
\} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.95: violinplots of Binding Antibody to RBD: baseline negative placebo arm by race and ethnic group (version 2)

```
\} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.96: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by race and ethnic group (version 2)

```
\} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.99: lineplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.101: violinplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
\caption{
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.102: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.103: violinplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.104: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 1)

```
\caption{
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.105: lineplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 2)

} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.108: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.109: violinplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.110: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.111: violinplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group (version 2)

```
\caption{
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.112: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group (version 2)

```
\caption{
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.115: lineplots of Binding Antibody to RBD: baseline negative placebo arm severe only (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.119: violinplots of Binding Antibody to RBD: baseline negative placebo arm severe only (version 1)

```
}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.120: violinplots of Binding Antibody to RBD: baseline negative vaccine arm severe only (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{


Figure 2.5.124: lineplots of Binding Antibody to RBD: baseline negative vaccine arm severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.127: violinplots of Binding Antibody to RBD: baseline negative placebo arm severe only (version 2)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.134: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.135: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.136: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age severe only (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.141: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.142: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.143: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.144: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age severe only (version 2)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.149: violinplots of Binding Antibody to Spike: baseline negative placebo arm by risk condition severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.150: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by risk condition severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.151: violinplots of Binding Antibody to RBD: baseline negative placebo arm by risk condition severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.152: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by risk condition severe only (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.156: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by risk condition severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.157: violinplots of Binding Antibody to Spike: baseline negative placebo arm by risk condition severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.158: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by risk condition severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.159: violinplots of Binding Antibody to RBD: baseline negative placebo arm by risk condition severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.160: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by risk condition severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.161: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition severe only (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


\caption{

Figure 2.5.162: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition severe only (version 1)

}

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.163: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition severe only (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


\caption{

Figure 2.5.164: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition severe only (version 1)

}

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.165: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition severe only (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.166: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition severe only (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
\caption{
```

Figure 2.5.167: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition severe only (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.168: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition severe only (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.169: lineplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger


\caption{

Figure 2.5.170: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition severe only (version 2)

}

\end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.171: lineplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.172: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
\caption{
```

Figure 2.5.173: violinplots of Binding Antibody to Spike: baseline negative placebo arm by age and risk condition severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




\caption{

Figure 2.5.174: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by age and risk condition severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
\caption{
```

Figure 2.5.175: violinplots of Binding Antibody to RBD: baseline negative placebo arm by age and risk condition severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



\caption{

Figure 2.5.176: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by age and risk condition severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.177: lineplots of Binding Antibody to Spike: baseline negative placebo arm by sex assigned at birth severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.178: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth severe only (version 1)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.181: violinplots of Binding Antibody to Spike: baseline negative placebo arm by sex assigned at birth severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.182: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.183: violinplots of Binding Antibody to RBD: baseline negative placebo arm by sex assigned at birth severe only (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.186: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.188: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by sex assigned at birth severe only (version 2)

\} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.189: violinplots of Binding Antibody to Spike: baseline negative placebo arm by sex assigned at birth severe only (version 2)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.190: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by sex assigned at birth severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.192: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by sex assigned at birth severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.193: lineplots of Binding Antibody to Spike: baseline negative placebo arm by race and ethnic group severe only (version 1)

} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.197: violinplots of Binding Antibody to Spike: baseline negative placebo arm by race and ethnic group severe only (version 1)

```
}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.200: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by race and ethnic group severe only (version 1)


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.203: lineplots of Binding Antibody to RBD: baseline negative placebo arm by race and ethnic group severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.204: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by race and ethnic group severe only (version 2)

} \end{figure}


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.208: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by race and ethnic group severe only (version 2)

```
} \end{figure}
```


```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.213: violinplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group severe only (version 1)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.214: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group severe only (version 1)

```
\caption{
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.215: violinplots of Binding Antibody to RBD: baseline negative placebo arm by dichotomous classification of race and ethnic group severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```





Figure 2.5.216: violinplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group severe only (version 1)

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.217: lineplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{


Figure 2.5.218: lineplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



All data points for cases are shown. Non-Case data points are shown for all eligible participants or for a random sample of 100 eligible participants, whichever is larger

\caption{

Figure 2.5.220: lineplots of Binding Antibody to RBD: baseline negative vaccine arm by dichotomous classification of race and ethnic group severe only (version 2)

} \end{figure}

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




Figure 2.5.221: violinplots of Binding Antibody to Spike: baseline negative placebo arm by dichotomous classification of race and ethnic group severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```






Figure 2.5.222: violinplots of Binding Antibody to Spike: baseline negative vaccine arm by dichotomous classification of race and ethnic group severe only (version 2)

```
} \end{figure}
```

```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```




```
r COR=ifelse(grep1("ENSEMBLE", study_name), "D29", "D29D57")
\begin{figure}
```



2.5 Scatter plots

\begin{figure}[H]




\caption{

Figure 2.6.1: scatterplots of Binding Antibody to Spike vs Age: baseline negative vaccine arm at day 1

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.2: scatterplots of Binding Antibody to Spike vs Age: baseline negative vaccine arm at day 29

\} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.3: scatterplots of Binding Antibody to RBD vs Age: baseline negative vaccine arm at day 1

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.4: scatterplots of Binding Antibody to RBD vs Age: baseline negative vaccine arm at day 29

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.5: scatterplots of Binding Antibody to Spike vs Age: by arm at day 1

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.6: scatterplots of Binding Antibody to Spike vs Age: by arm at day 29

} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.7: scatterplots of Binding Antibody to RBD vs Age: by arm at day 1

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.8: scatterplots of Binding Antibody to RBD vs Age: by arm at day 29

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.9: scatterplots of Binding Antibody to Spike vs Days Since the Day 1 Visit: baseline negative vaccine arm at Day 1 and Day 29

\} \end{figure}

\begin{figure}[H]




\caption{}

Figure 2.6.10: scatterplots of Binding Antibody to RBD vs Days Since the Day 1 Visit: baseline negative vaccine arm at Day 1 and Day 29

} \end{figure}

\begin{figure}[H]




\caption{

Figure 2.6.11: scatterplots of Binding Antibody to Spike vs Days Since the Day 1 Visit: by arm at Day 1 and Day 29

} \end{figure}

\begin{figure}[H]



\caption{}

Figure 2.6.12: scatterplots of Binding Antibody to RBD vs Days Since the Day 1 Visit: by arm at Day 1 and Day 29

} \end{figure}

MOCK

Chapter 3

Graphical Descriptions of Time to Event Data

This page is empty.

MOCHI

MOCK

Chapter 4

Day D29 Univariate CoR: Cox Models of Risk

The main regression model is the Cox proportional hazards model. All plots are made with Cox models fit unless specified otherwise.

4.1 Hazard ratios

Table 4.1: Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker*

MockENSEMBLE Immunologic Marker	No. cases / No. at-risk**	HR per 10-fold incr. Pt. Est.	95% CI	P-value (2-sided)	q-value ***	FWER
Anti Spike IgG (BAU/ml)	161/19,144	0.37	(0.27-0.51)	<0.001	<0.001	<0.001
Anti RBD IgG (BAU/ml)	161/19,144	0.55	(0.42-0.72)	<0.001	<0.001	<0.001

*Baseline covariates adjusted for: Age + as.factor(Region). Maximum failure event time 149 days.

**No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through 6 days post Day 29 visit; no. cases = number of this cohort with an observed COVID endpoint.

***q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).

† Count cases starting 7 days post Day 29.

Table 4.2: Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile*

MockENSEMBLE Immunologic Marker	Tertile	No. cases / No. at-risk**	Attack rate	Pt. Est.	Haz. Ratio 95% CI	P-value (2-sided)	Overall P- value***	Overall q- value †	Overall FWER
Anti Spike IgG (BAU/ml)	Lower	74/6,390	0.0116	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	53/6,399	0.0083	0.57	(0.38-0.86)	0.008			
	Upper	34/6,355	0.0054	0.30	(0.19-0.47)	<0.001			
Anti RBD IgG (BAU/ml)	Lower	65/6,383	0.0102	1	N/A	N/A	0.001	<0.001	<0.001
	Middle	58/6,387	0.0091	0.78	(0.52-1.18)	0.240			
	Upper	38/6,374	0.0060	0.44	(0.28-0.69)	<0.001			
Placebo		511/19,095	0.0268						

*Baseline covariates adjusted for: Age + as.factor(Region). Maximum failure event time 149 days. Cut-points: Anti Spike IgG (BAU/ml) [0.72, 1.21], Anti RBD IgG (BAU/ml) [0.93, 1.53], all on the log10 scale.

**No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through 6 days post Day 29 visit; no. cases = number of this cohort with an observed COVID endpoint.

***Generalized Wald-test p-value of the null hypothesis that the hazard rate is constant across the Lower, Middle, and Upper tertile groups.

† q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).

‡ Count cases starting 7 days post Day 29.

Binding Antibody to Spike: Day 29




Figure 4.1: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.

Binding Antibody to RBD: Day 29




Figure 4.2: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.

Binding Antibody to Spike: Day 29




Figure 4.3: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.

Binding Antibody to RBD: Day 29




Figure 4.4: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 7 days post Day 29.

4.2 Marginalized risk and controlled vaccine efficacy plots


Table 4.3: Analysis of Day 29 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP.

	marginalized risk		controlled risk		$e(0,1)^2$	
	ratio $RR_M(0, 1)$	Point Est. 95% CI	ratio $RR_C(0, 1)^1$	Point Est. 95% CI	Point Est. 95% CI UL	
Anti Spike IgG (BAU/ml)	0.30	0.27–0.38	0.40	0.36–0.50	6.1	4.8
Anti RBD IgG (BAU/ml)	0.44	0.32–0.58	0.59	0.43–0.78	3.9	2.8


¹Conservative (upper bound) estimate assuming unmeasured confounding at level $RR_{UD}(0, 1) = RR_{EU}(0, 1) = 2$ and thus $B(0, 1) = 4/3$.

²E-values are computed for upper tertile ($s = 1$) vs. lower tertile ($s = 0$) biomarker subgroups after controlling for Age + as.factor(Region); UL = upper limit.

‡ Count cases starting 7 days post Day 29.




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 149 as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. $Iod = 0.3$.

Figure 4.5: Marginalized cumulative risk curves ($=s$). \ddagger Count cases starting 7 days post Day 29.




(a) Controlled VE with sensitivity analysis as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $lod = 0.3$.



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $lod = 0.3$.

Figure 4.6: Controlled VE curves ($=s$). \ddagger Count cases starting 7 days post Day 29.



(b) Controlled VE as functions of Day 29 markers ($\geq s$) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3.

Figure 4.7: Marginalized cumulative risk curves and controlled VE curves ($\geq s$). \ddagger Count cases starting 7 days post Day 29.

Table 4.4: Marginalized cumulative risk by Day 149 as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.2	.0472 (.0332,.0575)	1	.0197 (.0154,.0216)	7	.0092 (.0079,.0097)	40	.0044 (.0036,.0053)
0	.0458 (.0323,.0554)	1	.0191 (.0150,.0209)	8	.0089 (.0077,.0094)	43	.0043 (.0035,.0051)
0	.0444 (.0315,.0535)	1	.0185 (.0146,.0202)	8	.0087 (.0074,.0092)	47	.0042 (.0033,.0050)
0	.0430 (.0306,.0516)	2	.0179 (.0142,.0195)	9	.0085 (.0073,.0090)	50	.0040 (.0032,.0049)
0	.0417 (.0298,.0498)	2	.0174 (.0138,.0188)	9	.0084 (.0072,.0089)	53	.0039 (.0031,.0048)
0	.0405 (.0290,.0481)	2	.0169 (.0135,.0183)	10	.0081 (.0070,.0087)	54	.0039 (.0031,.0048)
0	.0392 (.0282,.0464)	2	.0168 (.0134,.0182)	11	.0079 (.0068,.0085)	58	.0038 (.0030,.0046)
0	.0380 (.0274,.0447)	2	.0163 (.0131,.0176)	11	.0076 (.0066,.0082)	63	.0037 (.0029,.0045)
0	.0369 (.0267,.0432)	2	.0158 (.0127,.0170)	12	.0074 (.0064,.0080)	67	.0035 (.0028,.0044)
0	.0357 (.0260,.0416)	2	.0153 (.0123,.0165)	12	.0073 (.0063,.0080)	73	.0034 (.0027,.0043)
0	.0346 (.0253,.0402)	2	.0148 (.0120,.0159)	13	.0071 (.0062,.0078)	78	.0033 (.0026,.0042)
0	.0336 (.0246,.0388)	3	.0145 (.0118,.0156)	14	.0069 (.0060,.0076)	84	.0032 (.0025,.0041)
0	.0325 (.0239,.0375)	3	.0144 (.0117,.0154)	15	.0067 (.0058,.0074)	91	.0031 (.0024,.0040)
0	.0315 (.0233,.0362)	3	.0139 (.0114,.0149)	16	.0065 (.0056,.0072)	98	.0030 (.0023,.0039)
0	.0306 (.0227,.0350)	3	.0135 (.0111,.0144)	17	.0064 (.0055,.0072)	105	.0029 (.0022,.0038)
0	.0296 (.0220,.0338)	3	.0131 (.0108,.0139)	18	.0063 (.0054,.0070)	113	.0028 (.0022,.0037)
1	.0287 (.0214,.0327)	3	.0128 (.0106,.0137)	19	.0061 (.0052,.0068)	122	.0027 (.0021,.0036)
1	.0278 (.0209,.0316)	3	.0127 (.0105,.0135)	21	.0059 (.0050,.0067)	132	.0027 (.0020,.0035)
1	.0270 (.0203,.0305)	4	.0123 (.0102,.0130)	22	.0057 (.0048,.0065)	142	.0026 (.0019,.0034)
1	.0261 (.0197,.0295)	4	.0119 (.0099,.0126)	24	.0055 (.0046,.0063)	153	.0025 (.0019,.0033)
1	.0253 (.0192,.0285)	4	.0115 (.0096,.0122)	26	.0054 (.0045,.0062)	164	.0024 (.0018,.0032)
1	.0246 (.0187,.0275)	5	.0112 (.0094,.0118)	28	.0052 (.0043,.0060)	177	.0023 (.0017,.0031)
1	.0238 (.0182,.0266)	5	.0108 (.0091,.0114)	30	.0050 (.0042,.0059)	191	.0023 (.0017,.0031)
1	.0231 (.0177,.0257)	5	.0105 (.0088,.0110)	30	.0050 (.0041,.0058)	205	.0022 (.0016,.0030)
1	.0223 (.0172,.0248)	6	.0102 (.0086,.0107)	32	.0049 (.0040,.0057)	221	.0021 (.0016,.0029)
1	.0217 (.0167,.0240)	6	.0101 (.0086,.0107)	35	.0047 (.0039,.0056)	238	.0021 (.0015,.0028)
1	.0210 (.0163,.0232)	6	.0098 (.0083,.0103)	37	.0046 (.0037,.0054)	500	.0015 (.0010,.0022)
1	.0203 (.0158,.0224)	7	.0095 (.0081,.0100)	39	.0045 (.0037,.0053)	1000	.0011 (.0007,.0017)

Table 4.5: Controlled VE as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 149 days post Day 29 was 0.008 in vaccine recipients compared to 0.026 in placebo recipients, with cumulative vaccine efficacy 68.3% (95% CI 67.0 to 74.1%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.2	-0.7883 (-1.1118,-0.1830)	1	0.2769 (0.2475, 0.4657)	8	0.6724 (0.6562, 0.7347)	50	0.8474 (0.8174, 0.8799)
0	-0.7340 (-1.0379,-0.1518)	1	0.2994 (0.2732, 0.4802)	9	0.6791 (0.6621, 0.7396)	53	0.8512 (0.8212, 0.8833)
0	-0.6813 (-0.9665,-0.1215)	2	0.3211 (0.2971, 0.4944)	9	0.6826 (0.6652, 0.7422)	54	0.8522 (0.8221, 0.8842)
0	-0.6301 (-0.8976,-0.0915)	2	0.3422 (0.3201, 0.5082)	10	0.6925 (0.6739, 0.7495)	58	0.8568 (0.8267, 0.8883)
0	-0.5804 (-0.8309,-0.0622)	2	0.3592 (0.3386, 0.5193)	11	0.7022 (0.6824, 0.7567)	63	0.8613 (0.8311, 0.8923)
0	-0.5322 (-0.7665,-0.0335)	2	0.3626 (0.3424, 0.5216)	11	0.7115 (0.6908, 0.7636)	67	0.8657 (0.8355, 0.8961)
0	-0.4854 (-0.7044,-0.0057)	2	0.3825 (0.3640, 0.5347)	12	0.7205 (0.6988, 0.7705)	73	0.8699 (0.8397, 0.8998)
0	-0.4400 (-0.6443, 0.0214)	2	0.4017 (0.3848, 0.5474)	12	0.7226 (0.7007, 0.7721)	78	0.8740 (0.8438, 0.9034)
0	-0.3960 (-0.5863, 0.0478)	2	0.4203 (0.4050, 0.5597)	13	0.7293 (0.7067, 0.7773)	84	0.8779 (0.8478, 0.9068)
0	-0.3532 (-0.5303, 0.0736)	2	0.4383 (0.4246, 0.5717)	14	0.7377 (0.7144, 0.7839)	91	0.8818 (0.8518, 0.9102)
0	-0.3118 (-0.4762, 0.0986)	3	0.4508 (0.4381, 0.5801)	15	0.7460 (0.7219, 0.7903)	98	0.8855 (0.8556, 0.9134)
0	-0.2715 (-0.4239, 0.1230)	3	0.4558 (0.4435, 0.5834)	16	0.7539 (0.7292, 0.7965)	105	0.8891 (0.8593, 0.9165)
0	-0.2325 (-0.3735, 0.1467)	3	0.4728 (0.4618, 0.5948)	17	0.7562 (0.7313, 0.7983)	113	0.8926 (0.8629, 0.9194)
0	-0.1946 (-0.3248, 0.1698)	3	0.4892 (0.4795, 0.6059)	18	0.7616 (0.7362, 0.8025)	122	0.8959 (0.8664, 0.9223)
0	-0.1579 (-0.2778, 0.1923)	3	0.5051 (0.4966, 0.6167)	19	0.7691 (0.7431, 0.8088)	132	0.8992 (0.8699, 0.9251)
0	-0.1223 (-0.2324, 0.2141)	3	0.5137 (0.5055, 0.6225)	21	0.7763 (0.7499, 0.8154)	142	0.9024 (0.8732, 0.9277)
1	-0.0877 (-0.1886, 0.2354)	3	0.5205 (0.5125, 0.6272)	22	0.7833 (0.7564, 0.8219)	153	0.9055 (0.8765, 0.9303)
1	-0.0542 (-0.1464, 0.2562)	4	0.5355 (0.5278, 0.6374)	24	0.7901 (0.7628, 0.8280)	164	0.9084 (0.8797, 0.9328)
1	-0.0217 (-0.1056, 0.2763)	4	0.5500 (0.5426, 0.6473)	26	0.7967 (0.7690, 0.8340)	177	0.9113 (0.8828, 0.9352)
1	0.0098 (-0.0662, 0.2960)	4	0.5640 (0.5570, 0.6569)	28	0.8031 (0.7751, 0.8398)	191	0.9141 (0.8858, 0.9375)
1	0.0404 (-0.0282, 0.3151)	5	0.5776 (0.5703, 0.6663)	30	0.8093 (0.7809, 0.8453)	205	0.9168 (0.8887, 0.9397)
1	0.0700 (0.0079, 0.3337)	5	0.5908 (0.5831, 0.6754)	30	0.8103 (0.7819, 0.8463)	221	0.9194 (0.8916, 0.9419)
1	0.0987 (0.0415, 0.3518)	5	0.6036 (0.5953, 0.6847)	32	0.8152 (0.7865, 0.8507)	238	0.9219 (0.8944, 0.9439)
1	0.1266 (0.0740, 0.3694)	6	0.6133 (0.6039, 0.6916)	35	0.8210 (0.7920, 0.8560)	500	0.9433 (0.9185, 0.9610)
1	0.1536 (0.1055, 0.3866)	6	0.6160 (0.6063, 0.6936)	37	0.8267 (0.7973, 0.8611)	1000	0.9579 (0.9360, 0.9722)
1	0.1798 (0.1358, 0.4033)	6	0.6280 (0.6171, 0.7023)	39	0.8300 (0.8006, 0.8642)	7.3	.6509 (.6375,.7190)
1	0.2053 (0.1652, 0.4195)	7	0.6396 (0.6275, 0.7108)	40	0.8321 (0.8025, 0.8661)	132	.8992 (.8699,.9251)
1	0.2299 (0.1936, 0.4353)	7	0.6509 (0.6375, 0.7190)	43	0.8374 (0.8076, 0.8708)	500	.9433 (.9185,.9610)
1	0.2538 (0.2210, 0.4507)	8	0.6618 (0.6469, 0.7269)	47	0.8425 (0.8126, 0.8754)		

Table 4.6: Controlled VE with sensitivity analysis as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.2	-0.0465 (-0.2357,.3078)	1	0.3849 (0.3599,.5454)	8	0.6725 (0.6563,.7348)	50	0.8260 (0.7918,.8630)
0	-0.0297 (-0.2101,.3160)	1	0.3977 (0.3752,.5532)	9	0.6791 (0.6621,.7396)	53	0.8290 (0.7944,.8659)
0	-0.0130 (-0.1849,.3243)	2	0.4105 (0.3896,.5610)	9	0.6826 (0.6652,.7422)	54	0.8298 (0.7951,.8666)
0	0.0035 (-0.1600,.3327)	2	0.4231 (0.4038,.5687)	10	0.6924 (0.6738,.7495)	58	0.8335 (0.7984,.8701)
0	0.0199 (-0.1355,.3413)	2	0.4335 (0.4154,.5751)	11	0.7018 (0.6820,.7563)	63	0.8370 (0.8015,.8734)
0	0.0361 (-0.1113,.3498)	2	0.4357 (0.4178,.5764)	11	0.7106 (0.6898,.7629)	67	0.8404 (0.8045,.8766)
0	0.0522 (-0.0875,.3583)	2	0.4481 (0.4315,.5841)	12	0.7190 (0.6973,.7693)	73	0.8438 (0.8075,.8797)
0	0.0682 (-0.0640,.3668)	2	0.4603 (0.4452,.5917)	12	0.7210 (0.6990,.7708)	78	0.8470 (0.8104,.8827)
0	0.0840 (-0.0409,.3752)	2	0.4725 (0.4586,.5994)	13	0.7271 (0.7043,.7755)	84	0.8501 (0.8132,.8856)
0	0.0997 (-0.0181,.3836)	2	0.4845 (0.4719,.6070)	14	0.7347 (0.7111,.7814)	91	0.8532 (0.8159,.8884)
0	0.1152 (0.0043,.3920)	3	0.4931 (0.4813,.6124)	15	0.7420 (0.7176,.7870)	98	0.8561 (0.8185,.8912)
0	0.1306 (0.0264,.4004)	3	0.4965 (0.4851,.6146)	16	0.7490 (0.7238,.7924)	105	0.8590 (0.8211,.8938)
0	0.1459 (0.0482,.4087)	3	0.5083 (0.4980,.6221)	17	0.7510 (0.7256,.7940)	113	0.8618 (0.8236,.8963)
0	0.1610 (0.0696,.4170)	3	0.5200 (0.5108,.6297)	18	0.7557 (0.7297,.7976)	122	0.8645 (0.8261,.8988)
0	0.1760 (0.0907,.4252)	3	0.5316 (0.5235,.6372)	19	0.7621 (0.7354,.8030)	132	0.8671 (0.8285,.9012)
0	0.1909 (0.1115,.4334)	3	0.5379 (0.5302,.6413)	21	0.7683 (0.7408,.8088)	142	0.8697 (0.8308,.9035)
1	0.2056 (0.1319,.4416)	3	0.5430 (0.5354,.6447)	22	0.7741 (0.7461,.8143)	153	0.8722 (0.8330,.9058)
1	0.2202 (0.1520,.4498)	4	0.5544 (0.5470,.6521)	24	0.7798 (0.7511,.8196)	164	0.8746 (0.8352,.9080)
1	0.2346 (0.1718,.4579)	4	0.5657 (0.5585,.6596)	26	0.7852 (0.7560,.8246)	177	0.8770 (0.8374,.9101)
1	0.2489 (0.1913,.4660)	4	0.5768 (0.5700,.6670)	28	0.7905 (0.7606,.8295)	191	0.8793 (0.8395,.9122)
1	0.2631 (0.2105,.4741)	5	0.5878 (0.5807,.6744)	30	0.7955 (0.7650,.8342)	205	0.8815 (0.8416,.9142)
1	0.2772 (0.2289,.4821)	5	0.5988 (0.5912,.6818)	30	0.7963 (0.7658,.8350)	221	0.8837 (0.8436,.9161)
1	0.2911 (0.2461,.4901)	5	0.6096 (0.6014,.6894)	32	0.8003 (0.7693,.8387)	238	0.8858 (0.8455,.9180)
1	0.3049 (0.2630,.4981)	6	0.6180 (0.6087,.6954)	35	0.8050 (0.7733,.8430)	500	0.9045 (0.8628,.9343)
1	0.3185 (0.2797,.5061)	6	0.6203 (0.6108,.6971)	37	0.8095 (0.7773,.8473)	1000	0.9185 (0.8760,.9461)
1	0.3320 (0.2962,.5140)	6	0.6310 (0.6202,.7047)	39	0.8122 (0.7796,.8499)	7.3	.6509 (.6375,.7190)
1	0.3454 (0.3125,.5219)	7	0.6415 (0.6295,.7123)	40	0.8138 (0.7811,.8515)	132	.8992 (.8699,.9251)
1	0.3587 (0.3285,.5298)	7	0.6519 (0.6386,.7198)	43	0.8180 (0.7848,.8555)	500	.9433 (.9185,.9610)
1	0.3718 (0.3443,.5376)	8	0.6622 (0.6474,.7273)	47	0.8221 (0.7883,.8593)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 149 as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. $\text{lod} = 1.6$.

Figure 4.8: Marginalized cumulative risk curves ($=s$). \ddagger Count cases starting 7 days post Day 29.




(a) Controlled VE with sensitivity analysis as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $\text{lod} = 1.6$.



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $\text{lod} = 1.6$.

Figure 4.9: Controlled VE curves (=s). ‡ Count cases starting 7 days post Day 29.



(b) Controlled VE as functions of Day 29 markers ($\geq s$) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $lod = 1.6$.

Figure 4.10: Marginalized cumulative risk curves and controlled VE curves ($\geq s$). \ddagger Count cases starting 7 days post Day 29.

Table 4.7: Marginalized cumulative risk by Day 149 as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.8	.0183 (.0142,.0210)	3	.0126 (.0105,.0138)	13	.0089 (.0077,.0094)	52	.0063 (.0053,.0070)
1	.0181 (.0141,.0207)	4	.0125 (.0105,.0138)	14	.0088 (.0076,.0093)	55	.0062 (.0052,.0069)
1	.0178 (.0139,.0203)	4	.0124 (.0104,.0136)	15	.0086 (.0075,.0092)	58	.0061 (.0051,.0068)
1	.0176 (.0138,.0200)	4	.0122 (.0103,.0134)	15	.0086 (.0074,.0091)	61	.0060 (.0050,.0067)
1	.0173 (.0136,.0197)	4	.0121 (.0102,.0132)	16	.0085 (.0074,.0090)	65	.0059 (.0050,.0067)
1	.0171 (.0135,.0194)	4	.0119 (.0101,.0130)	17	.0084 (.0073,.0089)	69	.0058 (.0049,.0066)
1	.0169 (.0133,.0191)	5	.0117 (.0099,.0128)	18	.0083 (.0071,.0088)	69	.0058 (.0049,.0066)
1	.0166 (.0132,.0188)	5	.0116 (.0098,.0126)	19	.0082 (.0070,.0087)	72	.0058 (.0048,.0065)
1	.0164 (.0131,.0185)	5	.0115 (.0098,.0126)	20	.0081 (.0069,.0086)	76	.0057 (.0047,.0064)
1	.0162 (.0129,.0182)	5	.0114 (.0097,.0124)	21	.0079 (.0068,.0085)	81	.0056 (.0046,.0064)
1	.0159 (.0128,.0180)	5	.0113 (.0096,.0122)	22	.0078 (.0068,.0084)	85	.0055 (.0046,.0063)
1	.0157 (.0126,.0177)	6	.0111 (.0095,.0121)	22	.0078 (.0068,.0084)	90	.0054 (.0045,.0062)
2	.0155 (.0125,.0174)	6	.0110 (.0094,.0119)	23	.0077 (.0067,.0083)	95	.0054 (.0044,.0062)
2	.0153 (.0124,.0172)	6	.0108 (.0093,.0117)	24	.0076 (.0066,.0082)	100	.0053 (.0043,.0061)
2	.0151 (.0122,.0169)	7	.0107 (.0092,.0115)	26	.0075 (.0065,.0081)	100	.0053 (.0043,.0061)
2	.0149 (.0121,.0166)	7	.0105 (.0091,.0113)	27	.0074 (.0064,.0080)	106	.0052 (.0043,.0060)
2	.0147 (.0120,.0164)	7	.0104 (.0089,.0112)	29	.0073 (.0063,.0079)	112	.0051 (.0042,.0060)
2	.0145 (.0118,.0161)	8	.0102 (.0088,.0110)	30	.0072 (.0062,.0078)	118	.0051 (.0041,.0059)
2	.0143 (.0117,.0159)	8	.0101 (.0087,.0108)	32	.0071 (.0061,.0077)	125	.0050 (.0040,.0058)
2	.0141 (.0116,.0157)	9	.0099 (.0086,.0107)	34	.0070 (.0060,.0076)	132	.0049 (.0040,.0058)
2	.0141 (.0116,.0156)	9	.0098 (.0085,.0105)	36	.0069 (.0059,.0075)	134	.0049 (.0039,.0057)
2	.0139 (.0114,.0154)	10	.0097 (.0084,.0104)	36	.0069 (.0059,.0075)	139	.0049 (.0039,.0057)
2	.0137 (.0113,.0152)	10	.0097 (.0084,.0103)	38	.0068 (.0058,.0074)	147	.0048 (.0038,.0056)
3	.0135 (.0112,.0149)	10	.0095 (.0082,.0102)	40	.0067 (.0058,.0074)	155	.0047 (.0038,.0056)
3	.0133 (.0110,.0147)	11	.0094 (.0081,.0100)	42	.0066 (.0057,.0073)	163	.0047 (.0037,.0055)
3	.0131 (.0109,.0145)	11	.0093 (.0080,.0099)	44	.0065 (.0056,.0072)	173	.0046 (.0037,.0054)
3	.0129 (.0108,.0143)	12	.0091 (.0079,.0097)	47	.0064 (.0055,.0071)	500	.0035 (.0026,.0044)
3	.0128 (.0107,.0141)	13	.0090 (.0078,.0096)	49	.0064 (.0054,.0070)	1000	.0029 (.0021,.0038)

Table 4.8: Controlled VE as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 7 to 149 days post Day 29 was 0.008 in vaccine recipients compared to 0.026 in placebo recipients, with cumulative vaccine efficacy 68.3% (95% CI 67.0 to 74.1%).

	s	Estimate	s	Estimate	s	Estimate	s	Estimate
	0.8	.3059 (.2160,.4689)	4	.5250 (.4956,.6173)	15	.6728 (.6582,.7338)	61	.7726 (.7435,.8184)
1	.3155 (.2288,.4750)	4	.5298 (.5014,.6210)	15	.6737 (.6589,.7345)	65	.7757 (.7463,.8212)	
1	.3249 (.2413,.4810)	4	.5363 (.5094,.6260)	16	.6774 (.6620,.7375)	69	.7788 (.7490,.8238)	
1	.3342 (.2537,.4870)	4	.5427 (.5172,.6310)	17	.6818 (.6658,.7412)	69	.7792 (.7493,.8242)	
1	.3434 (.2659,.4929)	4	.5490 (.5248,.6359)	18	.6863 (.6695,.7449)	72	.7819 (.7517,.8264)	
1	.3525 (.2779,.4987)	5	.5553 (.5324,.6407)	19	.6906 (.6732,.7485)	76	.7849 (.7543,.8290)	
1	.3614 (.2897,.5045)	5	.5614 (.5398,.6455)	20	.6949 (.6769,.7521)	81	.7879 (.7570,.8316)	
1	.3702 (.3013,.5102)	5	.5636 (.5424,.6472)	21	.6991 (.6805,.7556)	85	.7909 (.7596,.8341)	
1	.3789 (.3127,.5158)	5	.5675 (.5471,.6502)	22	.7033 (.6840,.7590)	90	.7938 (.7621,.8366)	
1	.3875 (.3240,.5214)	5	.5735 (.5543,.6549)	22	.7034 (.6841,.7591)	95	.7967 (.7647,.8390)	
1	.3959 (.3348,.5269)	6	.5794 (.5614,.6594)	23	.7074 (.6875,.7624)	100	.7992 (.7670,.8415)	
1	.4043 (.3453,.5323)	6	.5852 (.5684,.6640)	24	.7115 (.6910,.7658)	100	.7995 (.7672,.8418)	
2	.4125 (.3558,.5377)	6	.5910 (.5752,.6684)	26	.7155 (.6945,.7691)	106	.8023 (.7697,.8444)	
2	.4206 (.3660,.5430)	7	.5966 (.5820,.6728)	27	.7195 (.6979,.7725)	112	.8050 (.7722,.8471)	
2	.4286 (.3761,.5482)	7	.6022 (.5886,.6772)	29	.7234 (.7012,.7759)	118	.8077 (.7746,.8496)	
2	.4365 (.3860,.5534)	7	.6077 (.5952,.6815)	30	.7272 (.7046,.7792)	125	.8104 (.7770,.8522)	
2	.4443 (.3958,.5585)	8	.6132 (.6016,.6857)	32	.7310 (.7079,.7825)	132	.8130 (.7794,.8547)	
2	.4519 (.4054,.5636)	8	.6185 (.6079,.6899)	34	.7347 (.7111,.7858)	134	.8140 (.7803,.8556)	
2	.4595 (.4149,.5686)	9	.6238 (.6138,.6940)	36	.7384 (.7144,.7890)	139	.8156 (.7818,.8571)	
2	.4651 (.4218,.5723)	9	.6290 (.6196,.6980)	36	.7384 (.7144,.7890)	147	.8182 (.7841,.8595)	
2	.4670 (.4242,.5736)	10	.6332 (.6237,.7013)	38	.7420 (.7175,.7921)	155	.8207 (.7864,.8619)	
2	.4744 (.4334,.5785)	10	.6342 (.6247,.7020)	40	.7456 (.7205,.7952)	163	.8232 (.7887,.8642)	
2	.4816 (.4424,.5838)	10	.6392 (.6293,.7060)	42	.7492 (.7235,.7983)	173	.8257 (.7909,.8665)	
3	.4888 (.4512,.5893)	11	.6442 (.6339,.7101)	44	.7526 (.7265,.8013)	500	.8675 (.8307,.9043)	
3	.4959 (.4599,.5948)	11	.6492 (.6385,.7142)	47	.7561 (.7294,.8043)	1000	.8892 (.8524,.9229)	
3	.5028 (.4685,.6002)	12	.6540 (.6426,.7182)	49	.7595 (.7323,.8072)	11.4	.6492 (.6385,.7142)	
3	.5097 (.4769,.6055)	13	.6588 (.6465,.7222)	52	.7628 (.7351,.8101)		(,)	
3	.5165 (.4852,.6107)	13	.6636 (.6505,.7261)	55	.7661 (.7380,.8129)		(,)	
3	.5232 (.4934,.6159)	14	.6682 (.6544,.7300)	58	.7694 (.7408,.8157)			

Table 4.9: Controlled VE with sensitivity analysis as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.8	.4575 (.3872,.5849)	4	.5612 (.5341,.6465)	15	.6730 (.6584,.7339)	61	.7591 (.7283,.8077)
1	.4611 (.3928,.5867)	4	.5641 (.5378,.6487)	15	.6738 (.6591,.7346)	65	.7614 (.7301,.8097)
1	.4648 (.3985,.5885)	4	.5681 (.5430,.6517)	16	.6774 (.6621,.7376)	69	.7636 (.7318,.8117)
1	.4685 (.4042,.5904)	4	.5721 (.5482,.6547)	17	.6818 (.6658,.7412)	69	.7639 (.7320,.8120)
1	.4721 (.4098,.5923)	4	.5761 (.5534,.6578)	18	.6862 (.6695,.7449)	72	.7659 (.7334,.8137)
1	.4758 (.4155,.5942)	5	.5801 (.5585,.6608)	19	.6905 (.6730,.7484)	76	.7680 (.7350,.8156)
1	.4795 (.4211,.5961)	5	.5842 (.5637,.6639)	20	.6946 (.6765,.7518)	81	.7701 (.7366,.8174)
1	.4832 (.4267,.5981)	5	.5856 (.5655,.6650)	21	.6986 (.6798,.7551)	85	.7722 (.7381,.8193)
1	.4870 (.4323,.6000)	5	.5883 (.5689,.6670)	22	.7024 (.6831,.7583)	90	.7742 (.7396,.8211)
1	.4907 (.4379,.6020)	5	.5923 (.5740,.6701)	22	.7025 (.6831,.7583)	95	.7762 (.7410,.8229)
1	.4945 (.4433,.6040)	6	.5964 (.5792,.6733)	23	.7062 (.6862,.7614)	100	.7780 (.7423,.8248)
1	.4982 (.4486,.6061)	6	.6006 (.5843,.6764)	24	.7098 (.6892,.7644)	100	.7782 (.7424,.8249)
2	.5020 (.4539,.6081)	6	.6047 (.5895,.6796)	26	.7134 (.6922,.7674)	106	.7801 (.7438,.8270)
2	.5058 (.4592,.6102)	7	.6088 (.5946,.6827)	27	.7168 (.6951,.7704)	112	.7819 (.7452,.8289)
2	.5096 (.4645,.6122)	7	.6130 (.5998,.6859)	29	.7202 (.6978,.7733)	118	.7838 (.7465,.8309)
2	.5134 (.4698,.6143)	7	.6172 (.6049,.6891)	30	.7234 (.7005,.7762)	125	.7856 (.7478,.8328)
2	.5172 (.4751,.6165)	8	.6214 (.6100,.6924)	32	.7266 (.7031,.7790)	132	.7873 (.7490,.8347)
2	.5210 (.4804,.6186)	8	.6256 (.6151,.6956)	34	.7297 (.7057,.7817)	134	.7880 (.7495,.8354)
2	.5249 (.4857,.6208)	9	.6298 (.6199,.6988)	36	.7327 (.7082,.7844)	139	.7891 (.7503,.8365)
2	.5277 (.4896,.6224)	9	.6340 (.6247,.7021)	36	.7328 (.7082,.7844)	147	.7907 (.7515,.8383)
2	.5287 (.4909,.6230)	10	.6375 (.6282,.7048)	38	.7357 (.7105,.7870)	155	.7924 (.7526,.8401)
2	.5326 (.4962,.6252)	10	.6383 (.6289,.7054)	40	.7385 (.7127,.7895)	163	.7940 (.7538,.8418)
2	.5365 (.5014,.6279)	10	.6426 (.6328,.7087)	42	.7413 (.7149,.7920)	173	.7956 (.7549,.8435)
3	.5404 (.5066,.6308)	11	.6469 (.6366,.7122)	44	.7440 (.7170,.7944)	500	.8221 (.7726,.8715)
3	.5443 (.5119,.6338)	11	.6512 (.6405,.7158)	47	.7467 (.7190,.7967)	1000	.8355 (.7808,.8855)
3	.5482 (.5171,.6367)	12	.6555 (.6441,.7194)	49	.7493 (.7210,.7990)	114	.6492 (.6385,.7142)
3	.5522 (.5223,.6397)	13	.6599 (.6476,.7230)	52	.7518 (.7229,.8013)		(,)
3	.5561 (.5274,.6427)	13	.6642 (.6512,.7266)	55	.7543 (.7247,.8035)		(,)
3	.5601 (.5326,.6456)	14	.6686 (.6548,.7303)	58	.7567 (.7266,.8056)		

MOCK

Chapter 5

Day D29start1 Univariate CoR: Cox Models of Risk

The main regression model is the Cox proportional hazards model. All plots are made with Cox models fit unless specified otherwise.

5.1 Hazard ratios

Table 5.1: Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios per 10-fold increment in the marker*

MockENSEMBLE Immunologic Marker	No. cases / No. at-risk**	HR per 10-fold incr. Pt. Est.	P-value 95% CI (2-sided)	q-value ***	FWER
Anti Spike IgG (BAU/ml)	171/19,180	0.38	(0.28-0.53)	<0.001	<0.001 <0.001
Anti RBD IgG (BAU/ml)	171/19,180	0.55	(0.42-0.72)	<0.001	<0.001 <0.001

*Baseline covariates adjusted for: Age + as.factor(Region). Maximum failure event time 149 days.

**No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through Day 29 visit; no. cases = number of this cohort with an observed COVID endpoint.

***q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).

† Count cases starting 1 days post Day 29.

Table 5.2: Inference for Day 29 antibody marker covariate-adjusted correlates of risk of COVID in the vaccine group: Hazard ratios for Middle vs. Upper tertile vs. Lower tertile*

MockENSEMBLE Immunologic Marker	Tertile	No. cases / No. at-risk**	Attack rate	Pt. Est.	Haz. Ratio 95% CI	P-value (2-sided)	Overall P- value***	Overall q- value †	Overall FWER
Anti Spike IgG (BAU/ml)	Lower	77/6,401	0.0120	1	N/A	N/A	<0.001	<0.001	<0.001
	Middle	55/6,403	0.0086	0.57	(0.38-0.86)	0.007			
	Upper	39/6,377	0.0061	0.34	(0.22-0.52)	<0.001			
Anti RBD IgG (BAU/ml)	Lower	70/6,397	0.0109	1	N/A	N/A	0.001	<0.001	<0.001
	Middle	60/6,408	0.0094	0.75	(0.50-1.11)	0.153			
	Upper	41/6,376	0.0064	0.44	(0.29-0.68)	<0.001			
Placebo		534/19,180	0.0278						

*Baseline covariates adjusted for: Age + as.factor(Region). Maximum failure event time 149 days. Cut-points: Anti Spike IgG (BAU/ml) [0.72, 1.21], Anti RBD IgG (BAU/ml) [0.92, 1.53], all on the log10 scale.

**No. at-risk = estimated number in the population for analysis, i.e. baseline negative per-protocol vaccine recipients not experiencing the COVID endpoint or infected through Day 29 visit; no. cases = number of this cohort with an observed COVID endpoint.

***Generalized Wald-test p-value of the null hypothesis that the hazard rate is constant across the Lower, Middle, and Upper tertile groups.

† q-value and FWER (family-wide error rate) are computed over the set of p-values both for quantitative markers and categorical markers using the Westfall and Young permutation method (10 replicates).

‡ Count cases starting 1 days post Day 29.

Binding Antibody to Spike: Day 29




Figure 5.1: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.

Binding Antibody to RBD: Day 29




Figure 5.2: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.

Binding Antibody to Spike: Day 29




Figure 5.3: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to spike markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.

Binding Antibody to RBD: Day 29




Figure 5.4: Forest plots of hazard ratios per 10-fold increase in the Day 29 binding Ab to RBD markers among baseline negative vaccine recipients (top row) and different subpopulations with 95% point-wise confidence intervals. ‡ Count cases starting 1 days post Day 29.

5.2 Marginalized risk and controlled vaccine efficacy plots


Table 5.3: Analysis of Day 29 markers (upper vs. lower tertile) as a CoR and a controlled risk CoP.

	marginalized risk		controlled risk			
	ratio $RR_M(0, 1)$	Point Est. 95% CI	ratio $RR_C(0, 1)^1$	Point Est. 95% CI	e(0,1) ²	
	Point Est. 95% CI	Point Est. 95% CI	Point Est. 95% CI	Point Est. 95% CI	Point Est. 95% CI UL	
Anti Spike IgG (BAU/ml)	0.34	0.33–0.43	0.45	0.44–0.58	5.4	4.1
Anti RBD IgG (BAU/ml)	0.44	0.32–0.63	0.59	0.43–0.84	3.9	2.6


¹Conservative (upper bound) estimate assuming unmeasured confounding at level $RR_{UD}(0, 1) = RR_{EU}(0, 1) = 2$ and thus $B(0, 1) = 4/3$.

²E-values are computed for upper tertile ($s = 1$) vs. lower tertile ($s = 0$) biomarker subgroups after controlling for Age + as.factor(Region); UL = upper limit.

‡ Count cases starting 1 days post Day 29.




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 149 as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. $\text{Iod} = 0.3$.

Figure 5.5: Marginalized cumulative risk curves ($=s$). \ddagger Count cases starting 1 days post Day 29.



(a) Controlled VE with sensitivity analysis as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $l0d = 0.3$.



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $l0d = 0.3$.

Figure 5.6: Controlled VE curves ($=s$). \ddagger Count cases starting 1 days post Day 29.




Figure 5.7: Marginalized cumulative risk curves and controlled VE curves ($\geq s$). \ddagger Count cases starting 1 days post Day 29.

Table 5.4: Marginalized cumulative risk by Day 149 as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.2	.0472 (.0304,.0523)	1	.0203 (.0155,.0212)	7	.0098 (.0086,.0103)	40	.0048 (.0043,.0059)
0	.0458 (.0297,.0507)	1	.0197 (.0152,.0205)	8	.0095 (.0084,.0101)	43	.0047 (.0041,.0058)
0	.0444 (.0290,.0491)	1	.0191 (.0148,.0199)	8	.0092 (.0082,.0098)	47	.0046 (.0040,.0057)
0	.0431 (.0283,.0476)	2	.0186 (.0144,.0192)	9	.0090 (.0080,.0096)	50	.0044 (.0039,.0055)
0	.0419 (.0276,.0461)	2	.0180 (.0141,.0186)	9	.0089 (.0080,.0096)	53	.0043 (.0038,.0054)
0	.0406 (.0270,.0446)	2	.0176 (.0139,.0183)	10	.0087 (.0078,.0093)	54	.0043 (.0037,.0054)
0	.0394 (.0263,.0432)	2	.0175 (.0138,.0181)	11	.0084 (.0075,.0091)	58	.0042 (.0036,.0053)
0	.0383 (.0257,.0418)	2	.0169 (.0134,.0175)	11	.0082 (.0073,.0089)	63	.0040 (.0035,.0052)
0	.0371 (.0251,.0405)	2	.0164 (.0131,.0170)	12	.0079 (.0071,.0087)	67	.0039 (.0034,.0050)
0	.0361 (.0245,.0392)	2	.0159 (.0128,.0164)	13	.0078 (.0071,.0086)	73	.0038 (.0033,.0049)
0	.0350 (.0239,.0380)	2	.0155 (.0125,.0159)	13	.0077 (.0069,.0085)	78	.0037 (.0032,.0048)
0	.0340 (.0234,.0368)	3	.0152 (.0123,.0156)	14	.0074 (.0067,.0083)	84	.0036 (.0031,.0047)
0	.0330 (.0228,.0356)	3	.0150 (.0122,.0154)	15	.0072 (.0065,.0081)	91	.0035 (.0030,.0046)
0	.0320 (.0223,.0345)	3	.0146 (.0119,.0150)	16	.0070 (.0063,.0079)	98	.0034 (.0029,.0045)
0	.0310 (.0217,.0334)	3	.0141 (.0116,.0145)	17	.0069 (.0062,.0078)	105	.0032 (.0028,.0044)
0	.0301 (.0212,.0323)	3	.0137 (.0113,.0140)	18	.0068 (.0061,.0077)	113	.0032 (.0027,.0043)
1	.0292 (.0207,.0313)	3	.0135 (.0112,.0139)	19	.0066 (.0059,.0075)	122	.0031 (.0026,.0042)
1	.0284 (.0202,.0303)	3	.0133 (.0111,.0136)	21	.0064 (.0057,.0073)	132	.0030 (.0025,.0041)
1	.0275 (.0198,.0294)	4	.0129 (.0108,.0132)	22	.0062 (.0055,.0072)	142	.0029 (.0024,.0040)
1	.0267 (.0193,.0284)	4	.0125 (.0106,.0128)	24	.0060 (.0053,.0070)	153	.0028 (.0023,.0039)
1	.0259 (.0188,.0275)	4	.0121 (.0103,.0125)	26	.0058 (.0052,.0068)	164	.0027 (.0023,.0038)
1	.0251 (.0184,.0266)	5	.0118 (.0101,.0121)	28	.0056 (.0050,.0067)	177	.0026 (.0022,.0037)
1	.0244 (.0179,.0258)	5	.0114 (.0098,.0118)	30	.0055 (.0049,.0065)	191	.0025 (.0021,.0036)
1	.0237 (.0175,.0250)	5	.0111 (.0096,.0115)	30	.0054 (.0048,.0065)	205	.0025 (.0020,.0036)
1	.0230 (.0171,.0242)	6	.0108 (.0094,.0112)	32	.0053 (.0047,.0064)	221	.0024 (.0020,.0035)
1	.0223 (.0167,.0234)	6	.0107 (.0094,.0112)	35	.0051 (.0045,.0062)	238	.0023 (.0019,.0034)
1	.0216 (.0163,.0226)	6	.0104 (.0091,.0109)	37	.0050 (.0044,.0061)	500	.0017 (.0014,.0027)
1	.0210 (.0159,.0219)	7	.0101 (.0089,.0106)	39	.0049 (.0043,.0060)	1000	.0013 (.0010,.0022)

Table 5.5: Controlled VE as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 1 to 149 days post Day 29 was 0.009 in vaccine recipients compared to 0.027 in placebo recipients, with cumulative vaccine efficacy 67.7% (95% CI 66.1 to 72.7%).


s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.2	-0.7173 (-0.8309,-0.0966)	1	0.2815 (0.2822, 0.4573)	8	0.6645 (0.6455, 0.7179)	50	0.8392 (0.7986, 0.8621)
0	-0.6671 (-0.7727,-0.0708)	1	0.3030 (0.3053, 0.4704)	9	0.6721 (0.6516, 0.7235)	53	0.8433 (0.8026, 0.8658)
0	-0.6183 (-0.7171,-0.0455)	2	0.3238 (0.3275, 0.4832)	9	0.6746 (0.6537, 0.7254)	54	0.8440 (0.8033, 0.8665)
0	-0.5708 (-0.6631,-0.0208)	2	0.3440 (0.3484, 0.4956)	10	0.6844 (0.6618, 0.7327)	58	0.8487 (0.8079, 0.8708)
0	-0.5247 (-0.6108, 0.0033)	2	0.3572 (0.3621, 0.5044)	11	0.6939 (0.6696, 0.7398)	63	0.8533 (0.8124, 0.8750)
0	-0.4799 (-0.5601, 0.0268)	2	0.3637 (0.3688, 0.5087)	11	0.7031 (0.6773, 0.7470)	67	0.8577 (0.8167, 0.8791)
0	-0.4364 (-0.5109, 0.0500)	2	0.3827 (0.3885, 0.5214)	12	0.7121 (0.6848, 0.7542)	73	0.8620 (0.8210, 0.8831)
0	-0.3941 (-0.4633, 0.0727)	2	0.4012 (0.4076, 0.5338)	13	0.7145 (0.6869, 0.7562)	78	0.8662 (0.8252, 0.8870)
0	-0.3530 (-0.4170, 0.0950)	2	0.4191 (0.4261, 0.5460)	13	0.7208 (0.6922, 0.7612)	84	0.8703 (0.8293, 0.8907)
0	-0.3131 (-0.3722, 0.1167)	2	0.4365 (0.4440, 0.5578)	14	0.7292 (0.6994, 0.7679)	91	0.8742 (0.8332, 0.8943)
0	-0.2744 (-0.3288, 0.1379)	3	0.4480 (0.4559, 0.5656)	15	0.7374 (0.7064, 0.7745)	98	0.8780 (0.8371, 0.8978)
0	-0.2367 (-0.2867, 0.1586)	3	0.4534 (0.4614, 0.5692)	16	0.7453 (0.7132, 0.7809)	105	0.8817 (0.8409, 0.9011)
0	-0.2002 (-0.2459, 0.1788)	3	0.4698 (0.4767, 0.5804)	17	0.7481 (0.7157, 0.7832)	113	0.8853 (0.8446, 0.9044)
0	-0.1647 (-0.2064, 0.1985)	3	0.4857 (0.4905, 0.5913)	18	0.7530 (0.7199, 0.7871)	122	0.8887 (0.8482, 0.9075)
0	-0.1302 (-0.1681, 0.2177)	3	0.5011 (0.5040, 0.6020)	19	0.7604 (0.7264, 0.7931)	132	0.8921 (0.8518, 0.9106)
0	-0.0967 (-0.1309, 0.2365)	3	0.5075 (0.5096, 0.6064)	21	0.7676 (0.7328, 0.7990)	142	0.8954 (0.8552, 0.9135)
1	-0.0642 (-0.0949, 0.2549)	3	0.5161 (0.5171, 0.6123)	22	0.7746 (0.7390, 0.8047)	153	0.8985 (0.8586, 0.9164)
1	-0.0327 (-0.0601, 0.2728)	4	0.5306 (0.5299, 0.6224)	24	0.7814 (0.7451, 0.8102)	164	0.9016 (0.8619, 0.9191)
1	-0.0020 (-0.0263, 0.2903)	4	0.5447 (0.5423, 0.6322)	26	0.7880 (0.7510, 0.8158)	177	0.9046 (0.8651, 0.9218)
1	0.0278 (0.0064, 0.3074)	4	0.5584 (0.5544, 0.6418)	28	0.7944 (0.7568, 0.8216)	191	0.9075 (0.8682, 0.9244)
1	0.0567 (0.0381, 0.3240)	5	0.5717 (0.5662, 0.6511)	30	0.8006 (0.7625, 0.8273)	205	0.9103 (0.8712, 0.9269)
1	0.0847 (0.0688, 0.3403)	5	0.5845 (0.5772, 0.6602)	30	0.8017 (0.7634, 0.8282)	221	0.9130 (0.8742, 0.9293)
1	0.1119 (0.0986, 0.3562)	5	0.5970 (0.5878, 0.6690)	32	0.8067 (0.7680, 0.8327)	238	0.9156 (0.8771, 0.9316)
1	0.1384 (0.1274, 0.3717)	6	0.6064 (0.5958, 0.6757)	35	0.8125 (0.7734, 0.8380)	500	0.9379 (0.9025, 0.9511)
1	0.1641 (0.1553, 0.3869)	6	0.6091 (0.5982, 0.6777)	37	0.8182 (0.7787, 0.8432)	1000	0.9534 (0.9215, 0.9642)
1	0.1890 (0.1823, 0.4016)	6	0.6209 (0.6083, 0.6860)	39	0.8218 (0.7821, 0.8464)	7.8	.6541 (.6370,.7102)
1	0.2132 (0.2085, 0.4161)	7	0.6323 (0.6181, 0.6943)	40	0.8237 (0.7839, 0.8481)	153	.8985 (.8586,.9164)
1	0.2366 (0.2339, 0.4301)	7	0.6434 (0.6277, 0.7024)	43	0.8290 (0.7889, 0.8529)	1000	.9534 (.9215,.9642)
1	0.2594 (0.2585, 0.4439)	8	0.6541 (0.6370, 0.7102)	47	0.8342 (0.7938, 0.8576)		

Table 5.6: Controlled VE with sensitivity analysis as functions of Day 29 Anti Spike IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.2	-0.0065 (-0.0730,.3573)	1	0.3885 (0.3891,.5381)	8	0.6646 (0.6456,.7180)	50	0.8167 (0.7705,.8428)
0	0.0086 (-0.0542,.3632)	1	0.4006 (0.4025,.5445)	9	0.6721 (0.6516,.7235)	53	0.8199 (0.7731,.8458)
0	0.0235 (-0.0361,.3691)	2	0.4126 (0.4158,.5510)	9	0.6746 (0.6537,.7254)	54	0.8204 (0.7736,.8463)
0	0.0384 (-0.0181,.3751)	2	0.4245 (0.4284,.5575)	10	0.6843 (0.6617,.7326)	58	0.8241 (0.7766,.8497)
0	0.0531 (-0.0003,.3810)	2	0.4324 (0.4368,.5624)	11	0.6935 (0.6692,.7394)	63	0.8277 (0.7796,.8532)
0	0.0678 (0.0173,.3870)	2	0.4364 (0.4409,.5648)	11	0.7023 (0.6764,.7463)	67	0.8311 (0.7824,.8565)
0	0.0823 (0.0347,.3931)	2	0.4481 (0.4532,.5721)	12	0.7106 (0.6832,.7529)	73	0.8344 (0.7852,.8597)
0	0.0968 (0.0520,.3992)	2	0.4597 (0.4655,.5794)	13	0.7128 (0.6850,.7547)	78	0.8377 (0.7879,.8628)
0	0.1111 (0.0690,.4054)	2	0.4713 (0.4776,.5867)	13	0.7185 (0.6897,.7592)	84	0.8408 (0.7905,.8659)
0	0.1253 (0.0860,.4116)	2	0.4828 (0.4896,.5940)	14	0.7261 (0.6959,.7653)	91	0.8438 (0.7930,.8688)
0	0.1395 (0.1027,.4178)	3	0.4905 (0.4977,.5990)	15	0.7333 (0.7018,.7710)	98	0.8468 (0.7955,.8717)
0	0.1535 (0.1193,.4241)	3	0.4941 (0.5015,.6013)	16	0.7402 (0.7075,.7766)	105	0.8497 (0.7979,.8744)
0	0.1674 (0.1357,.4303)	3	0.5054 (0.5119,.6086)	17	0.7427 (0.7096,.7785)	113	0.8525 (0.8002,.8771)
0	0.1812 (0.1519,.4365)	3	0.5166 (0.5212,.6159)	18	0.7469 (0.7130,.7818)	122	0.8552 (0.8025,.8797)
0	0.1949 (0.1680,.4428)	3	0.5277 (0.5304,.6232)	19	0.7532 (0.7182,.7869)	132	0.8578 (0.8047,.8822)
0	0.2085 (0.1839,.4490)	3	0.5324 (0.5344,.6263)	21	0.7593 (0.7232,.7917)	142	0.8604 (0.8069,.8847)
1	0.2220 (0.1996,.4553)	3	0.5387 (0.5397,.6305)	22	0.7651 (0.7280,.7964)	153	0.8629 (0.8090,.8871)
1	0.2355 (0.2151,.4616)	4	0.5497 (0.5490,.6377)	24	0.7707 (0.7326,.8009)	164	0.8654 (0.8111,.8894)
1	0.2488 (0.2305,.4679)	4	0.5605 (0.5582,.6450)	26	0.7761 (0.7370,.8054)	177	0.8678 (0.8131,.8917)
1	0.2620 (0.2458,.4742)	4	0.5713 (0.5675,.6523)	28	0.7813 (0.7413,.8102)	191	0.8701 (0.8150,.8938)
1	0.2751 (0.2608,.4805)	5	0.5820 (0.5767,.6595)	30	0.7863 (0.7454,.8148)	205	0.8723 (0.8168,.8960)
1	0.2881 (0.2757,.4869)	5	0.5926 (0.5854,.6668)	30	0.7871 (0.7461,.8156)	221	0.8745 (0.8186,.8981)
1	0.3010 (0.2904,.4932)	5	0.6031 (0.5941,.6740)	32	0.7911 (0.7493,.8193)	238	0.8767 (0.8204,.9001)
1	0.3138 (0.3050,.4996)	6	0.6111 (0.6007,.6796)	35	0.7957 (0.7532,.8236)	500	0.8956 (0.8360,.9178)
1	0.3264 (0.3194,.5060)	6	0.6136 (0.6027,.6813)	37	0.8002 (0.7569,.8277)	1000	0.9099 (0.8481,.9308)
1	0.3390 (0.3337,.5124)	6	0.6239 (0.6114,.6886)	39	0.8031 (0.7592,.8303)	7.8	.6541 (.6370,.7102)
1	0.3515 (0.3477,.5188)	7	0.6342 (0.6201,.6958)	40	0.8045 (0.7604,.8317)	153	.8985 (.8586,.9164)
1	0.3640 (0.3617,.5252)	7	0.6444 (0.6288,.7032)	43	0.8087 (0.7639,.8355)	1000	.9534 (.9215,.9642)
1	0.3763 (0.3755,.5316)	8	0.6546 (0.6375,.7106)	47	0.8128 (0.7672,.8392)		




(a) Marginalized cumulative incidence rate curves for trichotomized Day 29 markers among vaccine recipients. The gray line is the overall cumulative incidence rate curve in the placebo arm.




(b) Marginalized cumulative risk by Day 149 as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates). The horizontal lines indicate the overall cumulative risk of the placebo and vaccine arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. $lod = 1.6$.

Figure 5.8: Marginalized cumulative risk curves ($=s$). \ddagger Count cases starting 1 days post Day 29.



(a) Controlled VE with sensitivity analysis as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $lod = 1.6$.



(b) Controlled VE with sensitivity analysis as functions of Day 29 markers ($=s$) among vaccine recipients with 95% bootstrap pointwise confidence bands (10 replicates). Histograms of the immunological markers in the vaccine arm are overlaid. $lod = 1.6$.

Figure 5.9: Controlled VE curves ($=s$). \ddagger Count cases starting 1 days post Day 29.




Figure 5.10: Marginalized cumulative risk curves and controlled VE curves ($>=s$). \ddagger Count cases starting 1 days post Day 29.

Table 5.7: Marginalized cumulative risk by Day 149 as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.8	.0194 (.0148,.0227)	3	.0134 (.0113,.0146)	13	.0094 (.0084,.0100)	52	.0066 (.0059,.0076)
1	.0192 (.0147,.0224)	3	.0133 (.0113,.0146)	14	.0093 (.0083,.0099)	55	.0065 (.0058,.0076)
1	.0189 (.0145,.0220)	4	.0132 (.0112,.0144)	15	.0092 (.0082,.0098)	58	.0065 (.0057,.0075)
1	.0187 (.0144,.0216)	4	.0130 (.0111,.0141)	15	.0091 (.0082,.0097)	61	.0064 (.0056,.0074)
1	.0184 (.0142,.0213)	4	.0128 (.0109,.0139)	16	.0090 (.0081,.0096)	65	.0063 (.0055,.0073)
1	.0181 (.0141,.0209)	4	.0126 (.0108,.0137)	17	.0089 (.0079,.0095)	69	.0062 (.0054,.0073)
1	.0179 (.0140,.0206)	5	.0125 (.0107,.0134)	18	.0088 (.0078,.0094)	69	.0062 (.0054,.0073)
1	.0176 (.0138,.0203)	5	.0123 (.0106,.0132)	19	.0087 (.0077,.0093)	72	.0061 (.0054,.0072)
1	.0174 (.0137,.0199)	5	.0122 (.0105,.0132)	20	.0085 (.0076,.0092)	76	.0060 (.0053,.0071)
1	.0172 (.0135,.0196)	5	.0121 (.0105,.0130)	21	.0084 (.0075,.0091)	81	.0059 (.0052,.0070)
1	.0169 (.0134,.0193)	5	.0119 (.0103,.0128)	22	.0083 (.0074,.0090)	85	.0059 (.0051,.0070)
1	.0167 (.0133,.0190)	6	.0118 (.0102,.0126)	22	.0083 (.0074,.0090)	90	.0058 (.0051,.0069)
2	.0165 (.0131,.0187)	6	.0116 (.0101,.0124)	23	.0082 (.0073,.0089)	95	.0057 (.0050,.0068)
2	.0162 (.0130,.0184)	6	.0115 (.0100,.0122)	24	.0081 (.0072,.0088)	99	.0056 (.0049,.0068)
2	.0160 (.0129,.0181)	7	.0113 (.0099,.0120)	26	.0080 (.0071,.0087)	100	.0056 (.0049,.0068)
2	.0158 (.0127,.0178)	7	.0111 (.0097,.0118)	27	.0079 (.0070,.0086)	106	.0055 (.0048,.0067)
2	.0156 (.0126,.0175)	7	.0110 (.0096,.0117)	29	.0077 (.0069,.0085)	112	.0055 (.0048,.0066)
2	.0154 (.0125,.0172)	8	.0108 (.0095,.0115)	30	.0076 (.0068,.0085)	118	.0054 (.0047,.0066)
2	.0151 (.0124,.0169)	8	.0107 (.0094,.0113)	32	.0075 (.0067,.0084)	125	.0053 (.0046,.0065)
2	.0150 (.0123,.0168)	9	.0105 (.0093,.0111)	34	.0074 (.0066,.0083)	132	.0052 (.0046,.0064)
2	.0149 (.0122,.0166)	9	.0104 (.0091,.0110)	36	.0073 (.0065,.0082)	134	.0052 (.0045,.0064)
2	.0147 (.0121,.0164)	10	.0103 (.0091,.0109)	36	.0073 (.0065,.0082)	139	.0052 (.0045,.0064)
2	.0145 (.0120,.0161)	10	.0102 (.0090,.0108)	38	.0072 (.0064,.0081)	147	.0051 (.0044,.0063)
3	.0143 (.0119,.0158)	10	.0101 (.0089,.0107)	40	.0071 (.0063,.0080)	155	.0050 (.0044,.0063)
3	.0141 (.0118,.0156)	11	.0100 (.0088,.0105)	42	.0070 (.0062,.0080)	163	.0049 (.0043,.0062)
3	.0139 (.0116,.0153)	11	.0098 (.0087,.0104)	44	.0069 (.0061,.0079)	173	.0049 (.0042,.0061)
3	.0137 (.0115,.0151)	12	.0097 (.0086,.0102)	47	.0068 (.0060,.0078)	500	.0037 (.0031,.0051)
3	.0135 (.0114,.0148)	13	.0096 (.0085,.0101)	49	.0067 (.0059,.0077)	1000	.0031 (.0026,.0045)

Table 5.8: Controlled VE as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates). Overall cumulative incidence from 1 to 149 days post Day 29 was 0.009 in vaccine recipients compared to 0.027 in placebo recipients, with cumulative vaccine efficacy 67.7% (95% CI 66.1 to 72.7%).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.8	.2917 (.2119,.4436)	3	.5141 (.4923,.5896)	15	.6664 (.6485,.7185)	61	.7682 (.7287,.8068)
1	.3015 (.2247,.4492)	4	.5204 (.4998,.5944)	15	.6670 (.6489,.7189)	65	.7715 (.7312,.8095)
1	.3111 (.2373,.4547)	4	.5270 (.5077,.5995)	16	.6711 (.6520,.7225)	69	.7746 (.7338,.8123)
1	.3206 (.2497,.4601)	4	.5335 (.5154,.6046)	17	.6756 (.6556,.7265)	69	.7749 (.7340,.8125)
1	.3300 (.2619,.4655)	4	.5400 (.5231,.6101)	18	.6801 (.6591,.7304)	72	.7778 (.7363,.8151)
1	.3393 (.2739,.4709)	5	.5464 (.5306,.6156)	19	.6846 (.6625,.7343)	76	.7809 (.7388,.8178)
1	.3484 (.2857,.4762)	5	.5527 (.5380,.6210)	20	.6890 (.6659,.7381)	81	.7839 (.7413,.8205)
1	.3574 (.2973,.4814)	5	.5543 (.5399,.6224)	21	.6933 (.6693,.7419)	85	.7869 (.7437,.8232)
1	.3663 (.3088,.4866)	5	.5589 (.5453,.6263)	22	.6975 (.6726,.7455)	90	.7899 (.7461,.8259)
1	.3750 (.3200,.4917)	5	.5650 (.5524,.6315)	22	.6976 (.6727,.7456)	95	.7928 (.7485,.8285)
1	.3836 (.3311,.4968)	6	.5710 (.5591,.6367)	23	.7018 (.6760,.7492)	99	.7953 (.7505,.8307)
1	.3922 (.3420,.5022)	6	.5770 (.5650,.6418)	24	.7059 (.6793,.7528)	100	.7957 (.7509,.8311)
2	.4006 (.3527,.5078)	6	.5828 (.5709,.6468)	26	.7100 (.6825,.7564)	106	.7986 (.7532,.8337)
2	.4088 (.3632,.5135)	7	.5886 (.5767,.6518)	27	.7140 (.6857,.7599)	112	.8014 (.7556,.8362)
2	.4170 (.3736,.5190)	7	.5943 (.5824,.6567)	29	.7180 (.6889,.7633)	118	.8041 (.7579,.8387)
2	.4251 (.3838,.5245)	7	.6000 (.5880,.6615)	30	.7219 (.6921,.7667)	125	.8069 (.7602,.8412)
2	.4330 (.3938,.5300)	8	.6055 (.5936,.6662)	32	.7258 (.6952,.7701)	132	.8095 (.7624,.8436)
2	.4409 (.4037,.5353)	8	.6110 (.5990,.6709)	34	.7296 (.6983,.7734)	134	.8104 (.7632,.8443)
2	.4486 (.4134,.5407)	9	.6164 (.6041,.6755)	36	.7333 (.7013,.7766)	139	.8122 (.7647,.8459)
2	.4533 (.4193,.5439)	9	.6217 (.6088,.6801)	36	.7334 (.7013,.7767)	147	.8148 (.7669,.8483)
2	.4562 (.4229,.5459)	10	.6253 (.6119,.6831)	38	.7371 (.7044,.7799)	155	.8174 (.7691,.8506)
2	.4638 (.4320,.5511)	10	.6270 (.6134,.6846)	40	.7407 (.7073,.7830)	163	.8199 (.7713,.8529)
2	.4712 (.4409,.5567)	10	.6321 (.6180,.6890)	42	.7443 (.7101,.7862)	173	.8224 (.7735,.8551)
3	.4785 (.4497,.5623)	11	.6372 (.6226,.6934)	44	.7479 (.7128,.7892)	500	.8651 (.8119,.8926)
3	.4857 (.4584,.5678)	11	.6423 (.6270,.6977)	47	.7514 (.7155,.7923)	1000	.8873 (.8334,.9120)
3	.4928 (.4670,.5733)	12	.6472 (.6315,.7019)	49	.7549 (.7182,.7952)	12.7	.6521 (.6359,.7061)
3	.4999 (.4754,.5787)	13	.6521 (.6359,.7061)	52	.7583 (.7208,.7982)	(,)	(,)
3	.5068 (.4836,.5840)	13	.6570 (.6402,.7102)	55	.7616 (.7235,.8011)	(,)	(,)
3	.5136 (.4918,.5892)	14	.6617 (.6445,.7144)	58	.7650 (.7261,.8039)		

Table 5.9: Controlled VE with sensitivity analysis as functions of Day 29 Anti RBD IgG (BAU/ml) (=s) among baseline negative vaccine recipients with 95% bootstrap point-wise confidence intervals (10 replicates).

s	Estimate	s	Estimate	s	Estimate	s	Estimate
0.8	.4459 (.3834,.5647)	3	.5514 (.5313,.6211)	15	.6666 (.6486,.7186)	61	.7546 (.7127,.7954)
1	.4496 (.3891,.5660)	4	.5552 (.5361,.6239)	15	.6671 (.6490,.7191)	65	.7569 (.7141,.7974)
1	.4534 (.3948,.5673)	4	.5593 (.5413,.6269)	16	.6711 (.6521,.7225)	69	.7592 (.7156,.7995)
1	.4571 (.4005,.5686)	4	.5634 (.5464,.6299)	17	.6756 (.6556,.7265)	69	.7594 (.7157,.7996)
1	.4609 (.4061,.5700)	4	.5675 (.5516,.6335)	18	.6801 (.6590,.7304)	72	.7615 (.7170,.8015)
1	.4647 (.4118,.5713)	5	.5717 (.5567,.6370)	19	.6844 (.6624,.7342)	76	.7637 (.7183,.8035)
1	.4685 (.4174,.5727)	5	.5758 (.5619,.6406)	20	.6886 (.6656,.7378)	81	.7659 (.7196,.8055)
1	.4723 (.4230,.5741)	5	.5769 (.5632,.6415)	21	.6927 (.6687,.7414)	85	.7680 (.7209,.8075)
1	.4761 (.4286,.5756)	5	.5800 (.5670,.6442)	22	.6966 (.6716,.7447)	90	.7701 (.7221,.8094)
1	.4800 (.4342,.5771)	5	.5842 (.5721,.6478)	22	.6967 (.6717,.7448)	95	.7721 (.7233,.8114)
1	.4838 (.4398,.5786)	6	.5884 (.5769,.6514)	23	.7005 (.6746,.7482)	99	.7738 (.7243,.8130)
1	.4877 (.4454,.5804)	6	.5926 (.5810,.6550)	24	.7042 (.6774,.7514)	100	.7741 (.7245,.8133)
2	.4916 (.4509,.5826)	6	.5968 (.5852,.6586)	26	.7078 (.6802,.7546)	106	.7760 (.7257,.8151)
2	.4954 (.4565,.5847)	7	.6010 (.5894,.6623)	27	.7114 (.6828,.7577)	112	.7779 (.7268,.8169)
2	.4993 (.4620,.5869)	7	.6053 (.5936,.6659)	29	.7148 (.6854,.7606)	118	.7798 (.7278,.8187)
2	.5032 (.4676,.5892)	7	.6096 (.5979,.6696)	30	.7181 (.6879,.7636)	125	.7817 (.7289,.8204)
2	.5072 (.4731,.5914)	8	.6138 (.6021,.6733)	32	.7214 (.6903,.7664)	132	.7835 (.7299,.8221)
2	.5111 (.4786,.5937)	8	.6181 (.6064,.6770)	34	.7245 (.6926,.7691)	134	.7840 (.7302,.8227)
2	.5150 (.4841,.5960)	9	.6225 (.6103,.6807)	36	.7276 (.6949,.7718)	139	.7852 (.7309,.8238)
2	.5174 (.4874,.5974)	9	.6268 (.6140,.6844)	36	.7276 (.6949,.7718)	147	.7870 (.7318,.8255)
2	.5190 (.4895,.5983)	10	.6297 (.6166,.6869)	38	.7306 (.6971,.7745)	155	.7887 (.7328,.8271)
2	.5230 (.4947,.6007)	10	.6312 (.6178,.6881)	40	.7335 (.6992,.7770)	163	.7903 (.7337,.8287)
2	.5270 (.4999,.6035)	10	.6355 (.6215,.6919)	42	.7364 (.7010,.7795)	173	.7920 (.7346,.8302)
3	.5309 (.5051,.6063)	11	.6399 (.6253,.6956)	44	.7392 (.7029,.7819)	500	.8191 (.7477,.8559)
3	.5350 (.5103,.6092)	11	.6443 (.6292,.6994)	47	.7419 (.7046,.7843)	1000	.8328 (.7530,.8695)
3	.5390 (.5155,.6121)	12	.6487 (.6330,.7032)	49	.7445 (.7063,.7866)	12.7	.6521 (.6359,.7061)
3	.5430 (.5206,.6150)	13	.6532 (.6369,.7070)	52	.7471 (.7080,.7889)		(,)
3	.5471 (.5258,.6180)	13	.6576 (.6409,.7108)	55	.7497 (.7096,.7911)		(,)
3	.5511 (.5310,.6209)	14	.6621 (.6448,.7147)	58	.7521 (.7112,.7933)		

MOCK

Chapter 6

Univariate CoR: Nonparametric Threshold Modeling ($>=s$)

An extension of the unadjusted nonparametric threshold-searching approach developed in Donovan, Hudgens, and Gilbert (2019), the covariate-adjusted TMLE-based approach developed by van der Laan, Zhang, Gilbert (submitted) is used to estimate the so-called threshold-response function $E_X[E[Y | S \geq s, X, A = 1] | A = 1]$ for a range of thresholds s . Here, X is a set of baseline characteristics, $A = 1$ represents the vaccine group, S is the biomarker/immune-response/correlate of interest, and Y is the indicator of COVID disease before some time point t_f . This parameter can be viewed as a causal/covariate-adjusted version of the parameter $P(Y = 1 | S \geq s, A = 1)$. Intuitively, the threshold-response at a given threshold is the expected probability of obtaining COVID disease if one experiences a marker/immune-response value above that threshold. The threshold-response function is estimated for each of the four Day 57 antibody markers, in each case adjusting for the baseline covariates: baseline risk score, high risk indicator, and underrepresented minority status. A restrictive but flexible specification of the Highly Adaptive Lasso estimator is used for the covariate adjustment. A number of plots and tables are reported:

1. A plot and table with risk estimates and point-wise 95% confidence intervals
2. A plot and table with risk estimates and simultaneous 95% confidence bands
3. Monotone-corrected versions of 1 and 2.

A reverse cumulative distribution function curve estimated by the IPW NPMLE of the marker values is superimposed on the threshold-response plots and a dashed red line is added to mark the threshold value after which no more events are observed.

The blue dots on the plots represent the risk predictions at marker values where there was an observed COVID-19 case.

6.1 Plots and Tables with estimates and pointwise confidence intervals for Day 29

MOCK

6.1.1 Day 29 bindSpike




Figure 6.1: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.

Table 6.1: Table of risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00804	0.00609	0.00999
0.240	$1.74 * 10^0$	0.00721	0.00521	0.00921
0.401	$2.52 * 10^0$	0.00687	0.00493	0.00881
0.522	$3.33 * 10^0$	0.00666	0.00468	0.00864
0.758	$5.73 * 10^0$	0.00681	0.00462	0.00900
0.951	$8.93 * 10^0$	0.00680	0.00408	0.00953
1.097	$1.25 * 10^1$	0.00580	0.00279	0.00880
1.229	$1.69 * 10^1$	0.00529	0.00178	0.00881
1.480	$3.02 * 10^1$	0.00472	0.00083	0.00860
1.592	$3.91 * 10^1$	0.00501	0.00095	0.00907
1.728	$5.35 * 10^1$	0.00463	0.00066	0.00860
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.1.2 Day 29 bindRBD




Figure 6.2: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed.

Table 6.2: Table of risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00808	0.00613	0.01003
0.340	2.19×10^0	0.00774	0.00574	0.00975
0.540	3.47×10^0	0.00784	0.00569	0.00999
0.686	4.85×10^0	0.00752	0.00532	0.00973
0.979	9.53×10^0	0.00707	0.00479	0.00936
1.178	1.51×10^1	0.00689	0.00428	0.00949
1.340	2.19×10^1	0.00673	0.00346	0.00999
1.553	3.57×10^1	0.00612	0.00251	0.00973
1.838	6.89×10^1	0.00601	0.00212	0.00989
1.997	9.93×10^1	0.00466	0.00144	0.00788
2.127	1.34×10^2	0.00406	0.00000	0.01233
2.237	1.73×10^2	0.00406	0.00000	0.01233
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

6.2 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected)

MOCK

6.2.1 Day 29 bindSpike




Figure 6.3: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.3: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00804	0.00609	0.00999
0.240	$1.74 * 10^0$	0.00721	0.00521	0.00921
0.401	$2.52 * 10^0$	0.00687	0.00493	0.00881
0.522	$3.33 * 10^0$	0.00671	0.00473	0.00869
0.758	$5.73 * 10^0$	0.00671	0.00452	0.00890
0.951	$8.93 * 10^0$	0.00671	0.00398	0.00944
1.097	$1.25 * 10^1$	0.00580	0.00279	0.00880
1.229	$1.69 * 10^1$	0.00533	0.00182	0.00885
1.480	$3.02 * 10^1$	0.00481	0.00093	0.00869
1.592	$3.91 * 10^1$	0.00481	0.00075	0.00887
1.728	$5.35 * 10^1$	0.00463	0.00066	0.00860
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.2.2 Day 29 bindRBD




Figure 6.4: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.4: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00808	0.00613	0.01003
0.340	2.19×10^0	0.00780	0.00579	0.00981
0.540	3.47×10^0	0.00780	0.00565	0.00995
0.686	4.85×10^0	0.00752	0.00532	0.00973
0.979	9.53×10^0	0.00707	0.00479	0.00936
1.178	1.51×10^1	0.00689	0.00428	0.00949
1.340	2.19×10^1	0.00655	0.00328	0.00982
1.553	3.57×10^1	0.00640	0.00279	0.01002
1.838	6.89×10^1	0.00601	0.00212	0.00989
1.997	9.93×10^1	0.00466	0.00144	0.00788
2.127	1.34×10^2	0.00406	0.00000	0.01233
2.237	1.73×10^2	0.00406	0.00000	0.01233
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

6.3 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected) (events after 1 day post dose)

MOCK

6.3.1 Day 29 bindSpike (counting events after 1 day post dose)




Figure 6.5: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.5: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00859	0.00660	0.01058
0.240	$1.74 * 10^0$	0.00771	0.00567	0.00975
0.401	$2.52 * 10^0$	0.00739	0.00541	0.00937
0.522	$3.33 * 10^0$	0.00725	0.00523	0.00927
0.758	$5.73 * 10^0$	0.00725	0.00501	0.00949
0.951	$8.93 * 10^0$	0.00725	0.00444	0.01006
1.097	$1.25 * 10^1$	0.00649	0.00335	0.00963
1.229	$1.69 * 10^1$	0.00604	0.00264	0.00945
1.480	$3.02 * 10^1$	0.00571	0.00166	0.00976
1.592	$3.91 * 10^1$	0.00571	0.00141	0.01001
1.728	$5.35 * 10^1$	0.00571	0.00145	0.00997
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.3.2 Day 29 bindRBD (counting events after 1 day post dose)




Figure 6.6: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.6: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00863	0.00664	0.01062
0.340	2.19×10^0	0.00830	0.00625	0.01035
0.540	3.47×10^0	0.00830	0.00612	0.01049
0.686	4.85×10^0	0.00803	0.00578	0.01027
0.979	9.53×10^0	0.00748	0.00517	0.00980
1.178	1.51×10^1	0.00730	0.00464	0.00996
1.340	2.19×10^1	0.00691	0.00357	0.01025
1.553	3.57×10^1	0.00675	0.00305	0.01044
1.838	6.89×10^1	0.00648	0.00249	0.01047
1.997	9.93×10^1	0.00504	0.00173	0.00835
2.127	1.34×10^2	0.00458	0.00000	0.01338
2.237	1.73×10^2	0.00458	0.00000	0.01338
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

6.4 Plots and Tables with estimates and pointwise confidence intervals for Day 29 (monotone-corrected) (counting events after 1 day post dose)

MOCK

6.4.1 Day 29 bindSpike (counting events after 1 day post dose)




Figure 6.7: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.7: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00859	0.00660	0.01058
0.240	$1.74 * 10^0$	0.00771	0.00567	0.00975
0.401	$2.52 * 10^0$	0.00739	0.00541	0.00937
0.522	$3.33 * 10^0$	0.00725	0.00523	0.00927
0.758	$5.73 * 10^0$	0.00725	0.00501	0.00949
0.951	$8.93 * 10^0$	0.00725	0.00444	0.01006
1.097	$1.25 * 10^1$	0.00649	0.00335	0.00963
1.229	$1.69 * 10^1$	0.00604	0.00264	0.00945
1.480	$3.02 * 10^1$	0.00571	0.00166	0.00976
1.592	$3.91 * 10^1$	0.00571	0.00141	0.01001
1.728	$5.35 * 10^1$	0.00571	0.00145	0.00997
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.4.2 Day 29 bindRBD (counting events after 1 day post dose)




Figure 6.8: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with pointwise 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.8: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with pointwise 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00863	0.00664	0.01062
0.340	2.19×10^0	0.00830	0.00625	0.01035
0.540	3.47×10^0	0.00830	0.00612	0.01049
0.686	4.85×10^0	0.00803	0.00578	0.01027
0.979	9.53×10^0	0.00748	0.00517	0.00980
1.178	1.51×10^1	0.00730	0.00464	0.00996
1.340	2.19×10^1	0.00691	0.00357	0.01025
1.553	3.57×10^1	0.00675	0.00305	0.01044
1.838	6.89×10^1	0.00648	0.00249	0.01047
1.997	9.93×10^1	0.00504	0.00173	0.00835
2.127	1.34×10^2	0.00458	0.00000	0.01338
2.237	1.73×10^2	0.00458	0.00000	0.01338
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

6.5 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected)

MOCK

6.5.1 Day 29 bindSpike




Figure 6.9: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.9: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00804	0.00531	0.01077
0.240	$1.74 * 10^0$	0.00721	0.00441	0.01000
0.401	$2.52 * 10^0$	0.00687	0.00416	0.00959
0.522	$3.33 * 10^0$	0.00671	0.00393	0.00949
0.758	$5.73 * 10^0$	0.00671	0.00365	0.00977
0.951	$8.93 * 10^0$	0.00671	0.00289	0.01053
1.097	$1.25 * 10^1$	0.00580	0.00159	0.01000
1.229	$1.69 * 10^1$	0.00533	0.00041	0.01025
1.480	$3.02 * 10^1$	0.00481	0.00000	0.01025
1.592	$3.91 * 10^1$	0.00481	0.00000	0.01050
1.728	$5.35 * 10^1$	0.00463	0.00000	0.01019
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.5.2 Day 29 bindRBD




Figure 6.10: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.10: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00808	0.00536	0.01080
0.340	2.19×10^0	0.00780	0.00500	0.01060
0.540	3.47×10^0	0.00780	0.00481	0.01079
0.686	4.85×10^0	0.00752	0.00445	0.01060
0.979	9.53×10^0	0.00707	0.00390	0.01025
1.178	1.51×10^1	0.00689	0.00326	0.01052
1.340	2.19×10^1	0.00655	0.00199	0.01110
1.553	3.57×10^1	0.00640	0.00137	0.01144
1.838	6.89×10^1	0.00601	0.00059	0.01142
1.997	9.93×10^1	0.00466	0.00018	0.00915
2.127	1.34×10^2	0.00406	0.00000	0.01559
2.237	1.73×10^2	0.00406	0.00000	0.01559
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

6.6 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected)

MOCK

6.6.1 Day 29 bindSpike




Figure 6.11: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.11: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00804	0.00531	0.01077
0.240	$1.74 * 10^0$	0.00721	0.00441	0.01000
0.401	$2.52 * 10^0$	0.00687	0.00416	0.00959
0.522	$3.33 * 10^0$	0.00671	0.00393	0.00949
0.758	$5.73 * 10^0$	0.00671	0.00365	0.00977
0.951	$8.93 * 10^0$	0.00671	0.00289	0.01053
1.097	$1.25 * 10^1$	0.00580	0.00159	0.01000
1.229	$1.69 * 10^1$	0.00533	0.00041	0.01025
1.480	$3.02 * 10^1$	0.00481	0.00000	0.01025
1.592	$3.91 * 10^1$	0.00481	0.00000	0.01050
1.728	$5.35 * 10^1$	0.00463	0.00000	0.01019
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.6.2 Day 29 bindRBD




Figure 6.12: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.12: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	$7.96 * 10^1$	0.00808	0.00536	0.01080
0.340	$2.19 * 10^0$	0.00780	0.00500	0.01060
0.540	$3.47 * 10^0$	0.00780	0.00481	0.01079
0.686	$4.85 * 10^0$	0.00752	0.00445	0.01060
0.979	$9.53 * 10^0$	0.00707	0.00390	0.01025
1.178	$1.51 * 10^1$	0.00689	0.00326	0.01052
1.340	$2.19 * 10^1$	0.00655	0.00199	0.01110
1.553	$3.57 * 10^1$	0.00640	0.00137	0.01144
1.838	$6.89 * 10^1$	0.00601	0.00059	0.01142
1.997	$9.93 * 10^1$	0.00466	0.00018	0.00915
2.127	$1.34 * 10^2$	0.00406	0.00000	0.01559
2.237	$1.73 * 10^2$	0.00406	0.00000	0.01559
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.7 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected) (counting events after 1 day post dose)

MOCK

6.7.1 Day 29 bindSpike (counting events after 1 day post dose)




Figure 6.13: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.13: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00859	0.00581	0.01137
0.240	$1.74 * 10^0$	0.00771	0.00486	0.01055
0.401	$2.52 * 10^0$	0.00739	0.00462	0.01016
0.522	$3.33 * 10^0$	0.00725	0.00442	0.01008
0.758	$5.73 * 10^0$	0.00725	0.00412	0.01038
0.951	$8.93 * 10^0$	0.00725	0.00332	0.01118
1.097	$1.25 * 10^1$	0.00649	0.00210	0.01088
1.229	$1.69 * 10^1$	0.00604	0.00128	0.01080
1.480	$3.02 * 10^1$	0.00571	0.00005	0.01136
1.592	$3.91 * 10^1$	0.00571	0.00000	0.01172
1.728	$5.35 * 10^1$	0.00571	0.00000	0.01166
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.7.2 Day 29 bindRBD (counting events after 1 day post dose)




Figure 6.14: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.14: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00863	0.00586	0.01140
0.340	2.19×10^0	0.00830	0.00545	0.01115
0.540	3.47×10^0	0.00830	0.00526	0.01134
0.686	4.85×10^0	0.00803	0.00490	0.01115
0.979	9.53×10^0	0.00748	0.00426	0.01070
1.178	1.51×10^1	0.00730	0.00360	0.01100
1.340	2.19×10^1	0.00691	0.00227	0.01155
1.553	3.57×10^1	0.00675	0.00161	0.01188
1.838	6.89×10^1	0.00648	0.00093	0.01203
1.997	9.93×10^1	0.00504	0.00043	0.00964
2.127	1.34×10^2	0.00458	0.00000	0.01682
2.237	1.73×10^2	0.00458	0.00000	0.01682
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

6.8 Plots and Tables with estimates and simultaneous confidence intervals for Day 29 (monotone-corrected) (counting events after 1 day post dose)

MOCK

6.8.1 Day 29 bindSpike (counting events after 1 day post dose)




Figure 6.15: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.15: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindSpike levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.813	$1.54 * 10^1$	0.00859	0.00581	0.01137
0.240	$1.74 * 10^0$	0.00771	0.00486	0.01055
0.401	$2.52 * 10^0$	0.00739	0.00462	0.01016
0.522	$3.33 * 10^0$	0.00725	0.00442	0.01008
0.758	$5.73 * 10^0$	0.00725	0.00412	0.01038
0.951	$8.93 * 10^0$	0.00725	0.00332	0.01118
1.097	$1.25 * 10^1$	0.00649	0.00210	0.01088
1.229	$1.69 * 10^1$	0.00604	0.00128	0.01080
1.480	$3.02 * 10^1$	0.00571	0.00005	0.01136
1.592	$3.91 * 10^1$	0.00571	0.00000	0.01172
1.728	$5.35 * 10^1$	0.00571	0.00000	0.01166
2.377	$2.38 * 10^2$	0.00000	NA	NA
2.699	$5.00 * 10^2$	0.00000	NA	NA
3.000	$1.00 * 10^3$	0.00000	NA	NA

6.8.2 Day 29 bindRBD (counting events after 1 day post dose)




Figure 6.16: Adjusted threshold-response function for a range of thresholds of the Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals. The dashed red line marks the threshold after which no more COVID events are observed. The estimates and confidence intervals are adjusted using the assumption that the true threshold-response is nonincreasing.

Table 6.16: Table of monotone-corrected risk estimates for a range of thresholds of Day 29 Day29bindRBD levels with simultaneous 95% confidence intervals.

\log_{10} -Threshold	Threshold	Risk estimate	CI left	CI right
-0.099	7.96×10^1	0.00863	0.00586	0.01140
0.340	2.19×10^0	0.00830	0.00545	0.01115
0.540	3.47×10^0	0.00830	0.00526	0.01134
0.686	4.85×10^0	0.00803	0.00490	0.01115
0.979	9.53×10^0	0.00748	0.00426	0.01070
1.178	1.51×10^1	0.00730	0.00360	0.01100
1.340	2.19×10^1	0.00691	0.00227	0.01155
1.553	3.57×10^1	0.00675	0.00161	0.01188
1.838	6.89×10^1	0.00648	0.00093	0.01203
1.997	9.93×10^1	0.00504	0.00043	0.00964
2.127	1.34×10^2	0.00458	0.00000	0.01682
2.237	1.73×10^2	0.00458	0.00000	0.01682
2.699	5.00×10^2	0.00000	NA	NA
3.000	1.00×10^3	0.00000	NA	NA

MOCK

Chapter 7

Univariate CoR: Nonparametric Threshold Modeling ($\leq s$)

The same methodology as the previous section is apply to estimate the “below” threshold-response function $E_{WE}[Y = 1 | A = 1, X, S \leq s]$.

MOCK

Chapter 8

Day D29 Univariate CoR: Nonlinear modeling

To explore nonlinear association and threshold modeling, we fit smoothing spline models with degrees of freedom selected by cross-validation using the mgcv R package.




Figure 8.1: Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3. ‡ Count cases starting 7 days post Day 29.

Binding Antibody to RBD: Day 29




Figure 8.2: Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6. ‡ Count cases starting 7 days post Day 29.

MOCK

Chapter 9

Day D29start1 Univariate CoR: Nonlinear modeling

To explore nonlinear association and threshold modeling, we fit smoothing spline models with degrees of freedom selected by cross-validation using the mgcv R package.




Figure 9.1: Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 0.3. ‡ Count cases starting 1 days post Day 29.

Binding Antibody to RBD: Day 29




Figure 9.2: Marginalized risk as functions of Day 29 markers (=s) among vaccine recipients with 95% bootstrap point-wise confidence bands (10 replicates) as modeled by GAM with automatic smoothness estimation. Baseline covariates adjusted for: Age + as.factor(Region). The horizontal lines indicate the overall cumulative risk of the vaccine and placebo arms by Day 149 and its 95% point-wise confidence interval. Histograms of the immunological markers in the vaccine arm are overlaid. lod = 1.6. ‡ Count cases starting 1 days post Day 29.

MOCK

Chapter 10

Appendix

```
#> [1] "reading data from janssen_pooled_mock_data_processed_with_riskscore.csv"
```

- This report was built from the [CoVPN/correlates_reporting_usgcove_archive](#) repository with commit hash 58fa4c486f49d1600d95913d81938154abcbcc99. A diff of the changes introduced by that commit may be viewed at https://github.com/CoVPN/correlates_reporting_usgcove_archive/commit/58fa4c486f49d1600d95913d81938154abcbcc99
- The sha256 hash sum of the processed file, “janssen_pooled_mock_data_processed_with_riskscore.csv”: bd7abb0d9b05615aaa493d5804bcff3b5ad51654e359b6c3a18fba701d094627