

Demo Application UI Guide (NxAVIn)

Version 0.6.0

Display Audio

Solution Team



Release information

The following changes have been made to this document.

Change History

Date	Change
04 Dec. 2017	First release for v0.6.0

Proprietary Notice

Information in this document is provided solely to enable system and software implementers to use Nexell products. There are no express or implied copyright licenses granted hereunder to design or fabricate any integrated circuits or integrated circuits based on the information in this document.

Nexell reserves the right to make changes without further notice to any products herein.

Nexell makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does Nexell assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation consequential or incidental damages. "Typical" parameters which may be provided in Nexell data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. Nexell does not convey any license under its patent rights nor the rights of others. Nexell products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the Nexell product could create a situation where personal injury or death may occur. Should Buyer purchase or use Nexell products for any such unintended or unauthorized application, Buyer shall indemnify and hold Nexell and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that Nexell was negligent regarding the design or manufacture of the part.

Copyright© 2017 Nexell Co.,Ltd. All rights reserved.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electric or mechanical, by photocopying, recording, or otherwise, without the prior written consent of Nexell.

Contact us

[11595] BundangYemiji Bldg. 12F, 31 Hwangsaeul-ro 258 beon gil, Bundang-gu, Sungnam-city, Gyeonggi-do, Korea.

TEL: 82-31-698-7400

FAX:82-31-698-7455

<http://www.nexell.co.kr>

Contents

Chap 1.	Overview	1
1.1	Overview	1
1.2	Block Diagram	1
1.3	Application UI	1
Chap 2.	AVIn Library	2
2.1	Overview	2
2.2	APIs	2
Chap 3.	History	5
3.1	Known Issue	5
3.2	To do list	5


Chap 1. Overview

1.1 Overview

이 문서는 Display Audio 의 Demo Application 인 NxAVIn 에 대해서 설명한 문서이다. NxAVIn 은 AVIn Hardware(TW9900)를 통하여 입력된 CVBS 화면을 출력하여 주는 역할을 하며, 화면 전체를 보여주기 위하여 Status Bar 를 toggle 할 수 있는 기능을 제공하여 준다.


1.2 Block Diagram

NxAVIn 은 AVIn 기능을 위한 제어하기 위한 libnxavin 과 application 화면전환 및 정책을 위한 IPC Engine 부분으로 구성되어있다.



1.3 Application UI

Application 화면은 다음과 같으며, Status Bar 에 따른 Application 전환은 Status Bar 정책을 따른다. NxAVIn 의 경우 화면 touch 시에 status bar 가 toggle 된다.



Chap 2. AVIn Library

2.1 Overview

AVIn 을 제어하기 위하여 libnxavin library 를 제공하며, 사용방법은 아래와 같다.

2.2 APIs

2.2.1 NXDA_StartAVInService()

```
int32_t NXDA_StartAVInService(
    CAMERA_INFO *pCamInfo,
    DISPLAY_INFO *pDspInfo
);
```

Description

Start AVIn Service.

Parameter

-. pCamInfo : Camera Information
-. pDspInfo : Display Information

Return Value

Zero is successful. -1 is failed.

2.2.2 NXDA_StopAVInService()

```
void NXDA_StopAVInService(
    void
);
```

Description

Stop AVIn Service.

Parameter

None.

Return Value

None

2.2.3 NXDA_SetAVInVideoPosition()

```
int32_t NXDA_SetAVInVideoPosition(
```

<pre> int32_t x, int32_t y, int32_t width, int32_t height); </pre>
Description Set video position.
Parameter - . x : x position of video - . y : y position of video. - . width : width of video. - . height : height of video.
Return Value Zero is successful, -1 is failed.

2.2.4 NXDA_RegAVInRenderCallback()

<pre> void NXDA_RegAVInRenderCallback (void *pApp, int32_t (callback)(void *, int32_t, void *, int32_t)); </pre>
Description Register AVIn render callback.
Parameter - . pApp : private handle. - . callback : redering callback. int32_t callback(void* pApp, int32_t type, void* data, int32_t dataSize) - . pApp : private handle. - . type : callback function type. (CB_TYPE_BUFFER, CB_TYPE_HIDE, CB_TYPE_SHOW) - . data : send data for callback. - . dataSize : size of data
Return Value None

2.2.5 NXDA_RegAVInControlCallback()

<pre> void NXDA_RegAVInControlCallback(void *pApp, int32_t (callback)(void *, int32_t, void *, int32_t)); </pre>
Description Register AVIn Control callback.
Parameter

-.	pApp	: private handle.
-.	callback	: redering callback.
int32_t callback(void* pApp, int32_t type, void* data, int32_t dataSize)		
-.	pApp	: private handle.
-.	type	: callback function type. (CB_TYPE_BUFFER, CB_TYPE_HIDE, CB_TYPE_SHOW)
-.	data	: send data for callback.
-.	dataSize	: size of data
Return Value		
None		

Chap 3. **History**

3.1 Known Issue

- . Nothing.

3.2 To do list

- . Audio focus 관련 기능 구현.