



North Coast Salmon Update #6 – 4 Aug 2026

Please note that catch numbers and estimates are preliminary and are subject to review.

The 2026/27 Northern Salmon IFMP is available here: [Northern IFMP](#)

North Coast Troll

Coho and Pink Salmon

The Area F troll, A-B Line (North Dixon Entrance), opening ([FN0589](#)) started on July 1st with retention of Pink, Coho and Sockeye salmon. Northern Sockeye bycatch provisions are in effect, allowing retention of Sockeye east of 133 degrees W longitude. There are currently 16 vessels hailed into this opening, which will close on August 9th. Weekly estimates of effort, catch and releases are summarized in the following table.

Table 1. Area F Troll – 2026 Estimated weekly catch and release by species

WEEK	End Date	Effort	Chinook		Coho		Pink		Sockeye		Chum	
			Kept	Rel.	Kept	Rel.	Kept	Rel.	Kept	Rel.	Kept	Rel.
27	4-Jul	19	0	56	1,266	0	327	0	1	0	0	8
28	11-Jul	58	0	315	5,056	0	1,701	0	8	0	0	36
29	18-Jul	115	0	521	7,005	8	4,114	4	17	0	0	44
30	25-Jul	126	0	579	5,614	6	8,653	5	19	0	0	52
31	1-Aug	140	0	822	5,751	0	10,986	0	30	3	0	87
Total		458	0	2,292	24,692	14	25,781	9	74	3	0	226

Notes: -Effort reported as vessel-days.

Average Pink Salmon CPUE in July was approximately 55.1 fish per vessel-day, which is similar to last year and much lower than the previous 5-year average of 186. Average Coho Salmon CPUE in July was 54.7, which is also very similar to last year (55.3).

Chinook Salmon

The Area F Chinook Salmon ITQ and Haida Community Based Fishery (CBF) openings are scheduled to start on August 10th with open areas that include portions of PFMA's 1, 101, 2W and 142. Approximately 90 vessels are expected to participate in the full fleet Chinook opening, which closes on September 30. Retention of Coho and Pink salmon will be permitted in this opening and dockside validation of all Chinook landings is mandatory.

The Haida CBF opening also includes dual fishing for FSC with mandatory validation of all landings. Area F Chinook and Coho catches are also sampled for CWT recovery and DNA is collected from Chinook and Coho for GSI analysis.

Precautionary time restrictions in the Northern Troll, include delaying Chinook salmon retention through July and the first part of August. Non retention in July is primarily aimed at protecting North Coast Chinook, and at risk Fraser River stream type Chinook, as well as to allow passage of Fraser River not at risk Chinook for FSC and southern fisheries. Restrictions in the first part of August also help to limit exploitation of WCVI Chinook to a maximum 3.2% exploitation objective.



Areas 1 & 2 - Haida Gwaii

Recreational:

Area 1 and 2 recreational catch estimates for June were derived from two data sources, including logbook catch reports from participating fly-in lodges as well as independent estimates of catch and releases (Chinook and Coho) generated by the Haida Fisheries creel program.

Table 2. Preliminary Recreational Catch Estimates, Haida Gwaii

2026 Preliminary estimates of June recreational fishing catch for Haida Gwaii (Areas 1 and 2)

Area	Effort (Boat trips)	Coho	Coho-Rel	Chinook	Chinook-Rel	Pink	Sockeye	Chum	Halibut	Lingcod	Rockfish
1	3,685	2,224	246	4,233	8,292	35	7	271	2,168	2,218	1,214
2E	-	-	-	-	-	-	-	-	-	-	-
2W	589	68	0	1,046	1,515	0	0	7	464	1,456	630
June Total	4,274	2,292	246	5,279	9,807	35	7	278	2,632	3,674	1,844

Note: Catch estimates are preliminary and subject to revision.

Area 1 and 2 recreational catch estimates for July should be available by the next weekly update on August 11th.

Terminal Salmon Assessments:

Terminal salmon assessments will start in approximately 10 days to assess dominant cycle Pink salmon returns (even years on Haida Gwaii) and the monitoring will continue through September and October to also assess Chum salmon returns.

One vessel-based operator will provide 48 days of charter patrol coverage in Area 2E in 2026. In addition, the Haida Fisheries Program will carry out assessments of key watersheds in Skidegate Inlet, Masset Inlet, Naden Harbour and Rennell Sound starting in mid-August.

The Haida Fisheries program is also operating the Yakoun River ARIS sonar through the summer to monitor Chinook and Pink Salmon passage. Plans are also in place to install the Tlell River counting fence (Tlell Watershed Society) in mid-August for video-based monitoring of Coho and Pink salmon escapement.

North Coast Chinook Management Plan-AABM Recreational Fisheries

Areas 1, 2, 142, and that portion of Area 101 west of 131 degrees 40.0 minutes West longitude:

- May 29, 2026 to July 31, 2026 - one (1) Chinook per day.

August 1, 2026 to March 31, 2027 - two (2) Chinook per day.

Area 3 - Nass River

The Nass River Gitwinksihlkw fish wheels have been operating since June 1. In-season run size estimates past the fishwheels are shown in Table 3. The current in-season Total Return to Canada (TRTC) forecast for Sockeye is a point estimate of 397,000k, and for Chinook is a point estimate of 18,500.



Table 3. Nass fishwheel in-season run size estimate to August 2, 2026 and historical average cumulative catch (1994-2025) to date.

Year	Sockeye	Chinook	Coho	Steelhead
2026	230,673	9,446	5,815	1,233
1994-2025 Avg.	232,200	18,240	8,100	1,560

Data provided by Nisga'a Fisheries and Wildlife Department (NFWD).

Nass River salmon stock assessment updates from the Nisga'a Fish and Wildlife Department are available by Dropbox [here](#).

Net Fisheries:

Area C:

Area 3 preliminary gillnet catches to July 23 with retention Sockeye and Pink, non-retention Coho, Chum, Chinook and Steelhead:

Management Area 3															
Stat Week	Week of Year	Date	Effort	Sockeye Salmon		Coho Salmon		Pink Salmon		Chum Salmon		Chinook Salmon		Steelhead	
				Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel
		06-Jul	81	4687	0	0	31	58	0	3059	40	0	41	0	0
		07-Jul	81	4212	0	0	35	136	9	2124	63	0	66	0	1
		Total for Week	162	8899	0	0	66	194	9	5183	103	0	107	0	1
		22-Jul	2	142	0	0	0	0	0	0	0	0	1	0	0
		23-Jul	0	0	0	0	0	0	0	0	0	0	0	0	0
		Total for Week	2	142	0	0	0	0	0	0	0	0	1	0	0
		Total for Management Area 3 in Period	164	9041	0	0	66	194	9	5183	103	0	108	0	1

Notes:

1. Consult the applicable Fishery Manager or Biologist as to the status of particular catch estimates.

Printed from the Fishery Operations System on July 28, 2026 at 10:15

Area A:

Due to poor Pink catches and escapement to date opportunities will not continue. Area 3 preliminary seine catches to July 14:



Fishery Operations System

**Commercial SALMON SEINE In-Season Estimated Catch-by-Area (Pieces)
for Period 01-Apr-2026 to 21-Jul-2026****Management Area 3**

Management Area 3				Report Details by Subarea or Portion												Status	Last Updated
Stat Week	Week of Year	Date	Effort	Sockeye Salmon		Coho Salmon		Pink Salmon		Chum Salmon		Chinook Salmon		Steelhead			
				Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel		
		07-Jul	20	219	0	0	79	78	10	4874	0	0	169	0	0	Preliminary Preliminary	06-Jul-2026
		08-Jul	20	1930	0	0	370	293	0	17442	0	0	161	0	2		09-Jul-2026
		Total for Week	40	2149	0	0	449	371	10	22316	0	0	330	0	2		
		13-Jul	20	1128	0	0	30	2536	0	13834	0	0	24	0	0	Preliminary Preliminary	15-Jul-2026
		14-Jul	20	1203	0	0	43	2418	0	12108	0	0	15	0	0		15-Jul-2026
		Total for Week	40	2331	0	0	73	4954	0	25942	0	0	39	0	0		
		Total for Management Area 3 in Period	80	4480	0	0	522	5325	10	48258	0	0	369	0	2		

Notes:

1. Consult the applicable Fishery Manager or Biologist as to the status of particular catch estimates.

Printed from the Fishery Operations System on July 21, 2026 at 14:58

CSAF Demonstration and Excess to Salmon Spawning Requirements (ESSR) Fisheries:

Two CSAF Demonstration fisheries targeting Nass Sockeye have been included in the 2026 IFMP. The fishery proponents, the Nisga'a Lisims Government and Gitanyow First Nation, have a combined access to 22.75% of the Canadian Commercial Total Allowable Catch for the Nass.

The Gitanyow CSAF fishery has started with low effort and catches to date. More information will be provided on the next update.

Two CSAF Demonstration fisheries targeting Area 3 Pink salmon were also included in the 2026 IFMP. North Coast Skeena First Nations Stewardship Society (NCSFNSS), Lax Kw'alaams Band and Metlakatla First Nation have indicated an interest in implementing these fisheries to access 18.63% of harvestable surplus for Area 3 Pink salmon, based on the Area 3 commercial seine harvest. To date these fisheries have not been implemented.

As occurred in 2023 and 2024, ESSR fishing plans that target the harvestable surplus of Meziadin Sockeye are undergoing evaluation for potential implementation in 2026.

Recreational Fisheries:*Non-Tidal*

Recreational fishing for Chinook is closed in the Nass River watershed.

North Coast Chinook Management Plan-ISBN Tidal Recreational Fisheries

Areas 3 to 5, 103 to 105, Subarea 102-1, and that portion of Area 101 east of 131 degrees 40.0 minutes West longitude:

- Effective June 1, 2026 at 00:01 hours to 23:59 hours June 22, 2026 - One (1) Chinook per day.
- Effective June 23, 2026 at 00:01 hours to 23:59 hours July 17, 2026 - Zero (0) Chinook per day.
- Effective July 18, 2026 at 00:01 hours to 23:59 hours July 31, 2026 – One (1) Chinook per day.
- Effective Aug 1, 2026 at 00:01 hours to 23:59 hours March 31, 2027 – Two (2) Chinook per day.



Tidal portion of the Gingolx (Kincolith) River:

- Effective June 23, 2026 at 00:01 hours to 23:59 hours March 31, 2027 - Zero (0) Chinook per day.

Sockeye

Recreational fishing for Sockeye will open in Areas 3, 4 and 5 on July 10, 2026 with a daily limit of four (4).

Meziadin Fishway:

Fishway operations commenced July 1 for the 2026 season. As of August 3, a total of 78,834 Sockeye have been counted through, compared to the mean 1994-2025 cumulative count to date of 77,408 (Table 4). Water levels are at 1.25m (compared to mean 1998-2025 level of 1.22m), and the water temperature is 16.5°C (16.9°C mean 1999-2025).

Table 4. Cumulative Meziadin fishway counts by species to August 3, 2026, compared to historical mean cumulative adult counts to date.

Year	Sockeye	Chinook	Coho	Steelhead
2026	78,834	36	0	0
1994-2025 Avg.	77,408	112	0	0

Historic and 2026 counts are available through:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/northcoast-cotenord/meziadin-eng.html>

Kwinageese Weir:

Kwinageese Weir video enumeration commenced July 20 by NFWD. Counts to August 2 indicate 93 Sockeye, 128 Chinook, 0 Coho, and 0 Steelhead. Average counts from 2002-2025 compare at 350 Sockeye, 145 Chinook, 0 Coho, and 0 Steelhead.

Alaska Fisheries

District 101 Gillnet Fishery:

The District 101 (D1) gillnet fishery opened for two days in US SW 31. Catch and effort information is available below (Table 5).

Table 5. Alaska District 101 gillnet harvest and effort (CPUE) for stat week 31 in 2026 and the 10-year average.

Species	District 1 Catch – Week 30 (CPUE)	10-Year Average (CPUE)
Chinook	20 (1)	54 (1)
Sockeye	1,000 (20)	2,714 (16)
Coho	300 (6)	1,136 (7)
Pink	11,500 (230)	38,546 (224)
Chum	12,500 (250)	33,676 (195)
Effort (boats)	25	40
Fishing Days	2	4

**District 104 Seine Fishery:**

The District 104 (D4) purse seine fishery opened on Sunday July 26 for 15 hours (Table 6).

Table 6. Alaska District 104 seine harvest and effort for start week 31 in 2026.

	Chinook	Sockeye	Coho	Pink	Chum	Boats	Hours
July 26, 2026	1,000	3,500	8,500	85,000	18,500	48	15

More information on Southeast Alaskan fisheries is available here:

<http://www.adfg.alaska.gov/index.cfm?adfg=fishing.main>

Area 4 - Skeena River

Based on results from the Tyee test fishery to August 3, the current run size estimates range from 1.79M-3.17M Skeena sockeye (80% certainty), with a mean (point) estimate of 2.37M (Table 7, Figure 1). The in-season TRTC estimate has continued to trend downwards and is being monitored carefully to inform fisheries decisions.

Table 7. 2026 in-season run size estimate probability for Skeena Sockeye as of August 3, 2026.




Figure 1. Total return to Canada run size probability distribution to August 3, 2026. Shaded areas indicate 80% CI.

Tyee Test Fishery:

The test fishery began operation on June 10, 2026. As of August 3, the estimated number of large Sockeye past Tyee is 1,480,107. Using average run timing (1985-2025), it is estimated that 76.5% of the run has passed Tyee as of this date.

Table 8. Tyee test fishery cumulative index to August 3, 2026 and ten-year average (2016-2025) to date.

Year	Sockeye	Coho	Pink (even)	Chum	Lg. Chinook	Steelhead
2026	990.51	14.56	203.95	24.37	100.17	95.01
2025	835.55	9.3	-	11.09	112.41	19.85
2024	1125.54	13.21	351.84	4.64	60.99	83.26



2023	912.93	16.95	-	7.79	87	11.92
2022	2184.89	17.59	180.51	5.34	147.4	33.23
2016-2025 Average	920.20	15.43	202.68	7.78	88.28	47.61

The 2026 Tyee test fishery daily and cumulative Sockeye escapement estimate data, along with 2026 daily and cumulative escapement indices by species, are available here:

<http://www.pac.dfo-mpo.gc.ca/fm-gp/northcoast-cotenord/skeenatyee-eng.html>

Net Fisheries:

Area C:

Area 4 preliminary catches to July 25, 2026:



Fishery Operations System

Commercial SALMON GILL NET In-Season Estimated Catch-by-Area (Pieces)
for Period 01-Apr-2026 to 28-Jul-2026

Management Area 4

Management Area 4				Report Details by Subarea or Portion												Status	Last Updated
				Sockeye Salmon		Coho Salmon		Pink Salmon		Chum Salmon		Chinook Salmon		Steelhead			
Stat Week	Week of Year	Date	Effort	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel		
		10-Jul	118	12447	0	0	48	0	31	0	28	0	101	0	14		
		11-Jul	121	13828	0	0	101	0	39	0	13	0	24	0	6		
		Total for Week	239	26275	0	0	149	0	70	0	41	0	125	0	20		
		13-Jul	143	21523	0	0	44	214	0	0	121	0	90	0	25		
		14-Jul	141	16817	0	0	74	122	0	0	79	0	34	0	18		
		16-Jul	150	22578	0	0	16	0	486	82	0	0	76	0	32		
		17-Jul	141	22649	0	0	116	1295	0	0	210	0	22	0	141		
		Total for Week	575	83567	0	0	250	1631	486	0	492	0	222	0	216		
		19-Jul	166	26925	0	0	147	2087	0	0	184	0	107	0	165		
		20-Jul	167	22479	0	0	46	2299	0	0	107	0	76	0	131		
		21-Jul	167	22034	0	0	40	1502	0	0	141	0	37	0	81		
		23-Jul	166	25015	0	0	100	3129	0	0	170	0	34	0	101		
		24-Jul	166	6321	0	0	62	2677	0	0	132	0	52	0	67		
		25-Jul	110	7276	0	0	35	1110	0	0	68	0	6	0	44		
		Total for Week	942	110050	0	0	430	12804	0	0	802	0	312	0	589		
	Total for Management Area 4 in Period	1756	219892	0	0	829	14435	556	0	1335	0	659	0	825			

Notes:

1. Consult the applicable Fishery Manager or Biologist as to the status of particular catch estimates.

Printed from the Fishery Operations System on July 28, 2026 at 10:16

Area A:

Area 4 seine catch estimates by opening to August 2 for the ITQ fishery:



Fishery Operations System

**Commercial SALMON SEINE In-Season Estimated Catch-by-Area (Pieces)
for Period 01-Apr-2026 to 04-Aug-2026**

Management Area 4

Stat Week	Week of Year	Date	Effort	Sockeye Salmon		Coho Salmon		Pink Salmon		Chum Salmon		Chinook Salmon		Steelhead		Status	Last Updated
				Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel		
		15-Jul	7	1149	0	0	19	236	0	0	49	0	77	0	19	Preliminary	20-Jul-2026
		16-Jul	14	1955	0	0	53	480	0	0	96	0	120	0	41	Preliminary	20-Jul-2026
		17-Jul	17	4756	0	0	129	1109	0	0	172	0	112	0	65	Preliminary	20-Jul-2026
		18-Jul	12	2555	0	0	69	554	0	0	114	0	90	0	41	Preliminary	20-Jul-2026
		Total for Week	50	10415	0	0	270	2379	0	0	431	0	399	0	166		
		19-Jul	11	2165	0	0	67	451	0	0	127	0	83	0	40	Preliminary	20-Jul-2026
		22-Jul	17	12554	0	0	274	6608	0	0	383	0	345	0	119	Preliminary	27-Jul-2026
		23-Jul	20	8800	0	0	288	4394	0	0	348	0	212	0	93	Preliminary	27-Jul-2026
		24-Jul	17	3479	0	0	129	2630	0	0	268	0	102	0	51	Preliminary	27-Jul-2026
		25-Jul	11	2422	0	0	186	2543	0	0	184	0	116	0	62	Preliminary	27-Jul-2026
		Total for Week	76	29420	0	0	944	16626	0	0	1310	0	858	0	365		
		26-Jul	13	4614	0	0	170	4075	0	0	149	0	69	0	56	Preliminary	27-Jul-2026
		29-Jul	14	4907	0	0	307	14516	0	0	499	0	200	0	338	Preliminary	04-Aug-2026
		30-Jul	14	3598	0	0	212	11420	0	0	459	0	122	0	135	Preliminary	04-Aug-2026
		31-Jul	10	3748	17	0	235	15977	0	0	331	0	98	0	160	Preliminary	04-Aug-2026
		01-Aug	9	1414	0	0	249	16124	0	0	297	0	74	0	180	Preliminary	04-Aug-2026
		Total for Week	60	18281	17	0	1173	62112	0	0	1735	0	563	0	869		
		02-Aug	10	2045	0	0	523	14346	0	0	342	0	119	0	301	Preliminary	04-Aug-2026
		Total for Week	10	2045	0	0	523	14346	0	0	342	0	119	0	301		
		Total for Management Area 4 in Period	196	60161	17	0	2910	95463	0	0	3818	0	1939	0	1701		

Notes:

1. Consult the applicable Fishery Manager or Biologist as to the status of particular catch estimates.

Printed from the Fishery Operations System on August 4, 2026 at 13:38

CSAF Demonstration and Excess to Salmon Spawning Requirements (ESSR) Fisheries:

Seven CSAF Demonstration fisheries targeting Skeena Sockeye were included in the 2026 draft IFMP. North Coast Skeena First Nations Stewardship Society (NCSFNSS), Kitsumkalum Band, Kitselas First Nation, Metlakatla First Nation, Lax Kw'alaams Band, Gitxsan First Nation, and Lake Babine Nation fisheries represent access to 22.75% of the Canadian Commercial Allowable Catch, further divided by geographic access and proponent.

Area 4 marine Demonstration fisheries were implemented again July 30 and 31; catch information to date is included below (Table 9). Please note catches have been combined to meet privacy requirements. Additional openings will be communicated by fisheries notice.

Table 9. Area 4 CSAF demonstration fishery catches and effort to August 4.

Date	Area	Effort (# of boats)	Sockeye Retained	Pink Retained
8-Jul	4-12 & 4-15	3	129	0
9-Jul	4-9 & 4-12	12	2,227	0
12-Jul	4-12	7	1,326	0
12-Jul	4-5, 4-9, 4-15	6	1,853	0
15-Jul	4-12 & 4-5	5	937	0
15-Jul	4-15	4	649	0
18-Jul	4-12	9	1,426	0
18-Jul/19-Jul	4-15, 4-5	5	1,535	0
22-Jul/23-Jul	4-12	7	1,991	577



22-Jul	4-15 & 4-5	4	1,135	0
26-Jul	4-12 & 4-15	12	2,607	15
26-Jul	4-5 & 4-9	5	1,244	0
30-Jul	4-5 & 4-12	3	546	1
30-Jul	4-15	3	979	0
31-Jul	4-12	3	792	76
31-Jul	4-5 & 4-15	3	689	0
Total		91	20065	669

In-river Skeena sockeye directed demonstration fisheries began in the lower Skeena River on July 15 and have been implemented weekly. Catches from those openings to date are included below.

Table 10. Skeena River CSAF demonstration fishery catches and effort to August 4.

Date	Area	Sockeye Retained	Pink Retained
15-Jul/16-Jul	Lower Skeena	104	2
18-Jul	Lower Skeena	336	1
19-Jul	Lower Skeena	357	0
21-Jul	Lower Skeena	149	0
22-Jul	Lower Skeena	150	0
23-Jul	Lower Skeena	73	0
24-Jul	Lower Skeena	205	0
25-Jul	Lower Skeena	217	0
26-Jul	Lower Skeena	51	0
27-Jul	Lower Skeena	175	0
28-Jul	Lower Skeena	220	0
29-Jul	Lower Skeena	185	0
30-Jul	Lower Skeena	124	0
Total		2346	3

CSAF demonstration fisheries in the mid-Skeena are expected to begin in the coming weeks. Catch information will be included when it becomes available.

Two ESSRs in the Skeena River watershed were included in the 2026 draft IFMP: Babine Sockeye (Lake Babine Nation) and Bulkley River Pink salmon (Office of the Wet'suwet'en). Openings of these fisheries will be announced via fisheries notice.

Recreational Fisheries:

June Summary



Non-Tidal

Recreational fishing for Chinook started closed in the Skeena River watershed and all rivers and lakes flowing into PFMAs 3 to 6, excluding the Kitimat River.

Recreational fishing for Sockeye on the Skeena River mainstem increased to 4 per day on July 29, 2026.

Recreational fishing for Sockeye on the Babine River opened to 2 per day on Aug 1, 2026.

North Coast Chinook Management Plan-ISBM Tidal Recreational Fisheries

Areas 3 to 5, 103 to 105, Subarea 102-1, and that portion of Area 101 east of 131 degrees 40.0 minutes West longitude:

- Effective June 1, 2026 at 00:01 hours to 23:59 hours June 22, 2026 - One (1) Chinook per day.
- Effective June 23, 2026 at 00:01 hours to 23:59 hours July 17, 2026 - Zero (0) Chinook per day.
- Effective July 18, 2026 at 00:01 hours to 23:59 hours July 31, 2026 – One (1) Chinook per day.
- Effective Aug 1, 2026 at 00:01 hours to 23:59 hours March 31, 2027 – Two (2) Chinook per day.

Tidal portion of the Gingolx (Kincolith) River:

- Effective June 23, 2026 at 00:01 hours to 23:59 hours March 31, 2027 - Zero (0) Chinook per day.

Sockeye

Recreational fishing for Sockeye will open in Areas 3, 4 and 5 on July 10, 2026 with a daily limit of four (4).

Area 3 and 4 Creel Survey

June Summary

The North Coast Skeena First Nations Stewardship Society began their creel survey operations in May of 2026. In June of 2026 they performed 436 interviews totalling 1,384 anglers with a reported catch of 489 Chinook and 178 Coho. These numbers are expanded to produce a catch (kept) estimate of 2,757 Chinook and 1,014 Coho.

Kitwanga Weir:

Gitanyow Fisheries Authority (GFA) commenced operations of the Kitwanga River Adult Salmon Enumeration Facility on July 21 for the season, later than typical due to high water levels. To July 31, GFA has counted 1 Sockeye, 48 Chinook, 0 Pink, 1 Chum, and 0 Coho through the weir. Updates provided by the Gitanyow Fisheries Authority are available through: www.gitanyowfisheries.com

Sustut Weir:

The Sustut Weir is expected to be operational by August 1 by the Province of BC with updates forthcoming.

**Kispiox River:**

Water conditions in the Kispiox River, reflective of Drought Management considerations, will be communicated throughout the season.

Area 6**Net Fisheries:***Area A*

Opportunities will be determined in-season and any available information will be provided in future updates.

CSAF Demonstration Fisheries

One CSAF demonstration fishery targeting Area 6 Pink salmon was included in the 2026 draft IFMP. It is not expected that this fishery will proceed this season.

Areas 7 to 10 - Central Coast**Net Fisheries:**

There have been five, 24-hour Chinook-directed commercial gill net fisheries in Area 8 to date this season, held on June 1, 8, 15, 22 and 29. Preliminary catch estimates for the Area C gill net fishery are provided below.

The Nuxalk demonstration fishery was opened for 24 hours on July 2, 2026; preliminary catch information is forthcoming. There are no further Chinook-directed commercial gill net openings planned.



Fishery Operations System

Commercial SALMON GILL NET In-Season Estimated Catch-by-Area (Pieces)
for Area C (Central) and
for Period 01-Apr-2026 to 06-Jul-2026

Management Area 8

[Report Details by Subarea or Portion](#)

Stat Week	Week of Year	Date	Effort	Sockeye Salmon		Coho Salmon		Pink Salmon		Chum Salmon		Chinook Salmon		Steelhead		Status	Last Updated
				Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel	Kept	Rel		
		01-Jun	3	0	0	0	0	0	0	0	0	6	0	0	0	Preliminary	03-Jun-2026
		Total for Week	3	0	0	0	0	0	0	0	0	6	0	0	0		
		08-Jun	4	0	0	0	0	0	0	0	2	23	0	0	0	Preliminary	11-Jun-2026
		Total for Week	4	0	0	0	0	0	0	0	2	23	0	0	0		
		15-Jun	5	0	0	0	0	0	0	0	31	27	0	0	0	Preliminary	18-Jun-2026
		Total for Week	5	0	0	0	0	0	0	0	31	27	0	0	0		
		22-Jun	9	0	0	0	0	0	0	0	424	124	0	0	0	Preliminary	25-Jun-2026
		Total for Week	9	0	0	0	0	0	0	0	424	124	0	0	0		
		29-Jun	5	0	0	0	0	0	0	0	416	48	0	0	0	Preliminary	02-Jul-2026
		Total for Week	5	0	0	0	0	0	0	0	416	48	0	0	0		
		Total for Management Area 8 in Period	26	0	0	0	0	0	0	0	873	228	0	0	0		

Notes:

1. Consult the applicable Fishery Manager or Biologist as to the status of particular catch estimates.

Printed from the Fishery Operations System on July 6, 2026 at 08:16

Central Coast Recreational Fisheries:

Data will be provided when available later in the season.

As per FN0687; Effective July 10, 2026 at 00:01 hours until 23:59 hours on August 17, 2026. The daily limit for Chinook is zero (0) per day in the tidal waters of Subareas 9-3 to 9-9.

The Heiltsuk, Kitasoo Xai'xais, Nuxalk, and Wuikinuxv Nations, with the coordination of the Central Coast Indigenous Resource Alliance (CCIRA) continue to collect data through a creel survey and DNA sampling program. The program will assess recreational and First Nations' Food, Social, and Ceremonial (FSC) fisheries in marine portions of Areas 6 to 9. Survey work will occur through September 2026. Recreational and Indigenous fishers should be aware that they may be approached by creel surveyors from the Nations to collect important data from these fisheries.