DSA ki Baithak

CODE BAITHAK

BY NAMAN BHAIYA

Picture based Recipe

Text based Recipe

How To Cook Instant Noodles

- Remove all packaging.
- Place 200 ml of boiling water in a saucepan and add the contents of the seasoning sachet.
- Break the noodle block into 3 or 4 pieces and place into the seasoned boiling water.
- Bring back to the boil, then simmer over a moderate heat for 2½ minutes, stirring frequently.
- Serve immediately.

Programming Ki Shuruaat

Program → Set of Instructions

Programming → Computer Ko step-by-step instructions dena

Algorithm → Sequential logical steps to solve a problem

Noodles = Problem

Recipe = Algorithm

Programming has 3 core elements -

① Input - Jispar Kaam Karna hai

* Kitne Packets ?

② Process - Logic apply Karna

* Paani Ubalna
* Noodles cook Karna
* Masala mix Karna

③ Output - Final Result

* Ready Noodles

Input
↓
Process
↓
Output

Flowcharts

(Picture Recipe)

Visual representation of our logic

→ Start / End

 → Input / Output

 → Flow

 → Processing

 → Decision



Flowchart -

Instant Noodles Recipe

Pseudocodes

(Text Recipe)

Simple English mein logic likhna

* No strict syntax
* Only thinking should be clear
* Blueprint of our coding

Pseudocode -

Instant Noodles Recipe

```
START

Take noodles
Take a pan
Add 2 cups of water
Turn on the stove

WHILE water is not boiling
    Wait

Add noodles to the pan
Add Masala
Cook for 2-3 minutes

IF noodles are soft THEN
    Turn off the stove
    Serve noodles
ELSE
    Continue cooking

END
```

① Input 2 numbers and print their sum.



3, 7

Sum = 10

10

Start
Input a,b
Sum = a+b
Output sum
End

② Input 2 numbers & print the greater number among them.



3, 7
a b

7

Start
Input a,b
IF a≥b
Output a
ELSE
Output b
End

③ Input a number & print it 'n' times. (n is also a input)



a = 7, n = 3

c = ~~1~~ ~~2~~ ~~3~~ 4

~~1~~ c ≤ 3 → 7

→ 7

→ 7

```
Start
Input a,n
Count = 1
WHILE count ≤ n
      Output a
END
```