

Name: Aayush Sujaykumar Patil

Prn:2324000488

Roll no:A31

Batch:A1

Experiment No. 3 – Explore Version Control Systems

Install Git git –version :

Create a project folder and initialize Git:

mkdir devopslab

cd devopslab

git init

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.26200.9168]
(c) Microsoft Corporation. All rights reserved.

C:\Windows\System32>git --version
git version 2.55.0.windows.4

C:\Windows\System32>git config --global user.name "Aayush Patil"

C:\Windows\System32>git config --global user.email "aayushspatil436@gmail.com"

C:\Windows\System32>git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=schannel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
core.editor="C:\Users\Admin\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
gui.recentrepo=C:/Users/Admin/Leetcode
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
user.name=Aayush Patil
user.email=aayushspatil436@gmail.com

C:\Windows\System32>cd %USERPROFILE%\Downloads

C:\Users\Admin\Downloads>mkdir DevOpsLab

C:\Users\Admin\Downloads>cd DevOpsLab

C:\Users\Admin\Downloads\DevOpsLab>git init
Initialized empty Git repository in C:/Users/Admin/Downloads/DevOpsLab/.git/

C:\Users\Admin\Downloads\DevOpsLab>git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

C:\Users\Admin\Downloads\DevOpsLab>git add .

C:\Users\Admin\Downloads\DevOpsLab>git status
On branch master

No commits yet
```

Push to github:

```
Administrator: Command Prompt

C:\Users\Admin\Downloads>cd DevOpsLab

C:\Users\Admin\Downloads\DevOpsLab>git init
Initialized empty Git repository in C:/Users/Admin/Downloads/DevOpsLab/.git/

C:\Users\Admin\Downloads\DevOpsLab>git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)

C:\Users\Admin\Downloads\DevOpsLab>git add .

C:\Users\Admin\Downloads\DevOpsLab>git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   test.py

C:\Users\Admin\Downloads\DevOpsLab>git commit -m "Initial Commit"
[master (root-commit) deff15c] Initial Commit
 1 file changed, 1 insertion(+)
 create mode 100644 test.py

C:\Users\Admin\Downloads\DevOpsLab>git log
commit deff15cbac196497c1b992b973402e71c21e947a (HEAD -> master)
Author: Aayush Patil <aayushpatil143@gmail.com>
Date:   Fri Sep 4 17:17:33 2026 +0530

    Initial Commit

C:\Users\Admin\Downloads\DevOpsLab>git remote add origin https://github.com/Code-Demon-web/DevOps

C:\Users\Admin\Downloads\DevOpsLab>git remote -v
origin https://github.com/Code-Demon-web/DevOps (fetch)
origin https://github.com/Code-Demon-web/DevOps (push)

C:\Users\Admin\Downloads\DevOpsLab>git branch -M main

C:\Users\Admin\Downloads\DevOpsLab>git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 239 bytes | 119.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Code-Demon-web/DevOps
 * [new branch] main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\Admin\Downloads\DevOpsLab>
```

```
Administrator: Command Prompt

C:\Users\Admin\Downloads\DevOpsLab>git remote add origin https://github.com/Code-Demon-web/DevOps

C:\Users\Admin\Downloads\DevOpsLab>git remote -v
origin https://github.com/Code-Demon-web/DevOps (fetch)
origin https://github.com/Code-Demon-web/DevOps (push)

C:\Users\Admin\Downloads\DevOpsLab>git branch -M main

C:\Users\Admin\Downloads\DevOpsLab>git push -u origin main
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 239 bytes | 119.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Code-Demon-web/DevOps
 * [new branch] main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\Admin\Downloads\DevOpsLab>git add .

C:\Users\Admin\Downloads\DevOpsLab>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   exp4-Adevops_A31.pdf

C:\Users\Admin\Downloads\DevOpsLab>git commit -m "Second Commit"
[main caf2811] Second Commit
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 exp4-Adevops_A31.pdf

C:\Users\Admin\Downloads\DevOpsLab>git remote -v
origin https://github.com/Code-Demon-web/DevOps (fetch)
origin https://github.com/Code-Demon-web/DevOps (push)

C:\Users\Admin\Downloads\DevOpsLab>git branch -M main

C:\Users\Admin\Downloads\DevOpsLab>git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 695.71 KiB | 13.64 MiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Code-Demon-web/DevOps
    deff15c..caf2811 main -> main
branch 'main' set up to track 'origin/main'.

C:\Users\Admin\Downloads\DevOpsLab>
```

Github Screenshot:

